

Pradip K Bhowmik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6098533/publications.pdf>

Version: 2024-02-01

92
papers

1,711
citations

377584

21
h-index

388640

36
g-index

92
all docs

92
docs citations

92
times ranked

1629
citing authors

#	ARTICLE	IF	CITATIONS
1	Poly(Pyridinium Salt)s Containing 2,7-Diamino-9,9â€²-Dioctylfluorene Moieties with Various Organic Counterions Exhibiting Both Lyotropic Liquid-Crystalline and Light-Emitting Properties. <i>Molecules</i> , 2021, 26, 1560.	1.7	5
2	Ionic liquid crystals: Synthesis and characterization via NMR, DSC, POM, X-ray diffraction and ionic conductivity of asymmetric viologen bistriflimide salts. <i>Journal of Molecular Liquids</i> , 2021, 328, 115370.	2.3	22
3	Special Issue Editorial: Current Advances in Liquid Crystals. <i>Molecules</i> , 2021, 26, 3713.	1.7	2
4	Dicationic stilbazolium salts: Structural, thermal, optical, and ionic conduction properties. <i>Journal of Molecular Liquids</i> , 2021, 341, 117311.	2.3	5
5	Electrocatalytic Oxidation of Carbohydrates via Surface-Immobilized Viologen. <i>Journal of the Electrochemical Society</i> , 2021, 168, 104516.	1.3	2
6	Synthesis, optical, and thermal properties of 2,4,6-tris(4-substituted phenyl)pyrylium tosylates and triflimides. <i>Journal of Molecular Structure</i> , 2020, 1202, 127325.	1.8	9
7	Thermotropic Liquid-Crystalline and Light-Emitting Properties of Bis(4-alkoxyphenyl) Viologen Bis(triflimide) Salts. <i>Molecules</i> , 2020, 25, 2435.	1.7	11
8	Phosphine Oxide Containing Poly(pyridinium salt)s as Fire Retardant Materials. <i>Polymers</i> , 2019, 11, 1141.	2.0	9
9	Preparation and molecular structure of lanthanumâ€²FcCOOâ€²DTBbpy complexes. <i>Inorganica Chimica Acta</i> , 2019, 489, 115-119.	1.2	1
10	Thermotropic Liquid-Crystalline and Light-Emitting Properties of Poly(pyridinium) Salts Containing Various Diamine Connectors and Hydrophilic Macrocounterions. <i>Polymers</i> , 2019, 11, 851.	2.0	4
11	Thermotropic Liquid-Crystalline Properties of Viologens Containing 4-n-alkylbenzenesulfonates. <i>Crystals</i> , 2019, 9, 77.	1.0	10
12	New histone demethylase LSD1 inhibitor selectively targets teratocarcinoma and embryonic carcinoma cells. <i>Bioorganic and Medicinal Chemistry</i> , 2018, 26, 1523-1537.	1.4	19
13	Thermotropic liquid-crystalline properties of extended viologen bis(triflimide) salts. <i>Liquid Crystals</i> , 2018, 45, 872-885.	0.9	16
14	Soluble viologen polymers as carbohydrate oxidation catalysts for alkaline carbohydrate fuel cells. <i>Journal of Electroanalytical Chemistry</i> , 2018, 823, 416-421.	1.9	11
15	Synthesis, optical spectroscopy and laser potential of pyrylium tosylates. <i>Journal of Molecular Structure</i> , 2018, 1171, 458-465.	1.8	9
16	Synthesis and Structure of Di(1,2,4,6-tetraphenylpyridinium) Octachlorodirhenate(III). <i>Crystallography Reports</i> , 2018, 63, 570-573.	0.1	0
17	Thermotropic liquidâ€²crystalline properties of 4,4â€²-dialkoxy-3,3â€²-diaminobiphenyl compounds and their precursors. <i>Liquid Crystals</i> , 2016, 43, 1560-1577.	0.9	5
18	Poly(pyridinium salt)s with organic counterions derived from 3,3â€²-dimethylnaphthidine: thermal, liquid crystalline, and optical properties. <i>Journal of Polymer Research</i> , 2015, 22, 1.	1.2	3

#	ARTICLE	IF	CITATIONS
19	Thermotropic mesomorphism in cationic surfactants synthesized from quaternary ammonium surfactants and sodium dodecylbenzenesulfonate: Effect of chain length and symmetry. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 461, 40-49.	2.3	3
20	Photoactive amorphous molecular materials based on bisquinoline diamines and their synthesis by Friedländer condensation reaction. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2014, 283, 45-55.	2.0	5
21	Room temperature thermotropic liquid crystalline phases of cationic surfactants derived from quaternary ammonium surfactants and bis(2-ethylhexyl)sulfosuccinate. <i>Journal of Colloid and Interface Science</i> , 2013, 411, 61-68.	5.0	12
22	Synthesis of [PtCl ₂ (4,4'-dialkoxy-2,2'-bipyridine)] complexes and their in vitro anticancer properties. <i>Metallomics</i> , 2013, 5, 973.	1.0	5
23	Solution, thermal and optical properties of bis(pyridinium salt)s as ionic liquids. <i>Materials Chemistry and Physics</i> , 2013, 139, 901-910.	2.0	20
24	Dispersion of Single-Walled Carbon Nanotubes with Poly(Pyridinium Salt)s Containing Various Rigid Aromatic Moieties. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 1378-1384.	1.1	6
25	Synthesis and characterization of luminescent tricationic salts of mesitylene and stilbazolium moieties. <i>Journal of Molecular Structure</i> , 2012, 1019, 174-182.	1.8	11
26	Synthesis and characterization of poly(pyridinium salt)s derived from various aromatic diamines. <i>Polymer</i> , 2012, 53, 1063-1071.	1.8	15
27	Dispersion of single-walled carbon nanotubes with poly(pyridinium salt)s. <i>Polymer Chemistry</i> , 2011, 2, 1953.	1.9	15
28	Design and synthesis of photoactive ionic amorphous molecular materials. <i>Journal of Materials Chemistry</i> , 2011, 21, 12717.	6.7	13
29	Solution, thermal and optical properties of new poly(pyridinium salt)s derived from conjugated quinoline diamines. <i>Journal of Polymer Science Part A</i> , 2011, 49, 1907-1918.	2.5	11
30	Poly(pyridinium salt)s with organic counterions derived from an aromatic diamine containing tetraoxyethylene units exhibiting amphotropic liquid-crystalline and photoluminescence properties. <i>Journal of Applied Polymer Science</i> , 2010, 116, 1197-1206.	1.3	7
31	Photoactive amorphous molecular materials based on quinoline amines and their synthesis by Friedländer condensation reaction. <i>Tetrahedron</i> , 2010, 66, 9319-9326.	1.0	24
32	Solution, thermal and optical properties of novel poly(pyridinium salt)s derived from conjugated pyridine diamines. <i>Journal of Polymer Science Part A</i> , 2010, 48, 4408-4418.	2.5	10
33	Solution, thermal, and optical properties of poly(pyridinium salt)s derived from an ambipolar diamine consisting of diphenylquinoline and triphenyl amine moieties. <i>Journal of Polymer Science Part A</i> , 2010, 48, 4611-4620.	2.5	15
34	Solution, thermal and optical properties of new poly(pyridinium salt)s derived from bisquinoline diamines. <i>Polymer Chemistry</i> , 2010, 1, 908.	1.9	21
35	Synthesis and Characterization of Birnessite and Cryptomelane Nanostructures in Presence of Hoffmeister Anions. <i>Journal of Nanomaterials</i> , 2009, 2009, 1-8.	1.5	18
36	Isothermal titration calorimetry, transmission electron microscopy, and field emission scanning electron microscopy of a main-chain viologen polymer containing bromide as counterions. <i>Polymer</i> , 2009, 50, 2393-2401.	1.8	5

#	ARTICLE	IF	CITATIONS
37	Poly(pyridinium salt)s with organic counterions derived from an aromatic diamine containing oxyethylene unit exhibiting amphotropic liquid-crystalline and photoluminescence properties. <i>Polymer</i> , 2009, 50, 3128-3135.	1.8	14
38	Synthesis and characterisation of thermotropic liquid-crystalline properties of azomethine dimers. <i>Liquid Crystals</i> , 2009, 36, 1389-1399.	0.9	23
39	Synthesis, Thermal, and Light-Emitting Properties of Anthracene Derivatives. <i>Molecular Crystals and Liquid Crystals</i> , 2009, 501, 125-137.	0.4	5
40	Synthesis and characterization of poly(pyridinium salt)s with oxyalkylene units exhibiting amphotropic liquid-crystalline and photoluminescence properties. <i>Polymer</i> , 2008, 49, 1748-1760.	1.8	38
41	Synthesis, thermal and lyotropic liquid crystalline properties of protic ionic salts. <i>Liquid Crystals</i> , 2008, 35, 757-764.	0.9	5
42	Design and Synthesis of n-Type Organic-Inorganic Hybrid Material Incorporating CdSe Quantum Dots Nanocrystal Core and Diphenylquinoline Peripheral Group. <i>Macromolecules</i> , 2008, 41, 7790-7793.	2.2	2
43	The Effect of Stirring on the Morphology of Birnessite Nanoparticles. <i>Journal of Nanomaterials</i> , 2008, 2008, 1-9.	1.5	15
44	A New Method of Synthesizing Black Birnessite Nanoparticles: From Brown to Black Birnessite with Nanostructures. <i>Journal of Nanomaterials</i> , 2008, 2008, 1-8.	1.5	14
45	Characterization of an Inorganic Cryptomelane Nanomaterial Synthesized by a Novel Process Using Transmission Electron Microscopy and X-Ray Diffraction. <i>Microscopy and Microanalysis</i> , 2008, 14, 328-334.	0.2	4
46	Main chain, thermotropic, liquid crystalline, hydrogen-bonded polymers of 4,4'-bipyridyl with 4,4'-dicarboxy-1,1'-diphenoxyalkanes. <i>Liquid Crystals</i> , 2007, 34, 841-854.	0.9	8
47	Synthesis, optical, and thermal properties of conjugated, bispyridyl and tetrapyridyl compounds by Knoevenagel reaction. <i>Tetrahedron Letters</i> , 2007, 48, 5383-5387.	0.7	15
48	Synthesis and characterization of two phases of manganese oxide from decomposition of permanganate in concentrated sulfuric acid at ambient temperature. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2007, 307, 62-70.	2.3	10
49	Synthesis and characterization of poly(pyridinium salt)s with organic counterions exhibiting both thermotropic liquid-crystalline and light-emitting properties. <i>Journal of Polymer Science Part A</i> , 2006, 44, 1028-1041.	2.5	27
50	Main-chain ionene polymers based on trans-1,2-bis(4-pyridyl)ethylene exhibiting both thermotropic liquid-crystalline and light-emitting properties. <i>Journal of Polymer Science Part A</i> , 2006, 44, 1541-1554.	2.5	15
51	Ionic liquids as solvents for biopolymers: Acylation of starch and zein protein. <i>Carbohydrate Polymers</i> , 2006, 66, 546-550.	5.1	273
52	Synthesis and characterization of inorganic double helices of cryptomelane nanomaterials. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006, 289, 185-192.	2.3	15
53	Synthesis and characterization of poly(pyridinium salt)s with anthracene moieties exhibiting both lyotropic liquid-crystalline and UV light-emitting properties. <i>Polymer</i> , 2006, 47, 8281-8288.	1.8	23
54	Synthesis and characterization of ionic liquids: viologen bis{tetrakis[3,5-bis(trifluoromethyl)phenyl]borate} salts. <i>Liquid Crystals</i> , 2006, 33, 891-906.	0.9	16

#	ARTICLE	IF	CITATIONS
55	Synthesis and Characterization of Poly(pyridinium salt)s with Organic Counterions Exhibiting Both Thermotropic Liquid-Crystalline and Light-Emitting Properties. <i>Macromolecules</i> , 2004, 37, 2688-2694.	2.2	34
56	Room-Temperature Thermotropic Ionic Liquid Crystals: Viologen Bis(Triflimide) Salts. <i>Molecular Crystals and Liquid Crystals</i> , 2004, 419, 27-46.	0.4	48
57	Main-chain, thermotropic, liquid-crystalline, hydrogen-bonded polymers of 4,4'-bipyridyl with aliphatic dicarboxylic acids. <i>Journal of Polymer Science Part A</i> , 2003, 41, 1282-1295.	2.5	17
58	Ambient temperature thermotropic liquid crystalline viologen bis(triflimide) salts. <i>Liquid Crystals</i> , 2003, 30, 1433-1440.	0.9	58
59	Thermotropic liquid-crystalline polyesters of 4,4'-biphenol and phenyl-substituted 4,4'-biphenols with 4,4'-oxybisbenzoic acid. <i>Journal of Polymer Science Part A</i> , 2002, 40, 141-155.	2.5	17
60	Main-chain viologen polymers with organic counterions exhibiting thermotropic liquid-crystalline and fluorescent properties. <i>Journal of Polymer Science Part A</i> , 2002, 40, 659-674.	2.5	34
61	Main-chain viologen polymers with triflimide counterion exhibiting lyotropic liquid-crystalline properties in polar organic solvents. <i>Journal of Polymer Science Part A</i> , 2002, 40, 2015-2024.	2.5	9
62	Synthesis and characterization of poly(pyridinium salt)s with organic counterion exhibiting both lyotropic liquid-crystalline and light-emitting properties. <i>Polymer</i> , 2002, 43, 1953-1958.	1.8	26
63	Synthesis and Characterization of Poly(pyridinium salt)s with Organic Counterion Exhibiting Both Lyotropic Liquid-Crystalline and Light-Emitting Properties. <i>Macromolecules</i> , 2001, 34, 7579-7581.	2.2	34
64	Synthesis and characterization of poly(pyridinium salt)s with organic counterion exhibiting both lyotropic liquid-crystalline and light-emitting properties. <i>Journal of Polymer Science Part A</i> , 2001, 39, 2710-2715.	2.5	31
65	Lyotropic Liquid Crystalline Main-Chain Viologen Polymers: A Homopolymer of 4,4'-Bipyridyl with the Ditosylate of trans-1,4-Cyclohexanedimethanol and Its Copolymers with the Ditosylate of 1,8-Octanediol. <i>Macromolecules</i> , 1998, 31, 621-630.	2.2	28
66	Wholly aromatic liquid-crystalline polyesters. <i>Progress in Polymer Science</i> , 1997, 22, 1431-1502.	11.8	104
67	Wholly aromatic thermotropic liquid crystalline polyesters of 3,3'-bis(phenyl)-4,4'-biphenol with 4,4'-benzophenone dicarboxylic acid. <i>Journal of Polymer Science Part A</i> , 1997, 35, 769-785.	2.5	10
68	Crystalline and Liquid Crystalline Polyesters of Phenyl-Substituted 4,4'-Biphenols. 5. Copolymers with 4,4'-Oxybis(benzoic acid). <i>Macromolecules</i> , 1996, 29, 3778-3786.	2.2	7
69	Crystalline and Liquid Crystalline Polyesters of Phenyl-Substituted 4,4'-Biphenols and 1,1'-Binaphthyl-4,4'-diol. 3. Copolymers with 6-Hydroxy-2-naphthoic Acid. <i>Macromolecules</i> , 1996, 29, 1910-1917.	2.2	12
70	Wholly aromatic thermotropic liquid crystalline polyesters of 4,4'-biphenol, substituted biphenols, and 1,1'-binaphthyl-4,4'-diol with 3,3'-benzophenone dicarboxylic acid. <i>Journal of Polymer Science Part A</i> , 1995, 33, 211-225.	2.5	9
71	Fully aromatic thermotropic liquid crystalline polyesters of 3-phenyl-4,4'-biphenol with 4,4'-benzophenone dicarboxylic acid. <i>Journal of Polymer Science Part A</i> , 1995, 33, 415-426.	2.5	4
72	Lyotropic liquid crystalline main-chain viologen polymers. <i>Journal of Polymer Science Part A</i> , 1995, 33, 1745-1749.	2.5	21

#	ARTICLE	IF	CITATIONS
73	Thermotropic liquid crystalline main-chain viologen polymers. <i>Journal of Polymer Science Part A</i> , 1995, 33, 1927-1933.	2.5	18
74	Effect of Oxygen and Zn ²⁺ on the Thermal Transitions and Cu ²⁺ Complexation in Amine-Terminated Telechelic Polybutadiene: DSC and ESR Studies. <i>Macromolecules</i> , 1995, 28, 3351-3359.	2.2	1
75	Fully aromatic thermotropic liquid crystalline homopolyesters of 3,4-dihydroxybenzophenone dicarboxylic acid. <i>Journal of Polymer Science Part A</i> , 1994, 32, 333-342.	2.5	11
76	Fully aromatic thermotropic liquid crystalline polyesters of 3,4-dihydroxybenzophenone. <i>Journal of Polymer Science Part A</i> , 1994, 32, 343-354.	2.5	21
77	Fully aromatic liquid crystalline homopolyesters and copolyesters of 1,1'-binaphthyl-4,4'-diol. <i>Journal of Polymer Science Part A</i> , 1994, 32, 651-659.	2.5	10
78	Thermotropic liquid crystalline main-chain viologen polymers: Homopolymer-of 4,4'-bipyridyl with ditosylate of trans-1,4-cyclohexanedimethanol and its copolymers with ditosylate of 1,8-octanediol. <i>Journal of Polymer Science Part A</i> , 1994, 32, 3205-3209.	2.5	16
79	Crystallinity of fully aromatic thermotropic polyesters of 3,3'-bis(phenyl)-4,4'-biphenol and 1,1'-binaphthyl-4,4'-diol. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994, 32, 1023-1031.	2.4	4
80	Thermotropic copolyesters of a series of aromatic diols with phenylterephthalic acid and 4,4'-oxybisbenzoic acid. <i>Journal of Polymer Science Part A</i> , 1993, 31, 1001-1006.	2.5	14
81	Fully aromatic thermotropic liquid crystalline polyesters of substituted 4,4'-biphenols. IV. Homopolyesters with terephthalic acid and copolyesters with terephthalic acid and 4-hydroxybenzoic acid. <i>Journal of Polymer Science Part A</i> , 1993, 31, 2115-2122.	2.5	8
82	Crystalline and liquid-crystalline properties of polyesters of phenyl-substituted 4,4'-biphenol. 1. Polymers from terephthalic acid and 2,6-naphthalenedicarboxylic acid. <i>Macromolecules</i> , 1993, 26, 440-446.	2.2	36
83	Direct detection of ionic clustering in telechelic ionomers by DSC and ESR. <i>Macromolecules</i> , 1993, 26, 3340-3343.	2.2	15
84	Fully aromatic liquid-crystalline polyesters of phenyl-substituted 4,4'-biphenols and 1,1'-binaphthyl-4,4'-diol with either 2-bromoterephthalic acid or 2-phenylterephthalic acid. <i>Macromolecules</i> , 1993, 26, 5287-5294.	2.2	35
85	Crystalline and liquid-crystalline properties of polyesters of phenyl-substituted 4,4'-biphenol. 2. Copolymers with 4-hydroxybenzoic acid. <i>Macromolecules</i> , 1993, 26, 447-451.	2.2	21
86	Synthesis and characterization of extended rod thermotropic polyesters with polyoxyethylene pendant substituents. <i>Polymer</i> , 1991, 32, 1703-1712.	1.8	36
87	Thermotropic polyesters with flexible spacers in the main chain and oligo(oxyethylene) substituents. <i>Die Makromolekulare Chemie</i> , 1991, 192, 415-425.	1.1	18
88	Parametrization of the trajectory calculations on ion-quadrupolar molecule collision rate constants. <i>Journal of Chemical Physics</i> , 1991, 94, 6444-6445.	1.2	19
89	Trajectory calculations of high temperature and kinetic energy dependent ion-polar molecule collision rate constants. <i>Journal of Chemical Physics</i> , 1989, 90, 7046-7049.	1.2	8
90	Protonation-deprotonation of purines and purine nucleosides. <i>Computational and Theoretical Chemistry</i> , 1989, 183, 381-392.	1.5	2

#	ARTICLE	IF	CITATIONS
91	Purine nucleotide cations. 2. Energetics and conformational effects on protonation-deprotonation of purine nucleoside. <i>The Journal of Physical Chemistry</i> , 1989, 93, 3327-3334.	2.9	5
92	Trajectory calculations of ion-quadrupolar molecule collision rate constants. <i>Journal of Chemical Physics</i> , 1986, 84, 1432-1434.	1.2	29