

In Chung

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/609864/in-chung-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67
papers

4,863
citations

29
h-index

69
g-index

88
ext. papers

5,589
ext. citations

11.3
avg, IF

5.77
L-index

#	Paper	IF	Citations
67	r-BN: A fine hyperbolic dispersion modulator for bulk metamaterials consisting of heterostructured nanohybrids of h-BN and graphene. <i>Journal of Solid State Chemistry</i> , 2022 , 309, 122937	3.3	
66	Exceptionally low thermal conductivity realized in the chalcopyrite CuFeS ₂ via atomic-level lattice engineering. <i>Nano Energy</i> , 2022 , 94, 106941	17.1	2
65	A highly efficient and transparent luminescent solar concentrator based on a nanosized metal cluster luminophore anchored on polymers. <i>Journal of Materials Chemistry C</i> , 2022 , 10, 4402-4410	7.1	2
64	Bulk Metamaterials Exhibiting Chemically Tunable Hyperbolic Responses. <i>Journal of the American Chemical Society</i> , 2021 ,	16.4	2
63	Genetic Manipulation of M13 Bacteriophage for Enhancing the Efficiency of Virus-Inoculated Perovskite Solar Cells with a Certified Efficiency of 22.3% (Adv. Energy Mater. 38/2021). <i>Advanced Energy Materials</i> , 2021 , 11, 2170150	21.8	
62	A Facile and Effective Ozone Exposure Method for Wettability and Energy-Level Tuning of Hole-Transporting Layers in Lead-Free Tin Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 42935-42943	9.5	4
61	Polycrystalline SnSe with a thermoelectric figure of merit greater than the single crystal. <i>Nature Materials</i> , 2021 , 20, 1378-1384	27	79
60	Genetic Manipulation of M13 Bacteriophage for Enhancing the Efficiency of Virus-Inoculated Perovskite Solar Cells with a Certified Efficiency of 22.3%. <i>Advanced Energy Materials</i> , 2021 , 11, 2101221	21.8	5
59	Indene-C ₆₀ Bisadduct Electron-Transporting Material with the High LUMO Level Enhances Open-Circuit Voltage and Efficiency of Tin-Based Perovskite Solar Cells. <i>ACS Applied Energy Materials</i> , 2020 , 3, 5581-5588	6.1	7
58	Unprecedentedly high indoor performance (efficiency > 34 %) of perovskite photovoltaics with controlled bromine doping. <i>Nano Energy</i> , 2020 , 75, 104984	17.1	30
57	Nanoscale defect structures advancing high performance n-type PbSe thermoelectrics. <i>Coordination Chemistry Reviews</i> , 2020 , 421, 213437	23.2	19
56	Cu Intercalation and Br Doping to Thermoelectric SnSe ₂ Lead to Ultrahigh Electron Mobility and Temperature-Independent Power Factor. <i>Advanced Functional Materials</i> , 2020 , 30, 1908405	15.6	27
55	Exceptionally High Average Power Factor and Thermoelectric Figure of Merit in n-type PbSe by the Dual Incorporation of Cu and Te. <i>Journal of the American Chemical Society</i> , 2020 , 142, 15172-15186	16.4	26
54	Electronic Band Engineering via MI ₃ (M = Sb, Bi) Doping Remarkably Enhances the Air Stability of Perovskite CsSnI ₃ . <i>ACS Applied Energy Materials</i> , 2020 , 3, 10477-10484	6.1	9
53	Surface Oxide Removal for Polycrystalline SnSe Reveals Near-Single-Crystal Thermoelectric Performance. <i>Joule</i> , 2019 , 3, 719-731	27.8	118
52	Self-emitting blue and red EuOX (X = F, Cl, Br, I) materials: band structure, charge transfer energy, and emission energy. <i>Physical Chemistry Chemical Physics</i> , 2019 , 21, 1737-1749	3.6	12
51	High Thermoelectric Performance in n-Type Polycrystalline SnSe via Dual Incorporation of Cl and PbSe and Dense Nanostructures. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 21645-21654	9.5	27

50	Highly Luminous N-Substituted LiMSiON:Eu (M = Ca, Sr, and Ba) for White NUV Light-Emitting Diodes. <i>ACS Omega</i> , 2019 , 4, 8431-8440	3.9	6
49	First-principles study of electronic transport coefficients of point-defective metallic species: aluminum and its bimetallic alloys. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2019 , 27, 035009	2	
48	Ultrahigh Power Factor and Electron Mobility in n-Type BiTe-%Cu Stabilized under Excess Te Condition. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 30999-31008	9.5	21
47	Towards efficient and stable perovskite solar cells employing non-hygroscopic F4-TCNQ doped TFB as the hole-transporting material. <i>Nanoscale</i> , 2019 , 11, 19586-19594	7.7	22
46	Electrical characteristics and detailed interfacial structures of Ag/Ni metallization on polycrystalline thermoelectric SnSe. <i>Journal of Materials Science and Technology</i> , 2019 , 35, 711-718	9.1	8
45	Unusual n-type thermoelectric properties of Bi ₂ Te ₃ doped with divalent alkali earth metals. <i>Journal of Solid State Chemistry</i> , 2019 , 269, 396-400	3.3	9
44	Thermoelectric properties of nano-bulk bismuth telluride prepared with spark plasma sintered nano-plates. <i>Current Applied Physics</i> , 2019 , 19, 97-101	2.6	4
43	Thermoelectric transport properties of Pb doped SnSe alloys (Pb _x Sn _{1-x} Se): DFT-BTE simulations. <i>Journal of Solid State Chemistry</i> , 2019 , 270, 413-418	3.3	3
42	High-Performance Quantum Dot Thin-Film Transistors with Environmentally Benign Surface Functionalization and Robust Defect Passivation. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 3739-3749	9.5	20
41	High-Power-Density Skutterudite-Based Thermoelectric Modules with Ultralow Contact Resistivity Using FeNi Metallization Layers. <i>ACS Applied Energy Materials</i> , 2018 , 1, 1603-1611	6.1	33
40	Defect Engineering for High-Performance n-Type PbSe Thermoelectrics. <i>Journal of the American Chemical Society</i> , 2018 , 140, 9282-9290	16.4	88
39	Air-Stable Direct Bandgap Perovskite Semiconductors: All-Inorganic Tin-Based Heteroleptic Halides AxSnClyz (A = Cs, Rb). <i>Chemistry of Materials</i> , 2018 , 30, 4847-4856	9.6	45
38	High-Performance n-Type PbSe-CuSe Thermoelectrics through Conduction Band Engineering and Phonon Softening. <i>Journal of the American Chemical Society</i> , 2018 , 140, 15535-15545	16.4	64
37	ZnTe Alloying Effect on Enhanced Thermoelectric Properties of p-Type PbTe. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 3766-3773	9.5	21
36	Study on thermal conductivity and electrical resistivity of Al-Cu alloys obtained by Boltzmann transport equation and first-principles simulation: Semi-empirical approach. <i>Journal of Alloys and Compounds</i> , 2017 , 727, 1237-1242	5.7	5
35	Enhancing p-Type Thermoelectric Performances of Polycrystalline SnSe via Tuning Phase Transition Temperature. <i>Journal of the American Chemical Society</i> , 2017 , 139, 10887-10896	16.4	79
34	Ag/Ni Metallization Bilayer: A Functional Layer for Highly Efficient Polycrystalline SnSe Thermoelectric Modules. <i>Journal of Electronic Materials</i> , 2017 , 46, 848-855	1.9	14
33	Extraordinary Off-Stoichiometric Bismuth Telluride for Enhanced n-Type Thermoelectric Power Factor. <i>Journal of the American Chemical Society</i> , 2016 , 138, 14458-14468	16.4	63

32	Metal Chalcogenides: A Rich Source of Nonlinear Optical Materials. <i>Chemistry of Materials</i> , 2014 , 26, 849-869	469	463
31	Enhanced thermoelectric properties of p-type nanostructured PbTe _{1-x} Te _x (M = Cd, Hg) materials. <i>Energy and Environmental Science</i> , 2013 , 6, 1529	35.4	101
30	New Metal Chalcogenides Ba ₄ CuGa ₅ Q ₁₂ (Q = S, Se) Displaying Strong Infrared Nonlinear Optical Response. <i>Chemistry of Materials</i> , 2013 , 25, 2427-2433	9.6	97
29	Semiconducting [(Bi ₄ Te ₄ Br ₂)(Al ₂ Cl _(6-x) Br _x)]Cl ₂ and [Bi ₂ Se ₂ Br](AlCl ₄): cationic chalcogenide frameworks from Lewis acidic ionic liquids. <i>Inorganic Chemistry</i> , 2013 , 52, 5657-9	5.1	29
28	K ₄ Ge ₄ Se ₁₂ : a case for phase-change nonlinear optical chalcogenide. <i>Optics Letters</i> , 2013 , 38, 1316-8	3	20
27	Na ₂ Ge ₂ Se ₅ : A highly nonlinear optical material. <i>Journal of Solid State Chemistry</i> , 2012 , 195, 161-165	3.3	51
26	Molecular germanium selenophosphate salts: phase-change properties and strong second harmonic generation. <i>Journal of the American Chemical Society</i> , 2012 , 134, 20733-44	16.4	61
25	Crystal Growth and Characterization of the X-ray and γ-ray Detector Material Cs ₂ Hg ₆ S ₇ . <i>Crystal Growth and Design</i> , 2012 , 12, 3250-3256	3.5	40
24	All-solid-state dye-sensitized solar cells with high efficiency. <i>Nature</i> , 2012 , 485, 486-9	50.4	1392
23	CsSnI ₃ : Semiconductor or metal? High electrical conductivity and strong near-infrared photoluminescence from a single material. High hole mobility and phase-transitions. <i>Journal of the American Chemical Society</i> , 2012 , 134, 8579-87	16.4	675
22	Stabilization of Sn ²⁺ in K ₁₀ Sn ₃ (P ₂ Se ₆) ₄ and Cs ₂ SnP ₂ Se ₆ derived from a basic flux. <i>Inorganic Chemistry</i> , 2011 , 50, 412-4	5.1	13
21	Strongly Nonlinear Optical Chalcogenide Thin Films of APSe ₆ (A=K, Rb) from Spin-Coating. <i>Angewandte Chemie</i> , 2011 , 123, 11059-11062	3.6	7
20	Rb ₄ Sn ₅ P ₄ Se ₂₀ : A Semimetallic Selenophosphate. <i>Angewandte Chemie</i> , 2011 , 123, 8996-9000	3.6	1
19	Strongly nonlinear optical chalcogenide thin films of APSe ₆ (A=K, Rb) from spin-coating. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 10867-70	16.4	39
18	Rb ₄ Sn ₅ P ₄ Se ₂₀ : a semimetallic selenophosphate. <i>Angewandte Chemie - International Edition</i> , 2011 , 50, 8834-8	16.4	19
17	Strongly nonlinear optical glass fibers from noncentrosymmetric phase-change chalcogenide materials. <i>Journal of the American Chemical Society</i> , 2010 , 132, 384-9	16.4	81
16	[P(3)Se(7)](3-): a phosphorus-rich square-ring selenophosphate. <i>Inorganic Chemistry</i> , 2010 , 49, 3092-4	5.1	11
15	Synthesis in ionic liquids: [Bi ₂ Te ₂ Br](AlCl ₄), a direct gap semiconductor with a cationic framework. <i>Journal of the American Chemical Society</i> , 2010 , 132, 14760-2	16.4	110

14	The tellurophosphate K(4)P(8)Te(4): phase-change properties, exfoliation, photoluminescence in solution and nanospheres. <i>Journal of the American Chemical Society</i> , 2009 , 131, 16303-12	16.4	15
13	First-principles prediction of an enhanced optical second-harmonic susceptibility of low-dimensional alkali-metal chalcogenides. <i>Physical Review B</i> , 2009 , 79,	3.3	45
12	A Polar and Chiral Indium Telluride Featuring Supertetrahedral T2 Clusters and Nonlinear Optical Second Harmonic Generation. <i>Chemistry of Materials</i> , 2009 , 21, 12-14	9.6	96
11	Flexible polar nanowires of Cs ₅ BiP ₄ Se ₁₂ from weak interactions between coordination complexes: strong nonlinear optical second harmonic generation. <i>Journal of the American Chemical Society</i> , 2009 , 131, 2647-56	16.4	88
10	Chalcogenide chemistry in ionic liquids: nonlinear optical wave-mixing properties of the double-cubane compound [Sb ₇ S ₈ Br ₂](AlCl ₄) ₃ . <i>Journal of the American Chemical Society</i> , 2009 , 131, 9896-7	16.4	221
9	Low valent phosphorus in the molecular anions [P ₅ Se ₁₂] ⁵⁻ and beta-[P ₆ Se ₁₂] ⁴⁻ : phase change behavior and near infrared second harmonic generation. <i>Chemical Communications</i> , 2007 , 4998-5000	5.8	32
8	Helical polymer 1/infinity[P ₂ Se ₆ (2-)]: strong second harmonic generation response and phase-change properties of its K and Rb salts. <i>Journal of the American Chemical Society</i> , 2007 , 129, 14996-5006	16.4	103
7	Cs ₄ P ₂ Se ₁₀ : A new compound discovered with the application of solid-state and high temperature NMR. <i>Journal of Solid State Chemistry</i> , 2007 , 180, 2877-2884	3.3	8
6	[P ₆ Se ₁₂] ⁴⁻ : a phosphorus-rich selenophosphate with low-valent P centers. <i>Inorganic Chemistry</i> , 2006 , 45, 2785-7	5.1	22
5	APSe ₆ (A = K, Rb, and Cs): Polymeric selenophosphates with reversible phase-change properties. <i>Inorganic Chemistry</i> , 2004 , 43, 2762-4	5.1	45
4	Transformation of DionJacobson-type layered oxyfluorides into new anion-deficient pyrochlore-type oxides, ASrNb ₂ O _{6.5} (A = Li and Na). <i>Journal of Materials Chemistry</i> , 2002 , 12, 1001-1004		5
3	Macromolecular Nanoplatelet of Aurivillius-type Layered Perovskite Oxide, Bi ₄ Ti ₃ O ₁₂ . <i>Chemistry of Materials</i> , 2001 , 13, 2759-2761	9.6	77
2	Neutron Diffraction and X-ray Absorption Spectroscopic Analyses for Lithiated Aurivillius-Type Layered Perovskite Oxide, Li ₂ Bi ₄ Ti ₃ O ₁₂ . <i>Journal of Physical Chemistry B</i> , 2001 , 105, 7908-7912	3.4	17
1	Large-Diameter Carbon Nanotube Transparent Conductor Overcoming Performance/Field Tradeoff. <i>Advanced Functional Materials</i> , 2103397	15.6	4