

# Arabinda Behera

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6099160/publications.pdf>

Version: 2024-02-01

225  
papers

6,455  
citations

66343  
42  
h-index

110387  
64  
g-index

237  
all docs

237  
docs citations

237  
times ranked

7419  
citing authors

#	ARTICLE	IF	CITATIONS
1	Emulating the impact of additional protonâ€“proton interactions in the ATLAS simulation by presampling sets of inelastic Monte Carlo events. Computing and Software for Big Science, 2022, 6, 1.	2.9	5
2	Search for heavy particles in the b -tagged dijet mass distribution with additional b -tagged jets in proton-proton collisions at $s=13\text{ TeV}$ with the ATLAS experiment. Physical Review D, 2022, 105, .	4.7	2
3	Performance of the ATLAS Level-1 topological trigger in RunÂ2. European Physical Journal C, 2022, 82, 1.	3.9	6
4	Measurement of the c-jet mistagging efficiency in $\text{tar}\{t\}$ events using pp collision data at $\sqrt{s}=13\text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	14
5	Operation and performance of the ATLAS semiconductor tracker in LHC RunÂ2. Journal of Instrumentation, 2022, 17, P01013. Search for Higgs boson decays into a pair of pseudoscalar particles in the $\text{mml:math}$ $\text{display="inline"}> \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b^{1/4} \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle b^{1/4} \langle / \text{mml:mi} \rangle < / \text{mml:math}$	1.2	1
6	final state with the ATLAS detector in $\text{mml:math}$ collisions at $\text{mml:math}$ $\text{display="inline"}> \langle \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < \text{mml:mi} \rangle p \langle / \text{mml:mi} \rangle < / \text{mml:math}$ $\text{display="inline"}> \langle \text{mml:msqrt} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:msqrt} \rangle$ Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.	4.7	17
7	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1.	4.7	2
8	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139\text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13\text{ TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.	4.7	10
10	AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.	2.9	23
11	Measurement of the energy response of the ATLAS calorimeter to charged pions from $\pi^+\pi^-$ events in RunÂ2 data. European Physical Journal C, 2022, 82, 1.	3.9	4
12	The ATLAS inner detector trigger performance in pp collisions at $13\text{ TeV}$ during LHC Run 2. European Physical Journal C, 2022, 82, 1. Search for associated production of a Z boson with an invisibly decaying Higgs boson or dark matter candidates at $\text{mml:math}$ $\text{display="block"}> \langle \text{mml:math} \rangle \text{altimg}=\text{"s11.svg"} \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle \text{linebreak}=\text{"goodbreak"} \text{linebreakstyle}=\text{"after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{TeV}$ with the ATLAS detector. Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 829, 137066.	3.9	5
14	Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, . A search for an unexpected asymmetry in the production of $e^+e^-$ and $\mu^+\mu^-$ pairs in protonâ€“proton collisions recorded by the ATLAS detector at $\text{mml:math}$ $\text{display="block"}> \langle \text{mml:math} \rangle \text{altimg}=\text{"s11.svg"} \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle \text{linebreak}=\text{"goodbreak"} \text{linebreakstyle}=\text{"after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{TeV}$ . Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	3.9	7
15	Measurement of the energy asymmetry in $\text{tar}\{t\}$ production at $\sqrt{s}=13\text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, . Search for resonant pair production of Higgs bosons in the $\text{mml:math}$ $\text{display="block"}> \langle \text{mml:math} \rangle \text{altimg}=\text{"s11.svg"} \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle s \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle \text{linebreak}=\text{"goodbreak"} \text{linebreakstyle}=\text{"after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{TeV}$ . Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	4.1	1
16	Constraints on Higgs boson production with large transverse momentum using $\text{mml:math}$ $\text{display="block"}> \langle \text{mml:math} \rangle \text{altimg}=\text{"s11.svg"} \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle \text{linebreak}=\text{"goodbreak"} \text{linebreakstyle}=\text{"after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{TeV}$ . Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	3.9	2
17	Constraints on Higgs boson production with large transverse momentum using $\text{mml:math}$ $\text{display="block"}> \langle \text{mml:math} \rangle \text{altimg}=\text{"s11.svg"} \langle \text{mml:msqrt} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle b \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \rangle \text{linebreak}=\text{"goodbreak"} \text{linebreakstyle}=\text{"after"} \rangle = \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \rangle 13 \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{TeV}$ . Physics Letters. Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 830, 137106.	4.7	10
18	Decays in the ATLAS detector. Physical Review D, 2022, 105, .	4.7	5

#	ARTICLE	IF	CITATIONS
19	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13 \text{ TeV}$ . European Physical Journal C, 2022, 82, 1.	3.9	12
20	Search for single production of a vectorlike quark decaying into a Higgs boson and top quark with fully hadronic final states using the ATLAS detector. Physical Review D, 2022, 105, .	4.7	10
21	Search for long-lived charginos based on a disappearing-track signature using $136 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2022, 82, .	3.9	13
22	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, .	3.9	3
23	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
24	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135980.	4.1	61
25	Medium-induced modification of Z-Tagged Charged Particle Yields in $\sqrt{s} = 13 \text{ TeV}$ Collisions at $5.02 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2021, 126, 072301.	7.8	7
26	Search for squarks and gluinos in final states with jets and missing transverse momentum using $139 \text{ fb}^{-1}$ of pp collision data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	37
27	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
28	Measurements of WH and ZH production in the H decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
29	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
30	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	17
31	Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
32	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. <i>ed. in Association with a Dark Higgs Boson Decaying into</i>	4.7	6
33	<i>xml�ns:mml="http://www.w3.org/1998/Math/MathML"</i> $Z \rightarrow W \pm$ in Fully Hadronic Final States Longitudinal Flow Decorrelations in $Z \rightarrow W \pm$ Collisions at $\sqrt{s} = 13 \text{ TeV}$ <i>Longitudinal Flow Decorrelations in</i> $Z \rightarrow W \pm$ <i>Collisions at</i> $\sqrt{s} = 13 \text{ TeV}$ <i>ed. in Association with a Dark Higgs Boson Decaying into</i>	7.8	6
34	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	17
35	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
36	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	22

#	ARTICLE	IF	CITATIONS
37	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in protonâ“proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	18
38	Measurement of the CP-violating phase $\phi_s$ in $B_s \rightarrow J/\psi \phi$ decays in ATLAS at 13TeV. European Physical Journal C, 2021, 81, .	3.9	13
39	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13TeV protonâ“proton collisions. European Physical Journal C, 2021, 81, 1.	3.9	15
40	Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^-$ and $e^+e^- \rightarrow u\bar{u}$ final states using 139 $\text{fb}^{-1}$ of protonâ“proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	40
41	Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
42	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $e^+e^- \rightarrow b\bar{b}$ and $e^+e^- \rightarrow WW$ final states in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	26
43	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ . Journal of High Energy Physics, 2021, 2021, 1. Search for new phenomena in events with an energetic jet and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ collisions with the ATLAS detector. Physical Review D, 2021, 103, .	4.7	23
44	Measurements of $W + \bar{W} \rightarrow 1$ jet production cross-sections in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	64
45	Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	46
46	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13\text{TeV}$ . European Physical Journal C, 2021, 81, 1.	3.9	14
47	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{l}_\nu$ -lepton in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
48	Search for charged-lepton-flavour violation in Z-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 819-825.	16.7	8
49	Search for Displaced Leptons in $\sqrt{s} = 13\text{TeV}$ collisions with the ATLAS Detector. Physical Review Letters, 2021, 127, 051802.	7.8	17
50	Test of the universality of $\tilde{l}_\nu$ and $\tilde{\ell}^\pm$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	16.7	15
51	Two-particle azimuthal correlations in photonuclear ultraperipheral $\sqrt{s} = 5.02\text{TeV}$ collisions at 5.02 TeV with ATLAS. Physical Review C, 2021, 104, .	4.7	12
52	Search for supersymmetry in events with four or more charged leptons in $139\text{ fb}^{-1}$ of $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10
53	Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W^\pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.	4.7	10

#	ARTICLE	IF	CITATIONS
55	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	8
56	A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	5
57	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s}=13 \text{ TeV}$ . <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	82
58	Performance of the ATLAS RPC detector and Level-1 muon barrel trigger at $\sqrt{s}=13 \text{ TeV}$ . <i>Journal of Instrumentation</i> , 2021, 16, P07029.	1.2	6
59	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	13
60	The ATLAS Fast TracKer system. <i>Journal of Instrumentation</i> , 2021, 16, P07006.	1.2	5
61	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	3
62	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
63	Measurements of sensor radiation damage in the ATLAS inner detector using leakage currents. <i>Journal of Instrumentation</i> , 2021, 16, P08025.	1.2	3
64	Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	12
65	Exclusive dimuon production in ultraperipheral $\text{Pb-Pb}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ . <i>Physical Review C</i> , 2021, 104, 1.	2.9	11
66	Search for New Phenomena in Final States with Two Leptons and One or No b -Tagged Jets at $s=13 \text{ TeV}$ Using the ATLAS Detector. <i>Physical Review Letters</i> , 2021, 127, 141801.	7.8	14
67	Search for dark matter produced in association with a single top quark in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	9
68	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	14
69	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
70	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	12
71	Non-flow effects in correlation between harmonic flow and transverse momentum in nuclear collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 822, 136702.	4.1	10
72	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7

#	ARTICLE	IF	CITATIONS
73	Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
74	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	10
75	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
76	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	4
77	Search for chargino-“neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	28
78	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	7
79	Search for Lepton-Flavor Violation in $Z \rightarrow l^+l^-$ -Boson Decays with Leptons with the ATLAS Detector. <i>Physical Review D</i> , 2021, 104, 1.	7.8	8
80	Search for charginos and neutralinos in final states with two boosted hadronically decaying bosons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions at $\sqrt{s} = 13$ TeV. <i>Physical Review D</i> , 2021, 104, 1.	4.7	25
81	Search for new phenomena in $t\bar{t}$ collisions in final states with tau leptons, $b$ -jets, and missing transverse momentum with the ATLAS detector. <i>Physical Review D</i> , 2021, 104, 1.	4.7	14
82	Measurement of b-quark fragmentation properties in jets using the decay $B \rightarrow J/\psi K \pm$ in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.	4.7	3
83	Combined measurements of Higgs boson production and decay using up to 24 fb <sup>-1</sup> of proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>Dijet Resonance Search with Weak Supervision Using <math>t\bar{t}</math> Events</i> . <i>Physical Review D</i> , 2020, 101, 1.	4.7	24
84	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and $tW^3$ production in the $e\ell\gamma$ channel at 13 TeV with the ATLAS detector. <i>Physical Review Letters</i> , 2020, 125, 131801.	4.7	67
85	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	3
86	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
87	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $t\bar{t}\gamma$ decay channel at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	32
88	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	28
89	Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , 2020, 15, P09015-P09015.	1.2	62

#	ARTICLE	IF	CITATIONS
91	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
92	Measurement of differential cross sections for single diffractive dissociation in $\text{pp}$ collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
93	Measurement of isolated-photon plus two-jet production in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
94	Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	7.8	40
95	Measurements of the production cross-section for a $Z$ boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
96	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	17
97	Observation of the associated production of a top quark and a $Z$ boson in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
98	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
99	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using Collisions at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2020, 80, 1.	7.8	97
100	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
101	Robustness of principal component analysis of harmonic flow in heavy ion collisions. Physical Review C, 2020, 102, .	2.9	4
102	Measurements of top-quark pair spin correlations in the $\text{emu}$ channel at $\sqrt{s} = 13 \text{ TeV}$ using $\text{pp}$ collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	22
103	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	1.2	4
104	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
105	Search for Higgs Boson Decays into a $Z$ Boson and a Light Hadronically Decaying Resonance Using $13 \text{ TeV}$ $\text{pp}$ Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	7.8	20
106	Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
107	Search for heavy neutral Higgs bosons produced in association with gluino-gluino -quarks and decaying into -quarks at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2020, 80, 1.	4.7	22
108	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\text{pp}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36

#	ARTICLE	IF	CITATIONS
109	ATLAS data quality operations and performance for 2015–2018 data-taking. <i>Journal of Instrumentation</i> , 2020, 15, P04003-P04003.	1.2	68
110	Measurement of the Lund Jet Plane Using Charged Particles in 13 $\text{TeV}$ Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 222002.	7.8	28
111	<i>Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in <math>\sqrt{s} = 13\text{ TeV}</math> proton-proton collisions at the ATLAS Experiment</i> . <i>Physical Review Letters</i> , 2020, 124, 082301.	7.8	17
112	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 $\text{fb}^{-1}$ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	19
113	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13\text{ TeV}$ proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7
114	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 $\text{TeV}$ Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 124, 031802.	7.8	25
115	Measurement of the $Z(\rightarrow e^+e^-)$ production cross-section in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	9
116	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8\text{TeV}$ and 13 $\text{TeV}$ . <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	5
117	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}}=8.16\text{TeV}$ p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	12
118	Measurement of $J/\psi$ production in association with a $W\pm$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	10
119	Search for new resonances in mass distributions of jet pairs using 139 $\text{fb}^{-1}$ of pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	68
120	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	14
121	Reconstruction and identification of boosted di- $\ell$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	8
122	Evidence for electroweak production of two jets in association with a $Z\gamma$ pair in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020, 80, 1.	4.1	9
123	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $s=13\text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 251802.	7.8	6
124	Observation and Measurement of Forward Proton Scattering in Association with Lepton Pairs Produced via the Photon Fusion Mechanism at ATLAS. <i>Physical Review Letters</i> , 2020, 125, 261801.	7.8	22
125	Longitudinal eccentricity decorrelations in heavy-ion collisions. <i>Physical Review Research</i> , 2020, 2, .	3.6	8
126	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	93

#	ARTICLE	IF	CITATIONS
127	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13\text{TeV}$ pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	124
128	Search for top squarks in events with a Higgs or Z boson using $139\text{fb}^{-1}$ of pp collision data at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
129	Evidence for $t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
130	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
131	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13\text{TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	21
132	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
133	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	3.9	12
134	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8\text{TeV}$ using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
135	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13\text{TeV}$ pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1. Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle \text{mml:mi} \rangle p \langle /mml:mi \rangle \langle /mml:math \rangle$ and $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="inline"} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Pb \langle /mml:mi \rangle \langle \text{mml:mo} \rangle + \langle /mml:mo \rangle \langle \text{mml:mi} \rangle Pb \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle /mml:mrow \rangle$	4.7	49
136	$\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Pb \langle /mml:mi \rangle \langle \text{mml:mo} \rangle + \langle /mml:mo \rangle \langle \text{mml:mi} \rangle Pb \langle /mml:mi \rangle \langle /mml:mrow \rangle \langle /mml:mrow \rangle$ Collisions in ATLAS. Physical Review Letters, 2019, 123, 042001.	7.8	23
137	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13\text{TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
138	Search for Higgs boson pair production in the $WW^*(*)WW^*(*)$ decay channel using ATLAS data recorded at $\sqrt{s} = 13\text{TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	4.7	21
139	Observation of Light-by-Light Scattering in Ultraperipheral $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle Pb \langle /mml:mi \rangle \langle \text{mml:mo} \rangle + \langle /mml:mo \rangle \langle \text{mml:mi} \rangle Pb \langle /mml:mi \rangle \langle /mml:mrow \rangle$ Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	7.8	75
140	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
141	Measurement of $WZ$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
142	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801. <i>Measurement of the <math>\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle t \langle /mml:mi \rangle \langle \text{mml:mover} \text{ accent="true"} \rangle \langle \text{mml:mi} \rangle t \langle /mml:mi \rangle \langle \text{mml:mo} \rangle</math> stretchy="false" style="font-size: 1em; font-style: italic;"&gt;W cross sections in proton</i>	7.8	133
143	$\langle /mml:mo \rangle \langle \text{mml:mover} \text{ accent="true"} \rangle \langle \text{mml:mi} \rangle Z \langle /mml:mi \rangle \langle /mml:math \rangle$ and $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML"} \text{ display="block"} \rangle \langle \text{mml:mi} \rangle t \langle /mml:mi \rangle \langle \text{mml:mover} \text{ accent="true"} \rangle \langle \text{mml:mi} \rangle t \langle /mml:mi \rangle \langle \text{mml:mo} \rangle$ stretchy="false" style="font-size: 1em; font-style: italic;">Z cross sections in proton	4.7	28
144	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	30

#	ARTICLE	IF	CITATIONS
145	Search for scalar resonances decaying into $\tilde{\chi}_1^0 + \tilde{\chi}_1^0$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	15
146	Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	20
147	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \approx 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019, 79, .	3.9	4
148	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $13\text{TeV}$ . <i>European Physical Journal C</i> , 2019, 79, .	3.9	21
149	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, Observation of Electroweak Production of a Same-Sign $\tilde{\chi}_1^0 + \tilde{\chi}_1^0$ at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display="block"}$ $\langle \text{mml:math} \rangle W \langle / \text{mml:math} \rangle$ Boson Pair in Association with Two Jets in $\langle \text{mml:math} \rangle$ $\text{display="block"}$ $\langle \text{mml:math} \rangle p \langle / \text{mml:math} \rangle \langle \text{mml:math} \rangle p \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$ $\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Measurements of jet substructure observables in top quark, W boson and light jet production in proton-proton collisions at } \sqrt{s} = 13 \text{ TeV with the ATLAS detector. Journal of High Energy Physics}$ , 2019, 2019, 1.	3.9	24
150	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at } \sqrt{s} = 13 \text{ TeV. European Physical Journal C}$ , 2019, 79, 1.	7.8	53
151	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at } \sqrt{s} = 13 \text{ TeV with the ATLAS detector. European Physical Journal C}$ , 2019, 79, 1.	4.7	13
152	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics}$ , 2019, 789, 444-471.	4.1	25
153	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Search for invisible Higgs boson decays in vector boson fusion at } \sqrt{s} = 13 \text{ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics}$ , 2019, 789, 444-471.	4.1	38
154	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Search for invisible Higgs boson decays in vector boson fusion at } \sqrt{s} = 13 \text{ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics}$ , 2019, 789, 444-471.	4.1	38
155	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Search for single production of vector-like quarks decaying into Wb in pp collisions at } \sqrt{s} = 13 \text{ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics}$ , 2019, 793, 499-519.	4.7	27
156	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Combinations of single-top-quark production cross-section measurements and }  f_{VVtb}  \text{ determinations at } \sqrt{s} = 7 \text{ and } 8 \text{ TeV with the ATLAS and CMS experiments. Journal of High Energy Physics}$ , 2019, 2019, 1.	4.7	9
157	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Search for top-quark decays t} \rightarrow t' \text{ Hq with } 36 \text{ fb}^{-1} \text{ of pp collision data at } \sqrt{s} = 13 \text{ TeV with the ATLAS detector. Journal of High Energy Physics}$ , 2019, 2019, 1.	4.7	19
158	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Measurement of VH, } \mathcal{H} \text{ production as a function of the vector-boson transverse momentum in } 13 \text{ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics}$ , 2019, 2019, 1.	4.7	14
159	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Measurements of inclusive and differential fiducial cross-sections of } \text{t} \overline{\text{t}} \text{ production with additional heavy-flavour jets in proton-proton collisions at } \sqrt{s} = 13 \text{ TeV with the ATLAS detector. Journal of High Energy Physics}$ , 2019, 2019, 1.	4.7	18
160	$\text{display="block"}$ $\langle \text{mml:math} \rangle \text{Measurement of the four-lepton invariant mass spectrum in } 13 \text{ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics}$ , 2019, 2019, 1.	4.7	12

#	ARTICLE	IF	CITATIONS
163	Measurement of the Higgs boson decaying into a pair of $\tau$ -leptons in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 1.	4.7	63
164	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
165	Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
166	Measurements of inclusive and differential fiducial cross-sections of $t\bar{t}\gamma$ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	14
167	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s = 13$ TeV. <i>Physical Review Letters</i> , 2019, 122, 151801.	7.8	12
168	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.	1.2	37
169	Search for four-top quarks produced in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019, 99, 1.	4.7	13
170	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 58.	3.9	61
171	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	39
172	In situ calibration of large-radius jet energy and mass in 13 TeV proton–proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	28
173	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	46
174	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
175	Measurement of the top quark mass in the $t\bar{t}$ . <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	47
176	Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	55
177	Measurement of the gluon fusion and vector boson fusion Higgs boson production cross-sections in the $WW \rightarrow \tau^+\tau^- \rightarrow e\mu \tau^+\tau^-$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters B</i> , 2019, 789, 508–529.	4.1	46
178	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	25
179	Measurement of the top-quark mass in $t\bar{t} + 1\text{-jet}$ events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	27
180	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	24

#	ARTICLE	IF	CITATIONS
181	Measurement of ZZ production in the $\ell^+\ell^-\ell^+\ell^-$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
182	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	8
183	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
184	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	1.2	124
185	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50
186	Measurement of $W^{\pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	17
187	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	130
188	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
189	Measurements of top-quark pair differential and double-differential cross-sections in the $e\ell + \text{jets}$ channel with pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
190	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
191	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using $36 \text{ fb}^{-1}$ of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
192	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1. <small>Search for High-Mass Resonances Decaying to <math>\chi_1 \chi_1</math></small>	3.9	4
193	<small>xmlns:mml="http://www.w3.org/1998/Math/MathML"</small> display="inline"><mml:mi>J</mml:mi> $^{1/2}$ </mml:math> in <mml:math>\chi_1 \chi_1 <small>xmlns:mml="http://www.w3.org/1998/Math/MathML"</small> display="inline"><mml:mi>p</mml:mi><mml:mi>p</mml:mi></mml:math> Collisions at <mml:math>\chi_1 \chi_1 <small>xmlns:mml="http://www.w3.org/1998/Math/MathML"</small> display="block"> $\frac{d\sigma}{dy} = \frac{1}{2} \left( \frac{1}{y^2} + \frac{1}{y^2} \right) \frac{1}{2} \left( \frac{1}{y^2} + \frac{1}{y^2} \right)$	7.8	50
194	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, .	4.7	51
195	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow \ell^+\ell^- \nu \bar{\nu}$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
196	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
197	Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
198	Search for Higgs boson pair production in the $\gamma\gamma \rightarrow WW^*$ channel using $p_T^{\text{miss}}$ pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53

#	ARTICLE	IF	CITATIONS
199	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 121, 191801.	7.8	145
200	Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in $\sqrt{s} = 13 \text{ TeV}$ Pb+Pb Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 191802.	7.8	41
201	Decay Channel in $\sqrt{s} = 13 \text{ TeV}$ Pb+Pb Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 191803.	7.8	70
202	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	29
203	Search for Higgs boson pair production in the $\gamma\gamma\gamma\gamma b\bar{b}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	38
204	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	30
205	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 997.	3.9	51
206	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	56
207	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018, 78, 987.	3.9	25
208	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	22
209	Combined measurement of differential and total cross sections in the $H\rightarrow t\bar{t}$ and the $H\rightarrow Z\bar{Z}$ decay channels at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 114-133.	4.7	44
210	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	15
211	Observation of $t\bar{t}$ production in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Physical Review Letters</i> , 2018, 121, 191804.	4.1	138
212	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2018, 98, 092001.	4.1	43
213	Constraints on off-shell Higgs boson production and the Higgs boson total width in $ZZ$ , $Z\bar{Z}$ , $t\bar{t}$ , $b\bar{b}$ , $W\bar{W}$ , and $H\bar{H}$ final states with the ATLAS detector. <i>Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	4.1	43
214	Search for charged Higgs bosons decaying via $H\rightarrow \tilde{\chi}_1^{\pm}\tilde{\chi}_1^{\mp}$ , $H\rightarrow \tilde{\chi}_1^0\tilde{\chi}_1^0$ , in the $\tilde{\chi}_1^{\pm}$ +jets and $\tilde{\chi}_1^0$ +lepton final states with 36 fb $^{-1}$ of pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	59
215	Prompt and non-prompt $J/\psi$ suppression at high transverse momentum in $\sqrt{s} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	3.9	61
216	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $\sqrt{s} = 13 \text{ TeV}$ Pb+Pb Collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 152002.	7.8	16

#	ARTICLE	IF	CITATIONS
217	Measurement of the Higgs boson mass in the $H \rightarrow ZZ \rightarrow 4\ell$ , " and $H \rightarrow \tau^+\tau^-$ channels with $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.		
218	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
219	Search for Higgs bosons produced via vector boson fusion and decaying into bottom quark pairs in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	4.7	26
220	Search for low-mass dijet resonances using trigger-level jets with the ATLAS detector in $\sqrt{s} = 13$ TeV pp collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 345-366.	7.8	41
221	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	3.9	79
222	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
223	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	7.8	53
224	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
225	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 784, 173-191.	4.1	169