

Vladimir N Belov

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6100184/vladimir-n-belov-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

4,470⁰
citations

33
h-index

66
g-index

84
ext. papers

5,111
ext. citations

6.4
avg, IF

5.27
L-index

#	Paper	IF	Citations
73	Photoswitchable Fluorophores for Super-Resolution Optical Microscopy 2022 , 605-626		0
72	Human Metabolism and Urinary Excretion Kinetics of Nonylphenol in Three Volunteers after a Single Oral Dose. <i>Chemical Research in Toxicology</i> , 2021 , 34, 2392-2403	4	1
71	Turn-on mode diarylethenes for bioconjugation and fluorescence microscopy of cellular structures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	10
70	Rhodamines with a Chloronicotinic Acid Fragment for Live Cell Superresolution STED Microscopy*. <i>Chemistry - A European Journal</i> , 2021 , 27, 6070-6076	4.8	4
69	Fluorescence Assisted Capillary Electrophoresis of Glycans Enabled by the Negatively Charged Auxochromes in 1-Aminopyrenes. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 3720-3726	16.4	4
68	Photoactivatable Fluorophore for Stimulated Emission Depletion (STED) Microscopy and Bioconjugation Technique for Hydrophobic Labels. <i>Chemistry - A European Journal</i> , 2021 , 27, 451-458	4.8	10
67	Fluorescence Assisted Capillary Electrophoresis of Glycans Enabled by the Negatively Charged Auxochromes in 1-Aminopyrenes. <i>Angewandte Chemie</i> , 2021 , 133, 3764-3770	3.6	1
66	Synthesis of Fluorescent Jasplakinolide Analogues for Live-Cell STED Microscopy of Actin. <i>Journal of Organic Chemistry</i> , 2020 , 85, 7267-7275	4.2	8
65	Negatively Charged Red-Emitting Acridine Dyes for Facile Reductive Amination, Separation, and Fluorescent Detection of Glycans. <i>Analytical Chemistry</i> , 2020 , 92, 5329-5336	7.8	4
64	Multicolour fluorescent "sulfide-sulfone" diarylethenes with high photo-fatigue resistance. <i>Chemical Communications</i> , 2020 , 56, 2198-2201	5.8	8
63	Negatively Charged Yellow-Emitting 1-Aminopyrene Dyes for Reductive Amination and Fluorescence Detection of Glycans. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 5505-5509	16.4	8
62	Negativ geladene gelb emittierende 1-Aminopyrene für reductive Aminierung und Fluoreszenznachweis von Glykanen. <i>Angewandte Chemie</i> , 2020 , 132, 5547-5551	3.6	3
61	Reversibly Photoswitchable Fluorescent Diarylethenes Resistant against Photobleaching in Aqueous Solutions. <i>Journal of the American Chemical Society</i> , 2019 , 141, 16471-16478	16.4	44
60	Green-Emitting Rhodamine Dyes for Vital Labeling of Cell Organelles Using STED Super-Resolution Microscopy. <i>ChemBioChem</i> , 2019 , 20, 2248-2254	3.8	13
59	Mono- and bithiophene-substituted diarylethene photoswitches with emissive open or closed forms. <i>Beilstein Journal of Organic Chemistry</i> , 2019 , 15, 2344-2354	2.5	6
58	Total synthesis of C, N-imidacloprid with three stable isotopes in the pyridine ring. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2019 , 62, 126-131	1.9	1
57	Asymmetric Diarylethenes with Oxidized 2-Alkylbenzothiophen-3-yl Units: Chemistry, Fluorescence, and Photoswitching. <i>Advanced Optical Materials</i> , 2019 , 7, 1801746	8.1	17

56	Fluorescent dyes and probes for super-resolution microscopy of microtubules and tracheoles in living cells and tissues. <i>Chemical Science</i> , 2018 , 9, 3324-3334	9.4	47
55	PONy Dyes: Direct Addition of P(III) Nucleophiles to Organic Fluorophores. <i>Organic Letters</i> , 2018 , 20, 1261-1264	6.2	23
54	Two-Color 810 nm STED Nanoscopy of Living Cells with Endogenous SNAP-Tagged Fusion Proteins. <i>ACS Chemical Biology</i> , 2018 , 13, 475-480	4.9	42
53	Photoactivatable Rhodamine Spiroamides and Diazoketones Decorated with "Universal Hydrophilizer" or Hydroxyl Groups. <i>Journal of Organic Chemistry</i> , 2018 , 83, 6466-6476	4.2	17
52	Fluorescent Photoswitchable Diarylethenes for Biolabeling and Single-Molecule Localization Microscopies with Optical Superresolution. <i>Journal of the American Chemical Society</i> , 2017 , 139, 6611-6620	16.4	134
51	Hydroxylated Fluorescent Dyes for Live-Cell Labeling: Synthesis, Spectra and Super-Resolution STED. <i>Chemistry - A European Journal</i> , 2017 , 23, 12114-12119	4.8	52
50	Bichromophoric Compounds with Orthogonally and Parallely Arranged Chromophores Separated by Rigid Spacers. <i>Chemistry - A European Journal</i> , 2017 , 23, 2469-2475	4.8	10
49	High-Affinity Functional Fluorescent Ligands for Human β Adrenoceptors. <i>Scientific Reports</i> , 2017 , 7, 12319	4.9	7
48	"Reduced" Coumarin Dyes with an O-Phosphorylated 2,2-Dimethyl-4-(hydroxymethyl)-1,2,3,4-tetrahydroquinoline Fragment: Synthesis, Spectra, and STED Microscopy. <i>Chemistry - A European Journal</i> , 2016 , 22, 11631-42	4.8	17
47	Multicolour Multilevel STED nanoscopy of Actin/Spectrin Organization at Synapses. <i>Scientific Reports</i> , 2016 , 6, 26725	4.9	77
46	Carboxylated Photoswitchable Diarylethenes for Biolabeling and Super-Resolution RESOLFT Microscopy. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 15429-15433	16.4	95
45	Carboxylierte photoschaltbare Diarylethene als Biomarkierungen für hochauflösende RESOLFT-Mikroskopie. <i>Angewandte Chemie</i> , 2016 , 128, 15655-15659	3.6	15
44	Rücktitelbild: Carboxylierte photoschaltbare Diarylethene als Biomarkierungen für hochauflösende RESOLFT-Mikroskopie (Angew. Chem. 49/2016). <i>Angewandte Chemie</i> , 2016 , 128, 15670-15670	3.6	
43	Fluorescent Rhodamines and Fluorogenic Carbopyronines for Super-Resolution STED Microscopy in Living Cells. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 3290-4	16.4	149
42	Fluoreszierende Rhodamine und fluorogene Carbopyronine für die STED-Mikroskopie lebender Zellen. <i>Angewandte Chemie</i> , 2016 , 128, 3350-3355	3.6	31
41	Far-Red Emitting Fluorescent Dyes for Optical Nanoscopy: Fluorinated Silicon-Rhodamines (SiRF Dyes) and Phosphorylated Oxazines. <i>Chemistry - A European Journal</i> , 2015 , 21, 13344-56	4.8	36
40	Fast determination of hydroxylated polychlorinated biphenyls in human plasma by online solid phase extraction coupled to liquid chromatography-tandem mass spectrometry. <i>Analytica Chimica Acta</i> , 2015 , 888, 94-102	6.6	21
39	Functionalization of the meso-Phenyl Ring of Rhodamine Dyes Through SNAr with Sulfur Nucleophiles: Synthesis, Biophysical Characterizations, and Comprehensive NMR Analysis. <i>European Journal of Organic Chemistry</i> , 2015 , 2015, 337-349	3.2	12

38	Fluorescent dyes with large Stokes shifts for super-resolution optical microscopy of biological objects: a review. <i>Methods and Applications in Fluorescence</i> , 2015 , 3, 042004	3.1	121
37	Masked Rhodamine Dyes of Five Principal Colors Revealed by Photolysis of a 2-Diazo-1-Indanone Caging Group: Synthesis, Photophysics, and Light Microscopy Applications. <i>Chemistry - A European Journal</i> , 2014 , 20, 13044-13044	4.8	1
36	Masked rhodamine dyes of five principal colors revealed by photolysis of a 2-diazo-1-indanone caging group: synthesis, photophysics, and light microscopy applications. <i>Chemistry - A European Journal</i> , 2014 , 20, 13162-73	4.8	48
35	Polar red-emitting rhodamine dyes with reactive groups: synthesis, photophysical properties, and two-color STED nanoscopy applications. <i>Chemistry - A European Journal</i> , 2014 , 20, 146-57	4.8	42
34	Carborhodol: a new hybrid fluorophore obtained by combination of fluorescein and carbopyronine dye cores. <i>Bioconjugate Chemistry</i> , 2013 , 24, 690-700	6.3	27
33	Photoswitching Emission with Rhodamine Spiroamides for Super-resolution Fluorescence nanoscopies. <i>Israel Journal of Chemistry</i> , 2013 , 53, 267-279	3.4	14
32	SNAP-, CLIP- and Halo-tag labelling of budding yeast cells. <i>PLoS ONE</i> , 2013 , 8, e78745	3.7	72
31	4-Trifluoromethyl-substituted coumarins with large Stokes shifts: synthesis, bioconjugates, and their use in super-resolution fluorescence microscopy. <i>Chemistry - A European Journal</i> , 2013 , 19, 16556-65	4.8	65
30	Masked red-emitting carbopyronine dyes with photosensitive 2-diazo-1-indanone caging group. <i>Photochemical and Photobiological Sciences</i> , 2012 , 11, 522-32	4.2	43
29	Phosphorylated 3-heteroaryl coumarins and their use in fluorescence microscopy and nanoscopy. <i>Chemistry - A European Journal</i> , 2012 , 18, 16339-48	4.8	40
28	Partitioning, diffusion, and ligand binding of raft lipid analogs in model and cellular plasma membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2012 , 1818, 1777-84	3.8	258
27	Red-emitting rhodamines with hydroxylated, sulfonated, and phosphorylated dye residues and their use in fluorescence nanoscopy. <i>Chemistry - A European Journal</i> , 2012 , 18, 12986-98	4.8	36
26	Novel red fluorophores with superior performance in STED microscopy. <i>Optical Nanoscopy</i> , 2012 , 1, 7		68
25	Synthesis of Photochromic Compounds for Aqueous Solutions and Focusable Light. <i>European Journal of Organic Chemistry</i> , 2011 , 2011, 3301-3312	3.2	18
24	A Novel Rearrangement of Cyclic Glutamine Derivatives: Ring Contraction in 3,6-Diamino-2,3,4,5-tetrahydropyridin-2-ones to Yield 5-Iminoproline Amides. <i>European Journal of Organic Chemistry</i> , 2011 , 2011, 4093-4097	3.2	0
23	Mixed monolayers of a rhodamine derivative. <i>Mendeleev Communications</i> , 2010 , 20, 203-204	1.9	4
22	A Versatile Route to Red-Emitting Carbopyronine Dyes for Optical Microscopy and Nanoscopy. <i>European Journal of Organic Chemistry</i> , 2010 , 2010, 3593-3610	3.2	82
21	Red-emitting rhodamine dyes for fluorescence microscopy and nanoscopy. <i>Chemistry - A European Journal</i> , 2010 , 16, 158-66	4.8	188

20	New fluorinated rhodamines for optical microscopy and nanoscopy. <i>Chemistry - A European Journal</i> , 2010 , 16, 4477-88	4.8	77
19	Rhodamines NN: a novel class of caged fluorescent dyes. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 3520-3	16.4	132
18	Rhodamine spiroamides for multicolor single-molecule switching fluorescent nanoscopy. <i>Chemistry - A European Journal</i> , 2009 , 15, 10762-76	4.8	97
17	New GM1 Ganglioside Derivatives for Selective Single and Double Labelling of the Natural Glycosphingolipid Skeleton. <i>European Journal of Organic Chemistry</i> , 2009 , 2009, 5162-5177	3.2	31
16	Direct observation of the nanoscale dynamics of membrane lipids in a living cell. <i>Nature</i> , 2009 , 457, 1159-62	56.4	1200
15	Multicolor far-field fluorescence nanoscopy through isolated detection of distinct molecular species. <i>Nano Letters</i> , 2008 , 8, 2463-8	11.5	175
14	Synthesis and characterization of photoswitchable fluorescent silica nanoparticles. <i>Small</i> , 2008 , 4, 134-41	4.1	159
13	Photostable, amino reactive and water-soluble fluorescent labels based on sulfonated rhodamine with a rigidized xanthene fragment. <i>Chemistry - A European Journal</i> , 2008 , 14, 1784-92	4.8	66
12	Fluorescence nanoscopy with optical sectioning by two-photon induced molecular switching using continuous-wave lasers. <i>ChemPhysChem</i> , 2008 , 9, 321-6	3.2	73
11	Switchable Fluorescent and Solvatochromic Molecular Probes Based on 4-Amino-N-methylphthalimide and a Photochromic Diarylethene. <i>European Journal of Organic Chemistry</i> , 2008 , 2008, 2531-2538	3.2	41
10	Syntheses of D-Labelled Oxidative Metabolites of Acrylamide and Acrylonitrile for the Quantification of Their Toxicities in Humans. <i>European Journal of Organic Chemistry</i> , 2008 , 2008, 4417-4425	3.2	1
9	1,3-bicyclo[1.1.1]pentanediyl: the shortest rigid linear connector of phenylated photochromic units and a 1,5-dimethoxy-9,10-di(phenylethynyl)anthracene fluorophore. <i>Chemistry - A European Journal</i> , 2007 , 13, 2503-16	4.8	72
8	Reversible red fluorescent molecular switches. <i>Angewandte Chemie - International Edition</i> , 2006 , 45, 7462-64	16.4	146
7	Access to Variously Substituted 5,6,7,8-Tetrahydro-3H-quinazolin-4-ones via Diels-Alder Adducts of Phenyl Vinyl Sulfone to Cyclobutene-Annelated Pyrimidinones. <i>European Journal of Organic Chemistry</i> , 2006 , 2006, 2753-2765	3.2	24
6	Reversible rot fluoreszierende molekulare Schalter. <i>Angewandte Chemie</i> , 2006 , 118, 7623-7627	3.6	27
5	Facile Access to Isotopically Labelled Valylleucyl Anilides as Biomarkers for the Quantification of Hemoglobin Adducts to Toxic Electrophiles. <i>European Journal of Organic Chemistry</i> , 2005 , 2005, 5094-5099	3.2	6
4	First enantioselective synthesis of the novel anti-infective TAN-1057A via its aminomethyl-substituted dihydropyrimidinone heterocycle. <i>Tetrahedron</i> , 2004 , 60, 7579-7589	2.4	15
3	Novel antibiotics for the treatment of gram-positive bacterial infections. <i>Journal of Medicinal Chemistry</i> , 2002 , 45, 4246-53	8.3	17

2	Spirocyclopropanated bicyclopropylidenes: straightforward preparation, physical properties, and chemical transformations. <i>Chemistry - A European Journal</i> , 2001 , 7, 4021-34	4.8	34
1	. <i>European Journal of Organic Chemistry</i> , 1998 , 1998, 777-783	3.2	22