

# Toni-Kim Clarke

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6102121/publications.pdf>

Version: 2024-02-01

122  
papers

16,940  
citations

46918

47  
h-index

22102

113  
g-index

161  
all docs

161  
docs citations

161  
times ranked

17112  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Item-Level Genome-Wide Association Study of the Alcohol Use Disorders Identification Test in Three Population-Based Cohorts. <i>American Journal of Psychiatry</i> , 2022, 179, 58-70.   | 4.0 | 61        |
| 2  | Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2022, 2, 115-126.  | 1.0 | 31        |
| 3  | Associations between alcohol use and accelerated biological ageing. <i>Addiction Biology</i> , 2022, 27, e13100.   | 1.4 | 19        |
| 4  | Epigenome-wide association study of alcohol consumption in N=8161 individuals and relevance to alcohol use disorder pathophysiology: identification of the cystine/glutamate transporter SLC7A11 as a top target. <i>Molecular Psychiatry</i> , 2022, 27, 1754-1764. | 4.1 | 18        |
| 5  | Genetic and shared couple environmental contributions to smoking and alcohol use in the UK population. <i>Molecular Psychiatry</i> , 2021, 26, 4344-4354.  | 4.1 | 10        |
| 6  | Epigenome-wide association study and multi-tissue replication of individuals with alcohol use disorder: evidence for abnormal glucocorticoid signaling pathway gene regulation. <i>Molecular Psychiatry</i> , 2021, 26, 2224-2237.                                   | 4.1 | 32        |
| 7  | Epigenetic prediction of major depressive disorder. <i>Molecular Psychiatry</i> , 2021, 26, 5112-5123.   | 4.1 | 44        |
| 8  | CRISPR disruption and UK Biobank analysis of a highly conserved polymorphic enhancer suggests a role in male anxiety and ethanol intake. <i>Molecular Psychiatry</i> , 2021, 26, 2263-2276.  | 4.1 | 9         |
| 9  | Polygenic contributions to alcohol use and alcohol use disorders across population-based and clinically ascertained samples. <i>Psychological Medicine</i> , 2021, 51, 1147-1156.  | 2.7 | 18        |
| 10 | Shared genetic risk between eating disorder and substance use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880.  | 1.4 | 28        |
| 11 | Evidence for natural resistance in <i>Juniperus communis</i> to <i>Phytophthora austrocedri</i> . <i>Journal of Plant Pathology</i> , 2021, 103, 55-59.  | 0.6 | 3         |
| 12 | Educational attainment impacts drinking behaviors and risk for alcohol dependence: results from a two-sample Mendelian randomization study with ~780,000 participants. <i>Molecular Psychiatry</i> , 2021, 26, 1119-1132.  | 4.1 | 58        |
| 13 | Life after recovery: Increased resolution of forest resilience assessment sheds new light on post-drought compensatory growth and recovery dynamics. <i>Journal of Ecology</i> , 2021, 109, 3157-3170.   | 1.9 | 41        |
| 14 | Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021, 53, 817-829.  | 9.4 | 629       |
| 15 | Can epiphytic lichens of remnant Atlantic oakwood trees in a planted ancient woodland site survive early stages of woodland restoration?. <i>Annals of Forest Science</i> , 2021, 78, 1.   | 0.8 | 0         |
| 16 | Genomic and phenotypic insights from an atlas of genetic effects on DNA methylation. <i>Nature Genetics</i> , 2021, 53, 1311-1321.   | 9.4 | 218       |
| 17 | The Genetic Architecture of Depression in Individuals of East Asian Ancestry. <i>JAMA Psychiatry</i> , 2021, 78, 1258.   | 6.0 | 88        |
| 18 | Genome-wide association study of antidepressant treatment resistance in a population-based cohort using health service prescription data and meta-analysis with GENDEP. <i>Pharmacogenomics Journal</i> , 2020, 20, 329-341.   | 0.9 | 45        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Recent Efforts to Dissect the Genetic Basis of Alcohol Use and Abuse. <i>Biological Psychiatry</i> , 2020, 87, 609-618.  | 0.7 | 68        |
| 20 | Genetic stratification of depression by neuroticism: revisiting a diagnostic tradition. <i>Psychological Medicine</i> , 2020, 50, 2526-2535.   | 2.7 | 27        |
| 21 | Factors associated with sharing e-mail information and mental health survey participation in large population cohorts. <i>International Journal of Epidemiology</i> , 2020, 49, 410-421.   | 0.9 | 67        |
| 22 | Stratifying major depressive disorder by polygenic risk for schizophrenia in relation to structural brain measures. <i>Psychological Medicine</i> , 2020, 50, 1653-1662.   | 2.7 | 13        |
| 23 | Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020, 87, 419-430.  | 0.7 | 27        |
| 24 | The Genetics of the Mood Disorder Spectrum: Genome-wide Association Analyses of More Than 185,000 Cases and 439,000 Controls. <i>Biological Psychiatry</i> , 2020, 88, 169-184.  | 0.7 | 137       |
| 25 | A large-scale genome-wide association study meta-analysis of cannabis use disorder. <i>Lancet Psychiatry</i> , 2020, 7, 1032-1045.   | 3.7 | 200       |
| 26 | Historic Urban Tree Canopy Cover of Great Britain. <i>Forests</i> , 2020, 11, 1049.  | 0.9 | 4         |
| 27 | A phenome-wide association and Mendelian Randomisation study of polygenic risk for depression in UK Biobank. <i>Nature Communications</i> , 2020, 11, 2301.  | 5.8 | 81        |
| 28 | Genetic stratification of depression in UK Biobank. <i>Translational Psychiatry</i> , 2020, 10, 163.   | 2.4 | 19        |
| 29 | Minimal phenotyping yields genome-wide association signals of low specificity for major depression. <i>Nature Genetics</i> , 2020, 52, 437-447.  | 9.4 | 207       |
| 30 | Cognitive functioning and lifetime major depressive disorder in UK Biobank. <i>European Psychiatry</i> , 2020, 63, e28.  | 0.1 | 13        |
| 31 | Expression quantitative trait loci-derived scores and white matter microstructure in UK Biobank: a novel approach to integrating genetics and neuroimaging. <i>Translational Psychiatry</i> , 2020, 10, 55.                                  | 2.4 | 8         |
| 32 | Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020, 25, 1430-1446.   | 4.1 | 116       |
| 33 | Genome-wide meta-analysis of problematic alcohol use in 435,563 individuals yields insights into biology and relationships with other traits. <i>Nature Neuroscience</i> , 2020, 23, 809-818.  | 7.1 | 242       |
| 34 | Evaluating the relationship between alcohol consumption, tobacco use, and cardiovascular disease: A multivariable Mendelian randomization study. <i>PLoS Medicine</i> , 2020, 17, e1003410.  | 3.9 | 92        |
| 35 | New alcohol-related genes suggest shared genetic mechanisms with neuropsychiatric disorders. <i>Nature Human Behaviour</i> , 2019, 3, 950-961.   | 6.2 | 75        |
| 36 | 63 EDUCATIONAL ATTAINMENT CAUSALLY IMPACTS DRINKING BEHAVIORS AND RISK FOR ALCOHOL DEPENDENCE: RESULTS FROM A TWO-SAMPLE MENDELIAN RANDOMIZATION STUDY WITH ¼ 780,000 PARTICIPANTS. <i>European Neuropsychopharmacology</i> , 2019, 29, S95. | 0.3 | 0         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | SA81ASSOCIATION OF WHOLE-GENOME AND NETRIN1 SIGNALING PATHWAY-DERIVED POLYGENIC RISK SCORES FOR MAJOR DEPRESSIVE DISORDER AND WHITE MATTER MICROSTRUCTURE IN UK BIOBANK. <i>European Neuropsychopharmacology</i> , 2019, 29, S1231-S1232.                         | 0.3  | 0         |
| 38 | A validation of the diathesis-stress model for depression in Generation Scotland. <i>Translational Psychiatry</i> , 2019, 9, 25.  | 2.4  | 40        |
| 39 | Genome-wide by environment interaction studies of depressive symptoms and psychosocial stress in UK Biobank and Generation Scotland. <i>Translational Psychiatry</i> , 2019, 9, 14.   | 2.4  | 87        |
| 40 | Integrated analysis of environmental and genetic influences on cord blood DNA methylation in new-borns. <i>Nature Communications</i> , 2019, 10, 2548.  | 5.8  | 94        |
| 41 | Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019, 51, 793-803.  | 9.4  | 1,191     |
| 42 | Impact of Polygenic Risk for Schizophrenia on Cortical Structure in UK Biobank. <i>Biological Psychiatry</i> , 2019, 86, 536-544.   | 0.7  | 62        |
| 43 | Pharmaco-epidemiology of antidepressant exposure in a UK cohort record-linkage study. <i>Journal of Psychopharmacology</i> , 2019, 33, 482-493.   | 2.0  | 11        |
| 44 | Insulin resistance: Genetic associations with depression and cognition in population based cohorts. <i>Experimental Neurology</i> , 2019, 316, 20-26.   | 2.0  | 10        |
| 45 | Evidence of causal effect of major depression on alcohol dependence: findings from the psychiatric genomics consortium. <i>Psychological Medicine</i> , 2019, 49, 1218-1226.  | 2.7  | 74        |
| 46 | Identification of common genetic risk variants for autism spectrum disorder. <i>Nature Genetics</i> , 2019, 51, 431-444.  | 9.4  | 1,538     |
| 47 | A meta-analysis of genome-wide association studies of epigenetic age acceleration. <i>PLoS Genetics</i> , 2019, 15, e1008104.   | 1.5  | 83        |
| 48 | SA66EPIGENOME-WIDE ASSOCIATION STUDY OF ANTIDEPRESSANT USE. <i>European Neuropsychopharmacology</i> , 2019, 29, S1224.  | 0.3  | 0         |
| 49 | Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019, 179, 1469-1482.e11.   | 13.5 | 935       |
| 50 | Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 91-100. | 1.1  | 16        |
| 51 | Genome-Wide Association Study Meta-Analysis of the Alcohol Use Disorders Identification Test (AUDIT) in Two Population-Based Cohorts. <i>American Journal of Psychiatry</i> , 2019, 176, 107-118.   | 4.0  | 326       |
| 52 | Genome-wide meta-analysis of depression identifies 102 independent variants and highlights the importance of the prefrontal brain regions. <i>Nature Neuroscience</i> , 2019, 22, 343-352.  | 7.1  | 1,589     |
| 53 | Longitudinal trajectories of brain age in young individuals at familial risk of mood disorder. <i>Wellcome Open Research</i> , 2019, 4, 206.  | 0.9  | 3         |
| 54 | Improving genetic prediction by leveraging genetic correlations among human diseases and traits. <i>Nature Communications</i> , 2018, 9, 989.   | 5.8  | 136       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Cohort Profile: Stratifying Resilience and Depression Longitudinally (STRADL): a questionnaire follow-up of Generation Scotland: Scottish Family Health Study (GS:SFHS). <i>International Journal of Epidemiology</i> , 2018, 47, 13-14g. | 0.9  | 66        |
| 56 | Genome-wide association study of depression phenotypes in UK Biobank identifies variants in excitatory synaptic pathways. <i>Nature Communications</i> , 2018, 9, 1470.   | 5.8  | 415       |
| 57 | Pharmacogenetics of Opioid Use Disorder Treatment. <i>CNS Drugs</i> , 2018, 32, 305-320.  | 2.7  | 24        |
| 58 | Association analysis in over 329,000 individuals identifies 116 independent variants influencing neuroticism. <i>Nature Genetics</i> , 2018, 50, 6-11.  | 9.4  | 327       |
| 59 | Genome-wide meta-analyses of stratified depression in Generation Scotland and UK Biobank. <i>Translational Psychiatry</i> , 2018, 8, 9.   | 2.4  | 66        |
| 60 | Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. <i>Nature Genetics</i> , 2018, 50, 668-681.   | 9.4  | 2,224     |
| 61 | Polygenic risk for schizophrenia, transition and cortical gyrification: a high-risk study. <i>Psychological Medicine</i> , 2018, 48, 1532-1539.   | 2.7  | 19        |
| 62 | Does Childhood Trauma Moderate Polygenic Risk for Depression? A Meta-analysis of 5765 Subjects From the Psychiatric Genomics Consortium. <i>Biological Psychiatry</i> , 2018, 84, 138-147.  | 0.7  | 87        |
| 63 | Epigenetic signatures of starting and stopping smoking. <i>EBioMedicine</i> , 2018, 37, 214-220.  | 2.7  | 67        |
| 64 | Transancestral GWAS of alcohol dependence reveals common genetic underpinnings with psychiatric disorders. <i>Nature Neuroscience</i> , 2018, 21, 1656-1669.  | 7.1  | 490       |
| 65 | Genome-wide interaction study of a proxy for stress-sensitivity and its prediction of major depressive disorder. <i>PLoS ONE</i> , 2018, 13, e0209160.  | 1.1  | 14        |
| 66 | Addendum: Genome-wide association study of depression phenotypes in UK Biobank identifies variants in excitatory synaptic pathways. <i>Nature Communications</i> , 2018, 9, 3578.   | 5.8  | 16        |
| 67 | Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018, 173, 1705-1715.e16.   | 13.5 | 623       |
| 68 | Genetic and environmental contributions to psychological resilience and coping. <i>Wellcome Open Research</i> , 2018, 3, 12.  | 0.9  | 15        |
| 69 | Genetic and environmental determinants of stressful life events and their overlap with depression and neuroticism. <i>Wellcome Open Research</i> , 2018, 3, 11.   | 0.9  | 15        |
| 70 | Genetic and environmental determinants of stressful life events and their overlap with depression and neuroticism. <i>Wellcome Open Research</i> , 2018, 3, 11.   | 0.9  | 19        |
| 71 | A Combined Pathway and Regional Heritability Analysis Indicates NETRIN1 Pathway Is Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017, 81, 336-346.   | 0.7  | 32        |
| 72 | Assessing the presence of shared genetic architecture between Alzheimer's disease and major depressive disorder using genome-wide association data. <i>Translational Psychiatry</i> , 2017, 7, e1094-e1094.                               | 2.4  | 38        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Risk and protective factors for structural brain ageing in the eighth decade of life. <i>Brain Structure and Function</i> , 2017, 222, 3477-3490.   | 1.2 | 40        |
| 74 | Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. <i>Translational Psychiatry</i> , 2017, 7, e1155-e1155.   | 2.4 | 150       |
| 75 | Genetic effects influencing risk for major depressive disorder in China and Europe. <i>Translational Psychiatry</i> , 2017, 7, e1074-e1074.   | 2.4 | 64        |
| 76 | An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017, 82, 322-329.   | 0.7 | 84        |
| 77 | Genome-wide Regional Heritability Mapping Identifies a Locus Within the TOX2 Gene Associated With Major Depressive Disorder. <i>Biological Psychiatry</i> , 2017, 82, 312-321.  | 0.7 | 26        |
| 78 | Genetic Association of Major Depression With Atypical Features and Obesity-Related Immunometabolic Dysregulations. <i>JAMA Psychiatry</i> , 2017, 74, 1214.   | 6.0 | 174       |
| 79 | Do regional brain volumes and major depressive disorder share genetic architecture? A study of Generation Scotland (n=19,762), UK Biobank (n=24,048) and the English Longitudinal Study of Ageing (n=5766). <i>Translational Psychiatry</i> , 2017, 7, e1205-e1205. | 2.4 | 45        |
| 80 | Genome-wide association study of alcohol consumption and genetic overlap with other health-related traits in UK Biobank (N=112,117). <i>Molecular Psychiatry</i> , 2017, 22, 1376-1384.   | 4.1 | 351       |
| 81 | Genome-wide haplotype-based association analysis of major depressive disorder in Generation Scotland and UK Biobank. <i>Translational Psychiatry</i> , 2017, 7, 1263.   | 2.4 | 23        |
| 82 | Hair Cortisol in Twins: Heritability and Genetic Overlap with Psychological Variables and Stress-System Genes. <i>Scientific Reports</i> , 2017, 7, 15351.  | 1.6 | 50        |
| 83 | Investigating shared aetiology between type 2 diabetes and major depressive disorder in a population based cohort. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 227-234.  | 1.1 | 27        |
| 84 | Haplotype-based association analysis of general cognitive ability in Generation Scotland, the English Longitudinal Study of Ageing, and UK Biobank. <i>Wellcome Open Research</i> , 2017, 2, 61.  | 0.9 | 4         |
| 85 | OPRD1 Genetic Variation and Human Disease. <i>Handbook of Experimental Pharmacology</i> , 2016, 247, 131-145.   | 0.9 | 7         |
| 86 | Polygenic risk for alcohol dependence associates with alcohol consumption, cognitive function and social deprivation in a population-based cohort. <i>Addiction Biology</i> , 2016, 21, 469-480.  | 1.4 | 27        |
| 87 | <i>KLB</i> is associated with alcohol drinking, and its gene product $\beta$ -Klotho is necessary for FGF21 regulation of alcohol preference. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 14372-14377.      | 3.3 | 208       |
| 88 | Shared Genetics and Couple-Associated Environment Are Major Contributors to the Risk of Both Clinical and Self-Declared Depression. <i>EBioMedicine</i> , 2016, 14, 161-167.  | 2.7 | 32        |
| 89 | Dissection of major depressive disorder using polygenic risk scores for schizophrenia in two independent cohorts. <i>Translational Psychiatry</i> , 2016, 6, e938-e938.   | 2.4 | 25        |
| 90 | Common polygenic risk for autism spectrum disorder (ASD) is associated with cognitive ability in the general population. <i>Molecular Psychiatry</i> , 2016, 21, 419-425.   | 4.1 | 145       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Polygenic risk for coronary artery disease is associated with cognitive ability in older adults. <i>International Journal of Epidemiology</i> , 2016, 45, 433-440.  | 0.9 | 16        |
| 92  | Genetic and Environmental Risk for Chronic Pain and the Contribution of Risk Variants for Major Depressive Disorder: A Family-Based Mixed-Model Analysis. <i>PLoS Medicine</i> , 2016, 13, e1002090.                            | 3.9 | 60        |
| 93  | Resilience and corpus callosum microstructure in adolescence. <i>Psychological Medicine</i> , 2015, 45, 2285-2294.  | 2.7 | 45        |
| 94  | The Brain's Response to Reward Anticipation and Depression in Adolescence: Dimensionality, Specificity, and Longitudinal Predictions in a Community-Based Sample. <i>American Journal of Psychiatry</i> , 2015, 172, 1215-1223. | 4.0 | 237       |
| 95  | Major depressive disorder and current psychological distress moderate the effect of polygenic risk for obesity on body mass index. <i>Translational Psychiatry</i> , 2015, 5, e592-e592.  | 2.4 | 24        |
| 96  | Personality, Attentional Biases towards Emotional Faces and Symptoms of Mental Disorders in an Adolescent Sample. <i>PLoS ONE</i> , 2015, 10, e0128271.   | 1.1 | 10        |
| 97  | Î±CaMKII controls the establishment of cocaine's reinforcing effects in mice and humans. <i>Translational Psychiatry</i> , 2014, 4, e457-e457.  | 2.4 | 33        |
| 98  | DRD2/ANKK1 Polymorphism Modulates the Effect of Ventral Striatal Activation on Working Memory Performance. <i>Neuropsychopharmacology</i> , 2014, 39, 2357-2365.  | 2.8 | 31        |
| 99  | Global Genetic Variations Predict Brain Response to Faces. <i>PLoS Genetics</i> , 2014, 10, e1004523.   | 1.5 | 18        |
| 100 | The Dopamine Receptor D2 ( <i>DRD2</i> ) SNP rs1076560 is Associated with Opioid Addiction. <i>Annals of Human Genetics</i> , 2014, 78, 33-39.  | 0.3 | 66        |
| 101 | Characterization of genetic variation in the <i>VGLL4</i> gene in anorexia nervosa. <i>Psychiatric Genetics</i> , 2014, 24, 183-184.  | 0.6 | 8         |
| 102 | Genetic variation in <i>OPRD1</i> and the response to treatment for opioid dependence with buprenorphine in European-American females. <i>Pharmacogenomics Journal</i> , 2014, 14, 303-308.                                     | 0.9 | 44        |
| 103 | Further evidence for association of polymorphisms in the <i>CNR1</i> gene with cocaine addiction: confirmation in an independent sample and meta-analysis. <i>Addiction Biology</i> , 2013, 18, 702-708.                        | 1.4 | 38        |
| 104 | Low frequency genetic variants in the Î¼-opioid receptor ( <i>OPRM1</i> ) affect risk for addiction to heroin and cocaine. <i>Neuroscience Letters</i> , 2013, 542, 71-75.  | 1.0 | 33        |
| 105 | Case-control association analysis of polymorphisms in the delta-opioid receptor, <i>OPRD1</i> , with cocaine and opioid addicted populations. <i>Drug and Alcohol Dependence</i> , 2013, 127, 122-128.                          | 1.6 | 50        |
| 106 | An Intronic Variant in <i>OPRD1</i> Predicts Treatment Outcome for Opioid Dependence in African-Americans. <i>Neuropsychopharmacology</i> , 2013, 38, 2003-2010.  | 2.8 | 74        |
| 107 | Association study of the Î²-arrestin 2 gene ( <i>ARRB2</i> ) with opioid and cocaine dependence in a European-American population. <i>Psychiatric Genetics</i> , 2012, 22, 141-145.   | 0.6 | 8         |
| 108 | Neuronal calcium sensor-1 and cocaine addiction: A genetic association study in African-Americans and European Americans. <i>Neuroscience Letters</i> , 2012, 531, 46-51.   | 1.0 | 19        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 109 | The Genetics of Anorexia Nervosa. <i>Clinical Pharmacology and Therapeutics</i> , 2012, 91, 181-188.   | 2.3  | 38        |
| 110 | Multiple polymorphisms in genes of the adrenergic stress system confer vulnerability to alcohol abuse. <i>Addiction Biology</i> , 2012, 17, 202-208.   | 1.4  | 26        |
| 111 | Genetic association analyses of PDYN polymorphisms with heroin and cocaine addiction. <i>Genes, Brain and Behavior</i> , 2012, 11, 415-423.  | 1.1  | 41        |
| 112 | Genetic and environmental determinants of stress responding. , 2012, 34, 484-94.   |      | 7         |
| 113 | Effects of the Circadian Rhythm Gene Period 1 ( <i>Per1</i> ) on Psychosocial Stress-Induced Alcohol Drinking. <i>American Journal of Psychiatry</i> , 2011, 168, 1090-1098.   | 4.0  | 113       |
| 114 | KCNJ6 is Associated with Adult Alcohol Dependence and Involved in Gene × Early Life Stress Interactions in Adolescent Alcohol Drinking. <i>Neuropsychopharmacology</i> , 2011, 36, 1142-1148.  | 2.8  | 38        |
| 115 | Genome-wide association and genetic functional studies identify autism susceptibility candidate 2 gene ( <i>AUTS2</i> ) in the regulation of alcohol consumption. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7119-7124. | 3.3  | 258       |
| 116 | Gene × environment interactions resulting in risk alcohol drinking behaviour are mediated by CRF and CRF1. <i>Pharmacology Biochemistry and Behavior</i> , 2009, 93, 230-236.  | 1.3  | 28        |
| 117 | The genetics of alcoholism. <i>Current Psychiatry Reports</i> , 2009, 11, 364-369.   | 2.1  | 72        |
| 118 | GENETIC STUDY: An association of prodynorphin polymorphisms and opioid dependence in females in a Chinese population. <i>Addiction Biology</i> , 2009, 14, 366-370.  | 1.4  | 46        |
| 119 | REVIEW: HPA axis activity in alcoholism: examples for a gene × environment interaction. <i>Addiction Biology</i> , 2008, 13, 1-14.   | 1.4  | 74        |
| 120 | Systematic Analysis of Glutamatergic Neurotransmission Genes in Alcohol Dependence and Adolescent Risky Drinking Behavior. <i>Archives of General Psychiatry</i> , 2008, 65, 826.  | 13.8 | 116       |
| 121 | The evolution of the vertebrate metzincins; insights from <i>Ciona intestinalis</i> and <i>Danio rerio</i> . <i>BMC Evolutionary Biology</i> , 2007, 7, 63.  | 3.2  | 97        |
| 122 | Longitudinal trajectories of brain age in young individuals at familial risk of mood disorder from the Scottish Bipolar Family Study. <i>Wellcome Open Research</i> , 0, 4, 206.   | 0.9  | 6         |