

Alana T Brennan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6102329/publications.pdf>

Version: 2024-02-01

57
papers

2,076
citations

249298

26
h-index

286692

43
g-index

59
all docs

59
docs citations

59
times ranked

3148
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient Perspectives of Quality of the Same-Day Antiretroviral Therapy Initiation Process in Gauteng Province, South Africa: Qualitative Dominant Mixed-Methods Analysis of the SLATE II Trial. <i>Patient</i> , 2021, 14, 175-186.	1.1	3
2	An underappreciated misclassification mechanism: implications of nondifferential dependent misclassification of covariate and exposure. <i>Annals of Epidemiology</i> , 2021, 58, 104-123.	0.9	4
3	Retention in care and viral suppression after same-day ART initiation: One-year outcomes of the SLATE I and II individually randomized clinical trials in South Africa. <i>Journal of the International AIDS Society</i> , 2021, 24, e25825.	1.2	7
4	Impact of Viral Load Monitoring on Retention and Viral Suppression: A Regression Discontinuity Analysis of South Africa's National Laboratory Cohort. <i>American Journal of Epidemiology</i> , 2020, 189, 1492-1501.	1.6	5
5	Delays in repeat HIV viral load testing for those with elevated viral loads: a national perspective from South Africa. <i>Journal of the International AIDS Society</i> , 2020, 23, e25542.	1.2	18
6	Prevalence of TB symptoms, diagnosis and treatment among people living with HIV (PLHIV) not on ART presenting at outpatient clinics in South Africa and Kenya: baseline results from a clinical trial. <i>BMJ Open</i> , 2020, 10, e035794.	0.8	12
7	A clinical algorithm for same-day HIV treatment initiation in settings with high TB symptom prevalence in South Africa: The SLATE II individually randomized clinical trial. <i>PLoS Medicine</i> , 2020, 17, e1003226.	3.9	29
8	Who is seeking antiretroviral treatment for HIV now? Characteristics of patients presenting in Kenya and South Africa in 2017-2018. <i>Journal of the International AIDS Society</i> , 2019, 22, e25358.	1.2	10
9	Simplified clinical algorithm for identifying patients eligible for same-day HIV treatment initiation (SLATE): Results from an individually randomized trial in South Africa and Kenya. <i>PLoS Medicine</i> , 2019, 16, e1002912.	3.9	33
10	Growth curve modelling to determine distinct BMI trajectory groups in HIV-positive adults on antiretroviral therapy in South Africa. <i>Aids</i> , 2019, 33, 2049-2059.	1.0	11
11	A Meta-analysis Assessing Diarrhea and Pneumonia in HIV-Exposed Uninfected Compared With HIV-Unexposed Uninfected Infants and Children. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2019, 82, 1-8.	0.9	39
12	Regimen durability in HIV-infected children and adolescents initiating first-line antiretroviral therapy in a large public sector HIV cohort in South Africa. <i>Tropical Medicine and International Health</i> , 2018, 23, 650-660.	1.0	4
13	The Impact of Joint Misclassification of Exposures and Outcomes on the Results of Epidemiologic Research. <i>Current Epidemiology Reports</i> , 2018, 5, 166-174.	1.1	13
14	Prevalence, incidence, predictors, treatment, and control of hypertension among HIV-positive adults on antiretroviral treatment in public sector treatment programs in South Africa. <i>PLoS ONE</i> , 2018, 13, e0204020.	1.1	53
15	Estimating retention in HIV care accounting for patient transfers: A national laboratory cohort study in South Africa. <i>PLoS Medicine</i> , 2018, 15, e1002589.	3.9	80
16	Medication Side Effects and Retention in HIV Treatment: A Regression Discontinuity Study of Tenofovir Implementation in South Africa and Zambia. <i>American Journal of Epidemiology</i> , 2018, 187, 1990-2001.	1.6	8
17	Causal language and strength of inference in academic and media articles shared in social media (CLAIMS): A systematic review. <i>PLoS ONE</i> , 2018, 13, e0196346.	1.1	66
18	Tenofovir stock shortages have limited impact on clinic- and patient-level HIV treatment outcomes in public sector clinics in South Africa. <i>Tropical Medicine and International Health</i> , 2017, 22, 241-251.	1.0	10

#	ARTICLE	IF	CITATIONS
19	Timing of pregnancy, postpartum risk of virologic failure and loss to follow-up among HIV-positive women. <i>Aids</i> , 2017, 31, 1593-1602.	1.0	25
20	Initiating antiretroviral therapy for HIV at a patient's first clinic visit. <i>Aids</i> , 2017, 31, 1611-1619.	1.0	27
21	Simplified clinical algorithm for identifying patients eligible for immediate initiation of antiretroviral therapy for HIV (SLATE): protocol for a randomised evaluation. <i>BMJ Open</i> , 2017, 7, e016340.	0.8	15
22	Does household access to improved water and sanitation in infancy and childhood predict better vocabulary test performance in Ethiopian, Indian, Peruvian and Vietnamese cohort studies?. <i>BMJ Open</i> , 2017, 7, e013201.	0.8	17
23	Has the phasing out of stavudine in accordance with changes in WHO guidelines led to a decrease in single-drug substitutions in first-line antiretroviral therapy for HIV in sub-Saharan Africa?. <i>Aids</i> , 2017, 31, 147-157.	1.0	12
24	Prioritizing health outcomes of HIV-exposed, uninfected children in low and middle-income countries. <i>Aids</i> , 2017, 31, 317.	1.0	0
25	Cohort profile: the Right to Care Clinical HIV Cohort, South Africa. <i>BMJ Open</i> , 2017, 7, bmjopen-2016-015620.	0.8	16
26	Prevalence and unmet need for diabetes care across the care continuum in a national sample of South African adults: Evidence from the SANHANES-1, 2011-2012. <i>PLoS ONE</i> , 2017, 12, e0184264.	1.1	90
27	Changing the South African national antiretroviral therapy guidelines: The role of cost modelling. <i>PLoS ONE</i> , 2017, 12, e0186557.	1.1	52
28	Changes in second-line regimen durability and continuity of care in relation to national ART guideline changes in South Africa. <i>Journal of the International AIDS Society</i> , 2016, 19, 20675.	1.2	6
29	Treatment outcomes of HIV-positive patients on first-line antiretroviral therapy in private versus public HIV clinics in Johannesburg, South Africa. <i>Clinical Epidemiology</i> , 2016, 8, 37.	1.5	15
30	Mortality in the First 3 Months on Antiretroviral Therapy Among HIV-Positive Adults in Low- and Middle-income Countries: A Meta-analysis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016, 73, 1-10.	0.9	9
31	A meta-analysis assessing all-cause mortality in HIV-exposed uninfected compared with HIV-unexposed uninfected infants and children. <i>Aids</i> , 2016, 30, 2351-2360.	1.0	118
32	Treatment Outcomes and Costs of Providing Antiretroviral Therapy at a Primary Health Clinic versus a Hospital-Based HIV Clinic in South Africa. <i>PLoS ONE</i> , 2016, 11, e0168118.	1.1	12
33	Systematic Differences between Cochrane and Non-Cochrane Meta-Analyses on the Same Topic: A Matched Pair Analysis. <i>PLoS ONE</i> , 2015, 10, e0144980.	1.1	57
34	The relation between efavirenz versus nevirapine and virologic failure in Johannesburg, South Africa. <i>Journal of the International AIDS Society</i> , 2014, 17, 19065.	1.2	14
35	Effect of antiretroviral therapy on patients' economic well being. <i>Aids</i> , 2014, 28, 417-424.	1.0	22
36	In-Home HIV Testing and Nevirapine Dosing by Traditional Birth Attendants in Rural Zambia: A Feasibility Study. <i>Journal of Midwifery and Women's Health</i> , 2014, 59, 198-204.	0.7	14

#	ARTICLE	IF	CITATIONS
37	Impact of choice of <sc>NRTI</sc> in first-line antiretroviral therapy: a cohort analysis of stavudine <i>vs</i>. tenofovir. Tropical Medicine and International Health, 2014, 19, 490-498.	1.0	9
38	Poor CD4 recovery and risk of subsequent progression to AIDS or death despite viral suppression in a South African cohort. Journal of the International AIDS Society, 2014, 17, 18651.	1.2	44
39	Cost and outcomes of paediatric antiretroviral treatment in South Africa. Aids, 2013, 27, 243-250.	1.0	23
40	Rates and Cost of Hospitalization Before and After Initiation of Antiretroviral Therapy in Urban and Rural Settings in South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2013, 62, 322-328.	0.9	35
41	Cohort Profile: The Themba Lethu Clinical Cohort, Johannesburg, South Africa. International Journal of Epidemiology, 2013, 42, 430-439.	0.9	79
42	The interplay between <sc>CD</sc>4 cell count, viral load suppression and duration of antiretroviral therapy on mortality in a resource-limited setting. Tropical Medicine and International Health, 2013, 18, 619-631.	1.0	31
43	Same-Day CD4 Testing to Improve Uptake of HIV Care and Treatment in South Africa: Point-of-Care Is Not Enough. AIDS Research and Treatment, 2013, 2013, 1-7.	0.3	30
44	Anemia among HIV-Infected Patients Initiating Antiretroviral Therapy in South Africa: Improvement in Hemoglobin regardless of Degree of Immunosuppression and the Initiating ART Regimen. Journal of Tropical Medicine, 2013, 2013, 1-6.	0.6	40
45	Gender Differences in Mortality and CD4 Count Response Among Virally Suppressed HIV-Positive Patients. Journal of Women's Health, 2013, 22, 113-120.	1.5	80
46	Increases in regimen durability associated with the introduction of tenofovir at a large public-sector clinic in Johannesburg, South Africa. Journal of the International AIDS Society, 2013, 16, 18794.	1.2	17
47	Poorer ART Outcomes with Increasing Age at a Large Public Sector HIV Clinic in Johannesburg, South Africa. Journal of the International Association of Providers of AIDS Care, 2012, 11, 57-65.	1.2	37
48	Rapid Point-of-Care CD4 Testing at Mobile HIV Testing Sites to Increase Linkage to Care. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 61, e13-e17.	0.9	88
49	Tenofovir in Second-Line ART in Zambia and South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 61, 41-48.	0.9	12
50	Relationship between renal dysfunction, nephrotoxicity and death among HIV adults on tenofovir. Aids, 2011, 25, 1603-1609.	1.0	83
51	Outcomes of stable HIV-positive patients down-referred from a doctor-managed antiretroviral therapy clinic to a nurse-managed primary health clinic for monitoring and treatment. Aids, 2011, 25, 2027-2036.	1.0	71
52	Treatment Outcomes and Cost-Effectiveness of Shifting Management of Stable ART Patients to Nurses in South Africa: An Observational Cohort. PLoS Medicine, 2011, 8, e1001055.	3.9	106
53	The importance of clinic attendance in the first six months on antiretroviral treatment: a retrospective analysis at a large public sector HIV clinic in South Africa. Journal of the International AIDS Society, 2010, 13, 49-49.	1.2	70
54	Using vital registration data to update mortality among patients lost to follow-up from ART programmes: evidence from the Themba Lethu Clinic, South Africa. Tropical Medicine and International Health, 2010, 15, 405-13.	1.0	100

#	ARTICLE	IF	CITATIONS
55	Early loss to follow up after enrolment in pre-ART care at a large public clinic in Johannesburg, South Africa. <i>Tropical Medicine and International Health</i> , 2010, 15, 43-47.	1.0	93
56	Economic Outcomes of Patients Receiving Antiretroviral Therapy for HIV/AIDS in South Africa Are Sustained through Three Years on Treatment. <i>PLoS ONE</i> , 2010, 5, e12731.	1.1	39
57	Lost opportunities to complete CD4+ lymphocyte testing among patients who tested positive for HIV in South Africa. <i>Bulletin of the World Health Organization</i> , 2010, 88, 675-680.	1.5	56