

Reiner Rugulies

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6105172/publications.pdf>

Version: 2024-02-01

279
papers

14,537
citations

18465

62
h-index

24961

109
g-index

280
all docs

280
docs citations

280
times ranked

12471
citing authors

#	ARTICLE	IF	CITATIONS
1	Depression as a predictor for coronary heart disease. American Journal of Preventive Medicine, 2002, 23, 51-61.	1.6	978
2	Job strain as a risk factor for coronary heart disease: a collaborative meta-analysis of individual participant data. Lancet, The, 2012, 380, 1491-1497.	6.3	786
3	Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603â€³838 individuals. Lancet, The, 2015, 386, 1739-1746.	6.3	529
4	The Relation between Work-related Psychosocial Factors and the Development of Depression. Epidemiologic Reviews, 2008, 30, 118-132.	1.3	390
5	Overweight, obesity, and risk of cardiometabolic multimorbidity: pooled analysis of individual-level data for 120â€³813 adults from 16 cohort studies from the USA and Europe. Lancet Public Health, The, 2017, 2, e277-e285.	4.7	375
6	Job strain as a risk factor for clinical depression: systematic review and meta-analysis with additional individual participant data. Psychological Medicine, 2017, 47, 1342-1356.	2.7	314
7	Obesity and loss of disease-free years owing to major non-communicable diseases: a multicohort study. Lancet Public Health, The, 2018, 3, e490-e497.	4.7	241
8	Psychosocial Work Environment and Incidence of Severe Depressive Symptoms: Prospective Findings from a 5-Year Follow-up of the Danish Work Environment Cohort Study. American Journal of Epidemiology, 2006, 163, 877-887.	1.6	236
9	Burnout among employees in human service work: design and baseline findings of the PUMA study. Scandinavian Journal of Public Health, 2006, 34, 49-58.	1.2	235
10	Effortâ€“reward imbalance at work and risk of depressive disorders. A systematic review and meta-analysis of prospective cohort studies. Scandinavian Journal of Work, Environment and Health, 2017, 43, 294-306.	1.7	228
11	Effortâ€“Reward Imbalance at Work and Incident Coronary Heart Disease. Epidemiology, 2017, 28, 619-626.	1.2	224
12	Job Strain as a Risk Factor for Leisure-Time Physical Inactivity: An Individual-Participant Meta-Analysis of Up to 170,000 Men and Women: The IPD-Work Consortium. American Journal of Epidemiology, 2012, 176, 1078-1089.	1.6	198
13	Long working hours, socioeconomic status, and the risk of incident type 2 diabetes: a meta-analysis of published and unpublished data from 222â€³120 individuals. Lancet Diabetes and Endocrinology,the, 2015, 3, 27-34.	5.5	197
14	Job Strain as a Risk Factor for Type 2 Diabetes: A Pooled Analysis of 124,808 Men and Women. Diabetes Care, 2014, 37, 2268-2275.	4.3	185
15	Perceived job insecurity as a risk factor for incident coronary heart disease: systematic review and meta-analysis. BMJ, The, 2013, 347, f4746-f4746.	3.0	181
16	The COVID-19 (Coronavirus) pandemic: consequences for occupational health. Scandinavian Journal of Work, Environment and Health, 2020, 46, 229-230.	1.7	168
17	The impact of work-related psychosocial stressors on the onset of musculoskeletal disorders in specific body regions: A review and meta-analysis of 54 longitudinal studies. Work and Stress, 2011, 25, 243-256.	2.8	164
18	Burnout as a predictor of self-reported sickness absence among human service workers: prospective findings from three year follow up of the PUMA study. Occupational and Environmental Medicine, 2006, 63, 98-106.	1.3	157

#	ARTICLE	IF	CITATIONS
19	Global, regional, and national burdens of ischemic heart disease and stroke attributable to exposure to long working hours for 194 countries, 2000â€”2016: A systematic analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2021, 154, 106595.	4.8	155
20	Long working hours and alcohol use: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>BMJ, The</i> , 2015, 350, g7772-g7772.	3.0	152
21	Predicting long-term sickness absence and early retirement pension from self-reported work ability. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 1133-1138.	1.1	151
22	Job Strain and Cardiovascular Disease Risk Factors: Meta-Analysis of Individual-Participant Data from 47,000 Men and Women. <i>PLoS ONE</i> , 2013, 8, e67323.	1.1	144
23	Depressive symptoms and the risk of long-term sickness absence. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006, 41, 875-880.	1.6	141
24	Physical workload, work intensification, and prevalence of pain in low wage workers: Results from a participatory research project with hotel room cleaners in Las Vegas. <i>American Journal of Industrial Medicine</i> , 2005, 48, 326-337.	1.0	140
25	Association of Healthy Lifestyle With Years Lived Without Major Chronic Diseases. <i>JAMA Internal Medicine</i> , 2020, 180, 760.	2.6	140
26	Long working hours and depressive symptoms: systematic review and meta-analysis of published studies and unpublished individual participant data. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 239-250.	1.7	135
27	Job strain in relation to body mass index: pooled analysis of 160â€”f000 adults from 13 cohort studies. <i>Journal of Internal Medicine</i> , 2012, 272, 65-73.	2.7	132
28	Psychosocial Work Characteristics as Predictors for Burnout: Findings From 3-Year Follow Up of the PUMA Study. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 1015-1025.	0.9	124
29	The contribution of the psychosocial work environment to sickness absence in human service workers: Results of a 3-year follow-up study. <i>Work and Stress</i> , 2007, 21, 293-311.	2.8	119
30	Risk of depressive disorder following disasters and military deployment: systematic review with meta-analysis. <i>British Journal of Psychiatry</i> , 2016, 208, 330-336.	1.7	113
31	Work stress and risk of cancer: meta-analysis of 5700 incident cancer events in 116 000 European men and women. <i>BMJ, The</i> , 2013, 346, f165-f165.	3.0	112
32	The contribution from psychological, social, and organizational work factors to risk of disability retirement: a systematic review with meta-analyses. <i>BMC Public Health</i> , 2017, 17, 176.	1.2	110
33	Job Strain and the Risk of Depression: Is Reporting Biased?. <i>American Journal of Epidemiology</i> , 2011, 173, 94-102.	1.6	105
34	Measuring the physical demands of work in hospital settings: Design and implementation of an ergonomics assessment. <i>Applied Ergonomics</i> , 2006, 37, 641-658.	1.7	104
35	Occurrence of delayed-onset post-traumatic stress disorder: a systematic review and meta-analysis of prospective studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 215-229.	1.7	103
36	Job Strain and Tobacco Smoking: An Individual-Participant Data Meta-Analysis of 166 130 Adults in 15 European Studies. <i>PLoS ONE</i> , 2012, 7, e35463.	1.1	102

#	ARTICLE	IF	CITATIONS
37	One-year prospective study on the effect of workplace bullying on long-term sickness absence. <i>Journal of Nursing Management</i> , 2011, 19, 752-759.	1.4	101
38	Work stress and risk of death in men and women with and without cardiometabolic disease: a multicohort study. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 705-713.	5.5	100
39	Work-Related Pain and Injury and Barriers to Workers' Compensation Among Las Vegas Hotel Room Cleaners. <i>American Journal of Public Health</i> , 2005, 95, 483-488.	1.5	97
40	Psychosocial Work Environment Predictors of Short and Long Spells of Registered Sickness Absence During a 2-year Follow Up. <i>Journal of Occupational and Environmental Medicine</i> , 2006, 48, 591-598.	0.9	97
41	Job Strain and the Risk of Stroke. <i>Stroke</i> , 2015, 46, 557-559.	1.0	97
42	Associations of job strain and lifestyle risk factors with risk of coronary artery disease: a meta-analysis of individual participant data. <i>Cmaj</i> , 2013, 185, 763-769.	0.9	95
43	The effect of exposure to long working hours on ischaemic heart disease: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2020, 142, 105739.	4.8	95
44	Job Strain and Alcohol Intake: A Collaborative Meta-Analysis of Individual-Participant Data from 140 000 Men and Women. <i>PLoS ONE</i> , 2012, 7, e40101.	1.1	93
45	The Symptom Checklist-core depression (SCL-CD ₆) scale: Psychometric properties of a brief six item scale for the assessment of depression. <i>Scandinavian Journal of Public Health</i> , 2014, 42, 82-88.	1.2	87
46	Workplace bullying and workplace violence as risk factors for cardiovascular disease: a multi-cohort study. <i>European Heart Journal</i> , 2019, 40, 1124-1134.	1.0	82
47	When workplace interventions lead to negative effects: Learning from failures. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 106-119.	1.2	81
48	A Review of the Effect of the Psychosocial Working Environment on Physiological Changes in Blood and Urine. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2009, 105, 73-83.	1.2	80
49	Physical workload, ergonomic problems, and incidence of low back injury: A 7.5-year prospective study of San Francisco transit operators. <i>American Journal of Industrial Medicine</i> , 2004, 46, 570-585.	1.0	79
50	The effect of exposure to long working hours on stroke: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2020, 142, 105746.	4.8	78
51	Long working hours as a risk factor for atrial fibrillation: a multi-cohort study. <i>European Heart Journal</i> , 2017, 38, 2621-2628.	1.0	76
52	Do psychosocial work environment factors measured with scales from the Copenhagen Psychosocial Questionnaire predict register-based sickness absence of 3 weeks or more in Denmark?. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 42-50.	1.2	74
53	Workplace bullying and violence as risk factors for type 2 diabetes: a multicohort study and meta-analysis. <i>Diabetologia</i> , 2018, 61, 75-83.	2.9	74
54	Job insecurity, chances on the labour market and decline in self-rated health in a representative sample of the Danish workforce. <i>Journal of Epidemiology and Community Health</i> , 2008, 62, 245-250.	2.0	73

#	ARTICLE	IF	CITATIONS
55	The association of socioeconomic status and psychosocial and physical workplace factors with musculoskeletal injury in hospital workers. <i>American Journal of Industrial Medicine</i> , 2007, 50, 245-260.	1.0	72
56	Severe depressive symptoms as predictor of disability pension: a 10-year follow-up study in Denmark. <i>European Journal of Public Health</i> , 2008, 18, 232-234.	0.1	72
57	Predictors of return to work in employees sick-listed with mental health problems: findings from a longitudinal study. <i>European Journal of Public Health</i> , 2011, 21, 806-811.	0.1	72
58	Self-reported work ability in long-term breast cancer survivors. A population-based questionnaire study in Denmark. <i>Acta Oncologica</i> , 2013, 52, 423-429.	0.8	71
59	Adverse psychosocial working conditions and risk of severe depressive symptoms. Do effects differ by occupational grade?. <i>European Journal of Public Health</i> , 2013, 23, 415-420.	0.1	70
60	Psychosocial working conditions and depressive symptoms among Swedish employees. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 951-960.	1.1	69
61	Job strain, iso-strain, and the incidence of low back and neck injuries. A 7.5-year prospective study of San Francisco transit operators. <i>Social Science and Medicine</i> , 2005, 61, 27-39.	1.8	68
62	Bullying at work and onset of a major depressive episode among Danish female eldercare workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 218-227.	1.7	67
63	Impact of Burnout and Psychosocial Work Characteristics on Future Long-Term Sickness Absence. Prospective Results of the Danish PUMA Study Among Human Service Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2010, 52, 964-970.	0.9	66
64	The predictive value of mental health for long-term sickness absence: the Major Depression Inventory (MDI) and the Mental Health Inventory (MHI-5) compared. <i>BMC Medical Research Methodology</i> , 2013, 13, 115.	1.4	65
65	Do dimensions from the Copenhagen Psychosocial Questionnaire predict vitality and mental health over and above the job strain and effort-reward imbalance models?. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 59-68.	1.2	62
66	Health correlates of workplace bullying: a 3-wave prospective follow-up study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 17-25.	1.7	62
67	The association between psychosocial work environment, attitudes towards older workers (ageism) and planned retirement. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 437-445.	1.1	60
68	Impact of the psychosocial work environment on registered absence from work: A two-year longitudinal study using the IPAW cohort. <i>Work and Stress</i> , 2004, 18, 323-335.	2.8	59
69	Retrospectively assessed physical work environment during working life and risk of sickness absence and labour market exit among older workers. <i>Occupational and Environmental Medicine</i> , 2018, 75, 114-123.	1.3	59
70	Workplace sexual harassment and depressive symptoms: a cross-sectional multilevel analysis comparing harassment from clients or customers to harassment from other employees amongst 7603 Danish employees from 1041 organizations. <i>BMC Public Health</i> , 2017, 17, 675.	1.2	58
71	The effect of exposure to long working hours on depression: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2021, 155, 106629.	4.8	58
72	Exposure to Workplace Bullying and Risk of Depression. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 1258-1265.	0.9	57

#	ARTICLE	IF	CITATIONS
73	Health, work, and personal-related predictors of time to return to work among employees with mental health problems. <i>Disability and Rehabilitation</i> , 2012, 34, 1311-1316.	0.9	56
74	Is Sickness Presenteeism a Risk Factor for Depression? A Danish 2-Year Follow-Up Study. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 595-603.	0.9	56
75	Sexual harassment in care work – Dilemmas and consequences: A qualitative investigation. <i>International Journal of Nursing Studies</i> , 2017, 70, 122-130.	2.5	56
76	Studying the effect of the psychosocial work environment on risk of ill-health: towards a more comprehensive assessment of working conditions. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 187-192.	1.7	56
77	Misclassification and the use of register-based indicators for depression. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 312-319.	2.2	55
78	Psychosocial work environment of hospital workers: Validation of a comprehensive assessment scale. <i>International Journal of Nursing Studies</i> , 2007, 44, 814-825.	2.5	54
79	Effort-reward imbalance at work and risk of sleep disturbances. Cross-sectional and prospective results from the Danish Work Environment Cohort Study. <i>Journal of Psychosomatic Research</i> , 2009, 66, 75-83.	1.2	54
80	What is a psychosocial work environment?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 1-6.	1.7	54
81	Effort-reward imbalance and incidence of low back and neck injuries in San Francisco transit operators. <i>Occupational and Environmental Medicine</i> , 2007, 65, 525-533.	1.3	52
82	Work-related exposure to violence or threats and risk of mental disorders and symptoms: a systematic review and meta-analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 339-349.	1.7	52
83	Work-unit measures of organisational justice and risk of depression – a 2-year cohort study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 380-385.	1.3	50
84	Person-related work and incident use of antidepressants: relations and mediating factors from the Danish work environment cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010, 36, 435-444.	1.7	49
85	The Danish Psychosocial Work Environment Questionnaire (DPQ): Development, content, reliability and validity. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 356-369.	1.7	48
86	Job insecurity and risk of diabetes: a meta-analysis of individual participant data. <i>Cmaj</i> , 2016, 188, E447-E455.	0.9	47
87	Workplace Levels of Psychosocial Factors as Prospective Predictors of Registered Sickness Absence. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 933-940.	0.9	46
88	Validating abbreviated measures of effort-reward imbalance at work in European cohort studies: the IPD-Work consortium. <i>International Archives of Occupational and Environmental Health</i> , 2014, 87, 249-256.	1.1	46
89	Job insecurity and the use of antidepressant medication among Danish employees with and without a history of prolonged unemployment: a 3.5-year follow-up study. <i>Journal of Epidemiology and Community Health</i> , 2010, 64, 75-81.	2.0	43
90	Salivary cortisol and sleep problems among civil servants. <i>Psychoneuroendocrinology</i> , 2012, 37, 1086-1095.	1.3	43

#	ARTICLE	IF	CITATIONS
91	Bi-Directional Associations Between Psychological Arousal, Cortisol, and Sleep. <i>Behavioral Sleep Medicine</i> , 2012, 10, 28-40.	1.1	42
92	Effectiveness of a Coordinated and Tailored Return-to-Work Intervention for Sickness Absence Beneficiaries with Mental Health Problems. <i>Journal of Occupational Rehabilitation</i> , 2013, 23, 621-630.	1.2	42
93	Physical work demands and psychosocial working conditions as predictors of musculoskeletal pain: a cohort study comparing self-reported and job exposure matrix measurements. <i>Occupational and Environmental Medicine</i> , 2018, 75, 752-758.	1.3	42
94	Effortâ€reward imbalance at work and self-rated health of Las Vegas hotel room cleaners. <i>American Journal of Industrial Medicine</i> , 2010, 53, 372-386.	1.0	41
95	Burnout as a risk factor for antidepressant treatment â€ a repeated measures time-to-event analysis of 2936 Danish human service workers. <i>Journal of Psychiatric Research</i> , 2015, 65, 47-52.	1.5	41
96	The effect of the work environment and performance-based self-esteem on cognitive stress symptoms among Danish knowledge workers. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 81-89.	1.2	39
97	Clinical and non-clinical depressive symptoms and risk of long-term sickness absence among female employees in the Danish eldercare sector. <i>Journal of Affective Disorders</i> , 2011, 129, 87-93.	2.0	39
98	The role of poor sleep in the relation between workplace bullying/unwanted sexual attention and long-term sickness absence. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 967-979.	1.1	39
99	WHO/ILO work-related burden of disease and injury: Protocol for systematic reviews of exposure to long working hours and of the effect of exposure to long working hours on ischaemic heart disease. <i>Environment International</i> , 2018, 119, 558-569.	4.8	39
100	Are immigrants in the nursing industry at increased risk of bullying at work? A one-year follow-up study. <i>Scandinavian Journal of Psychology</i> , 2011, 52, 49-56.	0.8	38
101	A two-year follow-up study of salivary cortisol concentration and the risk of depression. <i>Psychoneuroendocrinology</i> , 2013, 38, 2042-2050.	1.3	38
102	Cumulative occupational mechanical exposures during working life and risk of sickness absence and disability pension: prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 415-425.	1.7	38
103	Effect of the Danish return-to-work program on long-term sickness absence: results from a randomized controlled trial in three municipalities. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 47-56.	1.7	37
104	The effect of exposure to long working hours on alcohol consumption, risky drinking and alcohol use disorder: A systematic review and meta-analysis from the WHO/ILO Joint Estimates of the Work-related Burden of Disease and Injury. <i>Environment International</i> , 2021, 146, 106205.	4.8	36
105	The COVID-19 pandemic: one year later â€ an occupational perspective. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 245-247.	1.7	36
106	Are risk estimates biased in follow-up studies of psychosocial factors with low base-line participation?. <i>BMC Public Health</i> , 2011, 11, 539.	1.2	35
107	Psychosocial work environment and registered absence from work: Estimating the etiologic fraction. <i>American Journal of Industrial Medicine</i> , 2006, 49, 187-196.	1.0	34
108	Work-related Violence and Incident Use of Psychotropics. <i>American Journal of Epidemiology</i> , 2011, 174, 1354-1362.	1.6	34

#	ARTICLE	IF	CITATIONS
109	WHO/ILO work-related burden of disease and injury: Protocol for systematic reviews of exposure to long working hours and of the effect of exposure to long working hours on depression. <i>Environment International</i> , 2019, 125, 515-528.	4.8	34
110	Job strain and informal caregiving as predictors of long-term sickness absence: A longitudinal multi-cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 5-14.	1.7	34
111	Contribution of income and job strain to the association between education and cardiovascular disease in 1.6 million Danish employees. <i>European Heart Journal</i> , 2020, 41, 1164-1178.	1.0	33
112	Implementation of a Coordinated and Tailored Return-to-Work Intervention for Employees with Mental Health Problems. <i>Journal of Occupational Rehabilitation</i> , 2012, 22, 427-436.	1.2	32
113	Sleep disturbances and fatigue: independent predictors of sickness absence? A prospective study among 6538 employees. <i>European Journal of Public Health</i> , 2013, 23, 123-128.	0.1	32
114	The Danish national return-to-work program " aims, content, and design of the process and effect evaluation. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 120-133.	1.7	32
115	Workplace bullying, sleep problems and leisure-time physical activity: a prospective cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 26-33.	1.7	32
116	Implementation of the Danish return-to-work program: process evaluation of a trial in 21 Danish municipalities. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 529-541.	1.7	30
117	Do self-reported psychosocial working conditions predict low back pain after adjustment for both physical work load and depressive symptoms? A prospective study among female eldercare workers. <i>Occupational and Environmental Medicine</i> , 2013, 70, 538-544.	1.3	29
118	Does retirement reduce the risk of mental disorders? A national registry-linkage study of treatment for mental disorders before and after retirement of 245,082 Danish residents. <i>Occupational and Environmental Medicine</i> , 2015, 72, 366-372.	1.3	29
119	Does job satisfaction predict early return to work after coronary angioplasty or cardiac surgery?. <i>International Archives of Occupational and Environmental Health</i> , 2013, 86, 561-569.	1.1	28
120	Comorbid symptoms of depression and musculoskeletal pain and risk of long term sickness absence. <i>BMC Public Health</i> , 2018, 18, 981.	1.2	28
121	Unnecessary work tasks and mental health: a prospective analysis of Danish human service workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 631-638.	1.7	28
122	The psychosocial work environment and musculoskeletal disorders: Design of a comprehensive interviewer-administered questionnaire. <i>American Journal of Industrial Medicine</i> , 2004, 45, 428-439.	1.0	27
123	Do positive psychosocial work factors protect against 2-year incidence of long-term sickness absence among employees with and those without depressive symptoms? A prospective study. <i>Journal of Psychosomatic Research</i> , 2011, 70, 3-9.	1.2	26
124	Danish Observational Study of Eldercare work and musculoskeletal disorderS (DOSES): a prospective study at 20 nursing homes in Denmark. <i>BMJ Open</i> , 2018, 8, e019670.	0.8	26
125	Associations between psychological demands, decision latitude, and job strain with smoking in female hotel room cleaners in Las Vegas. <i>International Journal of Behavioral Medicine</i> , 2008, 15, 34-43.	0.8	25
126	Does good leadership buffer effects of high emotional demands at work on risk of antidepressant treatment? A prospective study from two Nordic countries. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 1209-1218.	1.6	25

#	ARTICLE	IF	CITATIONS
127	Negative Acts at Work as Potential Bullying Behavior and Depression. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, e72-e79.	0.9	25
128	Optimal Cut-Off Points for the Short-Negative Act Questionnaire and Their Association with Depressive Symptoms and Diagnosis of Depression. <i>Annals of Work Exposures and Health</i> , 2018, 62, 281-294.	0.6	25
129	Job type and other socio-demographic factors associated with participation in a national, cross-sectional study of Danish employees. <i>BMJ Open</i> , 2019, 9, e027056.	0.8	25
130	Work-relatedness of mood disorders in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2009, 35, 294-300.	1.7	25
131	Distribution of Effort-Reward Imbalance in Denmark and Its Prospective Association With a Decline in Self-Rated Health. <i>Journal of Occupational and Environmental Medicine</i> , 2009, 51, 870-878.	0.9	24
132	Retrospectively assessed psychosocial working conditions as predictors of prospectively assessed sickness absence and disability pension among older workers. <i>BMC Public Health</i> , 2018, 18, 149.	1.2	24
133	Work-unit social capital and long-term sickness absence: a prospective cohort study of 32 053 hospital employees. <i>Occupational and Environmental Medicine</i> , 2018, 75, 623-629.	1.3	24
134	Does Perceived Stress Mediate the Association Between Workplace Bullying and Long-Term Sickness Absence?. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, e226-e230.	0.9	23
135	Workplace social capital and risk of long-term sickness absence. Are associations modified by occupational grade?. <i>European Journal of Public Health</i> , 2016, 26, 328-333.	0.1	23
136	Does Workplace Bullying Affect Long-Term Sickness Absence Among Coworkers?. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 132-137.	0.9	23
137	Night work during pregnancy and preterm birthâ€”A large register-based cohort study. <i>PLoS ONE</i> , 2019, 14, e0215748.	1.1	23
138	Does age modify the association between physical work demands and deterioration of self-rated general health?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 241-249.	1.7	23
139	Job stress and the use of antidepressant medicine: a 3.5-year follow-up study among Danish employees. <i>Occupational and Environmental Medicine</i> , 2011, 68, 205-210.	1.3	21
140	Healing a Vulnerable Self. <i>Qualitative Health Research</i> , 2013, 23, 302-312.	1.0	21
141	Onset of workplace sexual harassment and subsequent depressive symptoms and incident depressive disorder in the Danish workforce. <i>Journal of Affective Disorders</i> , 2020, 277, 21-29.	2.0	21
142	High physical work demands have worse consequences for older workers: prospective study of long-term sickness absence among 69â€‰%117 employees. <i>Occupational and Environmental Medicine</i> , 2021, 78, 829-834.	1.3	21
143	Long working hours and risk of 50 health conditions and mortality outcomes: a multicohort study in four European countries. <i>Lancet Regional Health - Europe</i> , The, 2021, 11, 100212.	3.0	21
144	Does outdoor work during the winter season protect against depression and mood difficulties?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 446-449.	1.7	21

#	ARTICLE	IF	CITATIONS
145	A two-year follow-up study of risk of depression according to work-unit measures of psychological demands and decision latitude. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 527-536.	1.7	21
146	Encounters between workers sick-listed with common mental disorders and return-to-work stakeholders. Does workers' gender matter?. <i>Scandinavian Journal of Public Health</i> , 2013, 41, 191-197.	1.2	20
147	Struggling at work – a qualitative study of working Danes with depressive symptoms. <i>Disability and Rehabilitation</i> , 2015, 37, 1674-1682.	0.9	20
148	Prolonged perceived stress and saliva cortisol in a large cohort of Danish public service employees: cross-sectional and longitudinal associations. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 835-848.	1.1	20
149	Perceived stress and sickness absence: a prospective study of 17,795 employees in Denmark. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 821-828.	1.1	20
150	Work factors facilitating working beyond state pension age: Prospective cohort study with register follow-up. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 15-21.	1.7	20
151	Return to work among employees with common mental disorders: Study design and baseline findings from a mixed-method follow-up study. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 864-872.	1.2	19
152	Exposure to negative acts and risk of turnover: a study of a register-based outcome among employees in three occupational groups. <i>International Archives of Occupational and Environmental Health</i> , 2016, 89, 1269-1278.	1.1	19
153	Emotional Demands at Work and the Risk of Clinical Depression. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 994-1001.	0.9	19
154	The associations between workplace bullying, salivary cortisol, and long-term sickness absence: a longitudinal study. <i>BMC Public Health</i> , 2017, 17, 710.	1.2	19
155	A multi-wave study of organizational justice at work and long-term sickness absence among employees with depressive symptoms. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 176-185.	1.7	19
156	Job strain and the risk of severe asthma exacerbations: a meta-analysis of individual participant data from 100 000 European men and women. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014, 69, 775-783.	2.7	18
157	Relationship Between Changes in Workplace Bullying Status and the Reporting of Personality Characteristics. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 902-910.	0.9	18
158	Does workplace social capital protect against long-term sickness absence? Linking workplace aggregated social capital to sickness absence registry data. <i>Scandinavian Journal of Public Health</i> , 2018, 46, 290-296.	1.2	18
159	Associations between psychosocial work environment and hypertension among non-Western immigrant and Danish cleaners. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 829-835.	1.1	17
160	Does retirement reduce the risk of myocardial infarction? A prospective registry linkage study of 617 511 Danish workers. <i>International Journal of Epidemiology</i> , 2014, 43, 160-167.	0.9	17
161	Medically unexplained symptoms and the risk of loss of labor market participation - a prospective study in the Danish population. <i>BMC Public Health</i> , 2015, 15, 844.	1.2	17
162	Long working hours and cancer risk: a multi-cohort study. <i>British Journal of Cancer</i> , 2016, 114, 813-818.	2.9	17

#	ARTICLE	IF	CITATIONS
163	Effort-reward imbalance at work and risk of type 2 diabetes in a national sample of 50,552 workers in Denmark: A prospective study linking survey and register data. <i>Journal of Psychosomatic Research</i> , 2020, 128, 109867.	1.2	17
164	Job Strain and the Risk of Inflammatory Bowel Diseases: Individual-Participant Meta-Analysis of 95,000 Men and Women. <i>PLoS ONE</i> , 2014, 9, e88711.	1.1	17
165	Effects of Psychosocial Work Factors on Lifestyle Changes. <i>Journal of Occupational and Environmental Medicine</i> , 2011, 53, 1364-1371.	0.9	16
166	Perceived and content-related emotional demands at work and risk of long-term sickness absence in the Danish workforce: a cohort study of 26,410 Danish employees. <i>Occupational and Environmental Medicine</i> , 2019, 76, 895-900.	1.3	16
167	Integrating Qualitative Research into Occupational Health: A Case Study Among Hospital Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2005, 47, 399-409.	0.9	15
168	PAID CARE WORK AND DEPRESSION: A LONGITUDINAL STUDY OF ANTIDEPRESSANT TREATMENT IN FEMALE ELDERCARE WORKERS BEFORE AND AFTER ENTERING THEIR PROFESSION. <i>Depression and Anxiety</i> , 2012, 29, 605-613.	2.0	15
169	Psychosocial working conditions and depressive disorder: disentangling effects of job control from socioeconomic status using a life-course approach. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 217-228.	1.6	15
170	Leadership Quality and Risk of Long-term Sickness Absence Among 53,157 Employees of the Danish Workforce. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 557-565.	0.9	15
171	Work and mental health: what do we know and how can we intervene?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 529-532.	1.7	15
172	Psychosocial Determinants of Work-to-Family Conflict among Knowledge Workers with Boundaryless Work. <i>Applied Psychology: Health and Well-Being</i> , 2010, 2, 160-181.	1.6	14
173	A multilevel study on the association of observer-assessed working conditions with depressive symptoms among female eldercare workers from 56 work units in 10 care homes in Denmark. <i>BMJ Open</i> , 2015, 5, e008713-e008713.	0.8	14
174	Effects of a randomized controlled intervention trial on return to work and health care utilization after long-term sickness absence. <i>BMC Public Health</i> , 2016, 16, 1149.	1.2	14
175	A cohort study on self-reported role stressors at work and poor sleep: does sense of coherence moderate or mediate the associations?. <i>International Archives of Occupational and Environmental Health</i> , 2018, 91, 445-456.	1.1	14
176	Effect of a participatory organizational workplace intervention on workplace social capital: post-hoc results from a cluster randomized controlled trial. <i>BMC Public Health</i> , 2019, 19, 693.	1.2	14
177	Development of depressive symptoms and depression during organizational change – a two-year follow-up study of civil servants. <i>Scandinavian Journal of Work, Environment and Health</i> , 2010, 36, 445-448.	1.7	14
178	IPD-Work consortium: pre-defined meta-analyses of individual-participant data strengthen evidence base for a link between psychosocial factors and health. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 312-321.	1.7	14
179	Psychological well-being as a predictor of dropout among recently qualified Danish eldercare workers. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 239-245.	1.2	13
180	Deadlines at work and sleep quality. Cross-sectional and longitudinal findings among Danish knowledge workers. <i>American Journal of Industrial Medicine</i> , 2012, 55, 260-269.	1.0	13

#	ARTICLE	IF	CITATIONS
181	Antidepressant use and associations with psychosocial work characteristics. A comparative study of Swedish and Danish gainfully employed. <i>Journal of Affective Disorders</i> , 2013, 149, 38-45.	2.0	13
182	Salivary cortisol and depression in public sector employees: Cross-sectional and short term follow-up findings. <i>Psychoneuroendocrinology</i> , 2014, 41, 63-74.	1.3	13
183	A multisite randomized controlled trial on time to self-support among sickness absence beneficiaries. The Danish national return-to-work programme. <i>European Journal of Public Health</i> , 2015, 25, 96-102.	0.1	13
184	Inter-rater reliability of direct observations of the physical and psychosocial working conditions in eldercare: An evaluation in the DOSES project. <i>Applied Ergonomics</i> , 2018, 69, 93-103.	1.7	13
185	Multicohort study of change in job strain, poor mental health and incident cardiometabolic disease. <i>Occupational and Environmental Medicine</i> , 2019, 76, 785-792.	1.3	13
186	Job demands and control and sickness absence, disability pension and unemployment among 2,194,692 individuals in Sweden. <i>Scandinavian Journal of Public Health</i> , 2020, 48, 125-133.	1.2	13
187	Job Strain as a Risk Factor for Peripheral Artery Disease: A Multi-Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e013538.	1.6	13
188	Work-related violence and depressive disorder among 955,573 employees followed for 6.99 million person-years. The Danish Work Life Course Cohort study. <i>Journal of Affective Disorders</i> , 2021, 288, 136-144.	2.0	13
189	Emotional demands at work and risk of long-term sickness absence in 1.5 million employees in Denmark: a prospective cohort study on effect modifiers. <i>Lancet Public Health</i> , The, 2021, 6, e752-e759.	4.7	13
190	Effect of a participatory organizational-level occupational health intervention on short-term sickness absence: a cluster randomized controlled trial. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 192-200.	1.7	13
191	Persistent and changing job strain and risk of coronary heart disease. A population-based cohort study of 1.6 million employees in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 498-507.	1.7	13
192	Invited Commentary: Structure and Context Matters--The Need to Emphasize "Social" in "Psychosocial Epidemiology". <i>American Journal of Epidemiology</i> , 2012, 175, 620-624.	1.6	12
193	Psychosocial work environment among immigrant and Danish cleaners. <i>International Archives of Occupational and Environmental Health</i> , 2012, 85, 89-95.	1.1	12
194	Effort-Reward Imbalance at Work and Risk of Long-Term Sickness Absence in the Danish Workforce. <i>Journal of Occupational and Environmental Medicine</i> , 2013, 55, 454-459.	0.9	12
195	Barriers and facilitators for implementation of a return-to-work intervention for sickness absence beneficiaries with mental health problems: Results from three Danish municipalities. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 423-431.	1.2	12
196	Depressive symptoms and early retirement intentions among Danish eldercare workers: Cross-sectional and longitudinal analyses. <i>BMC Public Health</i> , 2015, 15, 677.	1.2	12
197	Stability of return to work after a coordinated and tailored intervention for sickness absence compensation beneficiaries with mental health problems: results of a two-year follow-up study. <i>Disability and Rehabilitation</i> , 2015, 37, 2107-2113.	0.9	12
198	Association between Psychosocial Working Conditions and Perceived Physical Exertion among Eldercare Workers: A Cross-Sectional Multilevel Analysis of Nursing Homes, Wards and Workers. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3610.	1.2	12

#	ARTICLE	IF	CITATIONS
199	Individual and Combined Effects of Job Strain Components on Subsequent Morbidity and Mortality. <i>Epidemiology</i> , 2019, 30, e27-e29.	1.2	12
200	Do psychosocial working conditions modify the effect of depressive symptoms on long-term sickness absence?. <i>American Journal of Industrial Medicine</i> , 2013, 56, 1329-1340.	1.0	11
201	Job strain and COPD exacerbations: an individual-participant meta-analysis. <i>European Respiratory Journal</i> , 2014, 44, 247-251.	3.1	11
202	Effect of a participatory organizational-level occupational health intervention on job satisfaction, exhaustion and sleep disturbances: results of a cluster randomized controlled trial. <i>BMC Public Health</i> , 2016, 16, 1210.	1.2	11
203	Objectively measured versus self-reported occupational physical activity and multisite musculoskeletal pain: a prospective follow-up study at 20 nursing homes in Denmark. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 381-389.	1.1	11
204	Effort-reward imbalance at work and the risk of antidepressant treatment in the Danish workforce. <i>Journal of Affective Disorders</i> , 2016, 196, 248-251.	2.0	10
205	The association of vertical and horizontal workplace social capital with employees' job satisfaction, exhaustion and sleep disturbances: a prospective study. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 883-890.	1.1	10
206	Can work-unit social capital buffer the association between workplace violence and long-term sickness absence? A prospective cohort study of healthcare employees. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 355-364.	1.1	10
207	Importance of the Working Environment for Early Retirement: Prospective Cohort Study with Register Follow-Up. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 9817.	1.2	10
208	Does age modify the association between psychosocial factors at work and deterioration of self-rated health?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 465-474.	1.7	10
209	Is the association between high strain work and depressive symptoms modified by private life social support: a cohort study of 1,074 Danish employees?. <i>BMC Public Health</i> , 2014, 14, 698.	1.2	9
210	Exposure to workplace violence and threats and risk of depression: a prospective study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 582-590.	1.7	9
211	Effort-Reward Imbalance and Affective Disorders. <i>Aligning Perspectives on Health, Safety and Well-being</i> , 2016, , 103-143.	0.2	9
212	Temporal relationships between job strain and low-back pain. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 396-404.	1.7	9
213	Joint association of sleep problems and psychosocial working conditions with registered long-term sickness absence. A Danish cohort study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2016, 42, 299-308.	1.7	8
214	Work participation and health-related characteristics of sickness absence beneficiaries with multiple somatic symptoms. <i>Public Health</i> , 2016, 133, 75-82.	1.4	7
215	Does influence at work modify the relation between high occupational physical activity and risk of heart disease in women?. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 433-442.	1.1	7
216	Managerial Quality and Risk of Depressive Disorders Among Danish Eldercare Workers. <i>Journal of Occupational and Environmental Medicine</i> , 2018, 60, 120-125.	0.9	7

#	ARTICLE	IF	CITATIONS
217	Collaboration among eldercare workers: barriers, facilitators and supporting processes. <i>Scandinavian Journal of Caring Sciences</i> , 2018, 32, 1127-1137.	1.0	7
218	Emotional demands and exhaustion: cross-sectional and longitudinal associations in a cohort of Danish public sector employees. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 639-650.	1.1	7
219	Combinations of Job Demands and Job Control and Future Trajectories of Sickness Absence and Disability Pension An 11-year Follow-up of Two Million Employees in Sweden. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 795-802.	0.9	7
220	Work-unit social capital and incident purchase of psychotropic medications: A longitudinal cohort-study of healthcare workers. <i>Journal of Affective Disorders</i> , 2020, 276, 53-61.	2.0	7
221	Reducing employee turnover in hospitals: estimating the effects of hypothetical improvements in the psychosocial work environment. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 456-465.	1.7	7
222	Psychosocial work factors and blood pressure among 63 800 employees from The Netherlands in the Lifelines Cohort Study. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 60-66.	2.0	7
223	Work stress and loss of years lived without chronic disease: an 18-year follow-up of 1.5 million employees in Denmark. <i>European Journal of Epidemiology</i> , 2022, 37, 389-400.	2.5	7
224	Occupational position and its relation to mental distress in a random sample of Danish residents. <i>International Archives of Occupational and Environmental Health</i> , 2010, 83, 625-629.	1.1	6
225	Influence of physical and psychosocial work environment throughout life and physical and cognitive capacity in midlife on labor market attachment among older workers: study protocol for a prospective cohort study. <i>BMC Public Health</i> , 2016, 16, 629.	1.2	6
226	Emotion work within eldercare and depressive symptoms: A cross-sectional multi-level study assessing the association between externally observed emotion work and self-reported depressive symptoms among Danish eldercare workers. <i>International Journal of Nursing Studies</i> , 2016, 62, 183-192.	2.5	6
227	Can leadership quality buffer the association between emotionally demanding work and risk of long-term sickness absence?. <i>European Journal of Public Health</i> , 2021, 31, 739-741.	0.1	6
228	Risk of childhood asthma following prenatal exposure to negative life events and job stressors: A nationwide register-based study in Denmark. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 174-182.	1.7	6
229	Can illegitimate job tasks be reduced by a participatory organizational-level workplace intervention? Results of a cluster randomized controlled trial in Danish pre-schools. <i>Scandinavian Journal of Work, Environment and Health</i> , 2018, 44, 219-223.	1.7	6
230	Characteristics of Workplace Psychosocial Resources and Risk of Diabetes: A Prospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 59-66.	4.3	6
231	The association of health and voluntary early retirement pension and the modifying effect of quality of supervision: Results from a Danish register-based follow-up study. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 468-475.	1.2	5
232	Interrelationships between job demands, low back pain and depression: A four-way decomposition analysis of direct and indirect effects of job demands through mediation and/or interaction. <i>Journal of Affective Disorders</i> , 2021, 282, 219-226.	2.0	5
233	Understanding the impact of psychosocial working conditions on workers' health: we have come a long way, but are we there yet?. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 483-487.	1.7	5
234	Organizational Justice and Long-term Metabolic Trajectories: A 25-Year Follow-up of the Whitehall II Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 398-409.	1.8	5

#	ARTICLE	IF	CITATIONS
235	Job Demands and Job Control and Future Labor Market Situation. <i>Journal of Occupational and Environmental Medicine</i> , 2020, 62, 403-411.	0.9	5
236	Influence at work is a key factor for mental health “ but what do contemporary employees in knowledge and relational work mean by “influence at work”? <i>International Journal of Qualitative Studies on Health and Well-being</i> , 2022, 17, 2054513.	0.6	5
237	Do organisational and ward-level factors explain the variance in multi-site musculoskeletal pain in eldercare workers? A multi-level cross-sectional study. <i>International Archives of Occupational and Environmental Health</i> , 2020, 93, 891-898.	1.1	4
238	Physical capability in midlife and risk of disability pension and long-term sickness absence: prospective cohort study with register follow-up. <i>Scandinavian Journal of Work, Environment and Health</i> , 2019, 45, 610-621.	1.7	4
239	Association of alcohol use with years lived without major chronic diseases: A multicohort study from the IPD-Work consortium and UK Biobank. <i>Lancet Regional Health - Europe, The</i> , 2022, 19, 100417.	3.0	4
240	Introduction to the supplement on the Copenhagen Psychosocial Questionnaire “ in honour of Tage S�ndergaard Kristensen. <i>Scandinavian Journal of Public Health</i> , 2010, 38, 4-7.	1.2	3
241	The relationship between performance-based self-esteem and self-reported work and health behaviors among Danish knowledge workers. <i>Scandinavian Journal of Psychology</i> , 2012, 53, 71-79.	0.8	3
242	Individual and work-unit measures of psychological demands and decision latitude and the use of antihypertensive medication. <i>International Archives of Occupational and Environmental Health</i> , 2015, 88, 311-319.	1.1	3
243	Patterns in the Occurrence and Duration of Musculoskeletal Pain and Interference with Work among Eldercare Workers“ A One-Year Longitudinal Study with Measurements Every Four Weeks. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2990.	1.2	3
244	Cohort profile: the Danish Work Life Course Cohort study (DaWCo). <i>BMJ Open</i> , 2019, 9, e029658.	0.8	3
245	Night work and risk of ischaemic heart disease and anti-hypertensive drug use: a cohort study of 145 861 Danish employees. <i>European Journal of Public Health</i> , 2020, 30, 259-264.	0.1	3
246	Cognitive Ability in Midlife and Labor Market Participation Among Older Workers: Prospective Cohort Study With Register Follow-up. <i>Safety and Health at Work</i> , 2020, 11, 291-300.	0.3	3
247	Changes in effort-reward imbalance at work and risk of onset of sleep disturbances in a population-based cohort of workers in Denmark. <i>Sleep Medicine: X</i> , 2020, 2, 100021.	0.5	3
248	Systematic review and meta-analysis on exposure to long working hours and risk of ischaemic heart disease “ Conclusions are supported by the evidence. <i>Environment International</i> , 2020, 144, 106118.	4.8	3
249	Effort-reward imbalance at work and weight changes in a nationwide cohort of workers in Denmark. <i>American Journal of Industrial Medicine</i> , 2020, 63, 634-643.	1.0	3
250	Maternal life and work stressors during pregnancy and asthma in offspring. <i>International Journal of Epidemiology</i> , 2021, 49, 1847-1855.	0.9	3
251	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 2013, 2, 233.	0.8	3
252	Physical workload, long-term sickness absence, and the role of social capital. Multi-level analysis of a large occupation cohort. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 373-381.	1.7	3

#	ARTICLE	IF	CITATIONS
253	To what extent do single symptoms from a depression rating scale predict risk of long-term sickness absence among employees who are free of clinical depression?. <i>International Archives of Occupational and Environmental Health</i> , 2013, 86, 735-739.	1.1	2
254	Are resident handlings in eldercare wards associated with musculoskeletal pain and sickness absence among the workers? A prospective study based on onsite observations. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 609-618.	1.7	2
255	<i>Epidemiology of Health and Illness: A Socio-Psycho-Physiological Perspective.</i> , 0, , 27-68.		2
256	Associations between perceived quantitative work demands at different organisational levels and pain and sickness absence in eldercare workers: a multi-level longitudinal analysis. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 993-1001.	1.1	2
257	Rugulies et al. Respond to "Tapping the Tip of the Iceberg". <i>American Journal of Epidemiology</i> , 2006, 163, 891-892.	1.6	1
258	Accuracy of a Single Item on Mentally Tiring Work as Proxy Measure of Job Demands and Efforts in the Gazel Cohort. <i>Journal of Occupational and Environmental Medicine</i> , 2017, 59, e156-e158.	0.9	1
259	Onset of Workplace Bullying and Risk of Weight Gain: A Multicohort Longitudinal Study. <i>Obesity</i> , 2020, 28, 2216-2223.	1.5	1
260	Cumulated and most recent job control and risk of disability pension in the Danish Work Life Course Cohort (DaWCo). <i>European Journal of Public Health</i> , 2020, 30, 1212-1218.	0.1	1
261	1175 Work stress and loss of years lived without chronic disease; an 18-year prospective cohort study. <i>International Journal of Epidemiology</i> , 2021, 50, .	0.9	1
262	Prenatal exposure to negative life events and job stress and asthma risk. , 2018, , .		1
263	Study protocol for examining job strain as a risk factor for severe unipolar depression in an individual participant meta-analysis of 14 European cohorts. <i>F1000Research</i> , 0, 2, 233.	0.8	1
264	Work-unit measures of psychosocial job stressors and onset of bullying: a 2-year follow-up study. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 117-130.	1.1	1
265	<i>Occupational Determinants of Affective Disorders.</i> , 2019, , 1-28.		1
266	<i>Occupational Determinants of Affective Disorders.</i> , 2020, , 207-234.		1
267	Pain management in eldercare employees "the role of managers in addressing musculoskeletal pain and pain-related sickness absence. <i>BMC Public Health</i> , 2022, 22, 432.	1.2	1
268	Nursing Home, Ward and Worker Level Determinants of Perceived Quantitative Work Demands: A Multi-Level Cross-Sectional Analysis in Eldercare. <i>Annals of Work Exposures and Health</i> , 2022, 66, 1033-1043.	0.6	1
269	0173 "Grouping strategies for exposure assessment of the psychosocial work environment. <i>Occupational and Environmental Medicine</i> , 2014, 71, A22.2-A22.	1.3	0
270	Reply to Drs Bianchi, Schonfeld & Laurent. <i>Journal of Psychiatric Research</i> , 2015, 69, 7-8.	1.5	0

#	ARTICLE	IF	CITATIONS
271	O06-1â€¦Selection bias in studies of preterm birth in relation to night work. , 2016, , .		0
272	Effects of a participatory organisational, core work task focused workplace intervention on employeesâ€™ primary healthcare consultations: secondary analysis of a cluster RCT. Occupational and Environmental Medicine, 2021, 78, 330-335.	1.3	0
273	1067Annual changes in job strain and risk of coronary heart disease in Denmark. International Journal of Epidemiology, 2021, 50, .	0.9	0
274	The influence of organizational factors, eldercare worker characteristics and care situation on the use of assistive devices during resident handling in eldercare work. Applied Ergonomics, 2022, 98, 103533.	1.7	0
275	Author response to letter. Ref: Madsen et al. â€œUnnecessary work tasks and mental health: a prospective analysis of Danish human service workersâ€. Scandinavian Journal of Work, Environment and Health, 2015, 41, 218.	1.7	0
276	Maternal stress at work and in private life during pregnancy and offspring asthma. , 2018, , .		0
277	Scandinavian Journal of Work, Environment and Health goes full open access. Scandinavian Journal of Work, Environment and Health, 2020, 46, 455-456.	1.7	0
278	Causal inference and evidence-based recommendations in occupational health and safety research. Scandinavian Journal of Work, Environment and Health, 2020, 46, 554-556.	1.7	0
279	Causal inference and evidence-based recommendations in occupational health and safety research. Scandinavian Journal of Work, Environment and Health, 2020, 46, 554-556.	1.7	0