

Murat Sunbul

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6106715/publications.pdf>

Version: 2024-02-01

64
papers

1,035
citations

516710

16
h-index

454955

30
g-index

66
all docs

66
docs citations

66
times ranked

2000
citing authors

#	ARTICLE	IF	CITATIONS
1	Is there any relation between arterial stiffness and insomnia? A challenging question. <i>Sleep and Breathing</i> , 2022, 26, 333-338.	1.7	1
2	The Effect of Mindfulness Level on Drug Adherence in Hypertension Patients. <i>NamÄ±k Kemal TÄ±p Dergisi</i> , 2022, 10, 212-218.	0.0	2
3	Short and Midterm Outcomes in Patients With Acute Myocardial Infarction: Results of the Nationwide TURKMI Registry. <i>Angiology</i> , 2021, 72, 339-347.	1.8	8
4	Ventricular and atrial functions assessed by speckle tracking echocardiography in patients with human immunodeficiency virus. <i>Journal of Clinical Ultrasound</i> , 2021, 49, 341-350.	0.8	5
5	CYP3A4 *1B Gene Polymorphism in Coronary Artery Disease Patients with Obesity Undergoing Statin Treatment. <i>Current Pharmacogenomics and Personalized Medicine</i> , 2021, 18, 18-23.	0.2	0
6	Is there an increased cardiovascular risk in patients with prolactinoma? A challenging question. <i>Journal of Clinical Ultrasound</i> , 2021, 49, 870-877.	0.8	7
7	The evaluation of right ventricle dyssynchrony by speckle tracking echocardiography in systemic sclerosis patients. <i>Journal of Clinical Ultrasound</i> , 2021, 49, 895-902.	0.8	6
8	Myocardial involvement in BehÄ±setÄ±m's disease may be higher in patients with Neuro-BehÄ±setÄ±m's disease: a speckle tracking echocardiographic study. <i>Acta Cardiologica</i> , 2021, , 1-9.	0.9	4
9	Bleeding risk with concomitant use of tirofiban and third-generation P2Y12 receptor antagonists in patients with acute myocardial infarction: A real-life data. , 2021, 25, 699-705.		3
10	Evaluation of right ventricular dyssynchrony in patients with acute inferior myocardial infarction and its relation with mortality. <i>Echocardiography</i> , 2020, 37, 1610-1616.	0.9	0
11	Androgen-deprivation therapy impairs left ventricle functions in prostate cancer patients. <i>International Urology and Nephrology</i> , 2019, 51, 1107-1112.	1.4	6
12	Cardiac syndrome X: An important cause of microvascular angina. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2018, 46, 437-438.	0.5	2
13	Heart Failure and Mortality in Patients With Nonvalvular Atrial Fibrillation Started on Novel Oral Anticoagulant Therapy: A Single-Center Experience. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2017, 23, 454-459.	1.7	3
14	Relation of Plasma Fibrinogen Level With the Presence, Severity, and Complexity of Coronary Artery Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2017, 23, 638-644.	1.7	27
15	Evaluation of left ventricular functions in patients with primary hyperparathyroidism: is there any effect of parathyroidectomy?. <i>Wiener Klinische Wochenschrift</i> , 2017, 129, 329-336.	1.9	8
16	The impact of major depression on heart rate variability and endothelial dysfunction in patients with stable coronary artery disease. <i>General Hospital Psychiatry</i> , 2017, 44, 4-9.	2.4	19
17	Acute Myocardial Infarction Due to Eltrombopag Therapy in a Patient with Immune Thrombocytopenic Purpura. <i>Turkish Journal of Haematology</i> , 2017, 34, 107-108.	0.5	9
18	The 2013 ACC/AHA 10-year atherosclerotic cardiovascular disease risk index is better than SCORE and QRisk II in rheumatoid arthritis: is it enough?. <i>Rheumatology</i> , 2016, 55, kev363.	1.9	16

#	ARTICLE	IF	CITATIONS
19	The Effect of Synthetic Cannabinoids on P-Wave Dispersion: An Observational Study. <i>Medical Principles and Practice</i> , 2016, 25, 483-487.	2.4	12
20	Unusual Bleeding Due to Riociguat Use in a Patient With Chronic Thromboembolic Pulmonary Hypertension. <i>American Journal of Therapeutics</i> , 2016, 23, e1253-e1254.	0.9	1
21	Is Dabigatran As Effective As Warfarin on Cardiac Thrombus in a Patient With Atrial Fibrillation? A Challenging Question. <i>American Journal of Therapeutics</i> , 2016, 23, e974-e976.	0.9	1
22	Severity of Depression and Anxiety Symptoms is Associated with Increased Arterial Stiffness in Depressive Disorder Patients Undergoing Psychiatric Treatment. <i>Journal of Microbiology and Biotechnology</i> , 2016, 26, 287-293.	2.1	4
23	Increased arterial stiffness parameters in panic disorder patients in long term treatment period. <i>Annals of General Psychiatry</i> , 2016, 15, 14.	2.7	2
24	Successful Treatment of a Giant Left Atrial Mass Stemming from Pulmonary Vein after Chemotherapy-radiotherapy Combination in a Patient with Lung Adenocarcinoma. <i>Heart Lung and Circulation</i> , 2016, 25, 94-96.	0.4	0
25	Effect of acute sleep deprivation on left atrial mechanics assessed by three-dimensional echocardiography. <i>Sleep and Breathing</i> , 2016, 20, 227-235.	1.7	7
26	Increased Neutrophil/Lymphocyte Ratio in Patients with Depression is Correlated with the Severity of Depression and Cardiovascular Risk Factors. <i>Psychiatry Investigation</i> , 2016, 13, 121.	1.6	89
27	Arterial stiffness parameters associated with vitamin D deficiency and supplementation in patients with normal cardiac functions. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2016, 44, 281-8.	0.5	4
28	Two-dimensional speckle tracking echocardiography is useful in early detection of left ventricular impairment in patients with Crohn's disease. <i>European Review for Medical and Pharmacological Sciences</i> , 2016, 20, 3249-54.	0.7	12
29	Nonalcoholic Steatohepatitis Score is an Independent Predictor of Right Ventricular Dysfunction in Patients with Nonalcoholic Fatty Liver Disease. <i>Cardiovascular Therapeutics</i> , 2015, 33, 294-299.	2.5	22
30	De Winter sign in a patient with left main coronary artery occlusion. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 3, 239-240.	0.2	10
31	Neutrophil-to-Lymphocyte Ratio and Platelet-to-Lymphocyte Ratio are Predictors of Heart Failure. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 105, 606-13.	0.8	75
32	Pathophysiological links, echocardiographic characteristics, and clinical implications of QRS morphology in patients with dilated cardiomyopathy. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2015, 9, 325-329.	2.1	4
33	Evaluation of right and left heart mechanics in patients with chronic thromboembolic pulmonary hypertension before and after pulmonary thromboendarterectomy. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 1159-1167.	1.5	11
34	Effect of vitamin D deficiency and supplementation on myocardial deformation parameters and epicardial fat thickness in patients free of cardiovascular risk. <i>International Journal of Cardiovascular Imaging</i> , 2015, 31, 765-772.	1.5	14
35	Growth Arrest-6 and Cardiometabolic Risk Factors in Patients with Psoriasis. <i>Cardiovascular Therapeutics</i> , 2015, 33, 56-61.	2.5	7
36	Assessment of left atrial volume and function in patients with psoriasis by using real time three-dimensional echocardiography. <i>Wiener Klinische Wochenschrift</i> , 2015, 127, 858-863.	1.9	7

#	ARTICLE	IF	CITATIONS
37	Early Detection of Bi-ventricular and Atrial Mechanical Dysfunction Using Two-Dimensional Speckle Tracking Echocardiography in Patients with Sarcoidosis. <i>Lung</i> , 2015, 193, 669-675.	3.3	30
38	Right ventricular and atrial functions in patients with nonischemic dilated cardiomyopathy. <i>Wiener Klinische Wochenschrift</i> , 2015, 127, 877-883.	1.9	8
39	Right ventricular and atrial functions in systemic sclerosis patients without pulmonary hypertension. <i>Herz</i> , 2015, 40, 709-715.	1.1	33
40	Assessment of arterial stiffness and cardiovascular hemodynamics by oscillometric method in psoriasis patients with normal cardiac functions. <i>Heart and Vessels</i> , 2015, 30, 347-354.	1.2	26
41	Relation of neutrophil-to-lymphocyte and platelet-to-lymphocyte ratio with coronary artery disease severity in patients undergoing coronary angiography. <i>Kardiologia Polska</i> , 2015, 73, 1310-1316.	0.6	65
42	Left Ventricular and Atrial Functions in Hypertrophic Cardiomyopathy Patients with Very High <math>\lt;sc>LVOT</sc></math> Gradient: A Speckle Tracking Echocardiographic Study. <i>Echocardiography</i> , 2014, 31, 833-841.	0.9	27
43	Burden and Depressive Symptoms Associated with Adult-Child Caregiving for Individuals with Heart Failure. <i>Scientific World Journal, The</i> , 2014, 2014, 1-6.	2.1	20
44	Asymptomatic ST segment elevation in the recovery phase of the exercise stress test due to slow coronary flow. <i>Postepy W Kardiologii Interwencyjnej</i> , 2014, 1, 53-56.	0.2	1
45	Depression and anxiety are associated with abnormal nocturnal blood pressure fall in hypertensive patients. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 354-358.	1.3	13
46	Evaluation of Cardiac Function by Two-Dimensional Speckle Tracking Echocardiography in Ulcerative Colitis Patients. <i>Digestive Diseases and Sciences</i> , 2014, 59, 3004-3011.	2.3	13
47	A rare cause of cardiogenic shock: variant angina. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2014, 8, 242-245.	2.1	0
48	Evaluation of Improvement in Exercise Capacity after Pulmonary Endarterectomy in Patients with Chronic Thromboembolic Pulmonary Hypertension: Correlation with Echocardiographic Parameters. <i>Thoracic and Cardiovascular Surgeon</i> , 2014, 62, 060-065.	1.0	11
49	Successful Treatment of Myocardial Bridge with Alcohol Septal Ablation in Hypertrophic Obstructive Cardiomyopathy. <i>International Journal of Angiology</i> , 2014, 23, 069-070.	0.6	3
50	Unusual presenting of acute aortic dissection due to penetrating atheromatous ulcer. <i>American Journal of Emergency Medicine</i> , 2014, 32, 820.e5-820.e6.	1.6	2
51	Acute sleep deprivation is associated with increased arterial stiffness in healthy young adults. <i>Sleep and Breathing</i> , 2014, 18, 215-220.	1.7	68
52	Right ventricular longitudinal deformation parameters and exercise capacity. <i>Herz</i> , 2014, 39, 470-475.	1.1	21
53	A serious cause of syncope in a young patient. <i>Herz</i> , 2014, 39, 154-155.	1.1	1
54	Arterial stiffness in patients with non-alcoholic fatty liver disease is related to fibrosis stage and epicardial adipose tissue thickness. <i>Atherosclerosis</i> , 2014, 237, 490-493.	0.8	67

#	ARTICLE	IF	CITATIONS
55	Regional myocardial dysfunction assessed by two-dimensional speckle tracking echocardiography in systemic sclerosis patients with fragmented QRS complexes. <i>Journal of Electrocardiology</i> , 2014, 47, 677-683.	0.9	19
56	Neutrophil to lymphocyte and platelet to lymphocyte ratio in patients with dipper versus non-dipper hypertension. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 217-221.	1.3	152
57	Evaluation of arterial stiffness and hemodynamics by oscillometric method in patients with systemic sclerosis. <i>Wiener Klinische Wochenschrift</i> , 2013, 125, 461-466.	1.9	7
58	Endothelial dysfunction is an independent risk factor for stroke patients irrespective of the presence of patent foramen ovale. <i>Herz</i> , 2013, 38, 671-676.	1.1	9
59	A Rare Case of Acute Pulmonary Embolism after Coronary Angiography due to Sand Bag Compression. <i>International Journal of Angiology</i> , 2013, 22, 255-258.	0.6	0
60	Thrombus Entrapment in the Hemostasis Valve during Thrombus Aspiration: An Octogenarian with Inferior Myocardial Infarction and Complete Flow Restoration without Any Additional Angioplasty. <i>International Journal of Angiology</i> , 2013, 22, 181-184.	0.6	0
61	Anxiety and Depression in Patients with Coronary Artery Disease. <i>Journal of Microbiology and Biotechnology</i> , 2013, 23, 345-352.	2.1	16
62	Systemic light-chain amyloidosis presenting with rapid progressive heart failure. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2013, 7, 224-227.	2.1	1
63	Left ventricular strain and strain rate by two-dimensional speckle tracking echocardiography in patients with subclinical hypothyroidism. <i>European Review for Medical and Pharmacological Sciences</i> , 2013, 17, 3323-8.	0.7	13
64	Impact of Bi-ventricular systolic function on mortality in patients with sepsis and septic shock. <i>KoÅyuyolu Heart Journal</i> , 0, , .	0.1	0