

Cristina Ferrari

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6106794/cristina-ferrari-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

1,324
citations

22
h-index

36
g-index

42
ext. papers

1,494
ext. citations

3.7
avg, IF

3.48
L-index

#	Paper	IF	Citations
40	Dedifferentiated chondrosarcoma: prognostic factors and outcome from a European group. <i>European Journal of Cancer</i> , 2007 , 43, 2060-5	7.5	160
39	Synovial sarcoma: retrospective analysis of 250 patients treated at a single institution. <i>Cancer</i> , 2009 , 115, 2988-98	6.4	125
38	Survival in high-grade osteosarcoma: improvement over 21 years at a single institution. <i>Annals of Oncology</i> , 2010 , 21, 1366-1373	10.3	86
37	Outcome of advanced, unresectable conventional central chondrosarcoma. <i>Cancer</i> , 2014 , 120, 3159-64	6.4	70
36	Computed tomography of pulmonary metastases from osteosarcoma: the less poor technique. A study of 51 patients with histological correlation. <i>Annals of Oncology</i> , 2001 , 12, 1601-4	10.3	70
35	Late effects of chemotherapy and radiotherapy in osteosarcoma and Ewing sarcoma patients: the Italian Sarcoma Group Experience (1983-2006). <i>Cancer</i> , 2012 , 118, 5050-9	6.4	65
34	Osteosarcoma in patients older than 65 years. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5368-73	2.2	65
33	Cytokeratin expression and distribution in adamantinoma of the long bones and osteofibrous dysplasia of tibia and fibula. An immunohistochemical study correlated to histogenesis. <i>Histopathology</i> , 1994 , 25, 71-6	7.3	62
32	Effect of TP53 Arg72Pro and MDM2 SNP309 polymorphisms on the risk of high-grade osteosarcoma development and survival. <i>Clinical Cancer Research</i> , 2009 , 15, 3550-6	12.9	56
31	Periosteal osteosarcoma: a single-institution experience. <i>Cancer</i> , 2011 , 117, 1731-5	6.4	49
30	Role of MMP-9 and its tissue inhibitor TIMP-1 in human osteosarcoma: findings in 42 patients followed for 1-16 years. <i>Acta Orthopaedica</i> , 2004 , 75, 487-91		46
29	Analysis of SAS gene and CDK4 and MDM2 proteins in low-grade osteosarcoma. <i>Cancer Detection and Prevention</i> , 1999 , 23, 129-36		46
28	Analysis of 12q13-15 genes in parosteal osteosarcoma. <i>Clinical Orthopaedics and Related Research</i> , 2000 , 195-204	2.2	39
27	Increased C-MYC Oncogene Expression in Ewing's Sarcoma: Correlation with Ki67 Proliferation Index. <i>Tumori</i> , 1999 , 85, 167-173	1.7	36
26	Second malignant neoplasm in patients with osteosarcoma of the extremities treated with adjuvant and neoadjuvant chemotherapy. <i>Journal of Pediatric Hematology/Oncology</i> , 2006 , 28, 774-80	1.2	33
25	Prognostic relevance of C-myc gene expression in giant-cell tumor of bone. <i>Journal of Orthopaedic Research</i> , 1998 , 16, 1-7	3.8	30
24	Identification of markers of possible prognostic value in 57 giant cell tumors of bone. <i>Oncology Reports</i> , 2003 , 10, 351-6	3.5	29

23	Surgery for lung metastases in Ewing's sarcoma of bone. <i>European Journal of Surgical Oncology</i> , 2004 , 30, 63-7	3.6	27
22	Surgical margins do not affect prognosis in high grade myxofibrosarcoma. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 1042-8	3.6	27
21	Primary angiosarcoma of bone: a retrospective analysis of 60 patients from 2 institutions. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2014 , 37, 528-34	2.7	26
20	Proteases and interleukin-6 gene analysis in 92 giant cell tumors of bone. <i>Annals of Oncology</i> , 2004 , 15, 498-503	10.3	24
19	Prognostic role of nuclear factor/IB and bone remodeling proteins in metastatic giant cell tumor of bone: A retrospective study. <i>Journal of Orthopaedic Research</i> , 2015 , 33, 1205-11	3.8	22
18	Secondary tumors in bone sarcomas after treatment with chemotherapy. <i>Cancer Detection and Prevention</i> , 1999 , 23, 368-74		21
17	ROCK2 deprivation leads to the inhibition of tumor growth and metastatic potential in osteosarcoma cells through the modulation of YAP activity. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 503	12.8	20
16	Osteosarcoma of the Pelvis: A Monoinstitutional Experience in Patients Younger than 41 Years. <i>Tumori</i> , 2012 , 98, 702-708	1.7	15
15	Adhesion molecules in high-grade soft tissue sarcomas: correlation to clinical outcome. <i>European Journal of Cancer</i> , 1998 , 34, 496-502	7.5	14
14	Presence and expression of the simian virus-40 genome in human giant cell tumors of bone. <i>Genes Chromosomes and Cancer</i> , 2000 , 28, 23-30	5	13
13	Bone marrow biopsy in the initial staging of Ewing sarcoma: Experience from a single institution. <i>Pediatric Blood and Cancer</i> , 2019 , 66, e27653	3	9
12	Twenty-year follow-up of osteosarcoma of the extremity treated with adjuvant chemotherapy. <i>Journal of Chemotherapy</i> , 2004 , 16, 582-8	2.3	9
11	Ewing sarcoma in patients over 40 years of age: a prospective analysis of 31 patients treated at a single institution. <i>Tumori</i> , 2016 , 102, 481-487	1.7	8
10	Outcome of lung metastases due to bone giant cell tumor initially managed with observation. <i>Journal of Orthopaedic Surgery and Research</i> , 2020 , 15, 510	2.8	5
9	Osteosarcoma of the pelvis: a monoinstitutional experience in patients younger than 41 years. <i>Tumori</i> , 2012 , 98, 702-8	1.7	5
8	Local and systemic control of Ewing's bone sarcoma family tumors of the ribs. <i>Journal of Surgical Oncology</i> , 2009 , 100, 222-6	2.8	3
7	Breast cancer spinal metastases: Prognostic factors affecting survival after surgery. A retrospective study. <i>Journal of Clinical Neuroscience</i> , 2020 , 78, 73-78	2.2	2
6	miR-494.3p expression in synovial sarcoma: Role of CXCR4 as a potential target gene. <i>International Journal of Oncology</i> , 2019 , 54, 361-369	4.4	2

5	Salivary gland second cancer after bone sarcoma treatment. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2015 , 25, 1201-4	2.2	1
4	Bone Hemangioendothelioma: An Immunohistochemical Study Related to Histological Malignancy and Proliferative Activity (NORs). <i>Tumori</i> , 1995 , 81, 179-184	1.7	1
3	Femoral fracture in primary soft-tissue sarcoma of the thigh treated with radiation therapy: indications for prophylactic intramedullary nail. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021 , 141, 1277-1282	3.6	1
2	Ki-67 immunoexpression and radiological assessment of necrosis improves accuracy of conventional and modified core biopsy systems in predicting the final grade assigned to adult-soft tissue sarcomas. An international collaborative study. <i>Pathology Research and Practice</i> , 2021 , 225, 153562	3.4	1
1	Predictors of lung recurrence and disease-specific mortality after pulmonary metastasectomy for soft tissue sarcoma. <i>Surgical Oncology</i> , 2021 , 37, 101532	2.5	0