## Pavel KarÃ;sek

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6108526/publications.pdf

Version: 2024-02-01

516561 526166 56 894 16 27 citations g-index h-index papers 56 56 56 801 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Comparison of two different solvents employed for pressurised fluid extraction of stevioside from Stevia rebaudiana: methanol versus water. Analytical and Bioanalytical Chemistry, 2007, 388, 1847-1857.	1.9	85
2	Distribution of sulfur-containing aromatics between [hmim] [Tf2N] and supercritical CO2: a case study for deep desulfurization of oil refinery streams by extraction with ionic liquids. Green Chemistry, 2006, 8, 70-77.	4.6	66
3	Solubility of Solid Polycyclic Aromatic Hydrocarbons in Pressurized Hot Water at Temperatures from 313 K to the Melting Point. Journal of Chemical & Engineering Data, 2006, 51, 616-622.	1.0	45
4	Solubility of Solid Polycyclic Aromatic Hydrocarbons in Pressurized Hot Water:Â Correlation with Pure Component Properties. Industrial & Engineering Chemistry Research, 2006, 45, 4454-4460.	1.8	40
5	Aqueous solubility data for pressurized hot water extraction for solid heterocyclic analogs of anthracene, phenanthrene and fluorene. Journal of Chromatography A, 2007, 1140, 195-204.	1.8	36
6	Direct continuous supercritical fluid extraction as a novel method of wine analysis. Journal of Chromatography A, 2003, 1002, 13-23.	1.8	34
7	Separation of Methicillin-Resistant from Methicillin-Susceptible <i>Staphylococcus aureus</i> by Electrophoretic Methods in Fused Silica Capillaries Etched with Supercritical Water. Analytical Chemistry, 2014, 86, 9701-9708.	3.2	32
8	Antioxidant activity of grape skin aqueous extracts from pressurized hot water extraction combined with electron paramagnetic resonance spectroscopy. Talanta, 2011, 85, 2233-2240.	2.9	29
9	Solubilities of Adamantane and Diamantane in Pressurized Hot Water. Journal of Chemical & Samp; Engineering Data, 2008, 53, 816-819.	1.0	28
10	Determination of methicillin-resistant and methicillin-susceptible Staphylococcus aureus bacteria in blood by capillary zone electrophoresis. Analytica Chimica Acta, 2015, 868, 67-72.	2.6	28
11	Capillary isoelectric focusing of probiotic bacteria from cow's milk in tapered fused silica capillary with off-line matrix-assisted laser desorption/ionization time-of-flight mass spectrometry identification. Analytica Chimica Acta, 2013, 788, 193-199.	2.6	27
12	Development of packed capillary columns using carbon dioxide slurries. Journal of Separation Science, 2003, 26, 525-530.	1.3	26
13	Offline combination of pressurized fluid extraction and electron paramagnetic resonance spectroscopy for antioxidant activity of grape skin extracts assessment. Journal of Chromatography A, 2010, 1217, 7990-8000.	1.8	21
14	Combination of Capillary Isoelectric Focusing in a Tapered Capillary with MALDI-TOF MS for Rapid and Reliable Identification of <i>Dickeya</i> Species from Plant Samples. Analytical Chemistry, 2013, 85, 6806-6812.	3.2	20
15	Near- and Supercritical Water as a Diameter Manipulation and Surface Roughening Agent in Fused Silica Capillaries. Analytical Chemistry, 2013, 85, 327-333.	3.2	20
16	Partition Coefficients of Environmentally Important Phenols in a Supercritical Carbon Dioxideâ^'Water System from Cocurrent Extraction without Analysis of the Compressible Phase. Analytical Chemistry, 2002, 74, 4294-4299.	3.2	17
17	Limiting Partition Coefficients of Solutes in Biphasic Trihexyltetradecylphosphonium Chloride Ionic Liquidâ"Supercritical CO2 System:  Measurement and LSER-Based Correlation. Journal of Physical Chemistry B, 2007, 111, 7620-7625.	1.2	17
18	Distribution of Organic Solutes in Biphasic 1- <i>n</i> -Butyl-3-methylimidazolium Methyl Sulfateâ Supercritical CO <sub>2</sub> System. Journal of Physical Chemistry B, 2009, 113, 9520-9526.	1.2	17

#	Article	IF	CITATIONS
19	Fused silica capillaries with two segments of different internal diameters and inner surface roughnesses prepared by etching with supercritical water and used for volume coupling electrophoresis. Electrophoresis, 2017, 38, 1260-1267.	1.3	17
20	Solubilities of Triptycene, 9-Phenylanthracene, 9,10-Dimethylanthracene, and 2-Methylanthracene in Pressurized Hot Water at Temperatures from 313 K to the Melting Point. Journal of Chemical & Engineering Data, 2008, 53, 160-164.	1.0	16
21	Extraction of Bitter Acids from Hops and Hop Products Using Pressurized Solvent Extraction (PSE). Journal of the Institute of Brewing, 2009, 115, 220-225.	0.8	16
22	Solubilities of Oxygenated Aromatic Solids in Pressurized Hot Water. Journal of Chemical & Samp; Engineering Data, 2009, 54, 1457-1461.	1.0	16
23	Online Concentration of Bacteria from Tens of Microliter Sample Volumes in Roughened Fused Silica Capillary with Subsequent Analysis by Capillary Electrophoresis and Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry. ACS Infectious Diseases, 2020, 6, 355-365.	1.8	16
24	Silica-based monolithic capillary columnsâ€"Effect of preparation temperature on separation efficiency. Journal of Chromatography A, 2010, 1217, 5737-5740.	1.8	15
25	Solubility of fused silica in sub- and supercritical water: Estimation from a thermodynamic model. Journal of Supercritical Fluids, 2013, 83, 72-77.	1.6	13
26	Etching of glass microchips with supercritical water. Lab on A Chip, 2015, 15, 311-318.	3.1	13
27	Nano-etched fused-silica capillary used for on-line preconcentration and electrophoretic separation of bacteriophages from large blood sample volumes with off-line MALDI-TOF mass spectrometry identification. Mikrochimica Acta, 2020, 187, 177.	2.5	13
28	Pressurised liquid extraction of ketones of polycyclic aromatic hydrocarbons from soil. Journal of Chromatography A, 2000, 893, 201-206.	1.8	12
29	Isoelectric Focusing in Continuously Tapered Fused Silica Capillary Prepared by Etching with Supercritical Water. Analytical Chemistry, 2013, 85, 4296-4300.	3.2	12
30	Pre-concentration and separation of bacteria by volume coupling electrophoresis on supercritical water-etched fused silica capillary with two segments of different internal diameters and inner surface roughnesses. Analytical and Bioanalytical Chemistry, 2018, 410, 167-175.	1.9	12
31	Isolation of Quaternary Benzo[ <i>c</i> )]phenanthridine Alkaloids from <i>Macleaya microcarpa</i> ) () Tj ETQq1 I Extraction. Phytochemical Analysis, 2012, 23, 477-482.	1.2	4 rgBT /Overl
32	Supercritical water-treated fused silica capillaries in analytical separations: Status review. Journal of Chromatography A, 2018, 1539, 1-11.	1.8	11
33	Analyte Collection in Off-Line Supercritical Fluid Extraction. Analytical Chemistry, 1999, 71, 905-909.	3.2	10
34	Simple First-Order Group Contribution Scheme for Solubilities of Solid Polycyclic Aromatic Hydrocarbons and Solid Polycyclic Aromatic Heterocycles in Pressurized Hot Water. Industrial & Engineering Chemistry Research, 2008, 47, 620-626.	1.8	10
35	Solubility of Solid Ferrocene in Pressurized Hot Water. Journal of Chemical & Engineering Data, 2010, 55, 2866-2869.	1.0	9
36	Capillary electrophoresis in a fused-silica capillary with surface roughness gradient. Journal of Separation Science, 2016, 39, 3827-3834.	1.3	9

#	Article	IF	CITATIONS
37	Sensitive identification of milk protein allergens using on-line combination of transient isotachophoresis/micellar electrokinetic chromatography and capillary isoelectric focusing in fused silica capillary with roughened part. Food Chemistry, 2022, 377, 131986.	4.2	9
38	Limiting Partition Coefficients of Sulfur-Containing Aromatics in a Biphasic [bmim][MeSO <sub>4</sub> ]âr'Supercritical CO <sub>2</sub> System. Journal of Chemical & Engineering Data, 2011, 56, 527-531.	1.0	8
39	Solute Partitioning Between 1- <i>n</i> -Butyl-3-methylimidazolium Trifluoromethanesulfonate Ionic Liquid and Supercritical CO <sub>2</sub> . Journal of Chemical & Engineering Data, 2012, 57, 1064-1071.	1.0	8
40	Rapid Isolation, Propagation, and Online Analysis of a Small Number of Therapeutic Staphylococcal Bacteriophages from a Complex Matrix. ACS Infectious Diseases, 2020, 6, 2745-2755.	1.8	8
41	Solubilities of selected organic electronic materials in pressurized hot water and estimations of aqueous solubilities at 298.15K. Chemosphere, 2013, 90, 2035-2040.	4.2	7
42	Generalized linear solvation energy model applied to solute partition coefficients in ionic liquid–supercritical carbon dioxide systems. Journal of Chromatography A, 2012, 1250, 54-62.	1.8	6
43	Identification of <i>Aspergillus</i> Conidia in Bronchoalveolar Lavage Using Offline Combination of Capillary Electrophoresis in Supercritical Water-Treated Fused Silica Capillary and Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry. Analytical Chemistry, 2020, 92, 7588-7595.	3.2	4
44	Fabrication of monolithic capillary columns with inner diameter 50–530ÂÎ⅓m employing a mixture of pentaerythritol tetraacrylate and polyhedral oligomeric silsesquioxaneâ€methacrylate as crosslinkers. Journal of Separation Science, 2022, 45, 3256-3263.	1.3	4
45	Group Contribution Correlation for Aqueous Solubilities of Solid Aromatics, Heterocycles, and Diamondoids over a 200 K Temperature Interval. Industrial & Engineering Chemistry Research, 2010, 49, 3485-3491.	1.8	3
46	Solubilities of Calix[6]arene and 4- <i>tert</i> -Butylcalix[4]arene in Pressurized Hot Water. Journal of Chemical & Chemic	1.0	3
47	Off-Line SFE of Bis(2-ethylhexyl) Phthalate from PVC Materials. Collection of Czechoslovak Chemical Communications, 1995, 60, 1109-1114.	1.0	3
48	Analysis of polyphenols in brewing raw materials by PSE (Pressurized Solvent Extraction) - and by HPLC method with CoulArray detection Kvasn $\tilde{A}\frac{1}{2}$ PrÅ mysl, 2010, 56, 18-23.	0.1	3
49	Partitioning of organics between ionic liquids and supercritical CO2: Limiting K-factors in [bmim][N(CN)2]–scCO2 system and generalized correlation with cation- and anion-specific LSERs. Journal of Supercritical Fluids, 2015, 102, 133-139.	1.6	2
50	Bacteriophage replication on permissive host cells in fused silica capillary with nanostructured part as potential of electrophoretic methods for developing phage applications. Talanta, 2021, 224, 121800.	2.9	2
51	Pressurized Water Extraction as a Tool for Rapid and Efficient Isolation of Proteins from Almonds. Food Analytical Methods, 2021, 14, 1953-1963.	1.3	1
52	Supercritical Fluid Extraction - New progressive method in brewing analytics. Part I Theoretical principles of supercritical fluid extraction and examples of its use Kvasný PrÅ-mysl, 2006, 52, 106-110.	0.1	1
53	Supercritical fluid extraction - new progressive method in brewing analytics. Part II The options of utilizing supercritical fluid extraction to analyze sensory active substances in beer KvasnŽ PrŬmysl, 2006, 52, 142-147.	0.1	1
54	Characterization and applications of a trioctyl(3/4-vinylbenzyl)phosphonium stationary phase for use in capillary liquid chromatography. Journal of Chromatography A, 2022, 1666, 462866.	1.8	1

#	Article	IF	CITATIONS
55	Classification of clinical Cutibacterium acnes isolates at phylotype level by capillary electrophoretic methods in roughened fused silica capillary. Talanta, 2022, 247, 123565.	2.9	1
56	Direct and Indirect Applications of Sub- and Supercritical Water in Food-Related Analysis. Food Engineering Series, 2015, , 269-302.	0.3	0