

# Hossein Ali Khonakdar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6108847/publications.pdf>

Version: 2024-02-01

324  
papers

7,773  
citations

66234

42  
h-index

128067

60  
g-index

328  
all docs

328  
docs citations

328  
times ranked

6724  
citing authors

#	ARTICLE	IF	CITATIONS
1	Optimal management of plant nutrition in tomato ( <i>Lycopersicon esculentum</i> Mill.) by using biologic, organic and inorganic fertilizers. <i>Journal of Plant Nutrition</i> , 2023, 46, 1560-1579.	0.9	5
2	Direct and Residual Effects of Water Deficit Stress, Different Sources of Silicon and Plant-Growth Promoting Bacteria on Silicon Fractions in the Soil. <i>Silicon</i> , 2022, 14, 3403-3415.	1.8	7
3	Influence of organoclay and nitroxylether on the rheological, thermal and flame-retardant properties of co-continuous PP/EVA blends. <i>Plastics, Rubber and Composites</i> , 2022, 51, 306-315.	0.9	5
4	Electroactive phase enhancement in poly(vinylidene fluoride-hexafluoropropylene)/polycarbonate blends by hybrid nanofillers. <i>Journal of Applied Polymer Science</i> , 2022, 139, 51825.	1.3	2
5	Functionalized graphene nanoplatelets/poly (lactic acid)/chitosan nanocomposites: Mechanical, biodegradability, and electrical conductivity properties. <i>Polymer Composites</i> , 2022, 43, 411-421.	2.3	40
6	Synthesis and biological evaluation of novel tetranuclear cyclopalladated complex bearing thiosemicarbazone scaffold ligand: Interactions with double-strand DNA, coronavirus, and molecular modeling studies. <i>Applied Organometallic Chemistry</i> , 2022, 36, .	1.7	1
7	Conductive poly( $\mu$ -caprolactone)/polylactic acid scaffolds for tissue engineering applications: Synergy effect of zirconium nanoparticles and polypyrrole. <i>Polymers for Advanced Technologies</i> , 2022, 33, 1427-1441.	1.6	13
8	Development of Flexible Nanocomposites Based on Poly( $\mu$ -caprolactone) for Tissue Engineering Application: The Contributing Role of Poly(glycerol succinic acid) and Polypyrrole. <i>European Polymer Journal</i> , 2022, 164, 110984.	2.6	14
9	Mechanical properties of bamboo fiber-reinforced polymer composites: a review of recent case studies. <i>Journal of Materials Science</i> , 2022, 57, 3143-3167.	1.7	53
10	Flexible high dielectric polystyrene/ethylene-cooctene copolymer/graphene nanocomposites: Tuning the morphology and dielectric properties by graphene's surface polarity. <i>Polymers for Advanced Technologies</i> , 2022, 33, 937-951.	1.6	12
11	Effect of Different Enriched Vermicomposts, Humic Acid Extract and Indole-3-Acetic Acid Amendments on the Growth of Brassica napus. <i>Plants</i> , 2022, 11, 227.	1.6	8
12	A review of recent progress in improving the fracture toughness of epoxy-based composites using carbonaceous nanofillers. <i>Polymer Composites</i> , 2022, 43, 1871-1886.	2.3	64
13	Formulation of a Culture Medium to Optimize the Production of Lipopeptide Biosurfactant by a New Isolate of Bacillus sp.: A Soil Heavy Metal Mitigation Approach. <i>Frontiers in Microbiology</i> , 2022, 13, 785985.	1.5	2
14	Polystyrene/polyolefin elastomer/halloysite nanotubes blend nanocomposites: Morphology-thermal degradation kinetics relationship. <i>Polymers for Advanced Technologies</i> , 2022, 33, 2149-2165.	1.6	17
15	In-depth study of mechanical properties of poly(lactic acid)/thermoplastic polyurethane/hydroxyapatite blend nanocomposites. <i>Journal of Materials Science</i> , 2022, 57, 7250-7264.	1.7	18
16	Nanobioglass enhanced polyurethane/collagen conduit in sciatic nerve regeneration. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2022, 110, 1093-1102.	1.6	2
17	Evaluating the mechanical, thermal, and antibacterial properties of poly (lactic acid)/silicone rubber blends reinforced with (3-aminopropyl) triethoxysilane-functionalized titanium dioxide nanoparticles. <i>Polymer Composites</i> , 2022, 43, 4165-4178.	2.3	22
18	Investigating the Effects of Graphene Content and Application Method on Surface Properties of Vinyl Ester/Silica Aerogel Coatings. <i>Macromolecular Research</i> , 2022, 30, 334-341.	1.0	5

#	ARTICLE	IF	CITATIONS
19	A review of electrical and thermal conductivities of epoxy resin systems reinforced with carbon nanotubes and graphene-based nanoparticles. <i>Polymer Testing</i> , 2022, 112, 107645.	2.3	51
20	Effect of re-modified nanoclays on the extent of transesterification in poly (ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (terepe Communications, 2022, 32, 103872.	0.9	1
21	Role of rhizospheric microorganisms in mitigating the adverse effect of salinity stress in <i>Plantago ovata</i> growth, biochemical and photosynthetic traits. <i>Archives of Agronomy and Soil Science</i> , 2021, 67, 1060-1074.	1.3	2
22	Improved Phosphorus Uptake by Wheat Plant ( <i>Triticum aestivum</i> L.) with Rhizosphere Fluorescent Pseudomonads Strains Under Water-Deficit Stress. <i>Journal of Plant Growth Regulation</i> , 2021, 40, 162-178.	2.8	36
23	The potential use of <i>Cordia myxa</i> in the remediation of crude oil pollution. <i>International Journal of Phytoremediation</i> , 2021, 23, 445-453.	1.7	2
24	Fabrication and study of thermal and combustion resistance of DOPO-functionalized polyamide reinforced with organo-modified Mg(OH) <sub>2</sub> nanoparticles. <i>Polymer International</i> , 2021, 70, 317-330.	1.6	16
25	Investigation of the cure kinetics and thermal stability of an epoxy system containing cystamine as curing agent. <i>Polymers for Advanced Technologies</i> , 2021, 32, 1251-1261.	1.6	18
26	Improved surface properties in spray-coated PU/TiO <sub>2</sub> /graphene hybrid nanocomposites through nonsolvent-induced phase separation. <i>Surface and Coatings Technology</i> , 2021, 405, 126507.	2.2	16
27	Inducing nano-confined crystallization in PLLA and PET by elastic melt stretching. <i>Soft Matter</i> , 2021, 17, 1457-1462.	1.2	14
28	Superhydrophobic cotton fabrics coated by chitosan and titanium dioxide nanoparticles with enhanced antibacterial and UV-protecting properties. <i>International Journal of Biological Macromolecules</i> , 2021, 171, 158-165.	3.6	57
29	Vinyl ester/silica aerogel nanocomposite coatings with enhanced hydrophobicity and corrosion protection properties. <i>Polymers for Advanced Technologies</i> , 2021, 32, 2176-2184.	1.6	8
30	A Combinational Strategy Mitigated Old-Aged Petroleum Contaminants: Ineffectiveness of Biostimulation as a Bioremediation Technique. <i>Frontiers in Microbiology</i> , 2021, 12, 642215.	1.5	14
31	Investigation of Different Selenium Sources and Supplying Methods for Selenium Enrichment of Basil Vegetable (A Case Study under Calcareous and Non-calcareous Soil Systems). <i>Recent Patents on Food, Nutrition &amp; Agriculture</i> , 2021, 12, 73-82.	0.5	2
32	Review of Bioprinting in Regenerative Medicine: Naturally Derived Bioinks and Stem Cells. <i>ACS Applied Bio Materials</i> , 2021, 4, 4049-4070.	2.3	19
33	A versatile $\beta$ -cyclodextrin and N-heterocyclic palladium complex bi-functionalized iron oxide nanoadsorbent for water treatment. <i>Environmental Science and Pollution Research</i> , 2021, 28, 55419-55432.	2.7	6
34	Impact of poly( $\epsilon$ -caprolactone) on the thermal, dynamic-mechanical and crystallization behavior of polyvinylidene fluoride/poly( $\epsilon$ -caprolactone) blends in the presence of KIT mesoporous particles. <i>Polymers for Advanced Technologies</i> , 2021, 32, 4424-4439.	1.6	11
35	Polycarbonate/poly(methyl methacrylate)/silica aerogel blend composites for advanced transparent thermal insulations: Mechanical, thermal, and optical studies. <i>Polymer Composites</i> , 2021, 42, 5323-5334.	2.3	30
36	Affected Polymer Layer and Thermo-mechanical Behavior Correlation in Nylon-6/Polycarbonate/Graphene-Oxide Nanocomposites: A Quantitative Study of Polymorphism. <i>Thermochimica Acta</i> , 2021, 703, 178995.	1.2	4

#	ARTICLE	IF	CITATIONS
37	Toughening of epoxy resin systems using core-shell rubber particles: a literature review. <i>Journal of Materials Science</i> , 2021, 56, 18345-18367.	1.7	44
38	Tuning properties of bio-rubbers and its nanocomposites with addition of succinic acid and $\epsilon$ -caprolactone monomers to poly(glycerol sebacic acid) as main platform for application in tissue engineering. <i>European Polymer Journal</i> , 2021, 159, 110711.	2.6	9
39	Influence of Graphene Oxide on Thermally Induced Shape Memory Behavior of PLA/TPU Blends: Correlation with Morphology, Creep Behavior, Crystallinity, and Dynamic Mechanical Properties. <i>Macromolecular Materials and Engineering</i> , 2021, 306, 2000576.	1.7	26
40	Development of physical, mechanical, antibacterial and cell growth properties of poly(glycerol) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 622. <i>Chemistry</i> , 2021, 12, 6263-6282.	1.9	18
41	An assessment on the effect of trifluoropropyl-POSS and blend composition on morphological, thermal and thermomechanical properties of PLA/TPU. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020, 139, 279-292.	2.0	8
42	Study on the effects of polyhedral oligomeric silsesquioxane on compatibility, crystallization behavior and thermal stability of polylactic acid/polycaprolactone blends. <i>Polymer Bulletin</i> , 2020, 77, 585-598.	1.7	11
43	The effect of selenium biofortification in alfalfa ( <i>Medicago sativa</i> ). <i>Journal of Plant Nutrition</i> , 2020, 43, 240-250.	0.9	14
44	Spherical nanoparticle effects on the lower critical solution temperature phase behavior of poly( $\mu$ -caprolactone)/poly(styrene-co-acrylonitrile) blends: Separation of thermodynamic aspects from kinetics. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48679.	1.3	6
45	Surface modification of MWCNT and its influence on properties of paraffin/MWCNT nanocomposites as phase change material. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48428.	1.3	31
46	Improving nanoparticle dispersion and polymer crystallinity in polyvinylidene fluoride/POSS coatings using tetrahydrofuran as co-solvent. <i>Progress in Organic Coatings</i> , 2020, 140, 105534.	1.9	9
47	Melt rheology and interfacial properties of binary and ternary blends of PS, EOC, and SEBS. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48791.	1.3	4
48	Experimental analysis and mechanical modeling of effect of stress-relaxation on shape memory and recovery behavior of e-beam irradiated HDPE. <i>Radiation Physics and Chemistry</i> , 2020, 168, 108568.	1.4	1
49	Mining the roots of various species of the halophyte Suaeda for halotolerant nitrogen-fixing endophytic bacteria with the potential for promoting plant growth. <i>International Microbiology</i> , 2020, 23, 415-427.	1.1	36
50	Assessment of compatibilization role of nanoclay in immiscible polystyrene/ethylene-octene copolymer blends via wide-angle X-ray scattering, microstructure, rheological analyses, and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2020, 137, 48748.	1.3	5
51	Effect of nanoparticle type and content on morphology, rheology, and crystallinity of poly(lactic) Tj ETQq1 1 0.784314 rgBT /Overlock 11 Composites, 2020, 41, 1551-1560.	2.3	11
52	Fabrication and properties of thermoplastic starch/montmorillonite composite using dialdehyde starch as a crosslinker. <i>Polymer International</i> , 2020, 69, 317-327.	1.6	39
53	Removal of Heavy Metals Zinc, Lead, and Cadmium by Biomineralization of Urease-Producing Bacteria Isolated from Iranian Mine Calcareous Soils. <i>Journal of Soil Science and Plant Nutrition</i> , 2020, 20, 206-219.	1.7	99
54	Developing antibacterial superhydrophobic coatings based on polydimethylsiloxane/silver phosphate nanocomposites: Assessment of surface morphology, roughness and chemistry. <i>Progress in Organic Coatings</i> , 2020, 149, 105944.	1.9	19

#	ARTICLE	IF	CITATIONS
55	Combined use of municipal solid waste biochar and bacterial biosorbent synergistically decreases Cd(II) and Pb(II) concentration in edible tissue of forage maize irrigated with heavy metalâ€‘spiked water. <i>Heliyon</i> , 2020, 6, e04688.	1.4	16
56	Effect of Vermicompost and Municipal Solid Waste Compost on Growth and Yield of Canola under Drought Stress Conditions. <i>Communications in Soil Science and Plant Analysis</i> , 2020, 51, 2215-2222.	0.6	12
57	Improved Phosphorus (P) Uptake and Yield of Rainfed Wheat Fed with P Fertilizer by Drought-Tolerant Phosphate-Solubilizing Fluorescent <i>Pseudomonads</i> Strains: a Field Study in Drylands. <i>Journal of Soil Science and Plant Nutrition</i> , 2020, 20, 2195-2211.	1.7	33
58	Spinach ( <i>Spinaciaoleracea</i> ) Nutritional Responses to Selenium Application. <i>Communications in Soil Science and Plant Analysis</i> , 2020, 51, 2537-2550.	0.6	4
59	A Theoretical and Experimental Analysis of the Effect of Nanoclay on Gas Permâ€‘selectivity of Biodegradable PLA/EVA Blends in the Presence and Absence of Compatibilizer. <i>Macromolecular Materials and Engineering</i> , 2020, 305, 2000433.	1.7	8
60	Compatibilizer/graphene/carboxylated acrylonitrile butadiene rubber (XNBR)/ethylenepropylenediene monomer (EPDM) nanocomposites: Morphology, compatibility, rheology and mechanical properties. <i>Journal of Applied Polymer Science</i> , 2020, 137, app49331.	1.3	18
61	Structure-properties correlations in poly( $\mu$ -caprolactone)/poly(styrene-co-acrylonitrile)/nanosilica mixtures: Interrelationship among phase behavior, morphology and non-isothermal crystallization kinetics. <i>Polymer Testing</i> , 2020, 89, 106593.	2.3	9
62	A correlation between morphology and mechanical performance of injectedâ€‘molded PE/EVA/clay nanocomposites: Insight into phase miscibility and interfacial phenomena. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49401.	1.3	6
63	$\beta$ -Polymorph enhancement in poly(vinylidene fluoride) by blending with polyamide 6 and barium titanate nanoparticles. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49403.	1.3	4
64	Hybrid Rubber Nanocomposites Based on XNBR/EPDM: Select the Best Dispersion Type from Different Nanofillers in the Presence of a Compatibilizer. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2020, 30, 2533-2550.	1.9	11
65	Tailoring the graphene polarity through the facile and one-step electrochemical exfoliation in low concentration of exfoliation agents. <i>FlatChem</i> , 2020, 22, 100181.	2.8	10
66	Influence of polypropylene and nanoclay on thermal and thermo-oxidative degradation of poly(lactide) Tj ETQq0 0 Q rgBT /Overlock 10 T	1.2	17
67	Spectral and molecular docking studies of nucleic acids/protein binding interactions of a novel organometallic palladium (II) complex containing bioactive PTA ligands: Its synthesis, anticancer effects and encapsulation in albumin nanoparticles. <i>Applied Organometallic Chemistry</i> , 2020, 34, e5839.	1.7	7
68	Lightweight aerogels based on bacterial cellulose/silver nanoparticles/polyaniline with tuning morphology of polyaniline and application in soft tissue engineering. <i>International Journal of Biological Macromolecules</i> , 2020, 152, 57-67.	3.6	64
69	Baked hydrogel from corn starch and chitosan blends crossâ€‘linked by citric acid: Preparation and properties. <i>Polymers for Advanced Technologies</i> , 2020, 31, 1256-1269.	1.6	47
70	Spin-coated polyvinylidene fluoride/graphene nanocomposite thin films with improved $\beta$ -phase content and electrical conductivity. <i>Journal of Materials Science</i> , 2020, 55, 6696-6707.	1.7	14
71	Potential Application of Selected Sulfur-Oxidizing Bacteria and Different Sources of Sulfur in Plant Growth Promotion under Different Moisture Conditions. <i>Communications in Soil Science and Plant Analysis</i> , 2020, 51, 735-745.	0.6	27
72	Using solvent-free approach for preparing innovative biopolymer nanocomposites based on PGS/gelatin. <i>European Polymer Journal</i> , 2020, 131, 109720.	2.6	42

#	ARTICLE	IF	CITATIONS
73	Fabrication of Carboxymethyl Chitosan Nanoparticles to Deliver Paclitaxel for Melanoma Treatment. <i>ChemNanoMat</i> , 2020, 6, 1373-1385.	1.5	16
74	Programing polyurethane with rational surface-modified graphene platelets for shape memory actuators and dielectric elastomer generators. <i>European Polymer Journal</i> , 2020, 133, 109745.	2.6	39
75	Effect of Peroxides Mixtures on the Molecular Structure of Ethylene-1-Octene Copolymer in Reactive Blending. , 2020, , 617-620.		0
76	Application of response surface methodology in assessing the effect of electrospinning parameters on the morphology of polyethylene oxide/polyacrylonitrile blend nanofibers containing graphene oxide. <i>Polymer Bulletin</i> , 2019, 76, 1755-1773.	1.7	7
77	Evaluating the effect of hydroxyapatite nanoparticles on morphology, thermal stability and dynamic mechanical properties of multicomponent blend systems based on polylactic acid/Starch/Polycaprolactone. <i>Journal of Vinyl and Additive Technology</i> , 2019, 25, E83.	1.8	15
78	Solid State Viscoelastic Properties, Morphological and Melt Rheological Studies on PLA/TPU/POSS Nanocomposites. <i>Polymer-Plastics Technology and Materials</i> , 2019, 58, 1036-1045.	0.6	2
79	Investigating the effect of organoclay montmorillonite and rubber ratio composition on the enhancement compatibility and properties of carboxylated acrylonitrile-butadiene rubber/ethylene-propylene-diene monomer hybrid elastomer nanocomposites. <i>Journal of Polymer Research</i> , 2019, 26, 1.	1.2	20
80	Antibacterial superhydrophobic polyvinyl chloride surfaces via the improved phase separation process using silver phosphate nanoparticles. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 183, 110438.	2.5	39
81	Towards an efficient and durable superhydrophobic mesh coated by PDMS/TiO <sub>2</sub> nanocomposites for oil/water separation. <i>Applied Surface Science</i> , 2019, 492, 862-870.	3.1	42
82	An experimental and theoretical mechanistic analysis of thermal degradation of polypropylene/polylactic acid/clay nanocomposites. <i>Polymers for Advanced Technologies</i> , 2019, 30, 2695-2706.	1.6	27
83	Root bacterial endophytes as potential biological control agents against fungal rice pathogens. <i>Archives of Phytopathology and Plant Protection</i> , 2019, 52, 560-581.	0.6	11
84	Enhanced properties of poly(lactic acid) by concurrent addition of organo-modified Mg-Al layered double hydroxide (LDH) and triethyl citrate. <i>Journal of Thermoplastic Composite Materials</i> , 2019, , 089270571986827.	2.6	5
85	The Taste of Waste: The Edge of Eggshell Over Calcium Carbonate in Acrylonitrile Butadiene Rubber. <i>Journal of Polymers and the Environment</i> , 2019, 27, 2478-2489.	2.4	31
86	Controlled-release of ferulic acid from active packaging based on LDPE/EVA blend: Experimental and modeling. <i>Food Packaging and Shelf Life</i> , 2019, 22, 100392.	3.3	16
87	Enhanced compatibility of starch with poly(lactic acid) and poly(É-caprolactone) by incorporation of POSS nanoparticles: Study on thermal properties. <i>International Journal of Biological Macromolecules</i> , 2019, 141, 578-584.	3.6	29
88	Characterization of rhizosphere and endophytic bacteria from roots of maize ( <i>Zea mays</i> L.) plant irrigated with wastewater with biotechnological potential in agriculture. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2019, 21, e00305.	2.1	53
89	Programing polyurethane with systematic presence of graphene-oxide (GO) and reduced graphene-oxide (rGO) platelets for adjusting of heat-actuated shape memory properties. <i>European Polymer Journal</i> , 2019, 118, 619-632.	2.6	43
90	Effect of rhizospheric and endophytic bacteria with multiple plant growth promoting traits on wheat growth. <i>Environmental Science and Pollution Research</i> , 2019, 26, 19804-19813.	2.7	64

#	ARTICLE	IF	CITATIONS
91	Assessment of the Potential of Indole-3-Acetic Acid Producing Bacteria to manage Chemical Fertilizers Application. International Journal of Environmental Research, 2019, 13, 603-611.	1.1	11
92	<i>In situ</i> green synthesis of Cu-Ni bimetallic nanoparticles supported on reduced graphene oxide as an effective and recyclable catalyst for the synthesis of benzylacrylamide tetrazoles. Applied Organometallic Chemistry, 2019, 33, e4938.	1.7	44
93	Challenge between sequence presences of conductive additives on flexibility, dielectric and supercapacitance behaviors of nanofibrillated template of bacterial cellulose aerogels. European Polymer Journal, 2019, 115, 335-345.	2.6	42
94	Rheologically determined phase diagram of poly( $\epsilon$ -caprolactone)/poly(styrene-co-acrylonitrile) blends: Role of ramp rate in dynamic measurements. Journal of Applied Polymer Science, 2019, 136, 47750.	1.3	7
95	Electrospun electroactive nanofibers of gelatin-oligoaniline/Poly (vinyl alcohol) templates for architecting of cardiac tissue with on-demand drug release. Polymers for Advanced Technologies, 2019, 30, 1473-1483.	1.6	37
96	Silicon Utilization Efficiency of Different Wheat Cultivars in a Calcareous Soil. Silicon, 2019, 11, 2159-2168.	1.8	7
97	Physicomechanical and antimicrobial characteristics of hydrogel based on poly(vinyl alcohol): Performance improvement via inclusion of chitosan-modified nanoclay. Journal of Applied Polymer Science, 2019, 136, 47444.	1.3	7
98	Investigation on surface properties of superhydrophobic nanocomposites based on polyvinyl chloride and correlation with cell adhesion behavior. Polymers for Advanced Technologies, 2019, 30, 1027-1035.	1.6	11
99	Modeling and interpreting large deformation behavior of rubber nanocomposites containing carbon nanotubes and nanoplatelets. Polymer Composites, 2019, 40, E1548-E1558.	2.3	6
100	Improvement of electrical, thermal, and mechanical properties of poly(methyl Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td (methacrylate) Composite Materials, 2019, 32, 1176-1189.	2.6	13
101	Study on the surface morphology and wettability of nanocomposite films based on poly(methyl Tj ETQq1 1 0.784314 rgBT /Overlock Composites, 2019, 40, E127.	2.3	2
102	Thermo-mechanical and shape memory behavior of TPU/ABS/MWCNTs nanocomposites compatibilized with ABS-g-MAH. Polymer Composites, 2019, 40, 789-800.	2.3	4
103	Investigating the effect of surface composition and morphology on oil/water separation efficiency of sponges coated with polymer nanocomposites. Polymer Composites, 2019, 40, E431.	2.3	5
104	Temperature and frequency-dependent creep and recovery studies on PVDF-g-HFP/organo-modified layered double hydroxides nanocomposites. Journal of Applied Polymer Science, 2018, 135, 46352.	1.3	9
105	Synthesis and characterization of novel Cu(II) complex coated Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> nanoparticles for catalytic performance. Journal of Molecular Structure, 2018, 1161, 453-463.	1.8	52
106	Looking back to interfacial tension prediction in the compatibilized polymer blends: Discrepancies between theories and experiments. Journal of Applied Polymer Science, 2018, 135, 46144.	1.3	10
107	Effect of different biochars amendment on soil biological indicators in a calcareous soil. Environmental Science and Pollution Research, 2018, 25, 14752-14761.	2.7	23
108	Synthesis, Thermal and Combustion Properties of New Polyamide/Amidoacid@Fe <sub>3</sub> O <sub>4</sub> Nanocomposite. Advances in Polymer Technology, 2018, 37, 559-565.	0.8	7

#	ARTICLE	IF	CITATIONS
109	Structural and electrochemical properties of PEO/PAN nanofibrous blends: Prediction of graphene localization. <i>Polymer Composites</i> , 2018, 39, 3626-3635.	2.3	12
110	Chemically Functionalized Graphene Nanosheets and Their Influence on Thermal Stability, Mechanical, Morphological, and Electrical Properties of Poly(methyl methacrylate)/Poly(ethylene Oxide) Blend. <i>Polymer-Plastics Technology and Engineering</i> , 2018, 57, 156-165.	1.9	5
111	Shape memory and mechanical properties of TPU/ABS blends: The role of pristine versus organo-modified carbon nanotubes. <i>Polymer Composites</i> , 2018, 39, E984.	2.3	4
112	Design, preparation, and characterization of fast cure epoxy/amine-functionalized graphene oxide nanocomposites. <i>Polymer Composites</i> , 2018, 39, E2016.	2.3	63
113	Effect of Microstructure of High Density Polyethylene on Catalytic Degradation: A Comparison Between Nano Clay and FCC. <i>Journal of Polymers and the Environment</i> , 2018, 26, 1540-1549.	2.4	6
114	Bacillus species as the most promising bacterial biocontrol agents in rhizosphere and endorhiza of plants grown in rotation with each other. <i>European Journal of Plant Pathology</i> , 2018, 150, 497-506.	0.8	22
115	Effect of chlorinated polyethylene on dynamic mechanical and thermal properties of SAN/EPDM blends in dependence of mixing conditions. <i>Journal of Elastomers and Plastics</i> , 2018, 50, 204-221.	0.7	1
116	Modeling and analysis of nonlinear elastoplastic behavior of compatibilized polyolefin/polyester/clay nanocomposites with emphasis on interfacial interaction exploration. <i>Composites Science and Technology</i> , 2018, 154, 92-103.	3.8	32
117	Cure kinetics of epoxy/chicken eggshell biowaste composites: Isothermal calorimetric and chemorheological analyses. <i>Progress in Organic Coatings</i> , 2018, 114, 208-215.	1.9	49
118	Bioleaching of heavy metals from sewage sludge, direct action of <i>Acidithiobacillus ferrooxidans</i> or only the impact of pH?. <i>Journal of Material Cycles and Waste Management</i> , 2018, 20, 1179-1187.	1.6	22
119	A combined experimental and theoretical approach to quantitative assessment of microstructure in PLA/PP/Organo-Clay nanocomposites; wide-angle x-ray scattering and rheological analysis. <i>Composites Part B: Engineering</i> , 2018, 137, 235-246.	5.9	26
120	Experimental analysis and prediction of viscoelastic creep properties of PP/EVA/LDH nanocomposites using master curves based on time-temperature superposition. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46725.	1.3	10
121	Improved growth and nutrient acquisition of wheat genotypes in phosphorus deficient soils by plant growth-promoting rhizospheric and endophytic bacteria. <i>Soil Science and Plant Nutrition</i> , 2018, 64, 719-727.	0.8	29
122	Temperature dependency of gas barrier properties of biodegradable PP/PLA/nanoclay films: Experimental analyses with a molecular dynamics simulation approach. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46665.	1.3	22
123	An investigation of TiO <sub>2</sub> nanoparticles effect on morphology, thermal, and mechanical properties of epoxy/silica composites. <i>Journal of Vinyl and Additive Technology</i> , 2017, 23, E216.	1.8	13
124	Analysis of dynamic oscillatory rheological properties of PP/EVA/organo-modified LDH ternary hybrids based on generalized Newtonian fluid and generalized linear viscoelastic approaches. <i>Polymer Bulletin</i> , 2017, 74, 465-482.	1.7	11
125	Evaluation of Gram-positive rhizosphere and endophytic bacteria for biological control of fungal rice ( <i>Oryza sativa</i> L.) pathogens. <i>European Journal of Plant Pathology</i> , 2017, 147, 7-14.	0.8	38
126	Thermal stability and flammability of ethylene vinyl acetate copolymers in presence of nanoclay and a halogen-free flame retardant. <i>Journal of Vinyl and Additive Technology</i> , 2017, 23, E92.	1.8	4



#	ARTICLE	IF	CITATIONS
127	A comprehensive study on morphological and rheological behavior of poly(ethylene terephthalate) and poly(ethylene terephthalate)-nanocomposite blends in presence of graphene. Journal of Vinyl and Additive Technology, 2017, 23, E160.	1.8	2
128	Assessment of thermal, morphological, and mechanical properties of poly(methyl methacrylate)/glass flake composites. Journal of Vinyl and Additive Technology, 2017, 23, 62-69.	1.8	4
129	Interrelationship of thermal and mechanical properties of poly(ethylene terephthalate)/poly(ethylene terephthalate)-nanocomposites. Journal of Vinyl and Additive Technology, 2017, 23, 62-69.	1.8	9
130	Biowaste chicken eggshell powder as a potential cure modifier for epoxy/anhydride systems: competitiveness with terpolymer-modified calcium carbonate at low loading levels. RSC Advances, 2017, 7, 2218-2230.	1.7	55
131	POSS fernlike structure as a support for TiO <sub>2</sub> nanoparticles in fabrication of superhydrophobic polymer-based nanocomposite surfaces. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 520, 514-521.	2.3	16
132	Using a $\beta$ -Cyclodextrin-functional Fe <sub>3</sub> O <sub>4</sub> as a Reinforcement of PLA: Synthesis, Thermal, and Combustion Properties. Polymer-Plastics Technology and Engineering, 2017, 56, 1366-1373.	1.9	9
133	Thermal, combustion and optical properties of new polyimide/ODA-functionalized Fe <sub>3</sub> O <sub>4</sub> nanocomposites containing xanthene and amide groups. Journal of Thermal Analysis and Calorimetry, 2017, 129, 147-159.	2.0	11
134	Conceptualizing Physical and Chemical Interactions in the Compatibilized HDPE/PA6 and HDPE/EVOH Pairs: Theoretical and Experimental Analyses. Polymer-Plastics Technology and Engineering, 2017, 56, 1986-1996.	1.9	6
135	Biodiversity of Isolated Cyanobacteria from Desert Soils in Iran. Geomicrobiology Journal, 2017, 34, 784-794.	1.0	9
136	High-performance carboxylate superplasticizers for concretes: Interplay between the polymerization temperature and properties. Journal of Applied Polymer Science, 2017, 134, .	1.3	9
137	To What Extent Can Hyperelastic Models Make Sense the Effect of Clay Surface Treatment on the Mechanical Properties of Elastomeric Nanocomposites?. Macromolecular Materials and Engineering, 2017, 302, 1700036.	1.7	16
138	Optical, thermal and combustion properties of self-colored polyamide nanocomposites reinforced with azo dye surface modified ZnO nanoparticles. Applied Surface Science, 2017, 416, 628-638.	3.1	27
139	Dynamic Mechanical Thermal Analysis and Rheological Properties of Synthesized Polypropylene Reactor Blends Using Homogeneous Binary Metallocene Catalyst. Polymer-Plastics Technology and Engineering, 2017, 56, 1898-1907.	1.9	1
140	A simplified moment model for prediction of long-chain branching during peroxide modification of HDPE. Materials and Design, 2017, 130, 16-25.	3.3	5
141	Modeling and closed-loop control of particle size and initial burst of PLGA biodegradable nanoparticles for targeted drug delivery. Journal of Applied Polymer Science, 2017, 134, 45145.	1.3	39
142	The Use of Coal Gangue as a Cultivation Bed Conditioner in Forage Maize Inoculated with Arbuscular Mycorrhizal Fungi. Communications in Soil Science and Plant Analysis, 2017, 48, 1266-1279.	0.6	15
143	Effect of localization of carbon nanotubes on fracture behavior of un-vulcanized and dynamically vulcanized PP/EPDM/MWCNT blend-nanocomposites. Composites Science and Technology, 2017, 149, 134-148.	3.8	40
144	Effects of two new siderophore-producing rhizobacteria on growth and iron content of maize and canola plants. Journal of Plant Nutrition, 2017, 40, 736-746.	0.9	68

#	ARTICLE	IF	CITATIONS
145	Influence of fullerene-like tungsten disulfide (IF-WS <sub>2</sub> ) nanoparticles on thermal and dynamic mechanical properties of PP/EVA blends: Correlation with microstructure. <i>Composites Part B: Engineering</i> , 2017, 111, 74-82.	5.9	19
146	Investigating the interrelationship of superhydrophobicity with surface morphology, topography and chemical composition in spray-coated polyurethane/silica nanocomposites. <i>Polymer</i> , 2017, 128, 108-118.	1.8	23
147	Calorimetric analysis and molecular dynamics simulation of cure kinetics of epoxy/chitosan-modified Fe <sub>3</sub> O <sub>4</sub> nanocomposites. <i>Progress in Organic Coatings</i> , 2017, 112, 176-186.	1.9	56
148	Influence of Graphene Oxide on Crystallization Behavior and Chain Folding Surface Free Energy of Poly(vinylidene fluoride-co-hexafluoropropylene). <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1700103.	1.1	21
149	Melt linear viscoelastic rheological analysis to assess the microstructure of polyamide 6-acrylonitrile butadiene styrene terpolymer immiscible blends via the application of fractional Zener and Coran models. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45423.	1.3	0
150	A probe into the status quo of interfacial adhesion in the compatibilized ternary blends with core/shell droplets: Selective versus dictated compatibilization. <i>Journal of Applied Polymer Science</i> , 2017, 134, 45503.	1.3	9
151	Hybrid Hydrogels Based on Poly(vinyl alcohol) (PVA)/Agar/Poly(ethylene glycol) (PEG) Prepared by High Energy Electron Beam Irradiation: Investigation of Physico-Mechanical and Rheological Properties. <i>Macromolecular Materials and Engineering</i> , 2017, 302, 1600397.	1.7	22
152	Assessment of morphology, topography and chemical composition of water-repellent films based on polystyrene/titanium dioxide nanocomposites. <i>Applied Surface Science</i> , 2017, 396, 616-624.	3.1	13
153	Enriching Vermicompost Using P-solubilizing and N-fixing Bacteria under Different Temperature Conditions. <i>Communications in Soil Science and Plant Analysis</i> , 2017, 48, 139-147.	0.6	13
154	Amide-acid functional SiO <sub>2</sub> nanocomposites based on new semi-crystalline poly(ether-sulfone-amide): thermal, combustion and mechanical studies. <i>Polymer International</i> , 2017, 66, 133-143.	1.6	9
155	Morphology and physical properties of electrospun polyethylene oxide/polyacrylonitrile mats and related graphene-based nanocomposites. <i>Journal of Vinyl and Additive Technology</i> , 2017, 23, E152.	1.8	5
156	Correlation of Microstructure, Rheological and Morphological Characteristics of Synthesized Polypropylene (PP) Reactor Blends Using Homogeneous Binary Metallocene Catalyst. <i>Polymers</i> , 2017, 9, 75.	2.0	4
157	Biodegradation and hydrolysis studies on polypropylene/polylactide/organo-clay nanocomposites. <i>Polymer Bulletin</i> , 2016, 73, 3287-3304.	1.7	14
158	Rheological, morphological and mechanical investigations on ethylene octene copolymer toughened polypropylene prepared by continuous electron induced reactive processing. <i>RSC Advances</i> , 2016, 6, 24651-24660.	1.7	29
159	Study on the effects of non-solvent and nanoparticle concentrations on surface properties of water-repellent biocompatible l-lactide/glycolide/trimethylene carbonate terpolymers. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016, 502, 168-175.	2.3	17
160	New functional Fe <sub>3</sub> O <sub>4</sub> nanoparticles utilizing as adjuvant in the green PVA/cellulose whiskers nanocomposite. <i>Thermochimica Acta</i> , 2016, 635, 17-25.	1.2	17
161	Influence of trifluoropropyl-POSS nanoparticles on the microstructure, rheological, thermal and thermomechanical properties of PLA. <i>RSC Advances</i> , 2016, 6, 37149-37159.	1.7	35
162	A promising approach to low electrical percolation threshold in PMMA nanocomposites by using MWCNT-PEO pre-dispersions. <i>Materials and Design</i> , 2016, 111, 253-262.	3.3	23

#	ARTICLE	IF	CITATIONS
163	Poly(ethylene succinate) nanocomposites containing inorganic WS <sub>2</sub> nanotubes with improved thermal properties: A kinetic study. <i>Composites Part B: Engineering</i> , 2016, 98, 496-507.	5.9	10
164	Thermal and dynamic mechanical properties of PP/EVA nanocomposites containing organo-modified layered double hydroxides. <i>Composites Part B: Engineering</i> , 2016, 103, 122-130.	5.9	47
165	New ternary PLA/organoclay-hydrogel nanocomposites: Design, preparation and study on thermal, combustion and mechanical properties. <i>Materials and Design</i> , 2016, 110, 811-820.	3.3	41
166	Chitosan and imide-functional Fe <sub>3</sub> O <sub>4</sub> nanoparticles to prepare new xanthene based poly(ether-imide) nanocomposites. <i>RSC Advances</i> , 2016, 6, 112568-112575.	1.7	20
167	Superhydrophobic filter paper via an improved phase separation process for oil/water separation: study on surface morphology, composition and wettability. <i>Cellulose</i> , 2016, 23, 3913-3924.	2.4	41
168	Enhanced hydrophobicity of polyurethane via non-solvent induced surface aggregation of silica nanoparticles. <i>Journal of Colloid and Interface Science</i> , 2016, 478, 117-126.	5.0	39
169	Study the Effects of Siderophore-Producing Bacteria on Zinc and Phosphorous Nutrition of Canola and Maize Plants. <i>Communications in Soil Science and Plant Analysis</i> , 2016, 47, 1517-1527.	0.6	16
170	Towards the development of uniform closed cell nanocomposite foams using natural rubber containing pristine and organo-modified nanoclays. <i>RSC Advances</i> , 2016, 6, 53981-53990.	1.7	22
171	Preparation and release study of Triclosan in polyethylene/Triclosan anti-bacterial blend. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 145, 891-898.	2.5	17
172	An Investigation on Compatibilization Threshold in the Interface of Polypropylene/Poly(lactic Acid) Blends Using Rheological Studies. <i>Journal of Vinyl and Additive Technology</i> , 2016, 22, 19-28.	1.8	21
173	Comparative study on tensile properties and microstructure development in elastomer-modified cyclic olefin copolymer. <i>Journal of Vinyl and Additive Technology</i> , 2016, 22, 222-230.	1.8	5
174	Efficient poly(methyl-ether-imide)/LDH nanocomposite derived from a methyl rich bisphenol: From synthesis to properties. <i>Applied Clay Science</i> , 2016, 123, 285-291.	2.6	28
175	Incorporation of inorganic fullerene-like WS <sub>2</sub> into poly(ethylene succinate) to prepare novel biodegradable nanocomposites: a study on isothermal and dynamic crystallization. <i>RSC Advances</i> , 2016, 6, 4925-4935.	1.7	24
176	Structure-property relationships in super-toughened polypropylene-based ternary blends of core-shell morphology. <i>RSC Advances</i> , 2016, 6, 1508-1526.	1.7	45
177	Tuning cell adhesion on polymeric and nanocomposite surfaces: Role of topography versus superhydrophobicity. <i>Materials Science and Engineering C</i> , 2016, 63, 609-615.	3.8	37
178	Functionalization of graphene nanosheets and its dispersion in PMMA/PEO blend: Thermal, electrical, morphological and rheological analyses. <i>Fibers and Polymers</i> , 2016, 17, 174-180.	1.1	22
179	Fabrication and Characterization of Closed-Cell Rubber Foams Based on Natural Rubber/Carbon Black by One-Step Foam Processing. <i>Industrial &amp; Engineering Chemistry Research</i> , 2016, 55, 2407-2416.	1.8	60
180	Self-cleaning behavior in polyurethane/silica coatings via formation of a hierarchical packed morphology of nanoparticles. <i>Applied Surface Science</i> , 2016, 368, 216-223.	3.1	31

#	ARTICLE	IF	CITATIONS
181	Correlation of crystal alignment with interphase content in oriented high density polyethylene cast films. <i>CrystEngComm</i> , 2016, 18, 2337-2346.	1.3	8
182	Suppression of the fungal pathogen <i>Magnaporthe grisea</i> by <i>Stenotrophomonas maltophilia</i> , a seed-borne rice ( <i>Oryza sativa</i> L.) endophytic bacterium. <i>Archives of Agronomy and Soil Science</i> , 2016, 62, 1271-1284.	1.3	19
183	Application of linear rheology in determination of nanoclay localization in PLA/EVA/Clay nanocomposites: Correlation with microstructure and thermal properties. <i>Composites Part B: Engineering</i> , 2016, 86, 273-284.	5.9	66
184	The ablative behavior of high linear chains and its role in the thermal stability of polyethylene: a combined TREF-TGA study. <i>Polymer International</i> , 2015, 64, 1316-1325.	1.6	2
185	Dynamic mechanical analysis and thermal properties of $\text{LLDPE/EVA}$ /modified silica nanocomposites. <i>Composites Part B: Engineering</i> , 2015, 76, 343-353.	5.9	31
186	Development of one-step synthesized LDH reinforced multifunctional poly(amide-imide) matrix containing xanthene rings: study on thermal stability and flame retardancy. <i>RSC Advances</i> , 2015, 5, 53726-53735.	1.7	36
187	Preparation of PET/clay nanocomposites via <i>in situ</i> polymerization in the presence of monomer-activated organoclay. <i>Journal of Vinyl and Additive Technology</i> , 2015, 21, 70-78.	1.8	11
188	Investigating the role of surface micro/nano structure in cell adhesion behavior of superhydrophobic polypropylene/nanosilica surfaces. <i>Colloids and Surfaces B: Biointerfaces</i> , 2015, 127, 233-240.	2.5	39
189	Simulation of Microstructural Evolution During Reactive Blending of PET and PEN: Numerical Integration of Kinetic Differential Equations and Monte Carlo Method. <i>Macromolecular Theory and Simulations</i> , 2015, 24, 152-167.	0.6	5
190	Towards Quantifying Interfacial Adhesion in the Ternary Blends with Matrix/Shell/Core-Type Morphology. <i>Polymer-Plastics Technology and Engineering</i> , 2015, 54, 223-232.	1.9	10
191	Influence of long-chain branching extent in polyethylenes on molecular weight and molecular weight distribution predicted via rheological analysis. <i>Polymer Bulletin</i> , 2015, 72, 1217-1231.	1.7	2
192	Indole-3-acetic acid (IAA) production trait, a useful screening to select endophytic and rhizosphere competent bacteria for rice growth promoting agents. <i>MethodsX</i> , 2015, 2, 72-78.	0.7	193
193	Transforming an intrinsically hydrophilic polymer to a robust self-cleaning superhydrophobic coating via carbon nanotube surface embedding. <i>Materials and Design</i> , 2015, 86, 338-346.	3.3	51
194	On O <sub>2</sub> gas permeability of PP/PLA/clay nanocomposites: A molecular dynamic simulation approach. <i>Polymer Testing</i> , 2015, 45, 139-151.	2.3	44
195	On the Melt Rheological Behavior and Microstructure of Nanoclay-Filled Polyethylene/Ethylene Vinyl Acetate (PE/EVA) Blend. <i>Polymer-Plastics Technology and Engineering</i> , 2015, 54, 1571-1584.	1.9	10
196	Zn-Al LDH reinforced nanocomposites based on new polyamide containing imide group: From synthesis to properties. <i>Applied Clay Science</i> , 2015, 114, 256-264.	2.6	45
197	Application of mean-field theory in PP/EVA blends by focusing on dynamic mechanical properties in correlation with miscibility analysis. <i>Composites Part B: Engineering</i> , 2015, 79, 74-82.	5.9	31
198	Improvement of ionic conductivity and performance of quasi-solid-state dye sensitized solar cell using PEO/PMMA gel electrolyte. <i>Thermochimica Acta</i> , 2015, 615, 61-67.	1.2	58

#	ARTICLE	IF	CITATIONS
199	Microstructure and non-isothermal crystallization behavior of PP/PLA/clay hybrid nanocomposites. <i>Journal of Thermal Analysis and Calorimetry</i> , 2015, 121, 1321-1332.	2.0	23
200	Effect of clay modifier on morphology, thermal properties and flammability of newly synthesized poly(sulfide- <i>sulfone</i> -amide). <i>Applied Clay Science</i> , 2015, 108, 70-77.	2.6	33
201	Fabrication of robust and thermally stable superhydrophobic nanocomposite coatings based on thermoplastic polyurethane and silica nanoparticles. <i>Applied Surface Science</i> , 2015, 347, 224-230.	3.1	47
202	Combination of Plasma Functionalization and Phase Inversion Process Techniques for Efficient Dispersion of MWCNTs in Polyamide 6: Assessment through Morphological, Electrical, Rheological and Thermal Properties. <i>Polymer-Plastics Technology and Engineering</i> , 2015, 54, 632-638.	1.9	6
203	The interrelationships between microstructure and melting, crystallization and thermal degradation behaviors of fractionated ethylene/1-butene copolymer. <i>Iranian Polymer Journal (English Edition)</i> , 2015, 24, 267-277.	1.3	4
204	A Multioptimization Approach to Assessment of Drug Delivery of PLGA Nanoparticles: Simultaneous Control of Particle Size and Release Behavior. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2015, 64, 641-652.	1.8	16
205	In depth analysis of micro-mechanism of mechanical property alternations in PLA/EVA/clay nanocomposites: A combined theoretical and experimental approach. <i>Materials and Design</i> , 2015, 88, 1277-1289.	3.3	54
206	A novel method to control hydrolytic degradation of nanocomposite biocompatible materials via imparting superhydrophobicity. <i>Applied Surface Science</i> , 2015, 357, 880-886.	3.1	31
207	Experimental and theoretical analyses of mechanical properties of PP/PLA/clay nanocomposites. <i>Composites Part B: Engineering</i> , 2015, 69, 133-144.	5.9	104
208	On the combined use of nanoparticles and a proper solvent/non-solvent system in preparation of superhydrophobic polymer coatings. <i>Polymer</i> , 2015, 56, 358-367.	1.8	44
209	Molecularly imprinted polymer nanoparticles for olanzapine recognition: application for solid phase extraction and sustained release. <i>RSC Advances</i> , 2015, 5, 9154-9166.	1.7	33
210	New PLA/PEI-functionalized Fe <sub>3</sub> O <sub>4</sub> nanocomposite: Preparation and characterization. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 24, 211-218.	2.9	43
211	Evolution of vinyl chloride conversion below critical micelle concentration: A response surface analysis. <i>Journal of Vinyl and Additive Technology</i> , 2015, 21, 157-165.	1.8	12
212	Reactive Compatibilization of Ternary Polymer Blends with Core-Shell Type Morphology. <i>Macromolecular Materials and Engineering</i> , 2015, 300, 86-98.	1.7	21
213	Miscibility analysis, viscoelastic properties and morphology of cyclic olefin copolymer/polyolefin elastomer (COC/POE) blends. <i>Composites Part B: Engineering</i> , 2015, 69, 111-119.	5.9	29
214	Effects of polyethyleneimine-functionalized MCM-41 on flame retardancy and thermal stability of polyvinyl alcohol. <i>Particuology</i> , 2015, 19, 14-21.	2.0	17
215	Highly curable epoxy/MWCNTs nanocomposites: An effective approach to functionalization of carbon nanotubes. <i>Chemical Engineering Journal</i> , 2015, 259, 117-125.	6.6	131
216	Ultra-low Electrical and Rheological Percolation Thresholds in PMMA/Plasma-Functionalized CNTs Nanocomposites. <i>Polymer-Plastics Technology and Engineering</i> , 2014, 53, 1450-1455.	1.9	12

#	ARTICLE	IF	CITATIONS
217	A combinatorial approach to evaluation of monomer conversion and particle size distribution in vinyl chloride emulsion polymerization. <i>Polymer Bulletin</i> , 2014, 71, 2487-2506.	1.7	5
218	Rheological assessment of variable molecular chain structures of linear low-density polyethylene under reactive modification. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	7
219	Synthesis of biocompatible and degradable microspheres based on 2-hydroxyethyl methacrylate via microfluidic method. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	3
220	Electron beam cross-linking of EVA/TPU blends. <i>Plastics, Rubber and Composites</i> , 2014, 43, 202-210.	0.9	5
221	Crystallization and melting behavior of poly (ethylene succinate) in presence of graphene nanoplatelets. <i>Thermochimica Acta</i> , 2014, 586, 17-24.	1.2	22
222	Interface evaluation in the ternary blends of HDPE/PA-6/EVOH. <i>Polymer Bulletin</i> , 2014, 71, 613-624.	1.7	12
223	Mechanical, rheological, and thermal behavior assessments in HDPE/PA-6/EVOH ternary blends with variable morphology. <i>Journal of Polymer Research</i> , 2014, 21, 1.	1.2	21
224	Bacterial Biosynthesis of 1-Aminocyclopropane-1-Carboxylate (ACC) Deaminase and Indole-3-Acetic Acid (IAA) as Endophytic Preferential Selection Traits by Rice Plant Seedlings. <i>Journal of Plant Growth Regulation</i> , 2014, 33, 654-670.	2.8	88
225	Lap shear strength and thermal stability of diglycidyl ether of bisphenol a/epoxy novolac adhesives with nanoreinforcing fillers. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	42
226	Flammability and thermal properties of novel semi aromatic polyamide/organoclay nanocomposite. <i>Thermochimica Acta</i> , 2014, 585, 63-70.	1.2	17
227	Synthesis and properties of new polyamide/multiwalled carbon nanotube nanocomposites containing a pyridine group. <i>Polymer International</i> , 2014, 63, 1658-1664.	1.6	5
228	New poly(ether-imide)/MWCNT nanocomposite. <i>Journal of Thermal Analysis and Calorimetry</i> , 2014, 117, 293-299.	2.0	19
229	Role of nanoparticles in phase separation and final morphology of superhydrophobic polypropylene/zinc oxide nanocomposite surfaces. <i>Applied Surface Science</i> , 2014, 293, 116-123.	3.1	67
230	Novel thermosensitive hydrogel composites based on poly( <i>ε</i> -caprolactide-co- <i>ε</i> -glycolide) nanoparticles embedded in poly( <i>n</i> -isopropyl acrylamide) with sustained drug release behavior. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	10
231	Colonization and Biodegradation of Photo-Oxidized Low-Density Polyethylene (LDPE) by New Strains of <i>Aspergillus</i> sp. and <i>Lysinibacillus</i> sp.. <i>Bioremediation Journal</i> , 2014, 18, 213-226.	1.0	15
232	Identifying Morphological Changes in Immiscible Polyolefin Ternary Blends. <i>Polymer-Plastics Technology and Engineering</i> , 2014, 53, 1142-1149.	1.9	11
233	Thermorheological behavior of peroxide-induced long chain branches linear low density polyethylene. <i>Thermochimica Acta</i> , 2014, 590, 259-265.	1.2	8
234	A Microfluidic Approach to Synthesize Monodisperse Poly (2-Hydroxyethyl Methacrylate) Based Spherical Microgels via Water in Water Emulsion Technique. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2014, 63, 884-890.	1.8	7

#	ARTICLE	IF	CITATIONS
235	Novel nanocomposites consisting of a semi-crystalline polyamide and Mg-Al LDH: Morphology, thermal properties and flame retardancy. <i>Applied Clay Science</i> , 2014, 90, 101-108.	2.6	54
236	Interactive effect of nitrogen fertilizer and hydrocarbon pollution on soil biological indicators. <i>Environmental Earth Sciences</i> , 2014, 72, 3513-3519.	1.3	11
237	Morphology, rheological and protective properties of epoxy/nano-glassflake systems. <i>Progress in Organic Coatings</i> , 2014, 77, 124-130.	1.9	17
238	Branching degree and rheological response correlation in peroxide-modified linear low-density polyethylene. <i>Polymers for Advanced Technologies</i> , 2014, 25, 835-841.	1.6	7
239	Toward In Situ Compatibilization of Polyolefin Ternary Blends through Morphological Manipulations. <i>Macromolecular Materials and Engineering</i> , 2014, 299, 1197-1212.	1.7	25
240	On the reliability of existing theoretical models in anticipating type of morphology and domain size in HDPE/PA-6/EVOH ternary blends. <i>European Polymer Journal</i> , 2014, 53, 1-12.	2.6	34
241	Dynamic-mechanical analysis of MWNTs-filled PC/ABS blends. <i>Polymer Engineering and Science</i> , 2014, 54, 2696-2706.	1.5	4
242	Vinyl ester/ glass flake nanocomposites: An overview of chemical and physical properties. <i>Journal of Composite Materials</i> , 2014, 48, 1585-1593.	1.2	11
243	Correlation Between Reactive Modification Conditions and Degree of Long-Chain Branching in Chemically Modified Linear Low Density Polyethylene Using Response Surface Experimental Design. <i>Macromolecular Materials and Engineering</i> , 2014, 299, 154-164.	1.7	8
244	On the Flame Resistance Behavior of PP/PET Blends in the Presence of Nanoclay and a Halogen-Free Flame Retardant. <i>Macromolecular Materials and Engineering</i> , 2013, 298, 1074-1084.	1.7	7
245	A surface analysis of polypropylene/clay nanocomposites exposed to electron irradiation. <i>Journal of Applied Polymer Science</i> , 2013, 128, 1569-1574.	1.3	1
246	Dynamic and Transient Shear Start-Up Flow Experiments for Analyzing Nanoclay Localization in PP/PET Blends: Correlation with Microstructure. <i>Macromolecular Materials and Engineering</i> , 2013, 298, 113-126.	1.7	21
247	Effect of end-capped nanosilica on mechanical properties and microstructure of LLDPE/EVA blends. <i>Journal of Applied Polymer Science</i> , 2013, 127, 1172-1179.	1.3	8
248	On rheology-morphology correlation of polypropylene/poly(trimethylene terephthalate) blend nanocomposites. <i>Journal of Applied Polymer Science</i> , 2013, 127, 1054-1060.	1.3	11
249	A comparative study on curing characteristics and thermomechanical properties of elastomeric nanocomposites: The effects of eggshell and calcium carbonate nanofillers. <i>Journal of Applied Polymer Science</i> , 2013, 127, 4241-4250.	1.3	21
250	Thermorheological complexity of a dynamically asymmetric miscible blend: the improving role of Na <sup>+</sup> -MMT nanoclay. <i>Macromolecular Research</i> , 2013, 21, 362-369.	1.0	0
251	On the dispersion of CNTs in polyamide 6 matrix via solution methods: assessment through electrical, rheological, thermal and morphological analyses. <i>Polymer Bulletin</i> , 2013, 70, 2387-2398.	1.7	11
252	Microstructural Evolution in Linear Low Density Polyethylene During Peroxide Modification: A Monte Carlo Simulation Study. <i>Macromolecular Theory and Simulations</i> , 2013, 22, 426-438.	0.6	11

#	ARTICLE	IF	CITATIONS
253	Poly(ethylene succinate)/single-walled carbon nanotube composites: a study on crystallization. <i>Polymer Bulletin</i> , 2013, 70, 3463-3474.	1.7	19
254	Assessment of morphological, thermal, and viscoelastic properties of epoxy vinyl ester coating composites: Role of glass flake and mixing method. <i>Progress in Organic Coatings</i> , 2013, 76, 238-243.	1.9	39
255	Fusion level optimization of rigid PVC nanocompounds by using response surface methodology. <i>Journal of Vinyl and Additive Technology</i> , 2013, 19, 168-176.	1.8	14
256	Monte Carlo Simulation of Ester Exchange Reactions in PET/PEN Blends. <i>Macromolecular Theory and Simulations</i> , 2013, 22, 207-216.	0.6	7
257	Thermorheological behavior analysis of mLLDPE and mVLDPE: Correlation with branching structure. <i>Journal of Applied Polymer Science</i> , 2013, 129, 458-463.	1.3	14
258	Nanofilled Polypropylene/Poly(trimethylene terephthalate) Blends: A Morphological and Mechanical Properties Study. <i>Journal of Macromolecular Science - Physics</i> , 2013, 52, 897-909.	0.4	9
259	MWNT filled PC/ABS blends: Correlation of morphology with rheological and electrical response. <i>Journal of Applied Polymer Science</i> , 2013, 130, 739-748.	1.3	41
260	Rheology morphology correlation in PET/PP blends: Influence of type of compatibilizer. <i>Journal of Vinyl and Additive Technology</i> , 2013, 19, 25-30.	1.8	29
261	Non-isothermal crystallization behavior of PLA/LLDPE/nanoclay hybrid: Synergistic role of LLDPE and clay. <i>Thermochimica Acta</i> , 2013, 565, 102-113.	1.2	51
262	Assessment of role of morphology in gas permselectivity of membranes based on polypropylene/ethylene vinyl acetate/clay nanocomposite. <i>Journal of Membrane Science</i> , 2013, 445, 76-87.	4.1	39
263	On nanoclay localization in polypropylene/poly(ethylene terephthalate) blends: Correlation with thermal and mechanical properties. <i>Materials &amp; Design</i> , 2013, 45, 110-117.	5.1	37
264	Effect of clay type and polymer matrix on microstructure and tensile properties of PLA/LLDPE/clay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2013, 130, 749-758.	1.3	22
265	On the interrelationship of transreaction with viscoelastic properties of poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 26 and Science, 2013, 53, 2556-2567.	1.5	8
266	Conformational, thermal, and ionic conductivity behavior of PEO in PEO/PMMA miscible blend: Investigating the effect of lithium salt. <i>Journal of Applied Polymer Science</i> , 2013, 129, 1868-1874.	1.3	65
267	Cure Kinetics of Epoxy Nanocomposites Affected by MWCNTs Functionalization: A Review. <i>Scientific World Journal</i> , The, 2013, 2013, 1-14.	0.8	66
268	Polypropylene/Poly(trimethylene terephthalate) Blend Nanocomposite: A Thermal Properties Study. <i>Polymer-Plastics Technology and Engineering</i> , 2012, 51, 682-688.	1.9	13
269	The kinetic analysis of isothermal curing reaction of an epoxy resin-glassflake nanocomposite. <i>Thermochimica Acta</i> , 2012, 549, 81-86.	1.2	35
270	Morphology Prediction in HDPE/PA/EVOH Ternary Blends: Defining the Role of Elasticity Ratio. <i>Macromolecular Chemistry and Physics</i> , 2012, 213, 1791-1802.	1.1	26



#	ARTICLE	IF	CITATIONS
271	Influence of Interfacial Activity and Micelle Formation on Rheological Behavior and Microstructure of Reactively Compatibilized PP/PET Blends. <i>Macromolecular Materials and Engineering</i> , 2012, 297, 312-328.	1.7	35
272	A Study on Transreactions of PET/PEN Reactive Blending in a Twin-Screw Extruder Using an Axial Dispersion Model. <i>Macromolecular Theory and Simulations</i> , 2012, 21, 340-349.	0.6	7
273	Correlation of morphological, dynamic mechanical, and thermal properties in compatibilized polypropylene/ethylene vinyl acetate copolymer/organoclay nanocomposites. <i>Journal of Applied Polymer Science</i> , 2012, 125, 922-934.	1.3	14
274	Nanoclay dispersion in a miscible blend: an assessment through rheological analysis. <i>Journal of Polymer Research</i> , 2012, 19, 1.	1.2	8
275	Evaluation of curing kinetic parameters of an epoxy/polyaminoamide/nano-glassflake system by non-isothermal differential scanning calorimetry. <i>Thermochimica Acta</i> , 2012, 533, 10-15.	1.2	26
276	Impact of Poultry Manure Application on Phosphorus Desorption in Some Calcareous Soils. <i>Communications in Soil Science and Plant Analysis</i> , 2011, 42, 208-219.	0.6	5
277	Morphological, rheological and thermal studies in melt processed compatibilized PA6/ABS/clay nanocomposites. <i>Journal of Polymer Research</i> , 2011, 18, 197-205.	1.2	47
278	Correlation of rheology and morphology and estimation of interfacial tension of immiscible COC/EVA blends. <i>Journal of Polymer Research</i> , 2011, 18, 821-831.	1.2	30
279	Investigation of thermal behavior and decomposition kinetic of PET/PEN blends and their clay containing nanocomposites. <i>Journal of Polymer Research</i> , 2011, 18, 1765-1775.	1.2	16
280	Morphology, rheology and dynamic mechanical properties of PP/EVA/clay nanocomposites. <i>Journal of Polymer Research</i> , 2011, 18, 1829-1839.	1.2	41
281	Effect of compatibilizer on interfacial tension of SAN/EPDM blend as measured via relaxation spectrums calculated from Palierne and Choi-Schowalter models. <i>Polymer Bulletin</i> , 2011, 66, 363-376.	1.7	13
282	Opposing effects of nanoclay on viscoelastic response of reactive phenoxy/poly(trimethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Composites, 2011, 32, 114-124.	2.3	10
283	FTIR and thermal analyses of intermolecular interactions in poly(trimethylene terephthalate)/phenoxy blends. <i>Polymer Engineering and Science</i> , 2011, 51, 518-525.	1.5	2
284	Investigating the effect of nanolayered silicates on blend segmental dynamics and minor component relaxation behavior in poly(ethylene oxide)/poly(methyl methacrylate) miscible blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2011, 49, 318-326.	2.4	15
285	Phase morphology and thermomechanical analysis of poly(styrene-co-acrylonitrile)/ethylene propylene diene monomer blends: Uncompatibilized and reactively compatibilized blends with two mixing sequences. <i>Journal of Applied Polymer Science</i> , 2011, 119, 1417-1425.	1.3	5
286	Partial Restoring of Thermorheological Simplicity and Terminal Dynamics Behavior of PEO-PMMA in the Presence of Nanoparticles. , 2011, , .		0
287	An assessment of the role of morphology in thermal/thermo-oxidative degradation mechanism of PP/EVA/clay nanocomposites. <i>Polymer Degradation and Stability</i> , 2010, 95, 859-869.	2.7	45
288	Investigating the role of transreactions on degradation behavior of phenoxy/poly(trimethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 59-66.	1.2	16

#	ARTICLE	IF	CITATIONS
289	Enhanced ionic conductivity in PEO/PMMA glassy miscible blends: Role of nanoconfinement of minority component chains. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010, 48, 2065-2071.	2.4	35
290	Preparation and characterisation of UV irradiation cross-linked LDPE/EVA blends. <i>Plastics, Rubber and Composites</i> , 2010, 39, 431-436.	0.9	4
291	On the Interrelationship of Transreactions with Thermal Properties and Dynamic Mechanical Analysis of PTT/PEN Blends. <i>Macromolecular Chemistry and Physics</i> , 2009, 210, 1291-1302.	1.1	8
292	Correlation of Sequence Block Lengths and Degree of Randomness with Melt Rheological Properties in PET/PEN Blends. <i>Macromolecular Materials and Engineering</i> , 2009, 294, 272-280.	1.7	21
293	Interfacially compatibilized LDPE/POE blends reinforced with nanoclay: investigation of morphology, rheology and dynamic mechanical properties. <i>Polymer Bulletin</i> , 2009, 62, 255-270.	1.7	42
294	Nonisothermal crystallization kinetics and determination of surface folding free energy of PP/EVA/OMMT nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009, 47, 674-684.	2.4	32
295	Investigation of exchange reactions and rheological response of reactive blends of poly(trimethylene Terephthalate)/Overlock 10 Tf 50 22	1.6	18
296	An Improved Nonisothermal Kinetic Model for Prediction of Extent of Transesterification Reaction and Degree of Randomness in PET/PEN Blends. <i>Macromolecular Theory and Simulations</i> , 2008, 17, 241-251.	0.6	16
297	Investigation of the thermal decomposition behavior and kinetic analysis of PTT/phenoxy blends. <i>Journal of Applied Polymer Science</i> , 2008, 110, 2924-2931.	1.3	11
298	Structural analysis of multicomponent nanoclay-containing polymer blends through simple model systems. <i>Polymer</i> , 2008, 49, 2119-2126.	1.8	52
299	Thermal and mechanical properties of uncrosslinked and chemically crosslinked polyethylene/ethylene vinyl acetate copolymer blends. <i>Journal of Applied Polymer Science</i> , 2007, 103, 3261-3270.	1.3	38
300	Glass-transition-temperature depression in chemically crosslinked low-density polyethylene and high-density polyethylene and their blends with ethylene vinyl acetate copolymer. <i>Journal of Applied Polymer Science</i> , 2007, 104, 1654-1660.	1.3	35
301	Kinetics of isothermal crystallization and subsequent melting behavior of PTT/PA12 blend. <i>Journal of Applied Polymer Science</i> , 2007, 106, 1964-1971.	1.3	14
302	Influence of Chain Structure on Phase Behavior and Thermal Degradation of Poly(trimethylene Terephthalate)/Overlock 10 Tf 50 22 2007, 292, 1103-1110.	1.7	14
303	Investigation and Modeling of Temperature Dependence Recovery Behavior of Shape-Memory Crosslinked Polyethylene. <i>Macromolecular Theory and Simulations</i> , 2007, 16, 43-52.	0.6	74
304	Synthesis of exfoliated polyamide 6,6/organically modified montmorillonite nanocomposites by in situ interfacial polymerization. <i>Polymer Composites</i> , 2007, 28, 733-738.	2.3	19
305	Effects of silane coupling agent and maleic anhydride-grafted polypropylene on the morphology and viscoelastic properties of polypropylene/mica composites. <i>Polymer Composites</i> , 2006, 27, 491-496.	2.3	31
306	Effect of maleated polypropylene and impact modifiers on the morphology and mechanical properties of PP/Mica composites. <i>Polymer Composites</i> , 2006, 27, 614-620.	2.3	28

#	ARTICLE	IF	CITATIONS
307	Thermal and wide angle X-ray analysis of chemically and radiation-crosslinked low and high density polyethylenes. <i>Journal of Applied Polymer Science</i> , 2006, 100, 3264-3271.	1.3	43
308	Correlation of morphology and rheological response of interfacially modified PTT/m-LLDPE blends with varying extent of modification. <i>Polymer</i> , 2005, 46, 5082-5093.	1.8	72
309	Effect of transesterification products on the miscibility and phase behavior of poly(trimethylene terephthalate)/poly(ethylene terephthalate) blends. <i>Polymer</i> , 2005, 46, 1078-1084.	2.6	41
310	Linear Viscoelastic Characteristics of Poly(trimethylene terephthalate)/Polycarbonate Blends in the Melt State. <i>Macromolecular Materials and Engineering</i> , 2005, 290, 1091-1096.	1.7	13
311	Modeling of Shape Memory Induction and Recovery in Heat-Shrinkable Polymers. <i>Macromolecular Theory and Simulations</i> , 2005, 14, 428-434.	0.6	87
312	Rheology, Morphology and Estimation of Interfacial Tension of LDPE/EVA and HDPE/EVA Blends. <i>Polymer Bulletin</i> , 2005, 54, 75-84.	1.7	60
313	Phase Morphology and Thermal Characteristics of Binary Blends Based on PTT and PA12. <i>Polymer Bulletin</i> , 2005, 54, 205-213.	1.7	26
314	Compatibilizing Effects on the Phase Morphology and Thermal Properties of Polymer Blends Based on PTT and m-LLDPE. <i>Polymer Bulletin</i> , 2005, 54, 417-426.	1.7	18
315	Description of the dynamic moduli of poly(trimethylene terephthalate)/polyamide-12 blends in molten state. <i>Polymer Engineering and Science</i> , 2005, 45, 1401-1407.	1.5	15
316	Study of heat shrinkability of crosslinked low-density polyethylene/poly(ethylene vinyl acetate) blends. <i>Journal of Applied Polymer Science</i> , 2004, 91, 1389-1395.	1.3	33
317	Volume-Preserving Conformational Rheological Models for Multi-Component Miscible Polymer Blends Using the GENERIC Formalism. <i>Macromolecular Theory and Simulations</i> , 2003, 12, 524-530.	0.6	4
318	An investigation of chemical crosslinking effect on properties of high-density polyethylene. <i>Polymer</i> , 2003, 44, 4301-4309.	1.8	296
319	Thermal and shrinkage behaviour of stretched peroxide-crosslinked high-density polyethylene. <i>European Polymer Journal</i> , 2003, 39, 1729-1734.	2.6	63
320	Mathematical and computational modeling of heat transfer and deformation in film blowing process. <i>Journal of Applied Polymer Science</i> , 2002, 86, 2115-2123.	1.3	6
321	Interactive Effects of Potassium and Mycorrhizal Fungi on Glomalin and Biochemical Responses of Sunflower Grown in a Pb and Zn Contaminated Soil. <i>Soil and Sediment Contamination</i> , 0, , 1-17.	1.1	1
322	Effect of a novel green modification of alumina nanoparticles on the curing kinetics and electrical insulation properties of epoxy composites. <i>Polymers for Advanced Technologies</i> , 0, , .	1.6	24
323	Thermo-rheological probe of microstructural evolution and degradation pathway in the flame-retarded PP/EVA/NOR/clay nanocomposites. <i>Rheologica Acta</i> , 0, , 1.	1.1	6
324	Surface modification of polyurethane nanocomposite films via nonsolvent-induced phase separation accelerated by graphene nanoplatelets. <i>Polymer Composites</i> , 0, , .	2.3	0