## Yoshitaka Takagai

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6109195/publications.pdf

Version: 2024-02-01

		567281	501196
58	882	15	28
papers	citations	h-index	g-index
60	60	60	942
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	A part per trillion isotope ratio analysis of 90Sr/88Sr using energy-filtered thermal ionization mass spectrometry. Scientific Reports, 2022, 12, 1151.	3.3	6
2	Estimate the contribution of water-derived <sup>137</sup> Cs in the total <sup>137</sup> Cs in brown rice using water-to-brown rice transfer parameters and the ratio of <sup>137</sup> Cs/ <sup>133</sup> Cs. Soil Science and Plant Nutrition, 2022, 68, 329-338.	1.9	1
3	Online solid-phase extractionâ^'inductively coupled plasmaâ€"quadrupole mass spectrometric quantification of 90Sr using 88Sr/86Sr isotope dilution method. Talanta, 2022, 244, 123442.	5.5	3
4	Using CO2 Reactions to Achieve Mass-spectrometric Discrimination in Simultaneous Plutonium-isotope Speciation with Inductively Coupled Plasma–Tandem Mass Spectrometry. Chemistry Letters, 2022, 51, 678-682.	1.3	6
5	Determination of Characteristic vs Anomalous <sup>135</sup> Cs/ <sup>137</sup> Cs Isotopic Ratios in Radioactively Contaminated Environmental Samples. Environmental Science & En	10.0	18
6	Online Solid-Phase Extraction–Inductively Coupled Plasma–Quadrupole Mass Spectrometry with Oxygen Dynamic Reaction for Quantification of Technetium-99. ACS Omega, 2021, 6, 19281-19290.	3.5	2
7	Shape- and Size-Controlled Fabrication of Gold Nano-Urchins via Use of a Mixed Sodium Borohydride and Ascorbic Acid Reductant System. Langmuir, 2021, 37, 10702-10707.	3.5	3
8	Adsorption Behavior of Pu(IV), Am(III), Cm(III), and U(VI) on Desferrioxamine B-immobilized Micropolymer and Its Applications in the Separation of Pu(IV). Analytical Sciences, 2021, 37, 1641-1644.	1.6	2
9	Nanoparticle induced formation of self-assembled zwitterionic surfactant microdomains which mimic microemulsions for the <i>in situ</i> fabrication and dispersion of silver nanoparticles. RSC Advances, 2020, 10, 34161-34166.	3.6	5
10	Isotope Dilution–Total Evaporation–Thermal Ionization Mass Spectrometric Direct Determination of Radioactive Strontium-90 in Microdrop Samples. Analytical Chemistry, 2020, 92, 16058-16065.	6.5	10
11	Rapid Micelle-Mediated Size-Controlled Fabrication of Calcium Sulfate Nanorods Using Silver Nanoparticles. Langmuir, 2020, 36, 7456-7462.	3.5	1
12	Synthesis and evaluation of a diethylammonio-propylsulfate amphoteric ionic column for the high-performance liquid chromatography-mass spectrometric separation and detection of amino acids. Journal of Chromatography A, 2020, 1621, 461033.	3.7	3
13	Development of Online Dilution System for Quantification of 90Sr Using Automatic Solid-phase Extraction Inductively Coupled Plasma Mass Spectrometry. Analytical Sciences, 2020, 36, 1131-1135.	1.6	4
14	Rapid Quantification of Radioactive Strontium-90 in Fresh Foods via Online Solid-Phase Extraction–Inductively Coupled Plasma–Dynamic Reaction Cell-Mass Spectrometry and Its Comparative Evaluation with Conventional Radiometry. ACS Omega, 2019, 4, 11276-11284.	3.5	15
15	Synthesis and Evaluation of Reusable Desferrioxamine B Immobilized on Polymeric Spherical Microparticles for Uranium Recovery. Industrial & Engineering Chemistry Research, 2019, 58, 17928-17936.	3.7	6
16	Simple Synthesis of Gold Nanoparticles by Sodium Borohydride Reduction Method and Their Ligand Exchange Reaction. Bunseki Kagaku, 2019, 68, 751-755.	0.2	3
17	Sequential Injection Analysis System Exploiting On-line Solid-phase Extraction for the Determination of Strontium and Nickel by Microwave Plasma Atomic Emission Spectrometry. Analytical Sciences, 2018, 34, 387-390.	1.6	14
18	Ultrasonic Mist Generation Assist Argon-Nitrogen Mix Gas Effect on Radioactive Strontium Quantification by Online Solid-Phase Extraction with Inductively Coupled Plasma Mass Spectrometry. Analytical Sciences, 2018, 34, 471-476.	1.6	20

#	Article	IF	Citations
19	Simple Radiometric Determination of Strontium-90 in Seawater Using Measurement of Yttrium-90 Decay Time Following IronBarium Co-precipitation. Analytical Sciences, 2018, 34, 1277-1283.	1.6	7
20	Determination and Comparison of the Strontium-90 Concentrations in Topsoil of Fukushima Prefecture before and after the Fukushima Daiichi Nuclear Accident. ACS Omega, 2018, 3, 18028-18038.	3.5	15
21	Rapid Measurement of Strontium-90 Using ICP-MS —High Performance Sequential Analyzer for β-ray Emitter Nuclide of Several Ten-Years Half-Life—. Radioisotopes, 2018, 67, 17-30.	0.2	1
22	On-line pseudo-stationary magnetic solid-phase extraction using magnetic cation exchange microparticles and its application to the determination of strontium. Journal of Analytical Atomic Spectrometry, 2018, 33, 1251-1255.	3.0	11
23	Internal Standard Corrected Signal Integration Method for Determination of Radioactive Strontium by Online Solid Phase Extraction/ICP-MS. Bunseki Kagaku, 2017, 66, 181-187.	0.2	5
24	Radioactive Strontium Measurement Using ICP-MS Following Cascade Preconcentration and Separation System. Bunseki Kagaku, 2017, 66, 223-231.	0.2	5
25	β-Cyclodextrin as a Metal-anionic Porphyrin Complexation Accelerator in Aqueous Media. Analytical Sciences, 2016, 32, 623-629.	1.6	4
26	Split Flow Online Solid-Phase Extraction Coupled with Inductively Coupled Plasma Mass Spectrometry System for One-Shot Data Acquisition of Quantification and Recovery Efficiency. Analytical Chemistry, 2016, 88, 9397-9402.	6.5	26
27	One-pot synthesis with in situ preconcentration of spherical monodispersed gold nanoparticles using thermoresponsive 3-(alkyldimethylammonio)-propyl sulfate zwitterionic surfactants. Chemical Communications, 2016, 52, 10000-10003.	4.1	8
28	Unique aluminosilicate-based natural nanoparticles in the volcanogenic Goshiki-numa pond. Environmental Chemistry Letters, 2016, 14, 565-569.	16.2	2
29	Certified reference materials of agricultural products and foods bearing radioactivity from the Fukushima nuclear accident. Journal of Radioanalytical and Nuclear Chemistry, 2016, 307, 2421-2426.	1.5	8
30	HPLC-spectrophotometric detection of trace heavy metals via †cascade†separation and concentration. International Journal of Environmental Analytical Chemistry, 2015, 95, 135-144.	3.3	12
31	Sequential inductively coupled plasma quadrupole mass-spectrometric quantification of radioactive strontium-90 incorporating cascade separation steps for radioactive contamination rapid survey. Analytical Methods, 2014, 6, 355-362.	2.7	68
32	Flow Injection Spectrophotometric Analysis of Human Salivary α-Amylase Activity Using an Enzyme Degradation of Starch–Iodine Complexes in Flow Channel and Its Application to Human Stress Testing. Biological and Pharmaceutical Bulletin, 2013, 36, 1857-1861.	1.4	15
33	Development of a Cascade Preconcentration and Separation System for High-powered Condensation and Its Application to Analytical Chemistry. Bunseki Kagaku, 2013, 62, 317-323.	0.2	2
34	Comparison of Germanium Semiconductor Detector and Nal Scintillation Detector in Brown Rice Analysis Relative to Accident of Tokyo Electric Power Company, Fukushima Daiichi Nuclear Power Station. Bunseki Kagaku, 2013, 62, 521-526.	0.2	1
35	Distribution of Radiocaesium in Cattle body ^ ^mdash;Analysis Using a Compartment Model^ ^mdash;. Radioisotopes, 2013, 62, 281-290.	0.2	0
36	Quenching-Chemiluminescence Determination of Trace Amounts of <b> &lt; b&gt;-Tyrosine Contained in Dietary Supplement by Chemiluminescence Reaction of an Iron-Phthalocyanine Complex. Journal of Analytical Methods in Chemistry, 2012, 2012, 1-5.</b>	1.6	6

#	Article	IF	Citations
37	Development of Metal-Isolable Polymer-Gel Sorbent for Mutual Separation of Ti, V, Zr, Nb, Mo, Ta, and W. Journal of MMIJ, 2012, 128, 248-254.	0.3	0
38	Gas chromatography-mass spectrometric determination of ivermectin following trimethylsilylation with application to residue analysis in biological meat tissue samples. Analytical Methods, 2011, 3, 2160.	2.7	8
39	Isotope Ratio Analysis of 235U and 238U Nuclide Using a Microwave Digestion Associated with ICP-MS and the Large Areal Soil Survey Related to Fukushima Daiichi Nuclear Disaster. Bunseki Kagaku, 2011, 60, 947-957.	0.2	13
40	Synthesis and evaluation of different thio-modified cellulose resins for the removal of mercury (II) ion from highly acidic aqueous solutions. Journal of Colloid and Interface Science, 2011, 353, 593-597.	9.4	68
41	"Turn-on―fluorescent polymeric microparticle sensors for the determination of ammonia and amines in the vapor state. Analyst, The, 2010, 135, 1417.	3 <b>.</b> 5	58
42	Evaluation of the potential of chitosan hydrogels to extract polar organic species from nonpolar organic solvents: Application to the extraction of aminopyridines from hexane. Journal of Colloid and Interface Science, 2009, 330, 38-44.	9.4	14
43	Cloud Point Extraction with Surfactant Derivatization as an Enrichment Step Prior to Gas Chromatographic or Gas Chromatographyâ^'Mass Spectrometric Analysis. Analytical Chemistry, 2009, 81, 7113-7122.	6.5	52
44	Selective Visual Determination of Vanadium(V) Ion in Highly Acidic Solution Using Desferrioxamine B Immobilization Cellulose. Chemistry Letters, 2007, 36, 136-137.	1.3	14
45	Adsorption behaviors of high-valence metal ions on desferrioxamine B immobilization nylon 6,6 chelate fiber under highly acidic conditions. Journal of Colloid and Interface Science, 2007, 313, 359-362.	9.4	16
46	Powerful preconcentration method for capillary electrophoresis and its application to analysis of ultratrace amounts of polycyclic aromatic hydrocarbons. Analytical and Bioanalytical Chemistry, 2006, 385, 888-894.	3.7	22
47	Adsorption and Desorption Properties of trans-Resveratrol on Cellulose Cotton. Analytical Sciences, 2005, 21, 183-186.	1.6	25
48	Preconcentration technique for nonylphenol using cellulose cotton with homogenous liquid?liquid extraction for liquid chromatographic analysis. Analytical and Bioanalytical Chemistry, 2004, 380, 351-354.	3.7	14
49	Determination of lower sub ppt levels of environmental analytes using high-powered concentration system and high-performance liquid chromatography with fluorescence detection. Analyst, The, 2004, 129, 396.	3 <b>.</b> 5	24
50	Simultaneous Determination of Iron(II) and Iron(III) by Micellar Electrokinetic Chromatography Using an Off-line Selective Complexing Reaction. Analytical Sciences, 2003, 19, 1207-1209.	1.6	15
51	Determination of ppb Levels of Tryptophan Derivatives by Capillary Electrophoresis with Homogeneous Liquid-Liquid Extraction and Sweeping Method Chemical and Pharmaceutical Bulletin, 2003, 51, 373-377.	1.3	23
52	Selective Extraction and Isolation of Vitamin B12Using Homogeneous Liquid–Liquid Extraction with Perfluoro Surfactant. Bulletin of the Chemical Society of Japan, 2003, 76, 1595-1600.	3.2	13
53	Homogeneous liquid–liquid extraction and micellar electrokinetic chromatography using sweeping effect concentration system for determination of trace amounts of several polycyclic aromatic hydrocarbons. Analytical and Bioanalytical Chemistry, 2002, 373, 87-92.	3.7	25
54	UV-detection capillary electrophoresis for benzo[a]pyrene and pyrene following a two-step concentration system using homogeneous liquid–liquid extraction and a sweeping method. Analyst, The, 2001, 126, 551-552.	3 <b>.</b> 5	39

#	Article	IF	CITATIONS
55	High-performance liquid chromatographic–spectrophotometric determination of copper(II) and palladium(II) with 5,10,15,20-tetrakis(4N-pyridyl)porphine following homogeneous liquid–liquid extraction in the water–acetic acid–chloroform ternary solvent system. Analytica Chimica Acta, 2000, 424, 263-269.	5.4	110
56	Determination of Chlorophenol Derivatives Using the Homogeneous Liquid-liquid Extraction in Ternary Component System-GC/MS Method Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal, 2000, 2000, 291-293.	0.1	3
57	Separation, Detection, and Functional Materials. HPLC spectrophotometric determination of metal-porphyrin complexes following a preconcentration method by homogeneous liquid-liquid extraction in a water/pyridine/ethyl chloroacetate ternary component system Bunseki Kagaku, 1999, 48, 1115-1121.	0.2	7
58	Sensitivity enhancement in inductively coupled plasma mass spectrometry using nebulization methods via nitrogen mixed gas effect. Analytical Sciences, 0, , .	1.6	0