

Gerhard Buchbauer

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6109608/gerhard-buchbauer-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

2,818
citations

27
h-index

48
g-index

130
ext. papers

3,222
ext. citations

2.3
avg, IF

5.17
L-index

#	Paper	IF	Citations
127	Biological properties of essential oils: an updated review. <i>Flavour and Fragrance Journal</i> , 2010 , 25, 407-426	2.5	260
126	A review on recent research results (2008-2010) on essential oils as antimicrobials and antifungals. A review.. <i>Flavour and Fragrance Journal</i> , 2012 , 27, 13-39	2.5	237
125	Aromatherapy: evidence for sedative effects of the essential oil of lavender after inhalation. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1991 , 46, 1067-72	1.7	178
124	Characterisation of various grape seed oils by volatile compounds, triacylglycerol composition, total phenols and antioxidant capacity. <i>Food Chemistry</i> , 2008 , 108, 1122-32	8.5	166
123	β-Terpineol, a natural monoterpene: A review of its biological properties. <i>Open Chemistry</i> , 2018 , 16, 349-361	3.61	85
122	Actions of essential oils on the central nervous system: An updated review.. <i>Flavour and Fragrance Journal</i> , 2011 , 26, 300-316	2.5	83
121	The scent of human diseases: a review on specific volatile organic compounds as diagnostic biomarkers. <i>Flavour and Fragrance Journal</i> , 2015 , 30, 5-25	2.5	60
120	Chemotaxonomical analysis of the essential oil aroma compounds of four different <i>Ocimum</i> species from southern India. <i>European Food Research and Technology</i> , 2003 , 217, 120-124	3.4	59
119	Volatile compound analysis of SPME headspace and extract samples from roasted Italian chestnuts (<i>Castanea sativa</i> Mill.) using GC-MS. <i>European Food Research and Technology</i> , 2004 , 219, 470-473	3.4	57
118	Correlation of Antimicrobial Activities of Various Essential Oils and Their Main Aromatic Volatile Constituents. <i>Journal of Essential Oil Research</i> , 2009 , 21, 459-463	2.3	53
117	Composition, quality control and antimicrobial activity of the essential oil of cumin (<i>Cuminum cyminum</i> L.) seeds from Bulgaria that had been stored for up to 36 years. <i>International Journal of Food Science and Technology</i> , 2005 , 40, 305-310	3.8	53
116	Antimicrobial effect of vapours of geraniol, (R)-linalool, terpineol, linalpinene and 1,8-cineole on airborne microbes using an airwasher. <i>Flavour and Fragrance Journal</i> , 2007 , 22, 435-437	2.5	52
115	Antimicrobial effect of trans-cinnamaldehyde, (-)-perillaldehyde, (-)-citronellal, citral, eugenol and carvacrol on airborne microbes using an airwasher. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 2292-24	2.3	48
114	Characterization of volatile compounds and triacylglycerol profiles of nut oils using SPME-GC-MS and MALDI-TOF-MS. <i>European Journal of Lipid Science and Technology</i> , 2009 , 111, 170-182	3	47
113	Composition and Antioxidant Activities of the Essential Oil of Cinnamon (<i>Cinnamomum zeylanicum</i> Blume) Leaves from Sri Lanka. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2006 , 9, 170-182	1.7	47
112	Chemical composition of essential oils of <i>Lantana camara</i> leaves and flowers from Cameroon and Madagascar. <i>Flavour and Fragrance Journal</i> , 1999 , 14, 245-250	2.5	44
111	Solid phase microextraction/gas chromatographic and olfactory analysis of the scent and native properties of the essential oil of <i>Rosa damascena</i> L. from China. <i>Flavour and Fragrance Journal</i> , 2005 , 20, 7-12	2.5	35

110	Chemical Composition, Olfactory Evaluation and Antioxidant Effects of Essential Oil from <i>Mentha x piperita</i> . <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	32
109	Purity, Antimicrobial Activities and Olfactoric Evaluations of Geraniol/Nerol and Various of Their Derivatives. <i>Journal of Essential Oil Research</i> , 2007 , 19, 288-291	2.3	32
108	Comparative study on the antimicrobial activities of different sandalwood essential oils of various origin. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 465-468	2.5	31
107	Analysis of fragrance compounds in blood samples of mice by gas chromatography, mass spectrometry, GC/FTIR and GC/AES after inhalation of sandalwood oil. <i>Biomedical Chromatography</i> , 1992 , 6, 133-4	1.7	31
106	QSAR modeling of alpha-campholenic derivatives with sandalwood odor. <i>Journal of Chemical Information and Computer Sciences</i> , 2003 , 43, 259-66		29
105	Threshold-based structure-activity relationships of pyrazines with bell-pepper flavor. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 4273-8	5.7	28
104	Essential Oil Compounds of the <i>Annona muricata</i> Fresh Fruit Pulp from Cameroon. <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 3719-3720	5.7	28
103	Antimicrobial Activities of Essential Oils of Mint and Peppermint as Well as Some of Their Main Compounds. <i>Journal of Essential Oil Research</i> , 2009 , 21, 363-366	2.3	27
102	Conformational Parameters of the Sandalwood-Odor Activity: Conformational calculations on sandalwood odor. <i>Helvetica Chimica Acta</i> , 1994 , 77, 2286-2296	2	27
101	Chemical composition, olfactory evaluation and antioxidant effects of essential oil from <i>Mentha x piperita</i> . <i>Natural Product Communications</i> , 2009 , 4, 1107-12	0.9	27
100	Essential oil components as pheromones. A review.. <i>Flavour and Fragrance Journal</i> , 2011 , 26, 357-377	2.5	26
99	GC-FTIR and GC-MS in odour analysis of essential oils. <i>Mikrochimica Acta</i> , 1988 , 95, 193-198	5.8	24
98	Chemical composition and antimicrobial activity of cumin oil (<i>Cuminum cyminum</i> , Apiaceae). <i>Natural Product Communications</i> , 2010 , 5, 1355-8	0.9	24
97	Chemical composition and stimulating effect of <i>Citrus hystrix</i> oil on humans. <i>Flavour and Fragrance Journal</i> , 2007 , 22, 443-449	2.5	22
96	Composition and Antimicrobial Activity of <i>Cymbopogon giganteus</i> (Hochst.) Chiov. Essential Flower, Leaf and Stem Oils from Cameroon. <i>Journal of Essential Oil Research</i> , 2007 , 19, 485-489	2.3	22
95	Antimicrobial Testings and Gas Chromatographic Analyses of Aroma Chemicals. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2005 , 8, 99-106	1.7	22
94	Percutaneous absorption of the monoterpene carvone: implication of stereoselective metabolism on blood levels. <i>Journal of Pharmacy and Pharmacology</i> , 2001 , 53, 637-42	4.8	21
93	Differences in (-)-citronellal binding to various odorant receptors. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 361, 941-5	3.4	21

92	Investigation of the Essential Oil and Headspace of <i>Laggera pterodonta</i> (DC.) Sch. Bip. ex Oliv., a Medicinal Plant from Cameroon. <i>Journal of Essential Oil Research</i> , 2000 , 12, 345-349	2.3	21
91	Stereoselective metabolism of the monoterpene carvone by rat and human liver microsomes. <i>Journal of Pharmacy and Pharmacology</i> , 2000 , 52, 191-7	4.8	19
90	Chemical Composition, Antimicrobial Activities and Olfactive Evaluation of a <i>Salvia officinalis</i> L. (Sage) Essential Oil from Egypt. <i>Journal of Essential Oil Research</i> , 2007 , 19, 186-189	2.3	19
89	Adaptation of DELFIA cortisol kit for determination of salivary cortisol concentration. <i>Archiv Der Pharmazie</i> , 2005 , 338, 493-7	4.3	19
88	Investigations of the Molecular Surface of a Few Sandalwood-Odor Molecules and Related Structures: Conformational calculations on sandalwood odorants. VI. <i>Helvetica Chimica Acta</i> , 1992 , 75, 174-183	2	19
87	Structure-activity relationships of sandalwood odorants: synthesis and odor of tricyclo beta-santalol. <i>European Journal of Medicinal Chemistry</i> , 2004 , 39, 1039-46	6.8	18
86	SPME/GC/MS analysis of headspace aroma compounds of the Cameroonian fruit <i>Tetrapleura tetraptera</i> (Thonn.) Taub.. <i>European Food Research and Technology</i> , 2001 , 213, 18-21	3.4	18
85	Absolute configuration and odour analysis of the enantiomeric tert.-Butylbicyclo[4.4.0]decan-3-ols. <i>Tetrahedron: Asymmetry</i> , 1992 , 3, 197-198		18
84	Antifungal Activity of Eugenol and Various Eugenol-Containing Essential Oils against 38 Clinical Isolates of <i>Candida albicans</i> . <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007 , 10, 421-429	1.7	17
83	Struktur/Geruchs-Beziehungen von mit β -Santalol verwandten Verbindungen: E-Homo- β -Santalol und E-Dehydrohomo- β -Santalol. <i>Monatshefte Für Chemie</i> , 1990 , 121, 195-201	1.4	17
82	Chemical composition and antibacterial activity of selected essential oils and some of their main compounds. <i>Natural Product Communications</i> , 2010 , 5, 1359-64	0.9	17
81	Antimicrobial activities of single aroma compounds. <i>Natural Product Communications</i> , 2010 , 5, 1365-8	0.9	17
80	Antimicrobial Activities of Single Aroma Compounds. <i>Natural Product Communications</i> , 2010 , 5, 1934-578	0.9	17
79	(13)C-NMR spectra of santalol derivatives: a comparison of DFT-based calculations and database-oriented prediction techniques. <i>Magnetic Resonance in Chemistry</i> , 2009 , 47, 720-6	2.1	16
78	Antimicrobial Activities of Roman Chamomile Oil From France and Its Main Compounds. <i>Journal of Essential Oil Research</i> , 2009 , 21, 283-286	2.3	16
77	Essential Oil Analysis of <i>Curcuma aeruginosa</i> Roxb. Leaves from South India. <i>Journal of Essential Oil Research</i> , 2000 , 12, 47-49	2.3	16
76	Antifungal Activities of Essential Oils of <i>Salvia lavandulifolia</i> , <i>Salvia officinalis</i> and <i>Salvia sclarea</i> against Various Pathogenic <i>Candida</i> species. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007 , 10, 430-439	1.7	15
75	Investigation of Essential Oils of <i>Plectranthus glandulosus</i> Hook f. (Lamiaceae) from Cameroon. <i>Journal of Essential Oil Research</i> , 2001 , 13, 73-75	2.3	15

74	Synthesis and olfactoric activity of keto-β-santalol and methoxy-β-santalol. <i>European Journal of Medicinal Chemistry</i> , 1998 , 33, 463-470	6.8	14
73	Analysis of Cinnamomum zeylanicum Blume Leaf Oil from South India. <i>Journal of Essential Oil Research</i> , 2001 , 13, 442-443	2.3	14
72	Volatile Constituents of the Headspace and Essential Oil of Plectranthus coleoides Marginatus (Labiatae). <i>Journal of Essential Oil Research</i> , 1993 , 5, 311-313	2.3	14
71	Effects of scents on airborne microbes, part I: thymol, eugenol, trans-cinnamaldehyde and linalool. <i>Flavour and Fragrance Journal</i> , 2007 , 22, 44-48	2.5	13
70	Synthesis and olfactoric activity of side-chain modified beta-santalol analogues. <i>European Journal of Medicinal Chemistry</i> , 2001 , 36, 673-83	6.8	13
69	On the odor of the enantiomers of Madrolfi. <i>Chirality</i> , 1997 , 9, 380-385	2.1	12
68	Analysis of the headspace aroma compounds of the seeds of the Cameroonian "garlic plant" <i>Hua gabonii</i> using SPME/GC/FID, SPME/GC/MS and olfactometry. <i>European Food Research and Technology</i> , 2002 , 214, 212-215	3.4	12
67	Volatile Constituents of the Essential Oil of <i>Passiflora incarnata</i> L.. <i>Journal of Essential Oil Research</i> , 1992 , 4, 329-334	2.3	12
66	Analysis of the essential oil volatiles of Douglas fir (<i>Pseudotsuga menziesii</i>) from Bulgaria. <i>Flavour and Fragrance Journal</i> , 2000 , 15, 434-437	2.5	11
65	Essential Oil and Headspace from <i>Hyptis suaveolens</i> (L.) Poit. Leaves and Flowers from Cameroon. <i>Journal of Essential Oil Research</i> , 1999 , 11, 283-288	2.3	11
64	Volatiles of the Absolute of <i>Cestrum nocturnum</i> L.. <i>Journal of Essential Oil Research</i> , 1995 , 7, 5-9	2.3	11
63	Structure-odor relationships of sandalwood odorants: Synthesis of (Z)-7-oxa-β-santalol. <i>Liebigs Annalen</i> , 1995 , 1995, 1693-1696		11
62	Chemical composition, olfactory evaluation and antimicrobial activity of selected essential oils and absolutes from Morocco. <i>Natural Product Communications</i> , 2010 , 5, 1349-54	0.9	11
61	Essential Oils as Immunomodulators: Some Examples. <i>Open Chemistry</i> , 2017 , 15, 352-370	1.6	10
60	Chemical Composition, Olfactory Analysis and Antibacterial Activity of <i>Thymus vulgaris</i> Chemotypes Geraniol, 4-Thujanol/Terpinen-4-ol, Thymol and Linalool Cultivated in Southern France. <i>Natural Product Communications</i> , 2012 , 7, 1934578X1200700	0.9	10
59	Structure-activity relationships of sandalwood odorants: synthesis and odour of methyl-beta-santalol. <i>Archiv Der Pharmazie</i> , 1997 , 330, 112-4	4.3	10
58	Essential Oil Analysis of <i>Spilanthes acmella</i> Murr. Fresh Plants from Southern India. <i>Journal of Essential Oil Research</i> , 2005 , 17, 429-431	2.3	10
57	Ab initio Molecular Electrostatic Potential Grid Maps for Quantitative Similarity Calculations of Organic Compounds. <i>Journal of Molecular Modeling</i> , 2000 , 6, 425-432	2	10

56	Chemical Composition and Antimicrobial Activity of Cumin Oil (<i>Cuminum Cyminum</i> , Apiaceae). <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	9
55	Volatile compounds of original African black and white shea butter from Tchad and Cameroon. <i>European Journal of Lipid Science and Technology</i> , 2006 , 108, 583-588	3	9
54	Chemical Composition and Olfactory Evaluation of the Essential Oils of Leaves and Seeds of <i>Clausena anisata</i> (Willd.) J.D. Hook. ex. Benth. from Cameroon. <i>Journal of Essential Oil Research</i> , 1999 , 11, 231-237	2.3	9
53	Investigation of the alteration of the composition of various essential oils used in aroma lamp applications. <i>Flavour and Fragrance Journal</i> , 1999 , 14, 293-299	2.5	9
52	Essential oil components and cytochrome P450 enzymes: a review. <i>Flavour and Fragrance Journal</i> , 2019 , 34, 223-240	2.5	8
51	Biological Activities of Selected Mono- and Sesquiterpenes: Possible Uses in Medicine 2013 , 4109-4159		8
50	Volatiles of the Essential Oil of the Leaves of <i>Uvaria narum</i> Wall. (Annonaceae). <i>Journal of Essential Oil Research</i> , 1997 , 9, 217-219	2.3	8
49	GC-MS-Analysis, Antimicrobial Activities and Olfactory Evaluation of Essential <i>Davana</i> (<i>Artemisia pallens</i> Wall. ex DC) Oil from India. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	8
48	Physiological and Behavioral Effects of 1,8-Cineol and (E)-Linalool: A Comparison of Inhalation and Massage Aromatherapy. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	8
47	Comparative Evaluation of Antimicrobial Activity and Composition of Rose Oils from Various Geographic Origins, in Particular Bulgarian Rose Oil. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	8
46	Chemical Composition, Olfactory Evaluation and Antimicrobial Activities of <i>Jasminum grandiflorum</i> L. Absolute from India. <i>Natural Product Communications</i> , 2007 , 2, 1934578X0700200	0.9	8
45	Structure-activity relationships of sandalwood odorants: total synthesis and fragrance properties of cyclopropano-beta-santalol. <i>European Journal of Medicinal Chemistry</i> , 2008 , 43, 1525-9	6.8	8
44	Chemical composition and olfactory characterization of essential oils of fruits and seeds of African pear (<i>Dacryodes edulis</i> (G. Don) H. J. Lam) from Cameroon. <i>Flavour and Fragrance Journal</i> , 2005 , 20, 215-218	2.5	8
43	Chemical composition and olfactoric characterization of <i>Acmella radicans</i> (Jacq.) R.K. Jansen var. <i>radicans</i> from southern India. <i>Flavour and Fragrance Journal</i> , 2006 , 21, 88-91	2.5	7
42	Headspace analysis of the dried herb of passion flower (<i>Herba Passiflorae</i>) and dried flowers of lime tree (<i>Flores Tiliae</i>). <i>Flavour and Fragrance Journal</i> , 1992 , 7, 329-332	2.5	7
41	Synthesis of Tertiary Alcohol Carbamates. <i>Liebigs Annalen Der Chemie</i> , 1989 , 1989, 489-491		7
40	Headspace-Analysis and Aroma Compounds of Austrian Hay-Blossoms (<i>Flores Graminis</i> , <i>Graminis Flos</i>) used in Aromatherapy. <i>Journal of Essential Oil Research</i> , 1990 , 2, 185-191	2.3	7
39	Purity, Antimicrobial Activities and Olfactory Evaluations of 2-Phenylethanol and Some Derivatives. <i>Journal of Essential Oil Research</i> , 2008 , 20, 82-85	2.3	6

38	Investigation of Anticancer and Antiviral Properties of Selected Aroma Samples. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	6
37	Essential Oil Analysis of <i>Hemidesmus indicus</i> R.Br. Roots from Southern India. <i>Journal of Essential Oil Research</i> , 2002 , 14, 437-438	2.3	6
36	Chemical composition, olfactory evaluation and antioxidant effects of essential oil from <i>Mentha canadensis</i> . <i>Natural Product Communications</i> , 2009 , 4, 1011-6	0.9	6
35	Conformational Calculations on Sandalwood Odour, Part XI. Molecular Similarity of Sandalwood Odour Compounds. <i>Flavour and Fragrance Journal</i> , 1997 , 12, 141-146	2.5	5
34	Chemical Composition, Olfactory Evaluation and Antioxidant Effects of the Essential oil of <i>Origanum Majorana</i> L. from Albania. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	5
33	Chemical Composition and Antifungal Activity of Essential Oils from Various Bulgarian <i>Mentha x piperita</i> L. Cultivars Against Clinical Isolates of <i>Candida albicans</i> . <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2007 , 10, 412-420	1.7	5
32	Headspace Constituents of Fresh <i>Juglans nigra</i> L. Peels. <i>Journal of Essential Oil Research</i> , 1993 , 5, 455-457	2.3	5
31	Volatile Constituents of the Essential Oil of the Peels of <i>Juglans nigra</i> L.. <i>Journal of Essential Oil Research</i> , 1992 , 4, 539-541	2.3	5
30	Influence of drugs on smelling capacity. A review. <i>Flavour and Fragrance Journal</i> , 2017 , 32, 147-158	2.5	4
29	Chemical Composition and Antimicrobial Activity of Historical Rose Oil from Bulgaria. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2009 , 12, 1-6	1.7	4
28	Evolutionary trace of human odorant receptors of chromosome 17. <i>Flavour and Fragrance Journal</i> , 2009 , 24, 192-197	2.5	4
27	Comparative Aroma Compound Analysis of Different Essential Oils of <i>Lippia rugosa</i> from Cameroon Using GC/FID, GC/MS and Olfactometry. <i>Journal of Essential Oil Research</i> , 2005 , 17, 492-495	2.3	4
26	Volatiles of the Absolute of <i>Gardenia jasminoides</i> Ellis (Rubiaceae). <i>Journal of Essential Oil Research</i> , 1996 , 8, 241-245	2.3	4
25	Volatiles of Common Horsechestnut (<i>Aesculus hippocastanum</i> L.) (Hippocastanaceae) Blossoms. <i>Journal of Essential Oil Research</i> , 1994 , 6, 93-95	2.3	4
24	Pesticides in essential oils and selected fragrance extracts. Some examples. A review. <i>Flavour and Fragrance Journal</i> , 2018 , 33, 373-384	2.5	4
23	Chemical Composition and Antibacterial Activity of Selected Essential Oils and Some of Their Main compounds. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	3
22	Investigations of the natural microflora of poppy seeds (<i>Papaver somniferum</i>) and hazelnut kernels (<i>Corylus avellana</i>) including microbiological decomposition. <i>European Food Research and Technology</i> , 2004 , 219, 282	3.4	3
21	Headspace Constituents of Shellac. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1993 , 48, 247-248	1	3

20	Volatile constituents of <i>exacum affine</i> balf. f. Flowers obtained by dynamic headspace sampling and as the essential oil. <i>Flavour and Fragrance Journal</i> , 1994 , 9, 55-58	2.5	3
19	Volatiles of cold and burning fragrance candles with lavender and apple aromas. <i>Flavour and Fragrance Journal</i> , 1995 , 10, 233-237	2.5	3
18	Synthesis and Odour of Bicyclo[2.2.2]octanone Derivatives: β -Hydroxy Ketones and Enones. <i>Flavour and Fragrance Journal</i> , 1995 , 10, 287-292	2.5	3
17	Structure-Activity Relationships of Sandalwood Odorants: Synthesis of a New Campholene Derivative. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	2
16	Genomics of selected human odorant receptors. <i>Monatshefte für Chemie</i> , 2008 , 139, 1537-1544	1.4	2
15	Volatiles of Common Horsechestnut (<i>Aesculus hippocastanum</i> L.) (Hippocastanaceae) Peels and Seeds. <i>Journal of Essential Oil Research</i> , 1994 , 6, 507-511	2.3	2
14	Essential Oils and Compounds against Pains in Animal Studies. <i>Natural Product Communications</i> , 2017 , 12, 1934578X1701200	0.9	1
13	Chemical Composition, Olfactory Evaluation and Antioxidant Effects of Essential Oil from <i>Mentha Canadensis</i> . <i>Natural Product Communications</i> , 2009 , 4, 1934578X0900400	0.9	1
12	Chemical Composition, Olfactory Evaluation and Antioxidant Effects of an Essential Oil of <i>Origanum Vulgare</i> L. from Bosnia. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	1
11	Chemical Composition, Olfactory Evaluation and Antioxidant Effects of the Leaf Essential Oil of <i>Corymbia citriodora</i> (Hook) from China. <i>Natural Product Communications</i> , 2007 , 2, 1934578X0700200	0.9	1
10	Use of Essential Oils in Agriculture 2020 , 873-917		1
9	A Pilot Study on the Physiological Effects of Three Essential Oils in Humans. <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601101	0.9	1
8	Structural Features for Furan-Derived Fruity and Meaty Aroma Impressions. <i>Natural Product Communications</i> , 2016 , 11, 1934578X1601101	0.9	1
7	Chemical Composition, Olfactory Evaluation and Antioxidant Effects of the Essential Oil of <i>Satureja Montana</i> L. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	0
6	Chemical Composition, Olfactory Evaluation and Antimicrobial Activity of Selected Essential Oils and Absolutes from Morocco. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	
5	Syntheses in the Isocamphane Series XLI [1]. Derivatives of Epoxyisocamphenilanic Acid, Epoxycamphene, and a New Access to 7-syn-Hydroxycamphene. <i>Monatshefte für Chemie</i> , 1998 , 129, 711-717	1.4	
4	Syntheses in the Isocamphane Series XLII [1]. Synthesis and Odour of 5-exo-Hydroxycamphene (Isonojigiku Alcohol). <i>Monatshefte für Chemie</i> , 1998 , 129, 865-870	1.4	
3	Chemical Composition, Olfactory Evaluation and Antioxidant Effects of an Essential Oil of <i>Thymus Vulgaris</i> L. from Germany. <i>Natural Product Communications</i> , 2008 , 3, 1934578X0800300	0.9	

- 2 On the Synthesis and Odour Impression of (Z)-Normethyl-carvo- β -santalol. *Monatshefte für Chemie*, **1998**, 129, 705-710 1.4
- 1 Human body scents: do they influence our behavior?. *Natural Product Communications*, **2013**, 8, 1651-62 0.9