

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6109789/marta-muzio-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 papers	11,628 citations	39 h-index	76 g-index
76 ext. papers	12,160 ext. citations	7.1 avg, IF	5.36 L-index

#	Paper	IF	Citations
74	FLICE, a novel FADD-homologous ICE/CED-3-like protease, is recruited to the CD95 (Fas/APO-1) death-inducing signaling complex. <i>Cell</i> , 1996 , 85, 817-27	56.2	2715
73	IRAK (Pelle) family member IRAK-2 and MyD88 as proximal mediators of IL-1 signaling. <i>Science</i> , 1997 , 278, 1612-5	33.3	979
72	Differential expression and regulation of toll-like receptors (TLR) in human leukocytes: selective expression of TLR3 in dendritic cells. <i>Journal of Immunology</i> , 2000 , 164, 5998-6004	5.3	855
71	Interleukin-1 type II receptor: a decoy target for IL-1 that is regulated by IL-4. <i>Science</i> , 1993 , 261, 472-5	33.3	842
70	An induced proximity model for caspase-8 activation. <i>Journal of Biological Chemistry</i> , 1998 , 273, 2926-30	5.4	770
69	The human toll signaling pathway: divergence of nuclear factor kappaB and JNK/SAPK activation upstream of tumor necrosis factor receptor-associated factor 6 (TRAF6). <i>Journal of Experimental Medicine</i> , 1998 , 187, 2097-101	16.6	538
68	Bacterial lipopolysaccharide activates nuclear factor-kappaB through interleukin-1 signaling mediators in cultured human dermal endothelial cells and mononuclear phagocytes. <i>Journal of Biological Chemistry</i> , 1999 , 274, 7611-4	5.4	467
67	Target protease specificity of the viral serpin CrmA. Analysis of five caspases. <i>Journal of Biological Chemistry</i> , 1997 , 272, 7797-800	5.4	443
66	Bacterial lipopolysaccharide activates NF-kappaB through toll-like receptor 4 (TLR-4) in cultured human dermal endothelial cells. Differential expression of TLR-4 and TLR-2 in endothelial cells. <i>Journal of Biological Chemistry</i> , 2000 , 275, 11058-63	5.4	443
65	Apoptosis induction by caspase-8 is amplified through the mitochondrial release of cytochrome c. <i>Journal of Biological Chemistry</i> , 1998 , 273, 16589-94	5.4	294
64	FLICE induced apoptosis in a cell-free system. Cleavage of caspase zymogens. <i>Journal of Biological Chemistry</i> , 1997 , 272, 2952-6	5.4	277
63	Stimulation of toll-like receptor 4 expression in human mononuclear phagocytes by interferon-gamma: a molecular basis for priming and synergism with bacterial lipopolysaccharide. <i>Blood</i> , 2002 , 99, 3427-31	2.2	237
62	Intestinal inflammation in mice deficient in Tir8, an inhibitory member of the IL-1 receptor family. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 3522-6	11.5	220
61	Constitutive activation of distinct BCR-signaling pathways in a subset of CLL patients: a molecular signature of anergy. <i>Blood</i> , 2008 , 112, 188-95	2.2	180
60	The type II "receptor" as a decoy target for interleukin 1 in polymorphonuclear leukocytes: characterization of induction by dexamethasone and ligand binding properties of the released decoy receptor. <i>Journal of Experimental Medicine</i> , 1994 , 179, 739-43	16.6	165
59	Micrococci and peptidoglycan activate TLR2-->MyD88-->IRAK-->TRAF-->NIK-->IKK-->NF-kappaB signal transduction pathway that induces transcription of interleukin-8. <i>Infection and Immunity</i> , 2001 , 69, 2270-6	3.7	152
58	Toll-like receptors: a growing family of immune receptors that are differentially expressed and regulated by different leukocytes. <i>Journal of Leukocyte Biology</i> , 2000 , 67, 450-6	6.5	131

57	Toll-like receptor family and signalling pathway. <i>Biochemical Society Transactions</i> , 2000 , 28, 563-6	5.1	128
56	Expression and function of toll like receptors in chronic lymphocytic leukaemia cells. <i>British Journal of Haematology</i> , 2009 , 144, 507-16	4.5	101
55	Cloning and characterization of a new isoform of the interleukin 1 receptor antagonist. <i>Journal of Experimental Medicine</i> , 1995 , 182, 623-8	16.6	101
54	IL-1 signaling cascade in liver cells and the involvement of a soluble form of the IL-1 receptor accessory protein. <i>Journal of Immunology</i> , 2000 , 164, 5277-86	5.3	99
53	MicroRNA and proliferation control in chronic lymphocytic leukemia: functional relationship between miR-221/222 cluster and p27. <i>Blood</i> , 2010 , 115, 3949-59	2.2	92
52	Monitoring of apoptosis of HL60 cells by Fourier-transform infrared spectroscopy. <i>Biochemical Journal</i> , 2003 , 369, 239-48	3.8	87
51	Inhibition of interleukin-1 responsiveness by type II receptor gene transfer: a surface "receptor" with anti-interleukin-1 function. <i>Journal of Experimental Medicine</i> , 1996 , 183, 1841-50	16.6	83
50	Unique pattern of expression and inhibition of IL-1 signaling by the IL-1 receptor family member TIR8/SIGIRR. <i>European Cytokine Network</i> , 2003 , 14, 211-8	3.3	80
49	HS1 has a central role in the trafficking and homing of leukemic B cells. <i>Blood</i> , 2010 , 116, 3537-46	2.2	66
48	Expression of interleukin-1 receptor antagonist (IL-1ra) by human circulating polymorphonuclear cells. <i>European Journal of Immunology</i> , 1993 , 23, 570-3	6.1	64
47	Targeting B-cell anergy in chronic lymphocytic leukemia. <i>Blood</i> , 2013 , 121, 3879-88, S1-8	2.2	63
46	Toll-like receptor signaling pathway in chronic lymphocytic leukemia: distinct gene expression profiles of potential pathogenic significance in specific subsets of patients. <i>Haematologica</i> , 2011 , 96, 1644-52	6.6	63
45	Signalling by proteolysis: death receptors induce apoptosis. <i>International Journal of Clinical and Laboratory Research</i> , 1998 , 28, 141-7		63
44	Toll-like receptors. <i>Microbes and Infection</i> , 2000 , 2, 251-5	9.3	61
43	Distinct innate immunity pathways to activation and tolerance in subgroups of chronic lymphocytic leukemia with distinct immunoglobulin receptors. <i>Molecular Medicine</i> , 2012 , 18, 1281-91	6.2	56
42	TIR8/SIGIRR is an Interleukin-1 Receptor/Toll Like Receptor Family Member with Regulatory Functions in Inflammation and Immunity. <i>Frontiers in Immunology</i> , 2012 , 3, 322	8.4	56
41	A novel Rag2 ^{-/-} -gammac ^{-/-} -xenograft model of human CLL. <i>Blood</i> , 2010 , 115, 1605-9	2.2	52
40	Toll-like receptors signaling: A complex network for NF- κ B activation in B-cell lymphoid malignancies. <i>Seminars in Cancer Biology</i> , 2016 , 39, 15-25	12.7	48

39	Regulation of inhibitory pathways of the interleukin-1 system. <i>Annals of the New York Academy of Sciences</i> , 1998 , 840, 338-51	6.5	45
38	Differential microRNA profiles and their functional implications in different immunogenetic subsets of chronic lymphocytic leukemia. <i>Molecular Medicine</i> , 2013 , 19, 115-23	6.2	42
37	Lack of TIR8/SIGIRR triggers progression of chronic lymphocytic leukemia in mouse models. <i>Blood</i> , 2011 , 118, 660-9	2.2	40
36	From normal to clonal B cells: Chronic lymphocytic leukemia (CLL) at the crossroad between neoplasia and autoimmunity. <i>Autoimmunity Reviews</i> , 2007 , 7, 127-31	13.6	39
35	The role of toll-like receptors in chronic B-cell malignancies. <i>Leukemia and Lymphoma</i> , 2009 , 50, 1573-80	1.9	34
34	In vitro sensitivity of CLL cells to fludarabine may be modulated by the stimulation of Toll-like receptors. <i>Clinical Cancer Research</i> , 2013 , 19, 367-79	12.9	31
33	The functional in vitro response to CD40 ligation reflects a different clinical outcome in patients with chronic lymphocytic leukemia. <i>Leukemia</i> , 2011 , 25, 1760-7	10.7	30
32	Macrophage control of inflammation: negative pathways of regulation of inflammatory cytokines. <i>Novartis Foundation Symposium</i> , 2001 , 234, 120-31; discussion 131-5		30
31	Characterization of type II intracellular IL-1 receptor antagonist (IL-1ra3): a depot IL-1ra. <i>European Journal of Immunology</i> , 1999 , 29, 781-8	6.1	30
30	Induction by transforming growth factor-beta 1 of the interleukin-1 receptor antagonist and of its intracellular form in human polymorphonuclear cells. <i>European Journal of Immunology</i> , 1994 , 24, 3194-8	6.1	27
29	An overview of chronic lymphocytic leukaemia biology. <i>Best Practice and Research in Clinical Haematology</i> , 2010 , 23, 21-32	4.2	21
28	The Toll receptor family. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2001 , 56, 103-8	9.3	20
27	B Cell Anergy Modulated by TLR1/2 and the miR-17~92 Cluster Underlies the Indolent Clinical Course of Chronic Lymphocytic Leukemia Stereotyped Subset #4. <i>Journal of Immunology</i> , 2016 , 196, 4410-7	5.3	20
26	Heterogeneous functional effects of concomitant B cell receptor and TLR stimulation in chronic lymphocytic leukemia with mutated versus unmutated Ig genes. <i>Journal of Immunology</i> , 2014 , 192, 4518-24	5.2	19
25	HS1 complexes with cytoskeleton adapters in normal and malignant chronic lymphocytic leukemia B cells. <i>Leukemia</i> , 2007 , 21, 2067-70	10.7	19
24	Acetaminophen down-regulates interleukin-1beta-induced nuclear factor-kappaB nuclear translocation in a human astrocytic cell line. <i>Neuroscience Letters</i> , 2003 , 353, 79-82	3.3	16
23	Toll-like receptor stimulation in splenic marginal zone lymphoma can modulate cell signaling, activation and proliferation. <i>Haematologica</i> , 2015 , 100, 1460-8	6.6	15
22	Toll-like Receptors in Chronic Lymphocytic Leukemia. <i>Mediterranean Journal of Hematology and Infectious Diseases</i> , 2012 , 4, e2012055	3.2	13

21	How the microenvironment shapes chronic lymphocytic leukemia: the cytoskeleton connection. <i>Leukemia and Lymphoma</i> , 2010 , 51, 1371-4	1.9	12
20	The death domain protein p84N5, but not the short isoform p84N5s, is cell cycle-regulated and shuttles between the nucleus and the cytoplasm. <i>FEBS Letters</i> , 2004 , 574, 13-9	3.8	11
19	Characterization of a long isoform of IL-1R8 (TIR8/SIGIRR). <i>European Cytokine Network</i> , 2017 , 28, 63-69	3.3	8
18	The inhibitory receptor toll interleukin-1R 8 (TIR8/IL-1R8/SIGIRR) is downregulated in chronic lymphocytic leukemia. <i>Leukemia and Lymphoma</i> , 2017 , 58, 2419-2425	1.9	7
17	IL1R8 Deficiency Drives Autoimmunity-Associated Lymphoma Development. <i>Cancer Immunology Research</i> , 2019 , 7, 874-885	12.5	5
16	Interleukin-1 receptor-associated kinase 4 inhibitor interrupts toll-like receptor signalling and sensitizes chronic lymphocytic leukaemia cells to apoptosis. <i>British Journal of Haematology</i> , 2020 , 189, 475-488	4.5	5
15	Toll-like receptor 9 stimulation can induce IL expression and IgM secretion in chronic lymphocytic leukemia cells. <i>Haematologica</i> , 2017 , 102, 1901-1912	6.6	5
14	TNF signaling: key protocols. <i>Methods in Molecular Medicine</i> , 2004 , 98, 81-100		1
13	Longitudinal Assessment of CLL Patients Under Ibrutinib Treatment Reveals Maintained Capacity to Respond to Microenvironmental Stimuli through the Toll-like Receptors. <i>Blood</i> , 2016 , 128, 2025-2025	2.2	1
12	Interleukin-13 induces the production of interleukin-1 receptor antagonist (IL-1ra) and the expression of the mRNA for the intracellular (keratinocyte) form of IL-1ra in human myelomonocytic cells. <i>Blood</i> , 1994 , 83, 1738-1743	2.2	1
11	Novel Mouse Models of Chronic Lymphocytic Leukemia (CLL) Unravel the Molecular Mechanisms Controlling Bone Marrow Involvement by Leukemic B Cells.. <i>Blood</i> , 2009 , 114, 360-360	2.2	1
10	Role of NFAT in Chronic Lymphocytic Leukemia and Other B-Cell Malignancies. <i>Frontiers in Oncology</i> , 2021 , 11, 651057	5.3	0
9	Dichotomous Toll-like receptor responses in chronic lymphocytic leukemia patients under ibrutinib treatment. <i>Leukemia</i> , 2019 , 33, 1030-1051	10.7	0
8	Bertilaccio MT, Simonetti G, Dagklis A, et al. Lack of TIR8/SIGIRR triggers progression of chronic lymphocytic leukemia in mouse models. <i>Blood</i> . 2011;118(3):660-669.. <i>Blood</i> , 2012 , 120, 2773-2773	2.2	
7	A Molecular Signature of Anergy Detected in a Subset of CLL Patients.. <i>Blood</i> , 2007 , 110, 742-742	2.2	
6	Chronic Lymphocytic Leukemia and the B-Cell Receptor		
5	Differential Functional Outcomes After Stimulation Via Innate Immunity Receptors In Chronic Lymphocytic Leukemia Subtypes Defined by the Molecular Features of the Immunoglobulin Receptor. <i>Blood</i> , 2010 , 116, 374-374	2.2	
4	Toll-Like Receptor Signaling Pathway In Chronic Lymphocytic Leukemia: Distinct Gene Expression Profiles of Potential Pathogenetic Significance In Specific Subsets of Patients. <i>Blood</i> , 2010 , 116, 44-44	2.2	

- 3 Targeting B Cell Anergy in Chronic Lymphocytic Leukemia. *Blood*, **2012**, 120, 3863-3863 2.2
- 2 The Mir17~92 Cluster Is an Immunomodulator in CLL Regulating Distinct Functional Responses to Toll-Like Receptors in Subsets with Stereotyped Antigen Receptors. *Blood*, **2012**, 120, 3862-3862 2.2
- 1 B-Cell Anergy Underlies Indolent Clinical Behavior Of CLL Stereotyped Subset #4. *Blood*, **2013**, 122, 4115-4115 2.4