

Zhu-Qiu Song

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6110537/publications.pdf>

Version: 2024-02-01

22
papers

131
citations

1478505
6
h-index

1281871
11
g-index

25
all docs

25
docs citations

25
times ranked

148
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of winter chilling and photoperiod on leaf-out and flowering in a subtropical evergreen broadleaved forest in China. <i>Forest Ecology and Management</i> , 2020, 458, 117766.	3.2	31
2	Leaves and fruits of <i>Bauhinia</i> (Leguminosae, Caesalpinioideae, Cercideae) from the Oligocene Ningming Formation of Guangxi, South China and their biogeographic implications. <i>BMC Evolutionary Biology</i> , 2014, 14, 88.	3.2	30
3	Flowering phenology of a widespread perennial herb shows contrasting responses to global warming between humid and non-humid regions. <i>Functional Ecology</i> , 2020, 34, 1870-1881.	3.6	22
4	Untangling the taxonomy of the <i>< i>Cladrastis</i></i> clade (Leguminosae: Papilionoideae) by integrating phylogenetics and ecological evidence. <i>Taxon</i> , 2019, 68, 1189-1203.	0.7	11
5	Surprising roles of climate in regulating flowering phenology in a subtropical ecosystem. <i>Ecography</i> , 2021, 44, 1379-1390.	4.5	8
6	Global warming increases latitudinal divergence in flowering dates of a perennial herb in humid regions across eastern Asia. <i>Agricultural and Forest Meteorology</i> , 2021, 296, 108209.	4.8	7
7	The identity of <i>Ailanthus guangxiensis</i> (Simaroubaceae) and lectotypification of <i>A. integrifolia</i> Lamarch. <i>Phytotaxa</i> , 2014, 173, 177.	0.3	5
8	<i>Bulbophyllum yarlungzangboense</i> (Orchidaceae; Epidendroideae; Malaxideae), a new species from Tibet, China. <i>Phytotaxa</i> , 2019, 404, 79.	0.3	5
9	<i>< i>Mycetia fangii</i></i> (Rubiaceae), a New Species from South China, with Notes on <i>< i>M. cauliflora</i></i> . <i>Systematic Botany</i> , 2016, 41, 229-237.	0.5	4
10	<i>< i>Millettia sapindifolia</i></i> is a synonym of <i>< i>Derris yunnanensis</i></i> (Leguminosae: Millettieae). <i>Nordic Journal of Botany</i> , 2017, 35, 404-410.	0.5	2
11	Transfer of <i>Millettia pachycarpa</i> and <i>M. entadooides</i> to <i>Derris</i> (Fabaceae), supported by morphological and molecular data. <i>Phytotaxa</i> , 2022, 531, 230-248.	0.3	2
12	<i>Mycetia griffithii</i> , a new name for <i>Mycetia angustifolia</i> (Hook.f.) Razafim. & B.Bremer (Rubiaceae). <i>Phytotaxa</i> , 2016, 252, 231.	0.3	1
13	<i>< i>Foonchewia coriacea</i></i> , a new combination to replace <i>< i>F. guangdongensis</i></i> (Rubiaceae). <i>Nordic Journal of Botany</i> , 2016, 34, 685-689.	0.5	1
14	New combinations and re-lectotypification in the genus <i>Imbralyx</i> (Fabaceae: Millettieae). <i>Phytotaxa</i> , 2021, 525, 223-231.	0.3	1
15	(2296) Proposal to conserve the name <i>< i>Maackia hupehensis</i></i> against <i>< i>M. chinensis</i></i> (<i>< i>Leguminosae</i></i>). <i>Taxon</i> , 2014, 63, 686-687.	0.7	0
16	The identity of <i>Fordia microphylla</i> and lectotypification of <i>Millettia pulchra</i> (Fabaceae: Millettieae). <i>Phytotaxa</i> , 2017, 332, 51.	0.3	0
17	Exclusion of <i>Glochidion coccineum</i> (Phyllanthaceae) from the flora of China. <i>Phytotaxa</i> , 2019, 408, 215-221.	0.3	0
18	<i>< i>Millettia weizhii</i></i> (Fabaceae: Millettieae), a new species with four-winged pods from a limestone area in Yunnan, China. <i>Nordic Journal of Botany</i> , 2019, 37, .	0.5	0

#	ARTICLE	IF	CITATIONS
19	<p align="left">Spatholobus discolor; a new synonym of Craspedolobium unijugum (Fabaceae)</p>. Phytotaxa, 2021, 489, 263-274.	0.3	0
20	<p>Millettia lantsangensis is conspecific with Crudasia insignis (Fabaceae)</p>. Phytotaxa, 2021, 497, 29-38.	0.3	0
21	<p align="left">Millettia puerarioides Prain (Fabaceae:) Tj ETQql 1 0.784314 rgBT /Overlock China</p>. Phytotaxa, 2021, 507, 183-190.	0.3	0
22	Huchimingia, a new genus segregated from Millettia (Leguminosae, Millettieae) based on morphological and molecular evidence. Phytotaxa, 2022, 532, 37-56.	0.3	0