

Li-Xia Pang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6112574/publications.pdf>

Version: 2024-02-01

112
papers

5,826
citations

61984
43
h-index

79698
73
g-index

114
all docs

114
docs citations

114
times ranked

2031
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel barium titanate based capacitors with high energy density and fast discharge performance. Journal of Materials Chemistry A, 2017, 5, 19607-19612.	10.3	303
2	High permittivity and low loss microwave dielectrics suitable for 5G resonators and low temperature co-fired ceramic architecture. Journal of Materials Chemistry C, 2017, 5, 10094-10098.	5.5	271
3	Microwave Dielectric Properties of Li ₂ WO ₄ Ceramic with Ultra-Low Sintering Temperature. Journal of the American Ceramic Society, 2011, 94, 348-350.	3.8	206
4	Microwave Dielectric Ceramics in Li ₂ O-Bi ₂ O ₃ -MoO ₃ System with Ultra-Low Sintering Temperatures. Journal of the American Ceramic Society, 2010, 93, 1096-1100.	3.8	192
5	Novel temperature stable high- μ microwave dielectrics in the Bi ₂ O ₃ -TiO ₂ -V ₂ O ₅ system. Journal of Materials Chemistry C, 2016, 4, 5357-5362.	5.5	166
6	Microwave dielectric properties of low firing temperature stable scheelite structured (Ca,Bi)(Mo,V)O ₄ solid solution ceramics for LTCC applications. Journal of the European Ceramic Society, 2019, 39, 2365-2373.	5.7	160
7	Significantly enhanced electrostatic energy storage performance of P(VDF-HFP)/BaTiO ₃ -Bi(Li0.5Nb0.5)O ₃ nanocomposites. Nano Energy, 2020, 78, 105247.	16.0	151
8	Influence of Ce Substitution for Bi in BiVO ₄ and the Impact on the Phase Evolution and Microwave Dielectric Properties. Inorganic Chemistry, 2014, 53, 1048-1055.	4.0	145
9	Temperature stable Li ₂ Ti _{0.75} (Mg _{1/3} Nb _{2/3}) _{0.25} O ₃ -based microwave dielectric ceramics with low sintering temperature and ultra-low dielectric loss for dielectric resonator antenna applications. Journal of Materials Chemistry C, 2020, 8, 4690-4700.	5.5	142
10	BiVO ₄ based high κ microwave dielectric materials: a review. Journal of Materials Chemistry C, 2018, 6, 9290-9313.	5.5	139
11	Design of a High-Efficiency and -Gain Antenna Using Novel Low-Loss, Temperature-Stable Li ₂ Ti _{1-x} (Cu _{1/3} Nb _{2/3}) _x O ₃ Microwave Dielectric Ceramics. ACS Applied Materials & Interfaces, 2021, 13, 912-923.		
12	Enhanced energy storage density by inducing defect dipoles in lead free relaxor ferroelectric BaTiO ₃ -based ceramics. Applied Physics Letters, 2017, 110, .	3.3	134
13	Bi ₂ O ₃ -MoO ₃ Binary System: An Alternative Ultralow Sintering Temperature Microwave Dielectric. Journal of the American Ceramic Society, 2009, 92, 2242-2246.	3.8	131
14	BaTiO ₃ -Bi(Li _{0.5} Ta _{0.5})O ₃ , Lead-Free Ceramics, and Multilayers with High Energy Storage Density and Efficiency. ACS Applied Energy Materials, 2018, 1, 5016-5023.	5.1	123
15	High Quality Factor, Ultralow Sintering Temperature Li ₆ B ₄ O ₉ Microwave Dielectric Ceramics with Ultralow Density for Antenna Substrates. ACS Sustainable Chemistry and Engineering, 2018, 6, 11138-11143.	6.7	115
16	Microwave dielectric properties of temperature-stable zirconate-type (Bi, Ce)VO ₄ solid solution ceramics. Journal of the American Ceramic Society, 2020, 103, 423-431.	3.8	114
17	Structure-property relationships of low sintering temperature scheelite-structured (1 mol^{-1}) T _j ETQq1 1 0.784314 rgBT /Overlock 10 T _f Chemistry C, 2017, 5, 2695-2701.	5.5	109
18	Microwave Dielectric Properties of Low-Firing Li ₂ MO ₃ (M=Ti, Zr, Sn) Ceramics with B ₂ O ₃ -CuO Addition. Journal of the American Ceramic Society, 2010, 93, 3614-3617.	3.8	105

#	ARTICLE	IF	CITATIONS
19	Microwave Dielectric Properties of Low Temperature Firing Bi ₂ Mo ₂ O ₉ Ceramic. <i>Journal of the American Ceramic Society</i> , 2008, 91, 3419-3422.	3.8	93
20	Microwave Dielectric Properties of Li ₂ (M ²⁺) ₂ Mo ₃ O ₁₂ and Li ₃ (M ³⁺) ₃ Mo ₃ O ₁₂ (M=Zn, Ca, Al, and In) Lyonsite-Related Type Ceramics with Ultra-Low Sintering Temperatures. <i>Journal of the American Ceramic Society</i> , 2011, 94, 802-805.	3.8	92
21	BaTiO ₃ -Based Multilayers with Outstanding Energy Storage Performance for High Temperature Capacitor Applications. <i>ACS Applied Energy Materials</i> , 2019, 2, 5499-5506.	5.1	92
22	Modification of NdNbO ₄ microwave dielectric ceramic by Bi substitutions. <i>Journal of the American Ceramic Society</i> , 2019, 102, 2278-2282.	3.8	91
23	Phase transition, Raman spectra, infrared spectra, band gap and microwave dielectric properties of low temperature firing (Na _{0.5} Bi _{1-x})(M _x V _{1-x})O ₄ solid solution ceramics with scheelite structures. <i>Journal of Materials Chemistry</i> , 2011, 21, 18412.	6.7	84
24	Phase composition, crystal structure, infrared reflectivity and microwave dielectric properties of temperature stable composite ceramics (scheelite and zircon-type) in BiVO ₄ -YVO ₄ system. <i>Journal of Materials Chemistry C</i> , 2015, 3, 2582-2588.	5.5	82
25	Effect of ZnO and B ₂ O ₃ on the sintering temperature and microwave dielectric properties of LiNb _{0.6} Ti _{0.5} O ₃ ceramics. <i>Materials Chemistry and Physics</i> , 2008, 109, 510-514.	4.0	70
26	Microwave Dielectric Characterization of a Li ₃ NbO ₄ Ceramic and Its Chemical Compatibility with Silver. <i>Journal of the American Ceramic Society</i> , 2008, 91, 4115-4117.	3.8	69
27	Microwave dielectric properties of (ABi) _{1/2} MoO ₄ (A=Li, Na, K, Rb, Ag) type ceramics with ultra-low firing temperatures. <i>Materials Chemistry and Physics</i> , 2011, 129, 688-692.	4.0	68
28	Phase evolution, phase transition, and microwave dielectric properties of scheelite structured xBi(Fe _{1/3} Mo _{2/3})O ₄ -(1-x)BiVO ₄ (0.0 ≤ x ≤ 1.0) low temperature firing ceramics. <i>Journal of Materials Chemistry</i> , 2012, 22, 21412.	6.7	68
29	Novel water insoluble (Na _x Ag _{2-x}) _{MoO₄} (0 ≤ x ≤ 2) microwave dielectric ceramics with spinel structure sintered at 410 degrees. <i>Journal of Materials Chemistry C</i> , 2017, 5, 6086-6091.	5.5	68
30	Ultra-low temperature co-fired ceramics with adjustable microwave dielectric properties in the Na ₂ O-Bi ₂ O ₃ -MoO ₃ ternary system: a comprehensive study. <i>Journal of Materials Chemistry C</i> , 2022, 10, 2008-2016.	5.5	65
31	Novel ultra-low temperature co-fired microwave dielectric ceramic at 400 degrees and its chemical compatibility with base metal. <i>Scientific Reports</i> , 2014, 4, 5980.	3.3	64
32	Temperature stable Sm(Nb _{1-x} V _x)O ₄ (0.0 < x < 0.9) microwave dielectric ceramics with ultra-low dielectric loss for dielectric resonator antenna applications. <i>Journal of Materials Chemistry C</i> , 2021, 9, 9962-9971.	5.5	60
33	Ultra-Low Firing High- ϵ Scheelite Structures Based on [(Li _{0.5} Bi _{0.5}) _x Bi _{1-x}][M _x V _{1-x}]O ₄] [Mo _x V _{1-x}]O ₄ Microwave Dielectric Ceramics. <i>Journal of the American Ceramic Society</i> , 2010, 93, 2147-2150.	4.0	59
34	Phase Evolution, Crystal Structure, and Microwave Dielectric Properties of Water-Insoluble (1- ϵ) T _j ETQq0 0 0 rgBT /Overlock 10 Tf 50 Chemistry, 2017, 56, 9321-9329.	4.0	59
35	Crystal Structure, Infrared Spectra, and Microwave Dielectric Properties of Temperature-Stable Zircon-Type (Y,Bi)VO ₄ Solid-Solution Ceramics. <i>ACS Omega</i> , 2016, 1, 963-970.	3.5	58
36	Ferroelastic phase transition compositional dependence for solid-solution [(Li _{0.5} Bi _{0.5}) _x Bi _{1-x}][M _x V _{1-x}]O ₄] scheelite-structured microwave dielectric ceramics. <i>Acta Materialia</i> , 2011, 59, 1502-1509.	7.9	57

#	ARTICLE	IF	CITATIONS
37	Phase Evolution, Phase Transition, Raman Spectra, Infrared Spectra, and Microwave Dielectric Properties of Low Temperature Firing ($K_{0.5}x_{0.5}Bi_{0.5}O_4$) $(Mo_{0.5}x_{0.5}V_2O_5)$ Ceramics with Scheelite Related Structure. <i>Inorganic Chemistry</i> , 2011, 50, 12733-12738.	4.0	54
38	Extreme high energy storage efficiency in perovskite structured $(1-x)(Ba_{0.8}Sr_{0.2})TiO_3$ - $xBi(Zn_2/3Nb_1/3)O_3$ ($0.04 \leq x \leq 0.16$) ceramics. <i>Journal of the European Ceramic Society</i> , 2020, 40, 3343-3347.	5.7	52
39	$Ln_2Mo_3O_12$ ($Ln=La, Nd$): A novel group of low loss microwave dielectric ceramics with low sintering temperature. <i>Materials Letters</i> , 2011, 65, 164-166.	2.6	50
40	Microwave Dielectric Ceramics $Li_{2-x}Mo_xO_4$ - TiO_{2-x} ($M=Mo, Ti$) $E_T Q_{0.0} 0.0 rgBT / Over 49$	3.8	49
41	Low temperature firing microwave dielectric ceramics $(K_{0.5}Ln_{0.5})MoO_4$ ($Ln=Nd$ and Sm) with low dielectric loss. <i>Journal of the European Ceramic Society</i> , 2011, 31, 2749-2752.	5.7	46
42	Temperature stable microwave dielectric ceramic $0.3Li_2TiO_3$ - $0.7Li(Zn_{0.5}Ti_{1.5})O_4$ with ultra-low dielectric loss. <i>Materials Letters</i> , 2011, 65, 2680-2682.	2.6	46
43	Sintering Behavior and Dielectric Properties of Ultra-Low Temperature Fired Silver Molybdate Ceramics. <i>Journal of the American Ceramic Society</i> , 2014, 97, 3597-3601.	3.8	45
44	A new temperature stable microwave dielectric with low-firing temperature in Bi_2MoO_6 - TiO_2 system. <i>Journal of Alloys and Compounds</i> , 2010, 493, 626-629.	5.5	42
45	Novel water-assisting low firing MoO_3 microwave dielectric ceramics. <i>Journal of the European Ceramic Society</i> , 2019, 39, 2374-2378.	5.7	42
46	Crystal Structure and Microwave Dielectric Properties of an Ultralow-Temperature Fired $(AgBi)_{0.5}WO_4$ Ceramic. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 296-301.	2.0	40
47	Crystal structure, impedance and broadband dielectric spectra of ordered scheelite-structured $Bi(Sc_{1/3}Mo_{2/3})O_4$ ceramic. <i>Journal of the European Ceramic Society</i> , 2018, 38, 1556-1561.	5.7	39
48	Structure, Infrared Reflectivity and Microwave Dielectric Properties of $(Na_{0.5}La_{0.5})MoO_4$ - $(Na_{0.5}Bi_{0.5})MoO_4$ Ceramics. <i>Journal of the American Ceramic Society</i> , 2016, 99, 2083-2088.	3.7	37
49	Crystal Structure and Microwave Dielectric Behaviors of Ultra-Low-Temperature Fired $(Ag_{0.5}Bi_{0.5})MoO_4$ - $BiVO_4$ ($0.0 \leq x \leq 0.784$) $E_T Q_{0.0} 0.0 rgBT / Over 31$	4.0	31
50	Microwave Dielectric Properties of $(Li_{0.5}Ln_{0.5})MoO_4$ ($Ln=Nd, Er$) $E_T Q_{0.0} 0.0 rgBT / Over 34$	3.8	34
51	Phase evolution and microwave dielectric properties of $xBi_{2/3}MoO_4$ ($1 \geq x \geq 1$) $E_T Q_{0.1} 1.0784314 rgBT / Over 33$ 7290-7297.	3.3	33
52	Low-temperature sintering and microwave dielectric properties of Li_3MO_4 ($M=Ta, Sb$) ceramics. <i>Journal of Alloys and Compounds</i> , 2012, 525, 22-24.	5.5	31
53	High quality microwave dielectric ceramic sintered at extreme-low temperature below 200° and co-firing with base metal. <i>Journal of the European Ceramic Society</i> , 2017, 37, 3073-3077.	5.7	31
54	Temperature stable $K_{0.5}(Nd_{1-x}Bi_{x})MoO_4$ microwave dielectrics ceramics with ultra-low sintering temperature. <i>Journal of the American Ceramic Society</i> , 2018, 101, 1806-1810.	3.8	31

#	ARTICLE	IF	CITATIONS
55	Influence of (Mg1/3Nb2/3) complex substitutions on crystal structures and microwave dielectric properties of Li ₂ TiO ₃ ceramics with extreme low loss. <i>Journal of Materomics</i> , 2018, 4, 368-382.	5.7	31
56	Low-temperature Sintering and Microwave Dielectric Properties of CaMoO ₄ -Based Temperature Stable LTCC Material. <i>Journal of the American Ceramic Society</i> , 2014, 97, 2032-2034.	3.8	30
57	A low-firing microwave dielectric material in Li ₂ O-ZnO-Nb ₂ O ₅ system. <i>Materials Letters</i> , 2010, 64, 2413-2415.	2.6	29
58	Anomalous dielectric behaviour during the monoclinic to tetragonal phase transition in La(Nb _{0.9} V _{0.1})O ₄ . <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 156-163.	6.0	29
59	Microwave Dielectric Properties Trends in a Solid Solution (Bi _{1-x} Ln _x) ₂ Mo ₉ O ₂ (Ln=La, Tj ETQ1 1 0.784314 rgB)		
60	Dielectric Properties of an Ultra-Low-Temperature Cofiring Bi ₂ Mo ₂ O ₉ Multilayer. <i>Journal of the American Ceramic Society</i> , 2010, 93, 1443-1446.	3.8	28
61	MICROWAVE DIELECTRIC PROPERTIES AND RAMAN SPECTROSCOPY OF SCHEELITE SOLID SOLUTION [(Li _{0.5} Bi _{0.5}) _{1-x} Ca _x]MoO ₄ CERAMICS WITH ULTRA-LOW SINTERING TEMPERATURES. <i>Functional Materials Letters</i> , 2010, 03, 253-257.	1.2	28
62	Low temperature firing of Bi ₂ SbO ₄ microwave dielectric ceramic with B ₂ O ₃ -CuO addition. <i>Journal of the European Ceramic Society</i> , 2009, 29, 1543-1546.	5.7	27
63	Structure and dielectric properties of Nd(Zn _{1/2} Ti _{1/2})O ₃ BaTiO ₃ ceramics for energy storage applications. <i>Journal of Alloys and Compounds</i> , 2016, 685, 418-422.	5.5	27
64	Influence of sintering process on the microwave dielectric properties of Bi(V0.008Nb0.992)O ₄ ceramics. <i>Materials Chemistry and Physics</i> , 2009, 115, 126-131.	4.0	26
65	Low-temperature sintering and microwave dielectric properties of TiO ₂ -based LTCC materials. <i>Journal of Materials Science: Materials in Electronics</i> , 2010, 21, 1285-1292.	2.2	26
66	Microwave dielectric ceramic with intrinsic low firing temperature: BaLa ₂ (MoO ₄) ₄ . <i>Materials Letters</i> , 2012, 72, 128-130.	2.6	26
67	Structure, Phase Evolution, and Microwave Dielectric Properties of (Ag _{0.5} Bi _{0.5})(Mo _{0.5} W _{0.5})O ₄ Ceramic with Ultralow Sintering Temperature. <i>Inorganic Chemistry</i> , 2014, 53, 5712-5716.	4.0	26
68	Structure, Raman spectra, far-infrared spectra and microwave dielectric properties of temperature independent CeVO ₄ TiO ₂ composite ceramics. <i>Journal of Alloys and Compounds</i> , 2017, 694, 40-45.	5.5	25
69	Dielectric Behavior and Cofiring with Silver of Monoclinic Bi ₂ SbO ₄ Ceramic. <i>Journal of the American Ceramic Society</i> , 2008, 91, 1380-1383.	3.8	24
70	Sintering Behavior, Phase Evolution, and Microwave Dielectric Properties of Bi(Sb _{1-x} Ta _x)O ₄ Ceramics. <i>Journal of the American Ceramic Society</i> , 2008, 91, 2228-2231.	3.8	23
71	Crystal structure and microwave dielectric behaviors of scheelite structured (1-x)BiVO ₄ -xLa ₂ 3MoO ₄ (0.0 ≤ x ≤ 1.0) ceramics with ultra-low sintering temperature. <i>Journal of the European Ceramic Society</i> , 2018, 38, 1535-1540.	5.7	23
72	Temperature-Stable (Na _{0.5} Bi _{0.5}) ₂ MoO ₄ -(1-x)MoO ₃ Composite Ceramics with Ultralow Sintering Temperatures and Low Dielectric Loss for Dielectric Resonator Antenna Applications. <i>ACS Applied Electronic Materials</i> , 2021, 3, 2286-2296.	4.3	22

#	ARTICLE	IF	CITATIONS
73	Structure and energy storage properties of Mn-doped (Ba,Sr)TiO ₃ -MgO composite ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 8749-8754.	2.2	21
74	Dielectric behavior, band gap, in situ X-ray diffraction, Raman and infrared study on (1-x) Ti _x ETQ _{0.0} rgBT /Overlog _{0.6} T _{0.2} Td _{0.20}		
75	Microwave dielectric properties and low temperature firing of (1-x)Li ₂ Zn ₃ Ti ₄ O ₁₂ -xLi ₂ TiO ₃ (0.2% x 0.8%) ceramics with B ₂ O ₃ -CuO addition. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 1505-1510.	2.2	19
76	Influence of W substitution on crystal structure, phase evolution and microwave dielectric properties of (Na _{0.5} Bi _{0.5})MoO ₄ ceramics with low sintering temperature. <i>Scientific Reports</i> , 2017, 7, 3201.	3.3	18
77	Phase composition and phase transformation in Bi(Sb,Nb,Ta)O ₄ system. <i>Solid State Sciences</i> , 2009, 11, 1894-1897.	3.2	16
78	Low-firing of BiSbO ₄ microwave dielectric ceramic with V ₂ O ₅ -CuO addition. <i>Materials Chemistry and Physics</i> , 2010, 119, 149-152.	4.0	16
79	Effect of Zn ²⁺ Substitution on Sintering Behavior and Dielectric Properties of NdNbO ₄ Ceramics. <i>Ferroelectrics</i> , 2010, 407, 61-68.	0.6	16
80	New Microwave Dielectric Ceramics BaLn ₂ (MoO ₄) ₄ (Ln=Nd and Sm) with Low Loss. <i>Journal of the American Ceramic Society</i> , 2011, 94, 2800-2803.	3.8	16
81	PHASE EVOLUTION AND MICROWAVE DIELECTRIC PROPERTIES OF (1-x)W _{1-x} Mo _{1.2} Nb ₁₆ O ₄₂ .		
82	The spectra analysis and microwave dielectric properties of [Ca _{0.55} (Sm _{1-x} Bi _x) _{0.3}]MoO ₄ ceramics. <i>Journal of the American Ceramic Society</i> , 2019, 102, 3103-3109.	3.8	16
83	Temperature independent low firing [Ca _{0.25} (Nd _{1-x} Bix) _{0.5}]MoO ₄ (0.2% x 0.8) microwave dielectric ceramics. <i>Journal of Alloys and Compounds</i> , 2019, 781, 385-388.	5.5	16
84	Sintering behavior and microwave dielectric properties of Bi ₃ (Nb _{1-x} Tax)O ₇ solid solutions. <i>Materials Chemistry and Physics</i> , 2008, 110, 212-215.	4.0	15
85	Dielectric properties and phase transitions of BiNbO ₄ ceramic. <i>Scripta Materialia</i> , 2014, 81, 40-43.	5.2	15
86	Novel glass-free low-temperature fired microwave dielectric ceramics: Bi(Ga _{1/3} Mo _{2/3})O ₄ . <i>Ceramics International</i> , 2016, 42, 4574-4577.	4.8	15
87	Sintering behavior and microwave dielectric properties of Ba _{6-x} Nd _{8+2x} Ti ₁₈ O ₅₄ (x=2/3) ceramics coated by H ₃ BO ₃ -TEOS sol-gel. <i>Materials Chemistry and Physics</i> , 2010, 123, 727-730.	4.0	14
88	Sintering Behavior, Structures, and Microwave Dielectric Properties of (Li _x Nb ₃ x _{1-x}) ₃ Ti ₁₈ O ₅₄ (x=2/3). <i>Journal of the American Ceramic Society</i> , 2008, 91, 2947-2951.	3.8	13
89	Structural and microwave dielectric behavior of (Li _{1/4} Nb _{3/4}) substituted ZrxSnyTizO ₄ (x+y+z=2) system. <i>Materials Chemistry and Physics</i> , 2011, 125, 641-645.	4.0	13
90	Ca ₃ WO ₆ : a novel microwave dielectric ceramic with complex perovskite structure. <i>Journal of Materials Science: Materials in Electronics</i> , 2011, 22, 807-810.	2.2	13

#	ARTICLE	IF	CITATIONS
91	Microwave dielectric properties of scheelite structured low temperature fired $\text{Bi}(\text{In}_{1/3}\text{Mo}_{2/3})\text{O}_4$ ceramic. <i>Ceramics International</i> , 2013, 39, 4719-4722.	4.8	13
92	Infrared spectroscopy and microwave dielectric properties of ultra-low temperature firing ($\text{K}_{0.5}\text{La}_{0.5}\text{MoO}_4$) ceramics. <i>Materials Letters</i> , 2013, 92, 36-38.	2.6	12
93	Low sintering temperature, temperature-stable scheelite structured $\text{Bi}[\text{V}_{1-x}(\text{Fe}_{1/3}\text{W}_{2/3})_x]\text{O}_4$ microwave dielectric ceramics. <i>Journal of the European Ceramic Society</i> , 2022, 42, 5731-5737.	5.7	12
94	Raman Spectroscopy and Microwave Dielectric Properties of $\text{Zr}_{1-x}(\text{Li}_{1/4}\text{Nb}_{3/4})_x\text{TiO}_4$ Ceramics. <i>Japanese Journal of Applied Physics</i> , 2009, 48, 051403.	1.5	11
95	Sintering behavior, structures and microwave dielectric properties of a rutile solid solution system: $(\text{A}_x\text{Nb}_{2x})\text{Ti}_{1-x}\text{O}_2$ ($\text{A}=\text{Cu, Ni}$). <i>Journal of Electroceramics</i> , 2009, 23, 13-18.	2.0	11
96	SINTERING BEHAVIOR AND MICROWAVE DIELECTRIC PROPERTIES OF NOVEL LOW TEMPERATURE FIRING $\text{Bi}_{3-x}\text{FeMo}_{2-x}\text{O}_{12}$ CERAMIC. <i>Journal of Advanced Dielectrics</i> , 2011, 01, 379-382.	2.4	11
97	Microwave dielectric properties and low temperature sintering of $\text{Li}_2\text{Zn}(\text{Ti}_{1-x}\text{Sn}_x)\text{O}_8$ ($x=0.20$) ceramics with $\text{B}_2\text{O}_3-\text{CuO}$ addition. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 4942-4946.	2.2	11
98	High quality factor microwave dielectric ceramics in the $(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_{2-x}\text{ZrO}_{2-x}\text{TiO}_{2-x}$ ternary system. <i>Journal of the American Ceramic Society</i> , 2017, 100, 3982-3989.	3.8	11
99	Sintering behavior, phase evolution and microwave dielectric properties of $\text{Bi}\{\text{Sb}_{1-x}(\text{Nb}_{0.992}\text{V}_{0.008})_x\}\text{O}_4$ ceramics. <i>Materials Chemistry and Physics</i> , 2009, 113, 265-268.	4.0	10
100	Phase evolution, Raman spectroscopy and microwave dielectric behavior of $(\text{Li}_{1/4}\text{Nb}_{3/4})$ doped $\text{ZrO}_2\text{-TiO}_2$ system. <i>Applied Physics A: Materials Science and Processing</i> , 2010, 100, 1205-1209.	2.3	10
101	Phase evolution and microwave dielectric properties of Bi_3SbO_7 ceramic. <i>Journal of Physics and Chemistry of Solids</i> , 2011, 72, 882-885.	4.0	10
102	Phase Evolution and Microwave Dielectric Properties of $(\text{Bi}_{1-x}\text{Fe}_{x})\text{V}_2\text{O}_5$ Ceramics. <i>Journal of the American Ceramic Society</i> , 2014, 97, 2915-2920.	3.8	10
103	Abnormal dielectric properties and phase transition in $\text{Bi}_{0.783}(\text{Mo}_{0.65}\text{V}_{0.35})_4$ scheelite-related structured ceramic. <i>RSC Advances</i> , 2015, 5, 19255-19258.	3.6	8
104	Effect of Ca substitution on phase compositions and dielectric properties of $\text{Bi}_2\text{O}_3\text{-ZnO-Nb}_2\text{O}_5$ pyrochlore ceramics. <i>Ceramics International</i> , 2013, 39, S673-S676.	4.8	7
105	Temperature stable high K microwave dielectric ceramics of Bi_3NbO_7 doped by V_2O_5 . <i>Ceramics International</i> , 2015, 41, 5182-5185.	4.8	6
106	Microwave Dielectric Properties of BiCu_2PO_6 Ceramics with Low Sintering Temperature. <i>Journal of Electronic Materials</i> , 2017, 46, 6241-6245.	2.2	6
107	Nanopowder Preparation and Dielectric Properties of a $\text{Bi}_2\text{O}_3\text{-Nb}_2\text{O}_5$ Binary System Prepared by the High-Energy Ball-Milling Method. <i>Journal of the American Ceramic Society</i> , 2007, 91, 071031103425002-???	3.8	5
108	Sintering behavior and microwave dielectric properties of $\text{Bi}_2\text{O}_3\text{-ZnO-Nb}_2\text{O}_5$ -based ceramics sintered under air and N ₂ atmosphere. <i>Ceramics International</i> , 2008, 34, 901-904.	4.8	5

#	ARTICLE		IF	CITATIONS
109	Low-Temperature Firing and Microwave Dielectric Properties of Ca[(Li ₁₃ Nb ₂₃) _{0.8} Ti _{0.2}]O ₃ Ceramics with ZnB ₂ O ₄ Glass Addition. International Journal of Applied Ceramic Technology, 2008, 5, 341-346.		2.1	5
110	Phase evolution and microwave dielectric properties of (Bi _{1-x} Ln _x) ₂ MoO ₆ (Ln=Nd and La, x≤0.3) ceramics. Ceramics International, 2016, 42, 17243-17247.		4.8	4
111	Microstructures and microwave dielectric properties of low-temperature sintered Ca ₂ Zn ₄ Ti ₁₅ O ₃₆ ceramics. Journal of Materials Science: Materials in Electronics, 2009, 20, 528-533.		2.2	3
112	Phase evolution and dielectric properties of fluorite-type Bi ₃ (Nb _{0.9} M _{0.1})O _{7+δ} ceramics (M=Ti, Zr, Sn, W,) Tj ETQq0.0 rgBT _{5.5} /Overlock			