

Jing Fu Qiu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6113729/publications.pdf>

Version: 2024-02-01

7
papers

212
citations

1684188

5
h-index

1720034

7
g-index

8
all docs

8
docs citations

8
times ranked

337
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient-Reported Outcome-Based Symptom Management Versus Usual Care After Lung Cancer Surgery: A Multicenter Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2022, 40, 988-996.	1.6	31
2	Shortness of Breath on Day 1 After Surgery Alerting the Presence of Early Respiratory Complications After Surgery in Lung Cancer Patients. <i>Patient Preference and Adherence</i> , 2022, Volume 16, 709-722.	1.8	3
3	Data Quality of Longitudinally Collected Patient-Reported Outcomes After Thoracic Surgery: Comparison of Paper- and Web-Based Assessments. <i>Journal of Medical Internet Research</i> , 2021, 23, e28915.	4.3	5
4	Electrochemical immunoassay for the carcinoembryonic antigen based on the use of a glassy carbon electrode modified with an octahedral Cu ₂ O-gold nanocomposite and staphylococcal protein for signal amplification. <i>Mikrochimica Acta</i> , 2018, 185, 266.	5.0	19
5	Electrochemical aptasensor for thrombin using co-catalysis of hemin/G-quadruplex DNAzyme and octahedral Cu ₂ O-Au nanocomposites for signal amplification. <i>Biosensors and Bioelectronics</i> , 2018, 99, 338-345.	10.1	90
6	Electrochemical indirect competitive immunoassay for ultrasensitive detection of zearalenone based on a glassy carbon electrode modified with carboxylated multi-walled carbon nanotubes and chitosan. <i>Mikrochimica Acta</i> , 2017, 184, 3339-3347.	5.0	42
7	Electrochemical immunosensor using single-walled carbon nanotubes/chitosan for ultrasensitive detection of deoxynivalenol in food samples. <i>Journal of Applied Electrochemistry</i> , 2016, 46, 1049-1057.	2.9	22