List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6113762/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Myocardial Injury after Noncardiac Surgery. Anesthesiology, 2014, 120, 564-578.   | 1.3 | 740       |
| 2  | Association of Postoperative High-Sensitivity Troponin Levels With Myocardial Injury and 30-Day<br>Mortality Among Patients Undergoing Noncardiac Surgery. JAMA - Journal of the American Medical<br>Association, 2017, 317, 1642.  | 3.8 | 579       |
| 3  | Neuraxial blockade for external cephalic version: a systematic review. International Journal of<br>Obstetric Anesthesia, 2011, 20, 299-306.   | 0.2 | 197       |
| 4  | Society for Obstetric Anesthesia and Perinatology: Consensus Statement and Recommendations for Enhanced Recovery After Cesarean. Anesthesia and Analgesia, 2021, 132, 1362-1377.  | 1.1 | 133       |
| 5  | The Effect of Intrathecal Morphine Dose on Outcomes After Elective Cesarean Delivery: A<br>Meta-Analysis. Anesthesia and Analgesia, 2016, 123, 154-164.   | 1.1 | 119       |
| 6  | Neuraxial Morphine and Respiratory Depression. Drugs, 2011, 71, 1807-1819.  | 4.9 | 116       |
| 7  | The effect of low concentrations versus high concentrations of local anesthetics for labour<br>analgesia on obstetric and anesthetic outcomes: a meta-analysis. Canadian Journal of Anaesthesia,<br>2013, 60, 840-854.  | 0.7 | 107       |
| 8  | Obstetric Anesthesia During the COVID-19 Pandemic. Anesthesia and Analgesia, 2020, 131, 7-15.   | 1.1 | 88        |
| 9  | The Effect of patient warming during Caesarean delivery on maternal and neonatal outcomes: a meta-analysis. British Journal of Anaesthesia, 2015, 115, 500-510.   | 1.5 | 84        |
| 10 | Development and evaluation of an obstetric quality-of-recovery score (ObsQoR-11) after elective<br>Caesarean delivery. British Journal of Anaesthesia, 2019, 122, 69-78.  | 1.5 | 79        |
| 11 | Preoperative systemic inflammation and perioperative myocardial injury: prospective observational multicentre cohort study of patients undergoing non-cardiac surgery. British Journal of Anaesthesia, 2019, 122, 180-187.  | 1.5 | 78        |
| 12 | Inflammation and Epidural-Related Maternal Fever: Proposed Mechanisms. Anesthesia and Analgesia, 2016, 122, 1546-1553.  | 1.1 | 76        |
| 13 | Society for Obstetric Anesthesia and Perinatology Consensus Statement: Monitoring<br>Recommendations for Prevention and Detection of Respiratory Depression Associated With<br>Administration of Neuraxial Morphine for Cesarean Delivery Analgesia. Anesthesia and Analgesia, 2019,<br>129, 458-474. | 1.1 | 69        |
| 14 | Endotracheal Tube Cuff Pressure Monitoring: A Review of the Evidence. Journal of Perioperative Practice, 2011, 21, 379-386.   | 0.3 | 65        |
| 15 | Oral vs intravenous iron therapy for postpartum anemia: a systematic review and meta-analysis.<br>American Journal of Obstetrics and Gynecology, 2019, 221, 19-29.e3.   | 0.7 | 59        |
| 16 | Quadratus lumborum block vs. transversus abdominis plane block for caesarean delivery: a systematic<br>review and network metaâ€analysis <sup>*</sup> . Anaesthesia, 2021, 76, 393-403.   | 1.8 | 57        |
| 17 | Amniotic fluid embolism. Current Opinion in Anaesthesiology, 2016, 29, 288-296.   | 0.9 | 52        |
| 18 | High-dose versus low-dose local anaesthetic for transversus abdominis plane block post-Caesarean delivery analgesia: a meta-analysis. British Journal of Anaesthesia, 2018, 120, 252-263.   | 1.5 | 49        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | General anaesthetic and airway management practice for obstetric surgery in England: a prospective,<br>multicentre observational study*. Anaesthesia, 2021, 76, 460-471.  | 1.8 | 44        |
| 20 | Evaluation of patientâ€reported outcome measures of functional recovery following caesarean section: a systematic review using the consensusâ€based standards for the selection of health measurement instruments (COSMIN) checklist. Anaesthesia, 2019, 74, 1439-1455. | 1.8 | 40        |
| 21 | Evaluation of the Obstetric Quality-of-Recovery score (ObsQoR-11) following non-elective caesarean delivery. International Journal of Obstetric Anesthesia, 2019, 39, 51-59.  | 0.2 | 40        |
| 22 | A Systematic Review Evaluating Neuraxial Morphine and Diamorphine-Associated Respiratory<br>Depression After Cesarean Delivery. Anesthesia and Analgesia, 2018, 127, 1385-1395.   | 1.1 | 39        |
| 23 | Enhanced recovery after caesarean delivery versus standard care studies: a systematic review of interventions and outcomes. International Journal of Obstetric Anesthesia, 2020, 43, 72-86.   | 0.2 | 39        |
| 24 | Preoperative muscle weakness as defined by handgrip strength and postoperative outcomes: a systematic review. BMC Anesthesiology, 2012, 12, 1.  | 0.7 | 38        |
| 25 | Comparison of spontaneous versus operative vaginal delivery using Obstetric Quality of Recovery-10<br>(ObsQoR-10): An observational cohort study. Journal of Clinical Anesthesia, 2020, 63, 109781.   | 0.7 | 38        |
| 26 | Pharmacokinetics of Prophylactic Cefazolin in Parturients Undergoing Cesarean Delivery.<br>Antimicrobial Agents and Chemotherapy, 2014, 58, 3504-3513.  | 1.4 | 37        |
| 27 | Evaluation of inpatient postpartum recovery using the Obstetric Quality of Recovery-10 patient-reported outcome measure: a single-center observational study. American Journal of Obstetrics & Gynecology MFM, 2020, 2, 100202.   | 1.3 | 35        |
| 28 | Evaluation of Domains of Patient-Reported Outcome Measures for Recovery After Childbirth. JAMA<br>Network Open, 2020, 3, e205540.   | 2.8 | 35        |
| 29 | Operating roomâ€toâ€incision interval and neonatal outcome in emergency caesarean section: a<br>retrospective 5â€year cohort study. Anaesthesia, 2018, 73, 825-831.   | 1.8 | 32        |
| 30 | Early elevation in plasma high-sensitivity troponin T and morbidity after elective noncardiac surgery:<br>prospective multicentre observational cohort study. British Journal of Anaesthesia, 2020, 124, 535-543.   | 1.5 | 31        |
| 31 | Local anaesthetic techniques for post-caesarean delivery analgesia. International Journal of Obstetric<br>Anesthesia, 2019, 40, 62-77.  | 0.2 | 30        |
| 32 | General Anesthesia for Cesarean Delivery. Anesthesiology, 2019, 130, 864-866.   | 1.3 | 30        |
| 33 | Use of Patient-Reported Outcome Measures to Assess Outpatient Postpartum Recovery. JAMA Network<br>Open, 2021, 4, e2111600.   | 2.8 | 30        |
| 34 | Metabolic dysfunction in lymphocytes promotes postoperative morbidity. Clinical Science, 2015, 129, 423-437.  | 1.8 | 28        |
| 35 | Transversus abdominis plane block compared with wound infiltration for postoperative analgesia following Cesarean delivery: a systematic review and network meta-analysis. Canadian Journal of Anaesthesia, 2020, 67, 1710-1727.  | 0.7 | 28        |
| 36 | Inadequate neuraxial anaesthesia in patients undergoing elective caesarean section: a systematic review. Anaesthesia, 2022, 77, 598-604.  | 1.8 | 28        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Role of leucocyte caspase-1 activity in epidural-related maternal fever: a single-centre, observational,<br>mechanistic cohort study. British Journal of Anaesthesia, 2019, 122, 92-102.   | 1.5 | 27        |
| 38 | Ondansetron Pharmacokinetics in Pregnant Women and Neonates: Towards a New Treatment for Neonatal Abstinence Syndrome. Clinical Pharmacology and Therapeutics, 2015, 97, 167-176.  | 2.3 | 26        |
| 39 | Enhanced Recovery After Caesarean Delivery Versus Standard Care Studies: A Systematic Review of<br>Interventions and Outcomes. Obstetric Anesthesia Digest, 2021, 41, 101-102.   | 0.0 | 26        |
| 40 | Incidence of accidental awareness during general anaesthesia in obstetrics: a multicentre, prospective cohort study. Anaesthesia, 2021, 76, 759-776.   | 1.8 | 25        |
| 41 | Postpartum recovery: what does it take to get back to a baseline?. Current Opinion in Obstetrics and Gynecology, 2021, 33, 86-93.  | 0.9 | 25        |
| 42 | Performance on a probabilistic inference task in healthy subjects receiving ketamine compared with patients with schizophrenia. Journal of Psychopharmacology, 2012, 26, 1211-1217.  | 2.0 | 24        |
| 43 | A systematic review of patient-reported outcome measures to assess postpartum pain using Consensus<br>Based Standards for the Selection of Health Measurement Instruments (COSMIN) guidelines. British<br>Journal of Anaesthesia, 2021, 127, 264-274.    | 1.5 | 23        |
| 44 | Impact of enhanced recovery after cesarean delivery on maternal outcomes: A systematic review and meta-analysis. Anaesthesia, Critical Care & Pain Medicine, 2021, 40, 100935.   | 0.6 | 22        |
| 45 | Epidural-Related Maternal Fever: Still a Hot Topic, But What Are the Burning Issues?. Anesthesia and<br>Analgesia, 2020, 130, 318-320.   | 1.1 | 21        |
| 46 | Contamination of anaesthetic machines with pathogenic organisms*. Anaesthesia, 2007, 62, 1257-1261.  | 1.8 | 20        |
| 47 | Platelet Counts and Coagulation Tests Prior to Neuraxial Anesthesia in Patients With Preeclampsia.<br>Clinical and Applied Thrombosis/Hemostasis, 2013, 19, 529-534.   | 0.7 | 20        |
| 48 | Regional anaesthesia for labour, operative vaginal delivery and caesarean delivery: a narrative review.<br>Anaesthesia, 2021, 76, 136-147.   | 1.8 | 19        |
| 49 | A Cost Analysis of Neuraxial Anesthesia to Facilitate External Cephalic Version for Breech Fetal<br>Presentation. Anesthesia and Analgesia, 2013, 117, 155-159.  | 1.1 | 18        |
| 50 | A Prospective Cohort Study Evaluating the Ability of Anticipated Pain, Perceived Analgesic Needs, and<br>Psychological Traits to Predict Pain and Analgesic Usage following Cesarean Delivery. Anesthesiology<br>Research and Practice, 2016, 2016, 1-8. | 0.2 | 18        |
| 51 | Proposed domains for assessing postpartum recovery: a concept elicitation study. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 9-20.  | 1.1 | 18        |
| 52 | Expert Consensus Regarding Core Outcomes for Enhanced Recovery after Cesarean Delivery Studies: A<br>Delphi Study. Anesthesiology, 2022, 137, 201-211.   | 1.3 | 18        |
| 53 | Provision of critical care services for the obstetric population. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2013, 27, 803-809.  | 1.4 | 16        |
| 54 | Obstetric quality of recovery scoring tool: assessment of validity, reliability and feasibility in an<br>Israeli cesarean delivery population. International Journal of Obstetric Anesthesia, 2020, 44, 51.  | 0.2 | 15        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | A prospective, up-down sequential allocation study investigating the effectiveness of vital capacity breaths using high-flow nasal oxygenation versus a tight-fitting face mask to pre-oxygenate term pregnant women. International Journal of Obstetric Anesthesia, 2021, 45, 28-33. | 0.2 | 15        |
| 56 | Assessment of Patient-Reported Outcome Measures for Maternal Postpartum Depression Using the<br>Consensus-Based Standards for the Selection of Health Measurement Instruments Guideline. JAMA<br>Network Open, 2022, 5, e2214885.   | 2.8 | 15        |
| 57 | Medical identification or alert jewellery: an opportunity to save lives or an unreliable hindrance?.<br>Anaesthesia, 2017, 72, 1139-1145.   | 1.8 | 14        |
| 58 | Gastric point-of-care ultrasound (PoCUS) during pregnancy and the postpartum period: a systematic review. International Journal of Obstetric Anesthesia, 2020, 44, 24-32.   | 0.2 | 14        |
| 59 | Efficacy of regional blocks or local anaesthetic infiltration for analgesia after caesarean delivery: a<br>network metaâ€analysis of randomised controlled trials. Anaesthesia, 2022, 77, 463-474.  | 1.8 | 14        |
| 60 | Continuous spinal anesthesia for Cesarean hysterectomy and massive hemorrhage in a parturient with placenta increta. Canadian Journal of Anaesthesia, 2012, 59, 473-477.  | 0.7 | 13        |
| 61 | A systematic review of patient-reported outcome measures used to assess sleep in postpartum women using Consensus Based Standards for the Selection of Health Measurement Instruments (COSMIN) guidelines. Sleep, 2021, 44, .   | 0.6 | 13        |
| 62 | Cardiopulmonary Exercise Capacity and Preoperative Markers of Inflammation. Mediators of Inflammation, 2014, 2014, 1-8.   | 1.4 | 12        |
| 63 | Randomized controlled trial of vagal modulation by sham feeding in elective non-gastrointestinal<br>(orthopaedic) surgery. British Journal of Anaesthesia, 2015, 115, 727-735.  | 1.5 | 12        |
| 64 | High-Frequency Jet Ventilation During Cryoablation of Small Renal Tumours. CardioVascular and<br>Interventional Radiology, 2018, 41, 1067-1073.   | 0.9 | 12        |
| 65 | The Effect of Glycopyrrolate on the Incidence of Hypotension and Vasopressor Requirement During<br>Spinal Anesthesia for Cesarean Delivery: A Meta-analysis. Anesthesia and Analgesia, 2018, 126, 552-558.  | 1.1 | 11        |
| 66 | Perioperative considerations of the patient with malaria. Canadian Journal of Anaesthesia, 2015, 62, 304-318.   | 0.7 | 9         |
| 67 | A Peripheral Immune Signature of Labor Induction. Frontiers in Immunology, 2021, 12, 725989.  | 2.2 | 9         |
| 68 | ls cricoid pressure needed during rapid sequence induction?. British Journal of Hospital Medicine<br>(London, England: 2005), 2008, 69, 177-177.  | 0.2 | 8         |
| 69 | Caesarean delivery in a parturient with type III hereditary angioedema. International Journal of<br>Obstetric Anesthesia, 2014, 23, 398-399.  | 0.2 | 7         |
| 70 | Apnoeic oxygenation during maternal cardiac arrest in a parturient with extreme obesity.<br>International Journal of Obstetric Anesthesia, 2017, 29, 88-90.   | 0.2 | 7         |
| 71 | Ambient operating room temperature: mother, baby or surgeon?. British Journal of Anaesthesia, 2017, 119, 839.   | 1.5 | 7         |
| 72 | A Systematic Review of Postoperative Pain Outcome Measurements Utilised in Regional Anesthesia<br>Randomized Controlled Trials. Anesthesiology Research and Practice, 2018, 2018, 1-13.   | 0.2 | 7         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Evidence-based guidance for use of intrathecal morphine as an alternative to diamorphine for<br>Caesarean delivery analgesia. British Journal of Anaesthesia, 2021, 127, 501-505.  | 1.5 | 7         |
| 74 | Objective Activity Parameters Track Patient-specific Physical Recovery Trajectories After Surgery and<br>Link With Individual Preoperative Immune States. Annals of Surgery, 2023, 277, e503-e512.   | 2.1 | 7         |
| 75 | Development and validation of a Portuguese version of Obstetric Quality of Recovery-10<br>(ObsQoR-10-Portuguese). Anaesthesia, Critical Care & Pain Medicine, 2022, 41, 101085.  | 0.6 | 7         |
| 76 | A Longitudinal Study to Evaluate Pregnancy-Induced Endogenous Analgesia and Pain Modulation.<br>Regional Anesthesia and Pain Medicine, 2016, 41, 175-180.  | 1.1 | 6         |
| 77 | Protocol for direct reporting of awareness in maternity patients (DREAMY): a prospective,<br>multicentre cohort study of accidental awareness during general anaesthesia. International Journal<br>of Obstetric Anesthesia, 2020, 42, 47-56. | 0.2 | 6         |
| 78 | Optimal administration of cefazolin prophylaxis for cesarean delivery. Journal of Perinatology, 2017,<br>37, 16-20.  | 0.9 | 5         |
| 79 | Spinal prilocaine for caesarean section: walking a fine line. Anaesthesia, 2021, 76, 740-742.  | 1.8 | 5         |
| 80 | Enhancing recovery after cesarean delivery – A narrative review. Bailliere's Best Practice and<br>Research in Clinical Anaesthesiology, 2022, 36, 89-105.  | 1.7 | 5         |
| 81 | Not just a Patient that Snores. Obstructive Sleep Apnoea: The Perioperative Concerns through the Eye of the Anaesthetist. Journal of Perioperative Practice, 2009, 19, 395-399.  | 0.3 | 4         |
| 82 | Regional anaesthesia for caesarean section: a choice of three techniques. British Journal of Hospital<br>Medicine (London, England: 2005), 2009, 70, 605-605.  | 0.2 | 4         |
| 83 | Anaesthesia for the bleeding tonsil. British Journal of Hospital Medicine (London, England: 2005),<br>2010, 71, 117-117.   | 0.2 | 3         |
| 84 | Experiences and challenges in achieving sustainable quality improvement in two UK hospitals. British<br>Journal of Hospital Medicine (London, England: 2005), 2013, 74, 403-407.   | 0.2 | 3         |
| 85 | Survey of external cephalic version for breech presentation and neuraxial blockade use. Journal of<br>Clinical Anesthesia, 2016, 34, 616-622.  | 0.7 | 3         |
| 86 | Can Noninferior be Superior?. Anesthesia and Analgesia, 2021, 132, 663-665.  | 1.1 | 3         |
| 87 | Analgesia for Caesarean section. BJA Education, 2022, 22, 197-203.   | 0.6 | 3         |
| 88 | Divinum sedare dolorem: it is divine to alleviate pain. Anaesthesia, 2022, 77, 942-943.  | 1.8 | 3         |
| 89 | The intensive care unit handover: the most stressful part of the shift. British Journal of Hospital Medicine (London, England: 2005), 2010, 71, M25-M27.   | 0.2 | 2         |
| 90 | The Postoperative Anaesthetic Review. Journal of Perioperative Practice, 2011, 21, 135-139.  | 0.3 | 2         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Neuraxial Blockade for External Cephalic Version. Obstetrical and Gynecological Survey, 2012, 67, 69-70.   | 0.2 | 2         |
| 92  | Should endotracheal cuff pressure be routinely measured during elective surgery?. British Journal of<br>Hospital Medicine (London, England: 2005), 2012, 73, 538-538.  | 0.2 | 2         |
| 93  | Survey of Accepted Practice following Failed Intubation for Emergency Caesarean Delivery.<br>Anesthesiology Research and Practice, 2015, 2015, 1-7.  | 0.2 | 2         |
| 94  | Validation of an obstetric quality-of-recovery scoring tool (ObsQoR-11) after emergency Caesarean delivery. British Journal of Anaesthesia, 2018, 121, e19-e20.  | 1.5 | 2         |
| 95  | Oral Versus Intravenous Iron Therapy for Postpartum Anemia: A Systematic Review and Meta-analysis.<br>Obstetric Anesthesia Digest, 2020, 40, 60-61.  | 0.0 | 2         |
| 96  | Obstetric Anesthesia During the Coronavirus Disease 2019 Pandemic. Obstetric Anesthesia Digest, 2020, 40, 172-172.   | 0.0 | 2         |
| 97  | Is there a role for thiopentone in modern anaesthetic practice?. British Journal of Hospital Medicine<br>(London, England: 2005), 2008, 69, 541-541.   | 0.2 | 1         |
| 98  | A practical guide to undertaking out of programme experience in the United States of America. British<br>Journal of Hospital Medicine (London, England: 2005), 2010, 71, M158-M159.  | 0.2 | 1         |
| 99  | Spinal anaesthesia for caesarean delivery in a parturient with babesiosis and Lyme disease. Anaesthesia, 2012, 67, 180-183.  | 1.8 | 1         |
| 100 | Neuraxial blockade increases external cephalic version success: a well-known finding needing to be<br>disseminated within the obstetric domain. American Journal of Obstetrics and Gynecology, 2016, 215,<br>675-676.  | 0.7 | 1         |
| 101 | Does the addition of active body warming to in-line intravenous fluid warming prevent maternal hypothermia during elective caesarean section? A randomised controlled trial. International Journal of Obstetric Anesthesia, 2018, 35, 115-116.                             | 0.2 | 1         |
| 102 | Operating Room-to-Incision Interval and Neonatal Outcome in Emergency Caesarean Section: A Retrospective 5-Year Cohort Study. Obstetric Anesthesia Digest, 2019, 39, 57-58.  | 0.0 | 1         |
| 103 | Comment on the editorial relating to: Transversus abdominis plane block compared with wound<br>infiltration for postoperative analgesia following Cesarean delivery: a systematic review and<br>network meta-analysis. Canadian Journal of Anaesthesia, 2021, 68, 581-582. | 0.7 | 1         |
| 104 | Advances in anesthetic and obstetric management of patients with placenta accreta spectrum. Current<br>Opinion in Anaesthesiology, 2021, 34, 260-268.  | 0.9 | 1         |
| 105 | Anaesthetic rooms: luxury or necessity?. British Journal of Hospital Medicine (London, England: 2005), 2008, 69, 116-116.  | 0.2 | 0         |
| 106 | What makes a good anaesthetist?. European Journal of Anaesthesiology, 2010, 27, 229-230.   | 0.7 | 0         |
| 107 | Via the lungs or the veins?. British Journal of Hospital Medicine (London, England: 2005), 2010, 71, 658-658.  | 0.2 | 0         |
| 108 | Intermittent positive pressure ventilation: endotracheal tube vs laryngeal mask airway?. British<br>Journal of Hospital Medicine (London, England: 2005), 2010, 71, 297-297.   | 0.2 | 0         |

| #   | Article  | IF                | CITATIONS   |
|-----|--|-------------------|-------------|
| 109 | Crossing the pond: applying to train in the USA. British Journal of Hospital Medicine (London,) Tj ETQq1 1 0.78431   | 14 rgBT /C<br>0.2 | Overlock 10 |
| 110 | Neuraxial Blockade for External Cephalic Version. Obstetric Anesthesia Digest, 2012, 32, 196-197.  | 0.0               | 0           |
| 111 | Continuous Spinal Anesthesia for Cesarean Hysterectomy and Massive Hemorrhage in a Parturient<br>With Placenta Increta. Obstetric Anesthesia Digest, 2013, 33, 64.   | 0.0               | 0           |
| 112 | The Effect of Low Concentrations Versus High Concentrations of Local Anesthetics for Labor<br>Analgesia on Obstetric and Anesthetic Outcomes. Obstetric Anesthesia Digest, 2014, 34, 181.                    | 0.0               | 0           |
| 113 | In Response. Anesthesia and Analgesia, 2014, 118, 884-885.   | 1.1               | 0           |
| 114 | Spinal anaesthesia for emergency caesarean delivery in a parturient with falciparum malaria.<br>International Journal of Obstetric Anesthesia, 2015, 24, 91.   | 0.2               | 0           |
| 115 | The Effect of Patient Warming During Cesarean Delivery on Maternal and Neonatal Outcomes: A<br>Meta-Analysis. Obstetric Anesthesia Digest, 2016, 36, 99-100.   | 0.0               | 0           |
| 116 | Reply. British Journal of Anaesthesia, 2016, 117, 676-677.   | 1.5               | 0           |
| 117 | A Longitudinal Study to Evaluate Pregnancy-induced Endogenous Analgesia and Pain Modulation.<br>Obstetric Anesthesia Digest, 2016, 36, 195-196.  | 0.0               | 0           |
| 118 | The Effect of Glycopyrrolate on the Incidence of Hypotension and Vasopressor Requirement During<br>Spinal Anesthesia for Cesarean Delivery: A Meta-Analysis. Obstetric Anesthesia Digest, 2018, 38, 118-119. | 0.0               | 0           |
| 119 | Caspase-1 and epidural-related maternal fever. British Journal of Anaesthesia, 2018, 120, e20-e21.   | 1.5               | 0           |
| 120 | Bupivacaine reduces release of interleukin-1 receptor antagonist from circulating neutrophils obtained from women in active labour. British Journal of Anaesthesia, 2019, 123, e497.                         | 1.5               | 0           |
| 121 | Abnormal Placentation. , 2019, , 107-113.  |                   | 0           |
| 122 | Management of Thromboembolic Phenomena in Pregnancy. , 2019, , 263-267.  |                   | 0           |
| 123 | Pain after vaginal delivery and during breastfeeding: underexplored and underappreciated.<br>International Journal of Obstetric Anesthesia, 2021, 46, 102969.  | 0.2               | 0           |
| 124 | Epidural-related Maternal Fever: Still a Hot Topic, But What Are the Burning Issues?. Obstetric<br>Anesthesia Digest, 2020, 40, 159-159.   | 0.0               | 0           |
| 125 | In Response. Anesthesia and Analgesia, 2020, 131, e162-e162.   | 1.1               | 0           |
| 126 | Regional Anesthesia for Labor, Operative Vaginal Delivery and Cesarean Delivery: A Narrative Review.<br>Obstetric Anesthesia Digest, 2021, 41, 164-165.  | 0.0               | 0           |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Comparison of Spontaneous Versus Operative Vaginal Delivery Using Obstetric Quality of Recovery-10<br>(ObsQoR-10): An Observational Cohort Study. Obstetric Anesthesia Digest, 2020, 40, 190-191. | 0.0 | 0         |
| 128 | P.67 Obstetric services during the COVID-19 pandemic: a national survey of standards of care.<br>International Journal of Obstetric Anesthesia, 2022, 50, 39-40.                                  | 0.2 | 0         |
| 129 | P.63 A multicentre evaluation of quality of recovery following caesarean delivery. International<br>Journal of Obstetric Anesthesia, 2022, 50, 37-38.   | 0.2 | 0         |
| 130 | Cesarean delivery. , 2022, , 249-281.   |     | 0         |

130 Cesarean delivery. , 2022, , 249-281.