

Hao Peng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/611403/publications.pdf>

Version: 2024-02-01

122
papers

2,260
citations

331538

21
h-index

276775

41
g-index

128
all docs

128
docs citations

128
times ranked

4863
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Immediate Blood Pressure Reduction on Death and Major Disability in Patients With Acute Ischemic Stroke. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 479.	3.8	357
2	Trans-ancestry genome-wide association study identifies 12 genetic loci influencing blood pressure and implicates a role for DNA methylation. <i>Nature Genetics</i> , 2015, 47, 1282-1293.	9.4	294
3	Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. <i>Human Molecular Genetics</i> , 2017, 26, 1770-1784.	1.4	135
4	Serum matrix metalloproteinase-9 levels and prognosis of acute ischemic stroke. <i>Neurology</i> , 2017, 89, 805-812.	1.5	105
5	Childhood Trauma, DNA Methylation of Stress-Related Genes, and Depression: Findings From Two Monozygotic Twin Studies. <i>Psychosomatic Medicine</i> , 2018, 80, 599-608.	1.3	74
6	Genome-Wide Association Study Meta-Analysis Reveals Transethnic Replication of Mean Arterial and Pulse Pressure Loci. <i>Hypertension</i> , 2013, 62, 853-859.	1.3	63
7	Association Between High Serum Soluble Corin and Hypertension: A Cross-Sectional Study in a General Population of China. <i>American Journal of Hypertension</i> , 2015, 28, 1141-1149.	1.0	44
8	Increase in neutrophils after recombinant tissue plasminogen activator thrombolysis predicts poor functional outcome of ischaemic stroke: a longitudinal study. <i>European Journal of Neurology</i> , 2018, 25, 687.	1.7	43
9	Association between Vitamin D Insufficiency and Elevated Serum Uric Acid among Middle-Aged and Elderly Chinese Han Women. <i>PLoS ONE</i> , 2013, 8, e61159.	1.1	40
10	Serum Galectin-3 and Poor Outcomes Among Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2018, 49, 211-214.	1.0	36
11	Plasma Homocysteine and Prognosis of Acute Ischemic Stroke: a Gender-Specific Analysis From CATIS Randomized Clinical Trial. <i>Molecular Neurobiology</i> , 2017, 54, 2022-2030.	1.9	34
12	Serum Dkk-1 (Dickkopf-1) Is a Potential Biomarker in the Prediction of Clinical Outcomes Among Patients With Acute Ischemic Stroke. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 285-293.	1.1	32
13	Copeptin as a biomarker for prediction of prognosis of acute ischemic stroke and transient ischemic attack: a meta-analysis. <i>Hypertension Research</i> , 2017, 40, 465-471.	1.5	31
14	Serum Soluble Corin Is Decreased in Stroke. <i>Stroke</i> , 2015, 46, 1758-1763.	1.0	28
15	Multiple biomarkers covering distinct pathways for predicting outcomes after ischemic stroke. <i>Neurology</i> , 2019, 92, e295-e304.	1.5	28
16	Increased Serum Netrin-1 Is Associated With Improved Prognosis of Ischemic Stroke. <i>Stroke</i> , 2019, 50, 845-852.	1.0	26
17	Combined effects of hypertension and heart rate on the risk of stroke and coronary heart disease: a population-based prospective cohort study among Inner Mongolians in China. <i>Hypertension Research</i> , 2015, 38, 883-888.	1.5	25
18	Associations of non-high density lipoprotein cholesterol and traditional blood lipid profiles with hyperuricemia among middle-aged and elderly Chinese people: a community-based cross-sectional study. <i>Lipids in Health and Disease</i> , 2014, 13, 117.	1.2	24

#	ARTICLE	IF	CITATIONS
19	Association between serum soluble corin and obesity in Chinese adults: A cross-sectional study. <i>Obesity</i> , 2015, 23, 856-861.	1.5	24
20	Prognostic value of lipoprotein-associated phospholipase A2 mass for all-cause mortality and vascular events within one year after acute ischemic stroke. <i>Atherosclerosis</i> , 2017, 266, 1-7.	0.4	24
21	Leukocyte telomere length and ideal cardiovascular health in American Indians: the Strong Heart Family Study. <i>European Journal of Epidemiology</i> , 2017, 32, 67-75.	2.5	24
22	Blood pressure reduction in acute ischemic stroke according to time to treatment. <i>Journal of Hypertension</i> , 2017, 35, 1244-1251.	0.3	23
23	Relationship between plasma plasminogen activator inhibitor-1 and hypertension in American Indians. <i>Journal of Hypertension</i> , 2017, 35, 1787-1793.	0.3	23
24	Serum Hepatocyte Growth Factor Is Probably Associated With 3-Month Prognosis of Acute Ischemic Stroke. <i>Stroke</i> , 2018, 49, 377-383.	1.0	22
25	DNA Methylation of Five Core Circadian Genes Jointly Contributes to Glucose Metabolism: A Gene-Set Analysis in Monozygotic Twins. <i>Frontiers in Genetics</i> , 2019, 10, 329.	1.1	20
26	Plasma S100A8/A9 Concentrations and Clinical Outcomes of Ischemic Stroke in 2 Independent Multicenter Cohorts. <i>Clinical Chemistry</i> , 2020, 66, 706-717.	1.5	20
27	Telomere length and cancer mortality in American Indians: the Strong Heart Study. <i>GeroScience</i> , 2019, 41, 351-361.	2.1	18
28	Systolic Blood Pressure Trajectories in the Acute Phase and Clinical Outcomes in 2-Year Follow-up Among Patients With Ischemic Stroke. <i>American Journal of Hypertension</i> , 2019, 32, 317-325.	1.0	18
29	Prognostic significance of serum cystatin C in acute ischemic stroke patients according to lipid component levels. <i>Atherosclerosis</i> , 2018, 274, 146-151.	0.4	17
30	Serum furin as a biomarker of high blood pressure: findings from a longitudinal study in Chinese adults. <i>Hypertension Research</i> , 2019, 42, 1808-1815.	1.5	17
31	Increased Serum Soluble Corin in Mid Pregnancy Is Associated with Hypertensive Disorders of Pregnancy. <i>Journal of Women's Health</i> , 2015, 24, 572-577.	1.5	16
32	Sex-specific Association Between Uric Acid and Outcomes After Acute Ischemic Stroke: A Prospective Study from CATIS Trial. <i>Scientific Reports</i> , 2016, 6, 38351.	1.6	16
33	Tissue inhibitor metalloproteinase-1 and clinical outcomes after acute ischemic stroke. <i>Neurology</i> , 2019, 93, e1675-e1685.	1.5	16
34	Increased Serum Complement C3 Levels Are Associated With Adverse Clinical Outcomes After Ischemic Stroke. <i>Stroke</i> , 2021, 52, 868-877.	1.0	16
35	Plasma choline and betaine and risks of cardiovascular events and recurrent stroke after ischemic stroke. <i>American Journal of Clinical Nutrition</i> , 2021, 114, 1351-1359.	2.2	15
36	Light therapy: a new option for neurodegenerative diseases. <i>Chinese Medical Journal</i> , 2021, 134, 634-645.	0.9	15

#	ARTICLE	IF	CITATIONS
37	Prognostic Value of White Blood Cell in Acute Ischemic Stroke Patients. <i>Current Neurovascular Research</i> , 2018, 15, 151-157.	0.4	15
38	Association between Human Urotensin II and Essential Hypertensionâ€”A 1:1 Matched Case-Control Study. <i>PLoS ONE</i> , 2013, 8, e81764.	1.1	14
39	Antiphosphatidylserine Antibodies and Clinical Outcomes in Patients With Acute Ischemic Stroke. <i>Stroke</i> , 2016, 47, 2742-2748.	1.0	13
40	Interaction of Obesity and Central Obesity on Elevated Urinary Albumin-to-Creatinine Ratio. <i>PLoS ONE</i> , 2014, 9, e98926.	1.1	13
41	Impact of biological aging on arterial aging in American Indians: findings from the Strong Heart Family Study. <i>Aging</i> , 2016, 8, 1583-1592.	1.4	13
42	Hyperuricemia and Microalbuminuria Are Separately and Independently Associated with Prehypertension Among Chinese Han Women. <i>Metabolic Syndrome and Related Disorders</i> , 2012, 10, 202-208.	0.5	12
43	The interactive effect of diabetes and central obesity on stroke: a prospective cohort study of inner Mongolians. <i>BMC Neurology</i> , 2015, 15, 65.	0.8	12
44	Association between increased N-terminal pro-brain natriuretic peptide level and poor clinical outcomes after acute ischemic stroke. <i>Journal of the Neurological Sciences</i> , 2017, 383, 5-10.	0.3	12
45	Immediate Antihypertensive Treatment for Patients With Acute Ischemic Stroke With or Without History of Hypertension. <i>JAMA Network Open</i> , 2019, 2, e198103.	2.8	12
46	Co-Effect of Serum Galectin-3 and High-Density Lipoprotein Cholesterol on the Prognosis of Acute Ischemic Stroke. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019, 28, 1879-1885.	0.7	12
47	Endostatin as a novel prognostic biomarker in acute ischemic stroke. <i>Atherosclerosis</i> , 2020, 293, 42-48.	0.4	12
48	Prognostic Metrics Associated with Inflammation and Atherosclerosis Signaling Evaluate the Burden of Adverse Clinical Outcomes in Ischemic Stroke Patients. <i>Clinical Chemistry</i> , 2020, 66, 1434-1443.	1.5	12
49	Association of Biomarkers of Inflammation with Dyslipidemia and Its Components among Mongolians in China. <i>PLoS ONE</i> , 2014, 9, e89023.	1.1	12
50	White Matter Hyperintensity, Immediate Antihypertensive Treatment, and Functional Outcome After Acute Ischemic Stroke. <i>Stroke</i> , 2020, 51, 1608-1612.	1.0	11
51	Serum Soluble Corin Deficiency Predicts Major Disability within 3 Months after Acute Stroke. <i>PLoS ONE</i> , 2016, 11, e0163731.	1.1	11
52	The Predictive Value of Waist-To-Height Ratio for Ischemic Stroke in a Population-Based Prospective Cohort Study among Mongolian Men in China. <i>PLoS ONE</i> , 2014, 9, e110245.	1.1	10
53	Association between serum soluble corin and hyperglycaemia: a cross-sectional study among Chinese adults. <i>BMJ Open</i> , 2015, 5, e009085.	0.8	10
54	Increased serum soluble corin in dyslipidemia: A cross-sectional study. <i>Clinica Chimica Acta</i> , 2015, 450, 310-315.	0.5	10

#	ARTICLE	IF	CITATIONS
55	Antiphospholipid antibodies predict post-stroke depression after acute ischemic stroke. <i>Journal of Affective Disorders</i> , 2019, 257, 160-165.	2.0	10
56	Hemoglobin level and three-month clinical outcomes among ischemic stroke patients with elevated systolic blood pressure. <i>Journal of the Neurological Sciences</i> , 2019, 396, 256-261.	0.3	10
57	Plasma Endostatin Levels at Acute Phase of Ischemic Stroke Are Associated with Post-Stroke Cognitive Impairment. <i>Neurotoxicity Research</i> , 2020, 37, 956-964.	1.3	10
58	Early Blood Pressure Reduction in Acute Ischemic Stroke with Various Severities: A Subgroup Analysis of the CATIS Trial. <i>Cerebrovascular Diseases</i> , 2016, 42, 186-195.	0.8	9
59	Bidirectional and Temporal Association Between Hypertension and Microalbuminuria: A Longitudinal Study in Chinese Adults. <i>Journal of the American Heart Association</i> , 2018, 7, e010723.	1.6	9
60	Association between NPPA promoter methylation and hypertension: results from Gusu cohort and replication in an independent sample. <i>Clinical Epigenetics</i> , 2020, 12, 133.	1.8	9
61	Deficient serum furin predicts risk of abdominal obesity: findings from a prospective cohort of Chinese adults. <i>Postgraduate Medical Journal</i> , 2021, 97, 234-238.	0.9	9
62	Asymptomatic Hyperuricemia and Metabolically Unhealthy Obesity: A Cross-Sectional Analysis in the Tianning Cohort. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2021, Volume 14, 1367-1374.	1.1	9
63	Abnormal glucose regulation, hypoglycemic treatment during hospitalization and prognosis of acute ischemic stroke. <i>Journal of the Neurological Sciences</i> , 2017, 379, 177-182.	0.3	8
64	Associations of B-type Natriuretic Peptide and Its Coding Gene Promoter Methylation With Functional Outcome of Acute Ischemic Stroke: A Mediation Analysis. <i>Journal of the American Heart Association</i> , 2020, 9, e017499.	1.6	8
65	Systolic Blood Pressure Trajectories After Discharge and Long-Term Clinical Outcomes of Ischemic Stroke. <i>Hypertension</i> , 2021, 77, 1694-1702.	1.3	8
66	<p>Association Between Glucose Metabolism And Vascular Aging In Chinese Adults: A Cross-Sectional Analysis In The Tianning Cohort Study</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 1937-1946.	1.3	7
67	Elevated C-reactive Protein and Depressed High-density Lipoprotein Cholesterol are Associated with Poor Function Outcome After Ischemic Stroke. <i>Current Neurovascular Research</i> , 2018, 15, 226-233.	0.4	7
68	Relationship of inflammation and endothelial dysfunction with risks to cardiovascular disease among people in Inner Mongolia of China. <i>Biomedical and Environmental Sciences</i> , 2013, 26, 792-800.	0.2	7
69	Soluble TREM2 is associated with death and cardiovascular events after acute ischemic stroke: an observational study from CATIS. <i>Journal of Neuroinflammation</i> , 2022, 19, 88.	3.1	7
70	Predictive value of serum soluble corin in the risk of hyperglycemia: A population-based prospective cohort study in China. <i>Clinica Chimica Acta</i> , 2018, 479, 138-143.	0.5	6
71	Association of serum galectin-3 with risks of death and vascular events in acute ischaemic stroke patients: the role of hyperglycemia. <i>European Journal of Neurology</i> , 2019, 26, 415-421.	1.7	6
72	Prognostic value of plasma fibroblast growth factor 21 among patients with acute ischemic stroke. <i>European Journal of Neurology</i> , 2021, 28, 844-851.	1.7	6

#	ARTICLE	IF	CITATIONS
73	Association of DNA Methylation in Blood Pressure-Related Genes With Ischemic Stroke Risk and Prognosis. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 796245.	1.1	6
74	Elevated Uric Acid Mediates the Effect of Obesity on Hypertension Development: A Causal Mediation Analysis in a Prospective Longitudinal Study. <i>Clinical Epidemiology</i> , 2022, Volume 14, 463-473.	1.5	6
75	Soluble Corin Predicts the Risk of Cardiovascular Disease. <i>JACC Asia</i> , 2022, 2, 490-501.	0.5	6
76	Platelet counts affect the prognostic value of homocysteine in acute ischemic stroke patients. <i>Atherosclerosis</i> , 2019, 285, 163-169.	0.4	5
77	Family history of stroke and death or vascular events within one year after ischemic stroke. <i>Neurological Research</i> , 2019, 41, 466-472.	0.6	5
78	Angiotensin-like protein 4 and clinical outcomes in ischemic stroke patients. <i>Annals of Clinical and Translational Neurology</i> , 2021, 8, 687-695.	1.7	5
79	Utility of Framingham general cardiovascular disease risk score for predicting 10-year cardiovascular risk in an inner Mongolian population: A prospective cohort study. <i>International Journal of Cardiology</i> , 2014, 172, 274-275.	0.8	4
80	Sex-specific association between soluble corin and metabolic syndrome in Chinese adults. <i>Hypertension Research</i> , 2019, 42, 1029-1035.	1.5	4
81	Association between serum hepatocyte growth factor and prognosis of ischemic stroke: The role of blood lipid status. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 492-499.	1.1	4
82	Microalbuminuria mediates the association between serum uric acid and elevation of blood pressure: a longitudinal analysis in the Gusu cohort. <i>Journal of Hypertension</i> , 2020, 38, 625-632.	0.3	4
83	Combined effect of serum N-terminal pro-brain natriuretic peptide and galectin-3 on prognosis 1 year after ischemic stroke. <i>Clinica Chimica Acta</i> , 2020, 511, 33-39.	0.5	4
84	Modification of Platelet Count on the Association between Homocysteine and Blood Pressure: A Moderation Analysis in Chinese Hypertensive Patients. <i>International Journal of Hypertension</i> , 2020, 2020, 1-8.	0.5	4
85	Association between serum matrix metalloproteinase-9 and poor prognosis in acute ischemic stroke patients: The role of dyslipidemia. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 209-215.	1.1	4
86	Association between serum netrin-1 and prognosis of ischemic stroke: The role of lipid component levels. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 852-859.	1.1	4
87	Validation of the China-PAR Equations for Cardio-cerebrovascular Risk Prediction in the Inner Mongolian Population. <i>Biomedical and Environmental Sciences</i> , 2018, 31, 463-466.	0.2	4
88	Plasminogen activator inhibitor-1 is associated with leukocyte telomere length in American Indians: findings from the Strong Heart Family Study. <i>Journal of Thrombosis and Haemostasis</i> , 2017, 15, 1078-1085.	1.9	3
89	Effect of renal function on association between uric acid and prognosis in acute ischemic stroke patients with elevated systolic blood pressure. <i>Neurological Research</i> , 2020, 42, 923-929.	0.6	3
90	New Biomarkers of Hypertension and Related Vascular Disorders. <i>International Journal of Hypertension</i> , 2020, 2020, 1-2.	0.5	3

#	ARTICLE	IF	CITATIONS
91	Predictive Value of Cystatin C for Stroke Recurrence in Patients With Acute Ischemic Stroke. <i>Circulation Journal</i> , 2021, 85, 213-219.	0.7	3
92	Association Between Serum Furin and Fasting Glucose: A Cross-Sectional Study in Chinese Adults. <i>Frontiers in Endocrinology</i> , 2021, 12, 781890.	1.5	3
93	DNA Methylation of the Natriuretic Peptide System Genes and Ischemic Stroke. <i>Neurology: Genetics</i> , 2022, 8, .	0.9	3
94	Urinary albumin-to-creatinine ratio in a first-morning void urine and prehypertension among Chinese Han women. <i>Blood Pressure</i> , 2012, 21, 128-133.	0.7	2
95	Effect of renal function status on the prognostic value of heart rate in acute ischemic stroke patients. <i>Atherosclerosis</i> , 2017, 263, 1-6.	0.4	2
96	Plasma proANP 1â98 levels are positively associated with central obesity: A cross-sectional study in a general population of China. <i>Clinica Chimica Acta</i> , 2017, 469, 26-30.	0.5	2
97	Association between killer cell immunoglobulinélike receptor <i>2DS5</i> gene with essential hypertension in the Chinese Han patients. <i>International Journal of Immunogenetics</i> , 2017, 44, 343-349.	0.8	2
98	Renal Function Affects Prognostic Role of Antiphosphatidylserine Antibodies for Acute Ischemic Stroke Patients. <i>Cerebrovascular Diseases</i> , 2019, 48, 1-8.	0.8	2
99	Influence of lipoprotein-associated phospholipase A2 mass on prognosis value of baseline platelet count for clinical outcomes after acute ischemic stroke. <i>Atherosclerosis</i> , 2020, 306, 50-56.	0.4	2
100	A higher level of serum furin indicates a higher risk of microalbuminuria: results from a longitudinal study in Chinese adults. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 885-892.	0.7	2
101	Validation and comparison of prognostic scales in Chinese patients with ischemic stroke: a prospective study from CATIS. <i>Neurological Research</i> , 2021, , 1-8.	0.6	2
102	Associations Between Trajectory of Different Blood Pressure Components in Pregnancy and Risk of Adverse Birth Outcomes â A Real World Study. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 3255-3263.	1.2	2
103	The Interaction Between Self-Reported Sleep Duration and Physical Activity on Peripheral Artery Disease in Chinese Adults: A Cross-Sectional Analysis in the Tianning Cohort Study. <i>Risk Management and Healthcare Policy</i> , 2021, Volume 14, 4063-4072.	1.2	2
104	Serum Atrial Natriuretic Peptide, NPPA Promoter Methylation, and Cardiovascular Disease: A 10-year Follow-Up Study in Chinese Adults. <i>Global Heart</i> , 2022, 17, 27.	0.9	2
105	FURIN Promoter Methylation Predicts the Risk of Incident Diabetes: A Prospective Analysis in the Gusu Cohort. <i>Frontiers in Endocrinology</i> , 2022, 13, 873012.	1.5	2
106	222 THE EFFECTS OF ERYTHROPOIETIN ON CALCIUM SIGNALING IN NEURONAL-LIKE PC12 CELLS.. <i>Journal of Investigative Medicine</i> , 2006, 54, S295.5-S296.	0.7	1
107	Hypertension Control Prevalence Estimates Should Account for Age. <i>American Journal of Hypertension</i> , 2014, 27, 1426-1426.	1.0	1
108	Decreased serum netrin-1 is associated with ischemic stroke: A caseâcontrol study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2328-2334.	1.1	1

#	ARTICLE	IF	CITATIONS
109	Combined action of C-reactive protein and lipid profiles on risk of hypertension and prehypertension in Mongolian adults in Inner Mongolia, China. Chinese Medical Journal, 2014, 127, 2016-20.	0.9	1
110	Relationship between Gestational Weight Gain Rate Trajectory and Overweight in Offspring at Three Years of Age. Childhood Obesity, 2022, 18, 540-547.	0.8	1
111	<i>NPPA</i> Promoter Hypomethylation Predicts Central Obesity Development: A Prospective Longitudinal Study in Chinese Adults. Obesity Facts, 2022, 15, 257-270.	1.6	1
112	Utility of <i>China</i>-PAR stroke equations for predicting 10-year stroke risk in the rural Inner Mongolian population in China. Neurological Research, 0, , 1-6.	0.6	1
113	221 LONG-TERM BENEFICIAL EFFECTS OF ERYTHROPOIETIN AFTER NEONATAL STROKE IN POSTNATAL DAY 7 RATS ARE MORE SIGNIFICANT IN FEMALE PUPS.. Journal of Investigative Medicine, 2006, 54, S295.4-S295.	0.7	0
114	Natriuretic Peptide: A Probable Culprit in Prevention of Primary Cardiovascular Diseases Using ð²-Blockers. Hypertension, 2014, 63, e87.	1.3	0
115	Blood pressure components and stroke in Inner Mongolians â€” A prospective cohort study. International Journal of Cardiology, 2014, 176, 1339-1340.	0.8	0
116	Association between plasma proANP and hyperuricemia in Chinese Han women: a cross-sectional study. Clinical Chemistry and Laboratory Medicine, 2017, 55, 1160-1167.	1.4	0
117	Serum dickkopf-3 is associated with death and vascular events after ischemic stroke: an observational study from CATIS. Journal of Neuroinflammation, 2020, 17, 12.	3.1	0
118	Gender difference of association between plasma N-terminal pro-atrial natriuretic peptide and metabolic syndrome. Hormones, 2020, 19, 541-548.	0.9	0
119	120 CARDIOTROPHIN 1 EXPRESSION IN THE NEONATAL BRAIN FOLLOWING FOCAL CEREBRAL ISCHEMIA.. Journal of Investigative Medicine, 2006, 54, S277.3-S277.	0.7	0
120	The U-shaped Relationship Between Serum Methylene Tetrahydrofolate Reductase and Large-artery Atherosclerotic Stroke. Current Neurovascular Research, 2019, 16, 82-88.	0.4	0
121	Association Between Plasma L-Carnitine and Cognitive Impairment in Patients with Acute Ischemic Stroke. Journal of Alzheimer's Disease, 2022, 86, 259-270.	1.2	0
122	Association of serum growth differentiation factor-15 levels with the risks of death and vascular events in patients with ischemic stroke: The role of diabetes. Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 616-623.	1.1	0