## Dumbani Kayira

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6115053/publications.pdf

Version: 2024-02-01

36 1,055 16
papers citations h-index

36 36 1288
all docs docs citations times ranked citing authors

33

g-index

#	Article	IF	CITATIONS
1	Maternal or Infant Antiretroviral Drugs to Reduce HIV-1 Transmission. New England Journal of Medicine, 2010, 362, 2271-2281.	13.9	408
2	Maternal and infant antiretroviral regimens to prevent postnatal HIV-1 transmission: 48-week follow-up of the BAN randomised controlled trial. Lancet, The, 2012, 379, 2449-2458.	6.3	91
3	Health outcomes of HIV-exposed uninfected African infants. Aids, 2013, 27, 749-759.	1.0	60
4	Maternal and Breastmilk Viral Load: Impacts of Adherence on Peripartum HIV Infections Avertedâ€"The Breastfeeding, Antiretrovirals, and Nutrition Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 73, 572-580.	0.9	37
5	Hepatitis B virus infection among HIV-infected pregnant women in Malawi and transmission to infants. Journal of Hepatology, 2014, 60, 508-514.	1.8	35
6	A lipid-based nutrient supplement mitigates weight loss among HIV-infected women in a factorial randomized trial to prevent mother-to-child transmission during exclusive breastfeeding. American Journal of Clinical Nutrition, 2012, 95, 759-765.	2.2	34
7	Role of Intestinal Mucosal Integrity in HIV Transmission to Infants Through Breast-feeding: The BAN Study. Journal of Infectious Diseases, 2013, 208, 653-661.	1.9	33
8	Antiretroviral Pharmacokinetics in Mothers and Breastfeeding Infants from 6 to 24 Weeks Post-Partum: Results of the Ban Study. Antiviral Therapy, 2014, 19, 587-595.	0.6	31
9	Effect of cytomegalovirus infection on breastfeeding transmission of HIV and on the health of infants born to HIV-infected mothers. Aids, 2015, 29, 831-836.	1.0	27
10	Neutrophil Count in African Mothers and Newborns and HIV Transmission Risk. New England Journal of Medicine, 2012, 367, 2260-2262.	13.9	26
11	Effects of Cotrimoxazole Prophylactic Treatment on Adverse Health Outcomes Among HIV-exposed, Uninfected Infants. Pediatric Infectious Disease Journal, 2012, 31, 842-847.	1.1	20
12	Prevalence of hepatitis C virus infection among human immunodeficiency virus-1-infected pregnant women in Malawi: The BAN study. Journal of Clinical Virology, 2012, 54, 318-320.	1.6	19
13	Maternal Mid–Upper Arm Circumference Is Associated With Birth Weight Among HIVâ€Infected Malawians. Nutrition in Clinical Practice, 2012, 27, 416-421.	1.1	18
14	Plasma and breast-milk selenium in HIV-infected Malawian mothers are positively associated with infant selenium status but are not associated with maternal supplementation: results of the Breastfeeding, Antiretrovirals, and Nutrition study. American Journal of Clinical Nutrition, 2014, 99, 950-956.	2.2	18
15	Impact of Daily Cotrimoxazole on Clinical Malaria and Asymptomatic Parasitemias in HIV-Exposed, Uninfected Infants. Clinical Infectious Diseases, 2015, 61, 368-374.	2.9	18
16	Evaluating Nurses' Implementation of an Infant-Feeding Counseling Protocol for HIV-Infected Mothers: The Ban Study in Lilongwe, Malawi. AIDS Education and Prevention, 2009, 21, 141-155.	0.6	16
17	Use of Lipid-Based Nutrient Supplements by HIV-Infected Malawian Women during Lactation Has No Effect on Infant Growth from 0 to 24 Weeks. Journal of Nutrition, 2012, 142, 1350-1356.	1.3	16
18	The Acceptance and Feasibility of Replacement Feeding at 6 Months as an HIV Prevention Method in Lilongwe, Malawi: Results From the BAN Study. AIDS Education and Prevention, 2011, 23, 281-295.	0.6	15

#	Article	IF	Citations
19	Plasma Micronutrient Concentrations Are Altered by Antiretroviral Therapy and Lipid-Based Nutrient Supplements in Lactating HIV-Infected Malawian Women. Journal of Nutrition, 2015, 145, 1950-1957.	1.3	13
20	The health of HIVâ€exposed children after early weaning. Maternal and Child Nutrition, 2013, 9, 217-232.	1.4	11
21	Maternal Weight Loss during Exclusive Breastfeeding Is Associated with Reduced Weight and Length Gain in Daughters of HIV-Infected Malawian Women1–3. Journal of Nutrition, 2013, 143, 1168-1175.	1.3	11
22	Antiretroviral Treatment Is Associated With Iron Deficiency in HIV-Infected Malawian Women That Is Mitigated With Supplementation, but Is Not Associated With Infant Iron Deficiency During 24 Weeks of Exclusive Breastfeeding. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 69, 319-328.	0.9	11
23	Patterns of Body Composition Among HIV-Infected, Pregnant Malawians and the Effects of Famine Season. Maternal and Child Health Journal, 2013, 17, 265-273.	0.7	10
24	The Effect of Cotrimoxazole Prophylactic Treatment on Malaria, Birth Outcomes, and Postpartum CD4 Count in HIV-Infected Women. Infectious Diseases in Obstetrics and Gynecology, 2013, 2013, 1-8.	0.4	10
25	Adherence to extended postpartum antiretrovirals is associated with decreased breast milk HIV-1 transmission. Aids, 2014, 28, 2739-2749.	1.0	10
26	Frequent nevirapine resistance in infants infected by HIV-1 via breastfeeding while on nevirapine prophylaxis. Aids, 2015, 29, 2131-2138.	1.0	10
27	Lipid-Based Nutrient Supplements Are Feasible As a Breastmilk Replacement for HIV-Exposed Infants from 24 to 48 Weeks of Age. Journal of Nutrition, 2013, 143, 701-707.	1.3	9
28	Reducing lost to follow-up in a large clinical trial of prevention of mother-to-child transmission of HIV: The Breastfeeding, Antiretrovirals and Nutrition study experience. Clinical Trials, 2015, 12, 156-165.	0.7	9
29	Stopping the control arm in response to the DSMB: Mother's choice of HIV prophylaxis during breastfeeding in the BAN Study. Contemporary Clinical Trials, 2012, 33, 55-59.	0.8	7
30	Cytomegalovirus IgG Level and Avidity in Breastfeeding Infants of HIV-Infected Mothers in Malawi. Vaccine Journal, 2015, 22, 1222-1226.	3.2	6
31	Co-trimoxazole Prophylaxis, Asymptomatic Malaria Parasitemia, and Infectious Morbidity in Human Immunodeficiency Virus–Exposed, Uninfected Infants in Malawi: The BAN Study. Clinical Infectious Diseases, 2017, 65, 575-580.	2.9	6
32	Prescription of Antibacterial Drugs for HIV-Exposed, Uninfected Infants, Malawi, 2004–2010. Emerging Infectious Diseases, 2019, 25, .	2.0	5
33	Changes in Soluble Transferrin Receptor and Hemoglobin Concentrations in Malawian Mothers Are Associated with Those Values in their Exclusively Breastfed, HIV-Exposed Infants. Journal of Nutrition, 2014, 144, 367-374.	1.3	4
34	Uninterrupted HIV treatment for women: Policies and practices for care transitions during pregnancy and breastfeeding in Côte d'lvoire, Lesotho and Malawi. PLoS ONE, 2021, 16, e0260530.	1.1	1
35	Maternal or Infant Antiretroviral Drugs to Reduce HIV-1 Transmission. Obstetrical and Gynecological Survey, 2010, 65, 688-689.	0.2	0
36	Maternal and neonatal outcomes among women with <scp>HIV</scp> infection and their infants in Malawi. International Journal of Gynecology and Obstetrics, 2017, 137, 282-289.	1.0	0