

# Philippe Seguin

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6115841/philippe-seguin-publications-by-citations.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106  
papers

3,722  
citations

34  
h-index

58  
g-index

129  
ext. papers

4,593  
ext. citations

8.7  
avg, IF

4.94  
L-index

| #   | Paper  | IF   | Citations |
|-----|--|------|-----------|
| 106 | Attributable mortality of ventilator-associated pneumonia: a meta-analysis of individual patient data from randomised prevention studies. <i>Lancet Infectious Diseases, The</i> , <b>2013</b> , 13, 665-71  | 25.5 | 461       |
| 105 | Prevalence and impact of frailty on mortality in elderly ICU patients: a prospective, multicenter, observational study. <i>Intensive Care Medicine</i> , <b>2014</b> , 40, 674-82  | 14.5 | 167       |
| 104 | Clinical review: The liver in sepsis. <i>Critical Care</i> , <b>2012</b> , 16, 235   | 10.8 | 152       |
| 103 | Hydrocortisone therapy for patients with multiple trauma: the randomized controlled HYPOLYTE study. <i>JAMA - Journal of the American Medical Association</i> , <b>2011</b> , 305, 1201-9  | 27.4 | 129       |
| 102 | The effects of small-dose ketamine on morphine consumption in surgical intensive care unit patients after major abdominal surgery. <i>Anesthesia and Analgesia</i> , <b>2003</b> , 97, 843-847   | 3.9  | 127       |
| 101 | Incidence and risk factors of atrial fibrillation in a surgical intensive care unit. <i>Critical Care Medicine</i> , <b>2004</b> , 32, 722-6   | 1.4  | 120       |
| 100 | Personalised mechanical ventilation tailored to lung morphology versus low positive end-expiratory pressure for patients with acute respiratory distress syndrome in France (the LIVE study): a multicentre, single-blind, randomised controlled trial. <i>Lancet Respiratory Medicine, the</i> , <b>2016</b> , 4, 706-714 | 35.1 | 116       |
| 99  | Effect of Noninvasive Ventilation on Tracheal Reintubation Among Patients With Hypoxemic Respiratory Failure Following Abdominal Surgery: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2016</b> , 315, 1345-53  | 27.4 | 113       |
| 98  | Incidence and prognosis of ventilator-associated tracheobronchitis (TAVeM): a multicentre, prospective, observational study. <i>Lancet Respiratory Medicine, the</i> , <b>2015</b> , 3, 859-68   | 35.1 | 99        |
| 97  | Effect of oropharyngeal decontamination by povidone-iodine on ventilator-associated pneumonia in patients with head trauma. <i>Critical Care Medicine</i> , <b>2006</b> , 34, 1514-9   | 1.4  | 94        |
| 96  | Atrial fibrillation in trauma patients requiring intensive care. <i>Intensive Care Medicine</i> , <b>2006</b> , 32, 398-404  | 14.5 | 76        |
| 95  | Hydrocortisone and fludrocortisone for prevention of hospital-acquired pneumonia in patients with severe traumatic brain injury (Corti-TC): a double-blind, multicentre phase 3, randomised placebo-controlled trial. <i>Lancet Respiratory Medicine, the</i> , <b>2014</b> , 2, 706-16                                    | 35.1 | 75        |
| 94  | Effect of oropharyngeal povidone-iodine preventive oral care on ventilator-associated pneumonia in severely brain-injured or cerebral hemorrhage patients: a multicenter, randomized controlled trial. <i>Critical Care Medicine</i> , <b>2014</b> , 42, 1-8   | 1.4  | 71        |
| 93  | Short-course antibiotic therapy for critically ill patients treated for postoperative intra-abdominal infection: the DURAPOPOP randomised clinical trial. <i>Intensive Care Medicine</i> , <b>2018</b> , 44, 300-310   | 14.5 | 70        |
| 92  | Effects of epinephrine on right ventricular function in patients with severe septic shock and right ventricular failure: a preliminary descriptive study. <i>Intensive Care Medicine</i> , <b>1997</b> , 23, 664-70  | 14.5 | 70        |
| 91  | Catecholamines induce an inflammatory response in human hepatocytes. <i>Critical Care Medicine</i> , <b>2008</b> , 36, 848-54  | 1.4  | 68        |
| 90  | Herpes simplex virus and cytomegalovirus reactivations among severe COVID-19 patients. <i>Critical Care</i> , <b>2020</b> , 24, 530  | 10.8 | 66        |

|    |   |      |    |
|----|---|------|----|
| 89 | Nutrition of the COVID-19 patient in the intensive care unit (ICU): a practical guidance. <i>Critical Care</i> , <b>2020</b> , 24, 447  | 10.8 | 61 |
| 88 | Clinical review: fever in septic ICU patients--friend or foe?. <i>Critical Care</i> , <b>2011</b> , 15, 222   | 10.8 | 58 |
| 87 | Effects of epinephrine compared with the combination of dobutamine and norepinephrine on gastric perfusion in septic shock. <i>Clinical Pharmacology and Therapeutics</i> , <b>2002</b> , 71, 381-8                       | 6.1  | 58 |
| 86 | Factors associated with multidrug-resistant bacteria in secondary peritonitis: impact on antibiotic therapy. <i>Clinical Microbiology and Infection</i> , <b>2006</b> , 12, 980-5   | 9.5  | 57 |
| 85 | Long-term mortality and quality of life after septic shock: a follow-up observational study. <i>Intensive Care Medicine</i> , <b>2013</b> , 39, 881-8   | 14.5 | 54 |
| 84 | Risk factors for multidrug-resistant bacteria in patients with post-operative peritonitis requiring intensive care. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2010</b> , 65, 342-6                                | 5.1  | 54 |
| 83 | Successful treatment of a brain abscess due to <i>Trichoderma longibrachiatum</i> after surgical resection. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>1995</b> , 14, 445-8            | 5.3  | 48 |
| 82 | Estimation of the diameter and cross-sectional area of the internal jugular veins in adult patients. <i>Critical Care</i> , <b>2009</b> , 13, R197  | 10.8 | 46 |
| 81 | Evidence for the need of bedside accuracy of pulse oximetry in an intensive care unit. <i>Critical Care Medicine</i> , <b>2000</b> , 28, 703-6  | 1.4  | 46 |
| 80 | Effect of osmotherapy on optic nerve sheath diameter in patients with increased intracranial pressure. <i>Journal of Neurotrauma</i> , <b>2014</b> , 31, 984-8  | 5.4  | 44 |
| 79 | A multi-faceted strategy to reduce ventilation-associated mortality in brain-injured patients. The BI-VILI project: a nationwide quality improvement project. <i>Intensive Care Medicine</i> , <b>2017</b> , 43, 957-970  | 14.5 | 41 |
| 78 | Reproducibility of thermodilution cardiac output determination in critically ill patients: comparison between bolus and continuous method. <i>Journal of Clinical Monitoring and Computing</i> , <b>1996</b> , 12, 379-85 |      | 41 |
| 77 | Extubation Success Prediction in a Multicentric Cohort of Patients with Severe Brain Injury. <i>Anesthesiology</i> , <b>2017</b> , 127, 338-346   | 4.3  | 38 |
| 76 | Effects of price information on test ordering in an intensive care unit. <i>Intensive Care Medicine</i> , <b>2002</b> , 28, 332-5   | 14.5 | 36 |
| 75 | Fungal infections in mechanically ventilated patients with COVID-19 during the first wave: the French multicentre MYCOVID study. <i>Lancet Respiratory Medicine</i> , <b>2021</b> ,                                       | 35.1 | 36 |
| 74 | Dopexamine and norepinephrine versus epinephrine on gastric perfusion in patients with septic shock: a randomized study [NCT00134212]. <i>Critical Care</i> , <b>2006</b> , 10, R32                                       | 10.8 | 34 |
| 73 | Prevalence of iron deficiency on ICU discharge and its relation with fatigue: a multicenter prospective study. <i>Critical Care</i> , <b>2014</b> , 18, 542   | 10.8 | 32 |
| 72 | Calcium free hemodialysis: experience in the treatment of 33 patients with severe hypercalcemia. <i>Intensive Care Medicine</i> , <b>1996</b> , 22, 116-21  | 14.5 | 32 |

|    |  |      |    |
|----|--|------|----|
| 71 | Etomidate increases susceptibility to pneumonia in trauma patients. <i>Intensive Care Medicine</i> , <b>2012</b> , 38, 1673-82   | 14.5 | 31 |
| 70 | Association between continuous hyperosmolar therapy and survival in patients with traumatic brain injury - a multicentre prospective cohort study and systematic review. <i>Critical Care</i> , <b>2017</b> , 21, 328  | 10.8 | 30 |
| 69 | Is the COVID-19 Pandemic a Good Time to Include Molecular Detection to Categorize Aspergillosis in ICU Patients? A Monocentric Experience. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2020</b> , 6,   | 5.6  | 29 |
| 68 | Determination of capillary hemoglobin levels using the HemoCue system in intensive care patients. <i>Journal of Critical Care</i> , <b>2011</b> , 26, 423-7  | 4    | 28 |
| 67 | Plasma and peritoneal concentration following continuous infusion of cefotaxime in patients with secondary peritonitis. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2009</b> , 63, 564-7   | 5.1  | 26 |
| 66 | Atrial fibrillation is not just an artefact in the ICU. <i>Critical Care</i> , <b>2010</b> , 14, 182   | 10.8 | 25 |
| 65 | Cerebral microdialysis effects of propofol versus midazolam in severe traumatic brain injury. <i>Journal of Neurotrauma</i> , <b>2012</b> , 29, 1105-10  | 5.4  | 24 |
| 64 | Speckle tracking analysis allows sensitive detection of stress cardiomyopathy in severe aneurysmal subarachnoid hemorrhage patients. <i>Intensive Care Medicine</i> , <b>2016</b> , 42, 173-82   | 14.5 | 22 |
| 63 | Effectiveness of simple daily sensitization of physicians to the duration of central venous and urinary tract catheterization. <i>Intensive Care Medicine</i> , <b>2010</b> , 36, 1202-6   | 14.5 | 22 |
| 62 | Post-traumatic course complicated by cutaneous infection with <i>Absidia corymbifera</i> . <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>1999</b> , 18, 737-9  | 5.3  | 22 |
| 61 | Pulse oximetry and high-dose vasopressors: a comparison between forehead reflectance and finger transmission sensors. <i>Intensive Care Medicine</i> , <b>2012</b> , 38, 1718-22   | 14.5 | 21 |
| 60 | Empiric antimicrobial therapy for ventilator-associated pneumonia after brain injury. <i>European Respiratory Journal</i> , <b>2016</b> , 47, 1219-28  | 13.6 | 20 |
| 59 | Antifungal therapy for patients with proven or suspected <i>Candida</i> peritonitis: Amarcand2, a prospective cohort study in French intensive care units. <i>Clinical Microbiology and Infection</i> , <b>2017</b> , 23, 117.e1-117.e8                                    | 9.5  | 18 |
| 58 | Effect of Continuous Infusion of Hypertonic Saline vs Standard Care on 6-Month Neurological Outcomes in Patients With Traumatic Brain Injury: The COBI Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2021</b> , 325, 2056-2066 | 27.4 | 18 |
| 57 | Liver Dysfunction Is Associated with Long-Term Mortality in Septic Shock. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2016</b> , 193, 335-7   | 10.2 | 17 |
| 56 | Effect of a Perioperative Nutritional Supplementation with Oral Impact <sup>®</sup> in Patients undergoing Hepatic Surgery for Liver Cancer: A Prospective, Placebo-Controlled, Randomized, Double-Blind Study. <i>Nutrition and Cancer</i> , <b>2016</b> , 68, 464-72     | 2.8  | 17 |
| 55 | Risk factors for prolonged duration of mechanical ventilation in acute traumatic tetraplegic patients--a retrospective cohort study. <i>Journal of Critical Care</i> , <b>2014</b> , 29, 313.e7-13   | 4    | 16 |
| 54 | Are enterococci playing a role in postoperative peritonitis in critically ill patients?. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2012</b> , 31, 1479-85  | 5.3  | 16 |

|    |  |      |    |
|----|--|------|----|
| 53 | Bench-to-bedside review: Routine postoperative use of the nasogastric tube - utility or futility?. <i>Critical Care</i> , <b>2007</b> , 11, 201  | 10.8 | 16 |
| 52 | COBI (COntinuous hyperosmolar therapy for traumatic Brain-Injured patients) trial protocol: a multicentre randomised open-label trial with blinded adjudication of primary outcome. <i>BMJ Open</i> , <b>2017</b> , 7, e018035   | 3    | 15 |
| 51 | Effect of an anesthesia with propofol compared with desflurane on free radical production and liver function after partial hepatectomy. <i>Fundamental and Clinical Pharmacology</i> , <b>2012</b> , 26, 735-42  | 3.1  | 15 |
| 50 | Does the clinical frailty score improve the accuracy of the SOFA score in predicting hospital mortality in elderly critically ill patients? A prospective observational study. <i>Journal of Critical Care</i> , <b>2018</b> , 46, 67-72   | 4    | 14 |
| 49 | Revised CT angiography venous score with consideration of infratentorial circulation value for diagnosing brain death. <i>Annals of Intensive Care</i> , <b>2016</b> , 6, 88   | 8.9  | 13 |
| 48 | Early Changes Over Time in the Radiographic Assessment of Lung Edema Score Are Associated With Survival in ARDS. <i>Chest</i> , <b>2020</b> , 158, 2394-2403   | 5.3  | 12 |
| 47 | Risk factors and outcomes for prolonged versus brief fever: a prospective cohort study. <i>Critical Care</i> , <b>2012</b> , 16, R150  | 10.8 | 12 |
| 46 | Hub qualitative blood culture is useful for diagnosis of catheter-related infections in critically ill patients. <i>Intensive Care Medicine</i> , <b>2005</b> , 31, 645-8  | 14.5 | 12 |
| 45 | Impact of Low-Dose Hydrocortisone on the Incidence of Atrial Fibrillation in Patients With Septic Shock: A Propensity Score-Inverse Probability of Treatment Weighting Cohort Study. <i>Journal of Intensive Care Medicine</i> , <b>2019</b> , 34, 238-244   | 3.3  | 12 |
| 44 | Stratégie de prise en charge nutritionnelle à l'hôpital au cours de l'infirmité virale Covid-19: avis d'experts de la Société Francophone de Nutrition Clinique et Métabolisme (SFNCM). <i>Nutrition Clinique Et Métabolisme</i> , <b>2020</b> , 34, 97-104  | 0.8  | 11 |
| 43 | The association of cardiovascular failure with treatment for ventilator-associated lower respiratory tract infection. <i>Intensive Care Medicine</i> , <b>2019</b> , 45, 1753-1762   | 14.5 | 11 |
| 42 | Improvement of the neurological status of pigs with acute liver failure by hepatocytes immobilized in alginate gel beads inoculated in an extracorporeal bioartificial liver. <i>Transplantation Proceedings</i> , <b>2001</b> , 33, 1932-4  | 1.1  | 11 |
| 41 | Risk factors for mortality in postoperative peritonitis in critically ill patients. <i>World Journal of Critical Care Medicine</i> , <b>2017</b> , 6, 48-55  | 3    | 11 |
| 40 | Effect of a fever control protocol-based strategy on ventilator-associated pneumonia in severely brain-injured patients. <i>Critical Care</i> , <b>2014</b> , 18, 689  | 10.8 | 10 |
| 39 | Ertapenem in plasma and peritoneal fluid from patients with severe intra-abdominal infections. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2011</b> , 66, 1934-6   | 5.1  | 10 |
| 38 | High-dose continuous oxacillin infusion results in achievement of pharmacokinetics targets in critically ill patients with deep sternal wound infections following cardiac surgery. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2014</b> , 58, 5448-55   | 5.9  | 9  |
| 37 | Impact of iron deficiency diagnosis using hepcidin mass spectrometry dosage methods on hospital stay and costs after a prolonged ICU stay: Study protocol for a multicentre, randomised, single-blinded medico-economic trial. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , <b>2017</b> , 36, 391-396 | 3    | 8  |
| 36 | Evaluation of a new semi-continuous cardiac output system in the intensive care unit. <i>Canadian Journal of Anaesthesia</i> , <b>1998</b> , 45, 578-83  | 3    | 8  |

|    |  |      |   |
|----|--|------|---|
| 35 | Respiratory failure associated with hydroxychloroquine neuromyopathy. <i>European Neurology</i> , <b>1995</b> , 35, 236-7  | 2.1  | 7 |
| 34 | The accuracy of transcutaneous PCO <sub>2</sub> in subjects with severe brain injury: a comparison with end-tidal PCO <sub>2</sub> . <i>Respiratory Care</i> , <b>2014</b> , 59, 1242-7  | 2.1  | 6 |
| 33 | Effect of Continuous versus Intermittent Subglottic Suctioning on Tracheal Mucosa by the Mallinckrodt TaperGuard Evac Oral Tracheal Tube in Intensive Care Unit Ventilated Patients: A Prospective Randomized Study. <i>Indian Journal of Critical Care Medicine</i> , <b>2018</b> , 22, 1-4 | 1.3  | 6 |
| 32 | Effects of antibiotic prophylaxis on ventilator-associated pneumonia in severe traumatic brain injury. A post hoc analysis of two trials. <i>Journal of Critical Care</i> , <b>2019</b> , 50, 221-226  | 4    | 6 |
| 31 | Impact of treating iron deficiency, diagnosed according to hepcidin quantification, on outcomes after a prolonged ICU stay compared to standard care: a multicenter, randomized, single-blinded trial. <i>Critical Care</i> , <b>2021</b> , 25, 62   | 10.8 | 6 |
| 30 | Prevention of early ventilation-acquired pneumonia (VAP) in comatose brain-injured patients by a single dose of ceftriaxone: PROPHY-VAP study protocol, a multicentre, randomised, double-blind, placebo-controlled trial. <i>BMJ Open</i> , <b>2018</b> , 8, e021488                        | 3    | 6 |
| 29 | Patient factors and outcomes associated with the withdrawal or withholding of life-sustaining therapies in mechanically ventilated brain-injured patients: An observational multicentre study. <i>European Journal of Anaesthesiology</i> , <b>2018</b> , 35, 511-518                        | 2.3  | 5 |
| 28 | Severe Sepsis Associated with Lemierre's Syndrome: A Rare but Life-Threatening Disease. <i>Case Reports in Critical Care</i> , <b>2016</b> , 2016, 1264283   | 1    | 5 |
| 27 | Prognostic value of high-sensitivity troponin T in aneurysmal subarachnoid hemorrhage: a prospective observational study. <i>Brain Injury</i> , <b>2019</b> , 33, 1372-1378  | 2.1  | 4 |
| 26 | Association between perioperative normal saline and delayed graft function in deceased-donor kidney transplantation: a retrospective observational study. <i>Canadian Journal of Anaesthesia</i> , <b>2020</b> , 67, 421-429   | 3    | 4 |
| 25 | Factors associated with time to defecate and outcomes in critically ill patients: a prospective, multicentre, observational study. <i>Anaesthesia</i> , <b>2021</b> , 76, 218-224  | 6.6  | 4 |
| 24 | Low interleukin-10 release after ex vivo stimulation of whole blood is associated with persistent organ dysfunction in sepsis: A prospective observational study. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , <b>2019</b> , 38, 485-491  | 3    | 3 |
| 23 | Is extracorporeal membrane oxygenation for severe acute respiratory distress syndrome related to intra-abdominal sepsis beneficial?. <i>Intensive Care Medicine</i> , <b>2015</b> , 41, 943-5  | 14.5 | 3 |
| 22 | Risk factors of frailty and death or only frailty after intensive care in non-frail elderly patients: a prospective non-interventional study. <i>Journal of Intensive Care</i> , <b>2019</b> , 7, 48   | 7    | 3 |
| 21 | Management of urinary stone disease in general practice: A French Delphi study. <i>European Journal of General Practice</i> , <b>2016</b> , 22, 103-10   | 2.8  | 3 |
| 20 | Liver dysfunction is associated with long-term mortality in septic shock. <i>Critical Care</i> , <b>2015</b> , 19, P536  | 10.8 | 2 |
| 19 | Transitioning from routine to on-demand test ordering in intensive care units: a prospective, multicentre, interventional study. <i>British Journal of Anaesthesia</i> , <b>2015</b> , 115, 941-2  | 5.4  | 2 |
| 18 | Neurologic prognosis after cardiac arrest. <i>New England Journal of Medicine</i> , <b>2009</b> , 361, 1999; author reply 1999-2000  | 59.2 | 2 |

|    |  |      |   |
|----|--|------|---|
| 17 | Role of bioclimate conditions on cerebral aneurysm rupture in the Brittany region of France. <i>Neurochirurgie</i> , <b>2020</b> , 66, 9-15  | 1.4  | 2 |
| 16 | The Accuracy of Temperature Measurements Provided by the Edwards Lifesciences Pulmonary Artery Catheter. <i>Anesthesia and Analgesia</i> , <b>2016</b> , 122, 1480-3   | 3.9  | 2 |
| 15 | Risk factors for ventilator-associated pneumonia due to Staphylococcus aureus in patients with severe brain injury: A multicentre retrospective cohort study. <i>Anaesthesia, Critical Care &amp; Pain Medicine</i> , <b>2021</b> , 40, 100785                 | 3    | 2 |
| 14 | Analytical comparison of ELISA and mass spectrometry for quantification of serum hepcidin in critically ill patients. <i>Bioanalysis</i> , <b>2021</b> , 13, 1029-1035   | 2.1  | 2 |
| 13 | Is traumatic intracranial haemorrhage a specific risk factor for atrial fibrillation?. <i>Heart</i> , <b>2018</b> , 104, 450   | 5.1  | 1 |
| 12 | Dramatic vascular compression by tension pneumoperitoneum. <i>Intensive Care Medicine</i> , <b>2016</b> , 42, 1808-1810  | 14.9 | 1 |
| 11 | Sepsis may be a new risk factor for invasive aspergillosis in immunocompetent patients. <i>International Journal of Tuberculosis and Lung Disease</i> , <b>2012</b> , 16, 1135-6   | 2.1  | 1 |
| 10 | Reply to the comment by Al-Khafaji and Cho. <i>Intensive Care Medicine</i> , <b>2006</b> , 32, 1100-1100   | 14.5 | 1 |
| 9  | A One-Day Prospective National Observational Study on Sedation-Analgesia of Patients with Brain Injury in French Intensive Care Units: The SEDA-BIP-ICU (Sedation-Analgesia in Brain Injury Patient in ICU) Study. <i>Neurocritical Care</i> , <b>2021</b> , 1 | 3.3  | 1 |
| 8  | Inhaled amikacin versus placebo to prevent ventilator-associated pneumonia: the AMIKINHAL double-blind multicentre randomised controlled trial protocol. <i>BMJ Open</i> , <b>2021</b> , 11, e048591   | 3    | 1 |
| 7  | Risk factors for therapeutic failure in the management of post-operative peritonitis: a post hoc analysis of the DURAPOP trial. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2021</b> , 76, 3303-3309   | 5.1  | 0 |
| 6  | Early use of barbiturates is associated with increased mortality in traumatic brain injury patients from a propensity score-based analysis of a prospective cohort.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0268013  | 3.7  | 0 |
| 5  | Reply: The Impact of Septic Liver Dysfunction on Long-Term Mortality Must Not Be Neglected. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2016</b> , 193, 1184  | 10.2 |   |
| 4  | Le sujet g en reanimation. <i>Anesth sie &amp; R animation</i> , <b>2019</b> , 5, 510-520  | 0.1  |   |
| 3  | Soins de bouche et pneumonies acquises sous ventilation m canique. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , <b>2013</b> , 22, 238-244  |      |   |
| 2  | Could Tranexamic Acid Bias the Optimal Ratio of Fresh Frozen Plasma to Red Blood Cells During Massive Transfusion?. <i>JAMA Surgery</i> , <b>2017</b> , 152, 1183  | 5.4  |   |
| 1  | P itonites communautaires <b>2007</b> , 51-60  |      |   |