

# Geoff Richards

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6117655/publications.pdf>

Version: 2024-02-01

290  
papers

13,570  
citations

38742  
50  
h-index

45317  
90  
g-index

296  
all docs

296  
docs citations

296  
times ranked

16150  
citing authors

#	ARTICLE	IF	CITATIONS
1	Animal models for implant biomaterial research in bone: A review. , 2007, 13, 1-10.		962
2	Role and regulation of RUNX2 in osteogenesis. , 2014, 28, 269-286.		452
3	Fracture-related infection: A consensus on definition from an international expert group. Injury, 2018, 49, 505-510.	1.7	440
4	Nanotopographical modification: a regulator of cellular function through focal adhesions. Nanomedicine: Nanotechnology, Biology, and Medicine, 2010, 6, 619-633.	3.3	426
5	In search of an osteoblast cell model for in vitro research. , 2012, 24, 1-17.		399
6	Osteogenic magnesium incorporated into PLGA/TCP porous scaffold by 3D printing for repairing challenging bone defect. Biomaterials, 2019, 197, 207-219.	11.4	348
7	Staphylococcus aureus adhesion to titanium oxide surfaces coated with non-functionalized and peptide-functionalized poly(L-lysine)-grafted-poly(ethylene glycol) copolymers. Biomaterials, 2004, 25, 4135-4148.	11.4	347
8	Infection after fracture fixation: Current surgical and microbiological concepts. Injury, 2018, 49, 511-522.	1.7	336
9	Staphylococci and implant surfaces: a review. Injury, 2006, 37, S3-S14.	1.7	325
10	Concise Review: Bone Marrow-Derived Mesenchymal Stem Cells Change Phenotype Following In Vitro Culture: Implications for Basic Research and the Clinic. Stem Cells, 2014, 32, 1713-1723.	3.2	262
11	The use of nanoscale topography to modulate the dynamics of adhesion formation in primary osteoblasts and ERK/MAPK signalling in STRO-1+ enriched skeletal stem cells. Biomaterials, 2009, 30, 5094-5103.	11.4	248
12	An introduction to staphylococcus aureus, and techniques for identifying and quantifying s. aureus adhesins in relation to adhesion to biomaterials: review. , 2002, 4, 39-60.		187
13	A phenotypic comparison of osteoblast cell lines versus human primary osteoblasts for biomaterials testing. Journal of Biomedical Materials Research - Part A, 2014, 102, 2636-2643.	4.0	173
14	Interactions with nanoscale topography: Adhesion quantification and signal transduction in cells of osteogenic and multipotent lineage. Journal of Biomedical Materials Research - Part A, 2009, 91A, 195-208.	4.0	160
15	Antimicrobial delivery systems for local infection prophylaxis in orthopedic- and trauma surgery. Biomaterials, 2015, 52, 113-125.	11.4	160
16	Adhesion formation of primary human osteoblasts and the functional response of mesenchymal stem cells to 330â€”nm deep microgrooves. Journal of the Royal Society Interface, 2008, 5, 1231-1242.	3.4	156
17	Surface-enrichment with hydroxyapatite nanoparticles in stereolithography-fabricated composite polymer scaffolds promotes bone repair. Acta Biomaterialia, 2017, 54, 386-398.	8.3	151
18	Pathogenic Mechanisms and Host Interactions in Staphylococcus epidermidis Device-Related Infection. Frontiers in Microbiology, 2017, 8, 1401.	3.5	149

#	ARTICLE	IF	CITATIONS
19	General treatment principles for fracture-related infection: recommendations from an international expert group. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 1013-1027.	2.4	141
20	Dual-functional 3D-printed composite scaffold for inhibiting bacterial infection and promoting bone regeneration in infected bone defect models. Acta Biomaterialia, 2018, 79, 265-275.	8.3	134
21	The effects of nanoscale pits on primary human osteoblast adhesion formation and cellular spreading. Journal of Materials Science: Materials in Medicine, 2007, 18, 399-404.	3.6	132
22	Orthopaedic device-related infection: current and future interventions for improved prevention and treatment. EFORT Open Reviews, 2016, 1, 89-99.	4.1	131
23	Osseointegration of machined, injection moulded and oxygen plasma modified PEEK implants in a sheep model. Biomaterials, 2014, 35, 3717-3728.	11.4	130
24	Anti-infective efficacy, cytocompatibility and biocompatibility of a 3D-printed osteoconductive composite scaffold functionalized with quaternized chitosan. Acta Biomaterialia, 2016, 46, 112-128.	8.3	128
25	Analysis of Ebh, a 1.1-Megadalton Cell Wall-Associated Fibronectin-Binding Protein of Staphylococcus aureus. Infection and Immunity, 2002, 70, 6680-6687.	2.2	127
26	Non-union bone fractures. Nature Reviews Disease Primers, 2021, 7, 57.	30.5	122
27	Reduced medical infection related bacterial strains adhesion on bioactive RGD modified titanium surfaces: A first step toward cell selective surfaces. Journal of Biomedical Materials Research - Part A, 2008, 84A, 425-435.	4.0	118
28	Staphylococcus aureus adhesion to different treated titanium surfaces. Journal of Materials Science: Materials in Medicine, 2004, 15, 311-314.	3.6	107
29	Regulation of implant surface cell adhesion: characterization and quantification of S-phase primary osteoblast adhesions on biomimetic nanoscale substrates. Journal of Orthopaedic Research, 2007, 25, 273-282.	2.3	107
30	Fibroblast and osteoblast adhesion and morphology on calcium phosphate surfaces. , 2002, 4, 1-17.		106
31	The use of titanium and stainless steel in fracture fixation. Expert Review of Medical Devices, 2010, 7, 843-853.	2.8	103
32	Small molecule-based treatment approaches for intervertebral disc degeneration: Current options and future directions. Theranostics, 2021, 11, 27-47.	10.0	101
33	Bacteria and cell cytocompatibility studies on coated medical grade titanium surfaces. Journal of Biomedical Materials Research - Part A, 2006, 78A, 50-58.	4.0	96
34	Influence of material on the development of device-associated infections. Clinical Microbiology and Infection, 2012, 18, 1162-1167.	6.0	94
35	A combined biomaterial and cellular approach for annulus fibrosus rupture repair. Biomaterials, 2015, 42, 11-19.	11.4	91
36	Focal adhesion quantification - A new assay of material biocompatibility? : Review. , 2005, 9, 85-96.		86

#	ARTICLE	IF	CITATIONS
37	Coating of carbon fiber-reinforced polyetheretherketone implants with titanium to improve bone apposition. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2013, 101B, 591-598.	3.4	82
38	Staphylococcus aureus adhesion to standard micro-rough and electropolished implant materials. Journal of Materials Science: Materials in Medicine, 2007, 18, 1151-1156.	3.6	81
39	Immunohistochemistry of matrix markers in Technovit 9100 New-embedded undecalcified bone sections. , 2003, 6, 57-71.		80
40	3D scaffolds co-seeded with human endothelial progenitor and mesenchymal stem cells: Evidence of prevascularisation within 7 days. , 2013, 26, 59-65.		80
41	Sacral Bone Mass Distribution Assessed by Averaged Three-Dimensional CT Models. Journal of Bone and Joint Surgery - Series A, 2016, 98, 584-590.	3.0	77
42	Biomechanical performance of different cable and wire cerclage configurations. International Orthopaedics, 2013, 37, 125-130.	1.9	76
43	Direct Cell-Cell Contact between Mesenchymal Stem Cells and Endothelial Progenitor Cells Induces a Pericyte-Like Phenotype In Vitro. BioMed Research International, 2014, 2014, 1-10.	1.9	75
44	Drug delivery systems functionalized with bone mineral seeking agents for bone targeted therapeutics. Journal of Controlled Release, 2018, 269, 88-99.	9.9	74
45	The influence of biomechanical stability on bone healing and fracture-related infection: the legacy of Stephan Perren.. Injury, 2021, 52, 43-52.	1.7	72
46	Bacterial adhesion to orthopaedic implant materials and a novel oxygen plasma modified PEEK surface. Colloids and Surfaces B: Biointerfaces, 2014, 113, 213-222.	5.0	68
47	Definition of infection after fracture fixation: A systematic review of randomized controlled trials to evaluate current practice. Injury, 2018, 49, 497-504.	1.7	66
48	Mechanically loaded ex vivo bone culture system 'Zetos': Systems and culture preparation. , 2006, 11, 57-75.		64
49	A doxycycline-loaded polymer-lipid encapsulation matrix coating for the prevention of implant-related osteomyelitis due to doxycycline-resistant methicillin-resistant Staphylococcus aureus. Journal of Controlled Release, 2015, 209, 47-56.	9.9	63
50	Infections associated with mesh repairs of abdominal wall hernias: Are antimicrobial biomaterials the longed-for solution?. Biomaterials, 2018, 167, 15-31.	11.4	61
51	Current Concepts of Osteomyelitis. American Journal of Pathology, 2020, 190, 1151-1163.	3.8	61
52	Injectable gentamicin-loaded thermo-responsive hyaluronic acid derivative prevents infection in a rabbit model. Acta Biomaterialia, 2016, 43, 185-194.	8.3	60
53	Antibiotic stability over six weeks in aqueous solution at body temperature with and without heat treatment that mimics the curing of bone cement. Bone and Joint Research, 2017, 6, 296-306.	3.6	58
54	Antibiotic Resistance of Commensal Staphylococcus aureus and Coagulase-Negative Staphylococci in an International Cohort of Surgeons: A Prospective Point-Prevalence Study. PLoS ONE, 2016, 11, e0148437.	2.5	58

#	ARTICLE	IF	CITATIONS
55	Innovative Tissue-Engineered Strategies for Osteochondral Defect Repair and Regeneration: Current Progress and Challenges. <i>Advanced Healthcare Materials</i> , 2020, 9, e2001008.	7.6	57
56	Infection in fracture fixation: Can we influence infection rates through implant design?. <i>Journal of Materials Science: Materials in Medicine</i> , 2010, 21, 1031-1035.	3.6	56
57	Phenotypic and genotypic characterisation of <i>Staphylococcus aureus</i> causing musculoskeletal infections. <i>International Journal of Medical Microbiology</i> , 2014, 304, 565-576.	3.6	56
58	Comparative Genomics Study of <i>Staphylococcus epidermidis</i> Isolates from Orthopedic-Device-Related Infections Correlated with Patient Outcome. <i>Journal of Clinical Microbiology</i> , 2017, 55, 3089-3103.	3.9	55
59	An intervertebral disc whole organ culture system to investigate proinflammatory and degenerative disc disease condition. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018, 12, e2051-e2061.	2.7	55
60	3D statistical modeling techniques to investigate the anatomy of the sacrum, its bone mass distribution, and the trans-sacral corridors. <i>Journal of Orthopaedic Research</i> , 2014, 32, 1543-1548.	2.3	54
61	Vancomycin displays time-dependent eradication of mature <i>Staphylococcus aureus</i> biofilms. <i>Journal of Orthopaedic Research</i> , 2017, 35, 381-388.	2.3	54
62	Challenges in linking preclinical anti-microbial research strategies with clinical outcomes for device-associated infections. , 2014, 28, 112-128.		51
63	Microtopography of metal surfaces influence fibroblast growth by modifying cell shape, cytoskeleton, and adhesion. <i>Journal of Orthopaedic Research</i> , 2007, 25, 1523-1533.	2.3	50
64	Polyurethane scaffold with in situ swelling capacity for nucleus pulposus replacement. <i>Biomaterials</i> , 2016, 84, 196-209.	11.4	50
65	A comparison of non-radioactive methods for assessing viability in ex vivo cultured cancellous bone: Technical Note. , 2006, 12, 16-25.		50
66	Adult human bone cells from jaw bones cultured on plasma-sprayed or polished surfaces of titanium or hydroxylapatite discs. <i>Journal of Materials Science: Materials in Medicine</i> , 1996, 7, 21-28.	3.6	49
67	Potential of polymethylmethacrylate cement-augmented helical proximal femoral nail antirotation blades to improve implant stability—A biomechanical investigation in human cadaveric femoral heads. <i>Journal of Trauma</i> , 2012, 72, E54-E59.	2.3	49
68	Optimization of electrospray fabrication of stem cell-embedded alginate-gelatin microspheres and their assembly in 3D-printed poly(l-lactide) scaffold for cartilage tissue engineering. <i>Journal of Orthopaedic Translation</i> , 2019, 18, 128-141.	3.9	49
69	Surfaces to control tissue adhesion for osteosynthesis with metal implants: in vitro and in vivo studies to bring solutions to the patient. <i>Expert Review of Medical Devices</i> , 2010, 7, 131-142.	2.8	47
70	The effect of surface roughness on fibroblast adhesion in vitro. <i>Injury</i> , 1996, 27, S/C38-S/C43.	1.7	46
71	Biomechanical evaluation of bone-cement augmented Proximal Femoral Nail Antirotation blades in a polyurethane foam model with low density. <i>Clinical Biomechanics</i> , 2012, 27, 71-76.	1.2	46
72	Backscattered electron imaging of the undersurface of resin-embedded cells by field-emission scanning electron microscopy. <i>Journal of Microscopy</i> , 1995, 177, 43-52.	1.8	45

#	ARTICLE	IF	CITATIONS
73	Human fibroblast reactions to standard and electropolished titanium and Ti-6Al-7Nb, and electropolished stainless steel. Journal of Biomedical Materials Research - Part A, 2005, 75A, 541-555.	4.0	45
74	Monitoring immune responses in a mouse model of fracture fixation with and without Staphylococcus aureus osteomyelitis. Bone, 2016, 83, 82-92.	2.9	45
75	Heterodimeric BMP-2/7 for nucleus pulposus regeneration – In vitro and ex vivo studies. Journal of Orthopaedic Research, 2017, 35, 51-60.	2.3	45
76	Biomechanical comparison of augmented versus non-augmented sacroiliac screws in a novel hemi-pelvis test model. Journal of Orthopaedic Research, 2017, 35, 1485-1493.	2.3	45
77	A biomechanical study on proximal plate fixation techniques in periprosthetic femur fractures. Injury, 2014, 45, S71-S75.	1.7	44
78	Higher stability and more predictive fixation with the Femoral Neck System versus Hansson Pins in femoral neck fractures Pauwels II. Journal of Orthopaedic Translation, 2020, 24, 88-95.	3.9	44
79	The role of surface microtopography in the modulation of osteoblast differentiation. , 2010, 20, 98-108.		43
80	IMMUNOGOLD LABELLING OF FIBROBLAST FOCAL ADHESION SITES VISUALISED IN FIXED MATERIAL USING SCANNING ELECTRON MICROSCOPY, AND LIVING, USING INTERNAL REFLECTION MICROSCOPY. Cell Biology International, 2001, 25, 1237-1249.	3.0	42
81	Underneath the cerclage: an ex vivo study on the cerclage-bone interface mechanics. Archives of Orthopaedic and Trauma Surgery, 2012, 132, 1467-1472.	2.4	42
82	Platelet-rich plasma induces annulus fibrosus cell proliferation and matrix production. European Spine Journal, 2014, 23, 745-753.	2.2	42
83	Stress-shielding induced bone remodeling in cementless shoulder resurfacing arthroplasty: a finite element analysis and in vivo results. Journal of Biomechanics, 2014, 47, 3509-3516.	2.1	42
84	Local application of a gentamicin-loaded thermo-responsive hydrogel allows for fracture healing upon clearance of a high Staphylococcus aureus load in a rabbit model. , 0, 35, 151-164.		41
85	Surface polishing positively influences ease of plate and screw removal. , 2010, 19, 117-126.		41
86	Pellet culture model for human primary osteoblasts. , 2010, 20, 149-161.		41
87	A rabbit humerus model of plating and nailing osteosynthesis with and without Staphylococcus aureus osteomyelitis. , 2015, 30, 148-162.		41
88	Freeze-substitution of rabbit tibial articular cartilage reveals that radial zone collagen fibres are tubules. Journal of Microscopy, 2000, 197, 159-172.	1.8	40
89	Sound-induced morphogenesis of multicellular systems for rapid orchestration of vascular networks. Biofabrication, 2021, 13, 015004.	7.1	40
90	Biofilm formation increases treatment failure in Staphylococcus epidermidis device-related osteomyelitis of the lower extremity in human patients. Journal of Orthopaedic Research, 2016, 34, 1905-1913.	2.3	39

#	ARTICLE	IF	CITATIONS
91	Recommendations for design and conduct of preclinical in vivo studies of orthopedic device-related infection. <i>Journal of Orthopaedic Research</i> , 2019, 37, 271-287.	2.3	38
92	Fracture-related infection: current methods for prevention and treatment. <i>Expert Review of Anti-Infective Therapy</i> , 2020, 18, 307-321.	4.4	38
93	Effect of surface topography on removal of cortical bone screws in a novel sheep model. <i>Journal of Orthopaedic Research</i> , 2008, 26, 1377-1383.	2.3	36
94	The locking attachment plate for proximal fixation of periprosthetic femur fractures—a biomechanical comparison of two techniques. <i>International Orthopaedics</i> , 2012, 36, 1915-1921.	1.9	36
95	Fragility fractures of the sacrum occur in elderly patients with severe loss of sacral bone mass. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2018, 138, 971-977.	2.4	36
96	Bacterial osteomyelitis in veterinary orthopaedics: Pathophysiology, clinical presentation and advances in treatment across multiple species. <i>Veterinary Journal</i> , 2019, 250, 44-54.	1.7	36
97	Local Bacteriophage Delivery for Treatment and Prevention of Bacterial Infections. <i>Frontiers in Microbiology</i> , 2020, 11, 538060.	3.5	36
98	MEASUREMENT OF FIBROBLAST AND BACTERIAL DETACHMENT FROM BIOMATERIALS USING JET IMPINGEMENT. <i>Cell Biology International</i> , 2001, 25, 289-307.	3.0	35
99	Influence of Material and Microtopography on the Development of Local Infection <i>in vivo</i> : Experimental Investigation in Rabbits. <i>International Journal of Artificial Organs</i> , 2009, 32, 663-670.	1.4	35
100	Advances in Biomaterials and Surface Technologies. <i>Journal of Orthopaedic Trauma</i> , 2012, 26, 703-707.	1.4	35
101	The influence of the Peroneus Longus muscle on the foot under axial loading: A CT evaluated dynamic cadaveric model study. <i>Clinical Biomechanics</i> , 2016, 34, 7-11.	1.2	35
102	Titanium and steel fracture fixation plates with different surface topographies: Influence on infection rate in a rabbit fracture model. <i>Injury</i> , 2016, 47, 633-639.	1.7	35
103	The Selection of Appropriate Bacterial Strains in Preclinical Evaluation of Infection-Resistant Biomaterials. <i>International Journal of Artificial Organs</i> , 2008, 31, 841-847.	1.4	34
104	Morphometry of the sacrum and its implication on trans-sacral corridors using a computed tomography data-based three-dimensional statistical model. <i>Spine Journal</i> , 2017, 17, 1141-1147.	1.3	34
105	Virtual bite registration using intraoral digital scanning, CT and CBCT: In vitro evaluation of a new method and its implication for orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016, 44, 1194-1200.	1.7	33
106	Critical dimensions of trans-sacral corridors assessed by 3D CT models: Relevance for implant positioning in fractures of the sacrum. <i>Journal of Orthopaedic Research</i> , 2017, 35, 2577-2584.	2.3	33
107	Deformation of Chondrocytes in Articular Cartilage under Compressive Load: A Morphological Study. <i>Cells Tissues Organs</i> , 2003, 175, 133-139.	2.3	32
108	In Vivo Evaluation of the Effect of Intramedullary Nail Microtopography on the Development of Local Infection in Rabbits. <i>International Journal of Artificial Organs</i> , 2010, 33, 667-675.	1.4	32



#	ARTICLE	IF	CITATIONS
109	Implant Augmentation. Medicine (United States), 2014, 93, e166.	1.0	32
110	<i>In Vivo</i> MicroCT Monitoring of Osteomyelitis in a Rat Model. BioMed Research International, 2015, 2015, 1-12.	1.9	32
111	Poly(trimethylene carbonate) and nano-hydroxyapatite porous scaffolds manufactured by stereolithography. Polymers for Advanced Technologies, 2017, 28, 1219-1225.	3.2	32
112	Late screw-related complications in locking plating of proximal humerus fractures: A systematic review. Injury, 2019, 50, 2176-2195.	1.7	32
113	International survey among orthopaedic trauma surgeons: Lack of a definition of fracture-related infection. Injury, 2018, 49, 491-496.	1.7	31
114	The Tissue Renin-Angiotensin System and Its Role in the Pathogenesis of Major Human Diseases: Quo Vadis?. Cells, 2021, 10, 650.	4.1	31
115	Intervertebral disc organ culture for the investigation of disc pathology and regeneration – benefits, limitations, and future directions of bioreactors. Connective Tissue Research, 2020, 61, 304-321.	2.3	30
116	Novel aspects to the structure of rabbit articular cartilage. , 2002, 4, 18-29.		30
117	An in vivo evaluation of surface polishing of TAN intermedullary nails for ease of removal. , 2009, 18, 15-26.		30
118	Biomechanical comparison of plate and screw fixation in anterior pelvic ring fractures with low bone mineral density. Injury, 2016, 47, 1456-1460.	1.7	29
119	Microstructural Parameters of Bone Evaluated Using HR-pQCT Correlate with the DXA-Derived Cortical Index and the Trabecular Bone Score in a Cohort of Randomly Selected Premenopausal Women. PLoS ONE, 2014, 9, e88946.	2.5	29
120	Microjet impingement followed by scanning electron microscopy as a qualitative technique to compare cellular adhesion to various biomaterials. Cell Biology International, 1995, 19, 1015-1024.	3.0	28
121	Assessment of the cytocompatibility of different coated titanium surfaces to fibroblasts and osteoblasts. Journal of Biomedical Materials Research - Part A, 2005, 73A, 12-20.	4.0	28
122	What is the underlying mechanism for the failure mode observed in the proximal femoral locking compression plate? A biomechanical study. Injury, 2015, 46, 1483-1490.	1.7	28
123	Computed tomography-based virtual fracture reduction techniques in bimaxillary fractures. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 177-185.	1.7	28
124	Variation in cell-substratum adhesion in relation to cell cycle phases. Experimental Cell Research, 2004, 293, 58-67.	2.6	27
125	Focal adhesion interactions with topographical structures: a novel method for immunofluorescence labelling of focal adhesions in S-phase cells. Journal of Microscopy, 2008, 231, 28-37.	1.8	27
126	A Hyaluronic Acid Hydrogel Loaded with Gentamicin and Vancomycin Successfully Eradicates Chronic Methicillin-Resistant Staphylococcus aureus Orthopedic Infection in a Sheep Model. Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	27



#	ARTICLE	IF	CITATIONS
127	In vitro experiments with primary mammalian cells: To Pool or not to Pool?. , 2012, 24, i-ii.		27
128	Influence of implant properties and local delivery systems on the outcome in operative fracture care. Injury, 2016, 47, 595-604.	1.7	26
129	The role of a small posterior malleolar fragment in trimalleolar fractures. Bone and Joint Journal, 2018, 100-B, 95-100.	4.4	26
130	Importance of locking plate positioning in proximal humeral fractures as predicted by computer simulations. Journal of Orthopaedic Research, 2019, 37, 957-964.	2.3	26
131	Preclinical ex-vivo Testing of Anti-inflammatory Drugs in a Bovine Intervertebral Degenerative Disc Model. Frontiers in Bioengineering and Biotechnology, 2020, 8, 583.	4.1	26
132	Fracture-related infection. Bone and Joint Research, 2021, 10, 351-353.	3.6	25
133	The influence of screw length on predicted cut-out failures for proximal humeral fracture fixations predicted by finite element simulations. Archives of Orthopaedic and Trauma Surgery, 2019, 139, 1069-1074.	2.4	24
134	Smart implants in fracture care – only buzzword or real opportunity?. Injury, 2021, 52, S101-S105.	1.7	24
135	Histomorphometric Assessment of Cancellous and Cortical Bone Material Distribution in the Proximal Humerus of Normal and Osteoporotic Individuals. Medicine (United States), 2015, 94, e2043.	1.0	23
136	Biomechanical investigation of four different fixation techniques in sacrum Denis type II fracture with low bone mineral density. Journal of Orthopaedic Research, 2018, 36, 1624-1629.	2.3	23
137	Propionibacterium acnes and Staphylococcus lugdunensis Cause Pyogenic Osteomyelitis in an Intramedullary Nail Model in Rabbits. Journal of Clinical Microbiology, 2014, 52, 1595-1606.	3.9	22
138	Screw configuration in proximal humerus plating has a significant impact on fixation failure risk predicted by finite element models. Journal of Shoulder and Elbow Surgery, 2019, 28, 1816-1823.	2.6	22
139	Effect of the CCL5-Releasing Fibrin Gel for Intervertebral Disc Regeneration. Cartilage, 2020, 11, 169-180.	2.7	22
140	Is surface chemical composition important for orthopaedic implant materials?. Journal of Materials Science: Materials in Medicine, 2007, 18, 405-413.	3.6	21
141	Prediction of bone strength at the distal tibia by HR-pQCT and DXA. Bone, 2012, 50, 296-300.	2.9	21
142	High-Resolution Tomography-Based Quantification of Cortical Porosity and Cortical Thickness at the Surgical Neck of the Humerus During Aging. Calcified Tissue International, 2017, 101, 271-279.	3.1	21
143	Intraoperative loading of calcium phosphate-coated implants with gentamicin prevents experimental Staphylococcus aureus infection in vivo. PLoS ONE, 2019, 14, e0210402.	2.5	21
144	One strike loading organ culture model to investigate the post-traumatic disc degenerative condition. Journal of Orthopaedic Translation, 2021, 26, 141-150.	3.9	21

#	ARTICLE	IF	CITATIONS
145	Reinforcing the role of the conventional C-arm - a novel method for simplified distal interlocking. BMC Musculoskeletal Disorders, 2012, 13, 8.	1.9	20
146	Cement augmentation of hip implants in osteoporotic bone: How much cement is needed and where should it go?. Journal of Orthopaedic Research, 2014, 32, 362-368.	2.3	20
147	The calcification potential of human MSCs can be enhanced by interleukin-1 $\beta$ in osteogenic medium. Journal of Tissue Engineering and Regenerative Medicine, 2017, 11, 564-571.	2.7	20
148	Surgical performance when inserting non-locking screws: a systematic review. EFORT Open Reviews, 2020, 5, 26-36.	4.1	20
149	Biomechanical Comparison of Five Fixation Techniques for Unstable Fragility Fractures of the Pelvic Ring. Journal of Clinical Medicine, 2021, 10, 2326.	2.4	20
150	Microwave-enhanced fixation of rabbit articular cartilage. Journal of Microscopy, 1996, 181, 269-276.	1.8	19
151	Innovating in the medical device industry – challenges & opportunities ESB 2015 translational research symposium. Journal of Materials Science: Materials in Medicine, 2016, 27, 144.	3.6	19
152	Is augmented LISS plating biomechanically advantageous over conventional LISS plating in unstable osteoporotic distal femoral fractures?. Journal of Orthopaedic Research, 2018, 36, 2604-2611.	2.3	19
153	Development of bone seeker – functionalised microspheres as a targeted local antibiotic delivery system for bone infections. Journal of Orthopaedic Translation, 2020, 21, 136-145.	3.9	19
154	Gut microbial-derived short-chain fatty acids and bone: a potential role in fracture healing. , 2021, 41, 454-470.		19
155	TGF $\beta$ <sub>3</sub> and loading increases osteocyte survival in human cancellous bone cultured <i>ex vivo</i> . Cell Biochemistry and Function, 2009, 27, 23-29.	2.9	18
156	Bacterial Adhesion and Biomaterial Surfaces. , 2011, , 75-100.		18
157	Analysis of sacro-iliac joint screw fixation: does quality of reduction and screw orientation influence joint stability? A biomechanical study. International Orthopaedics, 2016, 40, 1537-1543.	1.9	18
158	Biomechanical Analysis of the Proximal Femoral Locking Compression Plate: Do Quality of Reduction and Screw Orientation Influence Construct Stability?. Journal of Orthopaedic Trauma, 2018, 32, 67-74.	1.4	18
159	Single-stage revision of MRSA orthopedic device-related infection in sheep with an antibiotic-loaded hydrogel. Journal of Orthopaedic Research, 2021, 39, 438-448.	2.3	18
160	ENHANCEMENT OF IMMUNOGOLD-LABELLED FOCAL ADHESION SITES IN FIBROBLASTS CULTURED ON METAL SUBSTRATES: PROBLEMS AND SOLUTIONS. Cell Biology International, 2001, 25, 1251-1259.	3.0	17
161	Does cancellous bone compaction due to insertion of a blade implant influence the cut-out resistance? A biomechanical study. Clinical Biomechanics, 2010, 25, 1053-1057.	1.2	17
162	An <i>in vitro</i> investigation of bacteria-osteoblast competition on oxygen plasma-modified PEEK. Journal of Biomedical Materials Research - Part A, 2014, 102, n/a-n/a.	4.0	17

#	ARTICLE	IF	CITATIONS
163	An Exopolysaccharide Produced by <i>Bifidobacterium longum</i> 35624 <sup>®</sup> Inhibits Osteoclast Formation via a TLR2-Dependent Mechanism. <i>Calcified Tissue International</i> , 2021, 108, 654-666.	3.1	17
164	Influence of fracture stability on <i>Staphylococcus epidermidis</i> and <i>Staphylococcus aureus</i> infection in a murine femoral fracture model. , 2017, 34, 321-340.		17
165	Butyrate Inhibits Osteoclast Activity In Vitro and Regulates Systemic Inflammation and Bone Healing in a Murine Osteotomy Model Compared to Antibiotic-Treated Mice. <i>Mediators of Inflammation</i> , 2021, 2021, 1-17.	3.0	17
166	Simultaneously identifying S-phase labelled cells and immunogold-labelling of vinculin in focal adhesions. <i>Journal of Microscopy</i> , 2002, 207, 27-36.	1.8	16
167	Preclinical Animal Models in Trauma Research. <i>Journal of Orthopaedic Trauma</i> , 2011, 25, 488-493.	1.4	16
168	Computational anatomy of the dens axis evaluated by quantitative computed tomography: Implications for anterior screw fixation. <i>Journal of Orthopaedic Research</i> , 2017, 35, 2154-2163.	2.3	16
169	Three-Dimensional <i>In Vitro</i> <i>Staphylococcus aureus</i> Abscess Communities Display Antibiotic Tolerance and Protection from Neutrophil Clearance. <i>Infection and Immunity</i> , 2020, 88, .	2.2	16
170	Preclinical in vivo models of fracture-related infection: a systematic review and critical appraisal. , 2018, 36, 184-199.		16
171	Advantages of stereo imaging of metallic surfaces with low voltage backscattered electrons in a field emission scanning electron microscope. <i>Journal of Microscopy</i> , 2000, 199, 115-123.	1.8	15
172	Assessment of Intraosseous Femoral Head Pressures During Cement Augmentation of the Perforated Proximal Femur Nail Antirotation Blade. <i>Journal of Orthopaedic Trauma</i> , 2014, 28, 398-402.	1.4	15
173	Improving translation success of cell-based therapies in orthopaedics. <i>Journal of Orthopaedic Research</i> , 2016, 34, 17-21.	2.3	15
174	Are two retrograde 3.5 mm screws superior to one 7.3 mm screw for anterior pelvic ring fixation in bones with low bone mineral density?. <i>Bone and Joint Research</i> , 2017, 6, 8-13.	3.6	15
175	Bacteriophage Therapy for the Prevention and Treatment of Fracture-Related Infection Caused by <i>Staphylococcus aureus</i> : a Preclinical Study. <i>Microbiology Spectrum</i> , 2021, 9, e0173621.	3.0	15
176	Angulated locking plate in periprosthetic proximal femur fractures: biomechanical testing of a new prototype plate. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 1437-1444.	2.4	14
177	Fatigue performance of angle-stable tibial nail interlocking screws. <i>International Orthopaedics</i> , 2013, 37, 113-118.	1.9	14
178	Benefits of hardware removal after plating. <i>Injury</i> , 2018, 49, S91-S95.	1.7	14
179	Humanized Mice Exhibit Exacerbated Abscess Formation and Osteolysis During the Establishment of Implant-Associated <i>Staphylococcus aureus</i> Osteomyelitis. <i>Frontiers in Immunology</i> , 2021, 12, 651515.	4.8	14
180	Transcriptional activation of ENPP1 by osterix in osteoblasts and osteocytes. , 2018, 36, 1-14.		14

#	ARTICLE	IF	CITATIONS
181	The tissue-renin-angiotensin-system of the human intervertebral disc. , 2020, 40, 115-132.		14
182	Continuous Implant Load Monitoring to Assess Bone Healing Statusâ€”Evidence from Animal Testing. Medicina (Lithuania), 2022, 58, 858.	2.0	14
183	Letter to the Editor: New Definition for Periprosthetic Joint Infection: From the Workgroup of the Musculoskeletal Infection Society. Clinical Orthopaedics and Related Research, 2016, 474, 2726-2727.	1.5	13
184	A large animal model for a failed two-stage revision of intramedullary nail-related infection by methicillin-resistant Staphylococcus aureus. , 2017, 34, 83-98.		13
185	Antibiofilm efficacy of focused high-energy extracorporeal shockwaves and antibiotics in vitro. Bone and Joint Research, 2021, 10, 77-84.	3.6	13
186	Immunohistological identification of receptor activator of NF-ÎB ligand (RANKL) in human, ovine and bovine bone tissues. Journal of Materials Science: Materials in Medicine, 2004, 15, 367-372.	3.6	12
187	Does Metaphyseal Cement Augmentation in Fracture Management Influence the Adjacent Subchondral Bone and Joint Cartilage?. Medicine (United States), 2015, 94, e414.	1.0	12
188	Assessment of Ankle and Hindfoot Stability and Joint Pressures Using a Human Cadaveric Model of a Large Lateral Talar Process Excision. Medicine (United States), 2015, 94, e606.	1.0	12
189	3D statistical model of the pelvic ring â€” a <scp>CT</scp>-based statistical evaluation of anatomical variation. Journal of Anatomy, 2019, 234, 376-383.	1.5	12
190	Development of generic Asian pelvic bone models using CT-based 3D statistical modelling. Journal of Orthopaedic Translation, 2020, 20, 100-106.	3.9	12
191	Stripping torques in human bone can be reliably predicted prior to screw insertion with optimum tightness being found between 70% and 80% of the maximum. Bone and Joint Research, 2020, 9, 493-500.	3.6	12
192	A single-cell transcriptome of mesenchymal stromal cells to fabricate bioactive hydroxyapatite materials for bone regeneration. Bioactive Materials, 2022, 9, 281-298.	15.6	12
193	Biomechanical analysis of recently released cephalomedullary nails for trochanteric femoral fracture fixation in a human cadaveric model. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 3787-3796.	2.4	12
194	A new method for investigating the undersurface of cell monolayers by scanning electron microscopy. Journal of Microscopy, 1993, 171, 205-213.	1.8	11
195	<i>In vivo</i> evaluation of defined polished titanium surfaces to prevent soft tissue adhesion. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2012, 100B, 611-617.	3.4	11
196	Cement augmentation of implantsâ€”no general cure in osteoporotic fracture treatment. A biomechanical study on nonâ€”displaced femoral neck fractures. Journal of Orthopaedic Research, 2016, 34, 314-319.	2.3	11
197	Does Supplemental Intramedullary Grafting Increase Stability of Plated Proximal Humerus Fractures?. Journal of Orthopaedic Trauma, 2019, 33, 196-202.	1.4	11
198	Screwâ€”screw fixation of fragility sacrum fractures provides high stability without looseningâ€”biomechanical evaluation of a new concept. Journal of Orthopaedic Research, 2021, 39, 761-770.	2.3	11

#	ARTICLE	IF	CITATIONS
199	An <i>in vivo</i> evaluation of the biocompatibility of anodic plasma chemical (APC) treatment of titanium with calcium phosphate. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2009, 90B, 26-34.	3.4	10
200	The Cell-Surface Interaction. Advances in Biochemical Engineering/Biotechnology, 2011, 126, 1-31.	1.1	10
201	Biomimetic matrix fabricated by LMP-1 gene-transduced MC3T3-E1 cells for bone regeneration. Biofabrication, 2017, 9, 045010.	7.1	10
202	Local Application of a Gentamicin-Loaded Hydrogel Early After Injury Is Superior to Perioperative Systemic Prophylaxis in a Rabbit Open Fracture Model. Journal of Orthopaedic Trauma, 2020, 34, 231-237.	1.4	10
203	Reamed locked intramedullary nailing for studying femur fracture and its complications. , 2017, 34, 99-107.		10
204	Scanning electron microscopy of the undersurface of cell monolayers grown on metallic implants. Journal of Materials Science: Materials in Medicine, 1995, 6, 120-124.	3.6	9
205	Endothelial Progenitor Cell Fraction Contained in Bone Marrow-Derived Mesenchymal Stem Cell Populations Impairs Osteogenic Differentiation. BioMed Research International, 2015, 2015, 1-10.	1.9	9
206	Influence of tibialis posterior muscle activation on foot anatomy under axial loading: A biomechanical CT human cadaveric study. Foot and Ankle Surgery, 2017, 23, 250-254.	1.7	9
207	4.8 Bacterial Adhesion and Biomaterial Surfaces. , 2017, , 101-129.		9
208	Influence of steel implant surface microtopography on soft and hard tissue integration. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2018, 106, 705-715.	3.4	9
209	Focused high-energy extracorporeal shockwaves as supplemental treatment in a rabbit model of fracture-related infection. Journal of Orthopaedic Research, 2020, 38, 1351-1358.	2.3	9
210	Ligamentous Lisfranc injuries: analysis of CT findings under weightbearing. European Journal of Trauma and Emergency Surgery, 2020, 47, 1243-1248.	1.7	9
211	A murine Staphylococcus aureus fracture-related infection model characterised by fracture non-union, staphylococcal abscess communities and myeloid-derived suppressor cells. , 2021, 41, 774-792.		9
212	One size may not fit all: patient-specific computational optimization of locking plates for improved proximal humerus fracture fixation. Journal of Shoulder and Elbow Surgery, 2022, 31, 192-200.	2.6	9
213	Biomechanical investigation of two plating systems for medial column fusion in foot. PLoS ONE, 2017, 12, e0172563.	2.5	9
214	Establishing a 3D ex vivo culture system for investigations of bone metabolism and biomaterial interactions. ALTEX: Alternatives To Animal Experimentation, 2007, 24 Spec No, 56-9.	1.5	9
215	Does Cement Augmentation of the Sacroiliac Screw Lead to Superior Biomechanical Results for Fixation of the Posterior Pelvic Ring? A Biomechanical Study. Medicina (Lithuania), 2021, 57, 1368.	2.0	9
216	Antiseptics and antibiotics on implants. Injury, 2006, 37, S113-S116.	1.7	8

#	ARTICLE	IF	CITATIONS
217	AO Research Institute Davos within the AO Foundation: A model for translation of science to the clinics. <i>Journal of Orthopaedic Translation</i> , 2013, 1, 11-18.	3.9	8
218	Preparation of gentamicin dioctyl sulfosuccinate loaded poly(trimethylene carbonate) matrices intended for the treatment of orthopaedic infections. <i>Clinical Hemorheology and Microcirculation</i> , 2015, 60, 89-98.	1.7	8
219	Angular stable lateral plating is a valid alternative to conventional plate fixation in the proximal phalanx. A biomechanical study. <i>Clinical Biomechanics</i> , 2015, 30, 405-410.	1.2	8
220	Surface Modification Techniques of PEEK, Including Plasma Surface Treatment. , 2019, , 179-201.		8
221	Longitudinal time-lapse in vivo micro-CT reveals differential patterns of peri-implant bone changes after subclinical bacterial infection in a rat model. <i>Scientific Reports</i> , 2020, 10, 20901.	3.3	8
222	Impact of low bone mass and antiresorptive therapy on antibiotic efficacy in a rat model of orthopedic device-related infection. <i>Journal of Orthopaedic Research</i> , 2021, 39, 415-425.	2.3	8
223	The non-steroidal anti-inflammatory drug carprofen negatively impacts new bone formation and antibiotic efficacy in a rat model of orthopaedic-device-related infection. , 2021, 41, 739-755.		8
224	Progressing innovation in biomaterials. From the bench to the bed of patients. <i>Journal of Materials Science: Materials in Medicine</i> , 2015, 26, 228.	3.6	7
225	Biomechanical evaluation of a new gliding screw concept for the fixation of proximal humeral fractures. <i>Bone and Joint Research</i> , 2018, 7, 422-429.	3.6	7
226	Computed Tomography Analysis for Quantification of Displacement of the Distal Fibula in Different Foot Positions With Weightbearing and Sequentially Increased Instability: An Anatomic Cadaveric Study on Syndesmosis. <i>Journal of Foot and Ankle Surgery</i> , 2019, 58, 734-738.	1.0	7
227	Secondary Perforation Risk in Plate Osteosynthesis of Unstable Proximal Humerus Fractures: A Biomechanical Investigation of the Effect of Screw Length. <i>Journal of Orthopaedic Research</i> , 2019, 37, 2625-2633.	2.3	7
228	3D computational anatomy of the scaphoid and its waist for use in fracture treatment. <i>Journal of Orthopaedic Surgery and Research</i> , 2021, 16, 216.	2.3	7
229	Experimental and numerical investigation of secondary screw perforation in the human proximal humerus. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021, 116, 104344.	3.1	7
230	Animal Models of Orthopedic Implant-Related Infection. , 2013, , 273-304.		7
231	Utilizing atomic number contrast for FESEM imaging of colloidal nanotopography underlying biological cells. <i>Nanotechnology</i> , 2005, 16, 1433-1439.	2.6	6
232	Biodegradable polyurethane cytocompatibility to fibroblasts and staphylococci. <i>Journal of Biomedical Materials Research - Part A</i> , 2006, 77A, 304-312.	4.0	6
233	Reconstruction of the lateral tibia plateau fracture with a third triangular support screw: A biomechanical study. <i>Journal of Orthopaedic Translation</i> , 2017, 11, 30-38.	3.9	6
234	Infection burden and immunological responses are equivalent for polymeric and metallic implant materials in vitro and in a murine model of fracture-related infection. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2019, 107, 1095-1106.	3.4	6



#	ARTICLE	IF	CITATIONS
235	An Enzybiotic Regimen for the Treatment of Methicillin-Resistant Staphylococcus aureus Orthopaedic Device-Related Infection. Antibiotics, 2021, 10, 1186.	3.7	6
236	Fracture biomechanics influence local and systemic immune responses in a murine fracture-related infection model. Biology Open, 2021, 10, .	1.2	6
237	In Vitro 3D Staphylococcus aureus Abscess Communities Induce Bone Marrow Cells to Expand into Myeloid-Derived Suppressor Cells. Pathogens, 2021, 10, 1446.	2.8	6
238	Continuous Rod Load Monitoring to Assess Spinal Fusion Statusâ€“Pilot In Vivo Data in Sheep. Medicina (Lithuania), 2022, 58, 899.	2.0	6
239	Correlating cell morphology and osteoid mineralization relative to strain profile for bone tissue engineering applications. Journal of the Royal Society Interface, 2008, 5, 899-907.	3.4	5
240	Bacterial Interactions with Polyaryletheretherketone. , 2012, , 93-117.		5
241	Two-step labeling of Staphylococcus aureus with Lysostaphin-Azide and DIBO-Alexa using click chemistry. Journal of Microbiological Methods, 2013, 92, 90-98.	1.6	5
242	The use of Reamer Irrigator Aspirator (RIA) autograft harvest in the treatment of critical-sized iliac wing defects in sheep: Investigation of dexamethasone and beta-tricalcium phosphate augmentation. Bone, 2013, 53, 554-565.	2.9	5
243	Subchondral screw abutment: does it harm the joint cartilage? An in vivo study on sheep tibiae. International Orthopaedics, 2017, 41, 1607-1615.	1.9	5
244	Hyaluronic acid derivatives and its polyelectrolyte complexes with gentamicin as a delivery system for antibiotics. Polymers for Advanced Technologies, 2017, 28, 1325-1333.	3.2	5
245	Axial and shear pullout forces of composite, porcine and human metatarsal and cuboid bones. Journal of Orthopaedic Translation, 2018, 14, 67-73.	3.9	5
246	Phenotype and Viability of MLO-Y4 Cells Is Maintained by TGFÎ²3 in a Serum-Dependent Manner within a 3D-Co-Culture with MG-63 Cells. International Journal of Molecular Sciences, 2018, 19, 1932.	4.1	5
247	Biomechanical comparison between standard and inclined screw orientation in dynamic hip screw side-plate fixation: The lift-off phenomenon. Journal of Orthopaedic Translation, 2019, 18, 92-99.	3.9	5
248	Identification and Characterization of Serum microRNAs as Biomarkers for Human Disc Degeneration: An RNA Sequencing Analysis. Diagnostics, 2020, 10, 1063.	2.6	5
249	Biomechanical analysis of periâ€“implant fractures in short versus long cephalomedullary implants following pertrochanteric fracture consolidation. Injury, 2021, 52, 60-65.	1.7	5
250	Generic Implant Positioning Technology Based on Hole Projections in X-Ray Images. Journal of Medical Devices, Transactions of the ASME, 2021, 15, 025002.	0.7	5
251	Characterization of nasal methicillin-resistant Staphylococcus aureus isolated from international human and veterinary surgeons. Journal of Medical Microbiology, 2017, 66, 360-370.	1.8	5
252	Introduction: Implants and infection in fracture fixation â€œten years onâ€œ. Injury, 2006, 37, S1-S2.	1.7	4



#	ARTICLE	IF	CITATIONS
253	The Relevance of Implant Surfaces in Hand Fracture Fixation. , 2008, , 20-30.		4
254	A rapid method for the generation of uniform acellular bone explants: a technical note. Journal of Orthopaedic Surgery and Research, 2010, 5, 32.	2.3	4
255	Antibiotic Prophylaxis With Cefuroxime: Influence of Duration on Infection Rate With Staphylococcus aureus in a Contaminated Open Fracture Model. Journal of Orthopaedic Trauma, 2018, 32, 190-195.	1.4	4
256	Osseointegration of Permanent and Temporary Orthopedic Implants. , 2019, , 257-269.		4
257	Introduction of the Anspach drill as a novel surgical drill for creating calvarial defects in animal models. Journal of Orthopaedic Research, 2019, 37, 1183-1191.	2.3	4
258	Variations in non-locking screw insertion conditions generate unpredictable changes to achieved fixation tightness and stripping rates. Clinical Biomechanics, 2020, 80, 105201.	1.2	4
259	Cortical parameters predict bone strength at the tibial diaphysis, but are underestimated by HRâ€pQCT and 1/4CT compared to histomorphometry. Journal of Anatomy, 2021, 238, 669-678.	1.5	4
260	A Proinflammatory, Degenerative Organ Culture Model to Simulate Early-Stage Intervertebral Disc Disease.. Journal of Visualized Experiments, 2021, , .	0.3	4
261	Transcriptional profiling of intervertebral disc in a postâ€traumatic early degeneration organ culture model. JOR Spine, 2021, 4, e1146.	3.2	4
262	Percutaneous fixation of intraarticular joint-depression calcaneal fractures with different screw configurations â€“ a biomechanical human cadaveric analysis. European Journal of Trauma and Emergency Surgery, 2022, 48, 3305-3315.	1.7	4
263	Cartilage decisively shapes the glenoid concavity and contributes significantly to shoulder stability. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3626-3633.	4.2	4
264	An Antibiotic-Loaded Hydrogel Demonstrates Efficacy as Prophylaxis and Treatment in a Large Animal Model of Orthopaedic Device-Related Infection. Frontiers in Cellular and Infection Microbiology, 2022, 12, 826392.	3.9	4
265	The RAPIDOS projectâ€”European and Chinese collaborative research on biomaterials. Journal of Orthopaedic Translation, 2015, 3, 78-84.	3.9	3
266	Influence of the Reamer-Irrigator-Aspirator diameter on femoral bone strength and amount of harvested bone graft â€“ a biomechanical cadaveric study. Injury, 2020, 51, 2846-2850.	1.7	3
267	Is Bridge Plating of Comminuted Humeral Shaft Fractures Advantageous When Using Compression Plates with Three versus Two Screws per Fragment? A Biomechanical Cadaveric Study. BioMed Research International, 2021, 2021, 1-10.	1.9	3
268	Infection in Fracture Fixation: Device Design and Antibiotic Coatings Reduce Infection Rates. , 2013, , 435-453.		3
269	Screw tightness and stripping rates vary between biomechanical researchers and practicing orthopaedic surgeons. Journal of Orthopaedic Surgery and Research, 2021, 16, 642.	2.3	3
270	Is Anterior Plating Superior to the Bilateral Use of Retrograde Transpubic Screws for Treatment of Straddle Pelvic Ring Fractures? A Biomechanical Investigation. Journal of Clinical Medicine, 2021, 10, 5049.	2.4	3

#	ARTICLE	IF	CITATIONS
271	Effect of weightbearing and foot positioning on 3D distal tibiofibular joint parameters. Scientific Reports, 2022, 12, .	3.3	3
272	Investigation of cell compatibility of titanium test surfaces to fibroblasts. Injury, 1995, 26, 21-27.	1.7	2
273	Bone cement flow analysis by stepwise injection through medical cannulas. Medical Engineering and Physics, 2016, 38, 1434-1438.	1.7	2
274	The impact of translational orthopaedic research: Journal of Orthopaedic Translation indexed in Science Citation Index Expanded. Journal of Orthopaedic Translation, 2018, 12, A1-A2.	3.9	2
275	LagLoc® a new surgical technique for locking plate systems. Journal of Orthopaedic Research, 2018, 36, 2886-2891.	2.3	2
276	In vivo test of a radiography-based navigation system for control of derotational osteotomies. Journal of Orthopaedic Research, 2021, 39, 130-135.	2.3	2
277	Angiotensin II Type 1 Receptor Antagonist Losartan Inhibits TNF- $\alpha$ -Induced Inflammation and Degeneration Processes in Human Nucleus Pulposus Cells. Applied Sciences (Switzerland), 2021, 11, 417.	2.5	2
278	3D geometry of femoral reaming for bone graft harvesting. Scientific Reports, 2021, 11, 17153.	3.3	2
279	Anatomical evaluation of the transpubic screw corridor based on a 3D statistical model of the pelvic ring. Scientific Reports, 2021, 11, 16677.	3.3	2
280	Using Immuno-Scanning Electron Microscopy for the Observation of Focal Adhesion-substratum interactions at the Nano- and Microscale in S-Phase Cells. Methods in Molecular Biology, 2011, 695, 53-60.	0.9	2
281	Comparison of Ligament-Repair Techniques for the Syndesmosis: A Simulated Cadaveric Weight-Bearing Computed Tomography Analysis. Journal of Foot and Ankle Surgery, 2020, 59, 1156-1161.	1.0	2
282	Fractographic analysis of two different plate designs used for orthopaedic trauma surgery. Engineering Failure Analysis, 2022, 139, 106440.	4.0	2
283	Neopeptide fragments as biomarkers for different phenotypes of intervertebral disc degeneration. JOR Spine, 2022, 5, .	3.2	2
284	International Combined Orthopaedic Research Societies: A model for international collaboration to promote orthopaedic and musculoskeletal research. Journal of Orthopaedic Translation, 2014, 2, 165-169.	3.9	1
285	Musculoskeletal regeneration research network: A global initiative. Journal of Orthopaedic Translation, 2015, 3, 160-165.	3.9	1
286	Titanium Wear Particles Exacerbate S. epidermidis-Induced Implant-Related Osteolysis and Decrease Efficacy of Antibiotic Therapy. Microorganisms, 2021, 9, 1945.	3.6	1
287	The 22nd European Conference on Biomaterials: retrospective view, facts and figures. Journal of Materials Science: Materials in Medicine, 2010, 21, 843-845.	3.6	0
288	Bacterial Interactions With PEEK. , 2019, , 121-145.		0

#	ARTICLE	IF	CITATIONS
289	Medial talar resection: how much remains stable?. European Journal of Trauma and Emergency Surgery, 2022, , 1.	1.7	0
290	Comminuted Intraarticular Calcaneal Fractures: Multiplanar VA Locked Plating And Interlocked Nailing Incorporate Longitudinal Strut And Provide Superior Stability – A Biomechanical Cadaveric Study. Injury, 2022, , .	1.7	0