## **Geoff Richards**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6117655/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	One size may not fit all: patient-specific computational optimization of locking plates for improved proximal humerus fracture fixation. Journal of Shoulder and Elbow Surgery, 2022, 31, 192-200.	2.6	9
2	A single-cell transcriptome of mesenchymal stromal cells to fabricate bioactive hydroxyapatite materials for bone regeneration. Bioactive Materials, 2022, 9, 281-298.	15.6	12
3	Biomechanical analysis of recently released cephalomedullary nails for trochanteric femoral fracture fixation in a human cadaveric model. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 3787-3796.	2.4	12
4	Medial talar resection: how much remains stable?. European Journal of Trauma and Emergency Surgery, 2022, , 1.	1.7	0
5	Percutaneous fixation of intraarticular joint-depression calcaneal fractures with different screw configurations $a \in $ " a biomechanical human cadaveric analysis. European Journal of Trauma and Emergency Surgery, 2022, 48, 3305-3315.	1.7	4
6	Cartilage decisively shapes the glenoid concavity and contributes significantly to shoulder stability. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3626-3633.	4.2	4
7	An Antibiotic-Loaded Hydrogel Demonstrates Efficacy as Prophylaxis and Treatment in a Large Animal Model of Orthopaedic Device-Related Infection. Frontiers in Cellular and Infection Microbiology, 2022, 12, 826392.	3.9	4
8	Fractographic analysis of two different plate designs used for orthopaedic trauma surgery. Engineering Failure Analysis, 2022, 139, 106440.	4.0	2
9	Comminuted Intraarticular Calcaneal Fractures: Multiplanar VA Locked Plating And Interlocked Nailing Incorporate Longitudinal Strut And Provide Superior Stability – A Biomechanical Cadaveric Study. Injury, 2022, , .	1.7	0
10	Effect of weightbearing and foot positioning on 3D distal tibiofibular joint parameters. Scientific Reports, 2022, 12, .	3.3	3
11	Continuous Implant Load Monitoring to Assess Bone Healing Status—Evidence from Animal Testing. Medicina (Lithuania), 2022, 58, 858.	2.0	14
12	Continuous Rod Load Monitoring to Assess Spinal Fusion Status–Pilot In Vivo Data in Sheep. Medicina (Lithuania), 2022, 58, 899.	2.0	6
13	Neoepitope fragments as biomarkers for different phenotypes of intervertebral disc degeneration. JOR Spine, 2022, 5, .	3.2	2
14	In vivo test of a radiographyâ€based navigation system for control of derotational osteotomies. Journal of Orthopaedic Research, 2021, 39, 130-135.	2.3	2
15	The influence of biomechanical stability on bone healing and fracture-related infection: the legacy of Stephan Perren Injury, 2021, 52, 43-52.	1.7	72
16	Smart implants in fracture care – only buzzword or real opportunity?. Injury, 2021, 52, S101-S105.	1.7	24
17	Small molecule-based treatment approaches for intervertebral disc degeneration: Current options and future directions. Theranostics, 2021, 11, 27-47.	10.0	101
18	Cortical parameters predict bone strength at the tibial diaphysis, but are underestimated by HRâ€pQCT and μCT compared to histomorphometry. Journal of Anatomy, 2021, 238, 669-678.	1.5	4

#	Article	IF	CITATIONS
19	One strike loading organ culture model to investigate the post-traumatic disc degenerative condition. Journal of Orthopaedic Translation, 2021, 26, 141-150.	3.9	21
20	Impact of low bone mass and antiresorptive therapy on antibiotic efficacy in a rat model of orthopedic deviceâ€related infection. Journal of Orthopaedic Research, 2021, 39, 415-425.	2.3	8
21	Singleâ€stage revision of MRSA orthopedic deviceâ€related infection in sheep with an antibioticâ€loaded hydrogel. Journal of Orthopaedic Research, 2021, 39, 438-448.	2.3	18
22	Screwâ€inâ€screw fixation of fragility sacrum fractures provides high stability without loosening—biomechanical evaluation of a new concept. Journal of Orthopaedic Research, 2021, 39, 761-770.	2.3	11
23	Biomechanical analysis of periâ€ʻimplant fractures in short versus long cephalomedullary implants following pertrochanteric fracture consolidation. Injury, 2021, 52, 60-65.	1.7	5
24	Antibiofilm efficacy of focused high-energy extracorporeal shockwaves and antibiotics in vitro. Bone and Joint Research, 2021, 10, 77-84.	3.6	13
25	An Exopolysaccharide Produced by Bifidobacterium longum 35624® Inhibits Osteoclast Formation via a TLR2-Dependent Mechanism. Calcified Tissue International, 2021, 108, 654-666.	3.1	17
26	Angiotensin II Type 1 Receptor Antagonist Losartan Inhibits TNF-α-Induced Inflammation and Degeneration Processes in Human Nucleus Pulposus Cells. Applied Sciences (Switzerland), 2021, 11, 417.	2.5	2
27	A Proinflammatory, Degenerative Organ Culture Model to Simulate Early-Stage Intervertebral Disc Disease Journal of Visualized Experiments, 2021, , .	0.3	4
28	The Tissue Renin-Angiotensin System and Its Role in the Pathogenesis of Major Human Diseases: Quo Vadis?. Cells, 2021, 10, 650.	4.1	31
29	ls Bridge Plating of Comminuted Humeral Shaft Fractures Advantageous When Using Compression Plates with Three versus Two Screws per Fragment? A Biomechanical Cadaveric Study. BioMed Research International, 2021, 2021, 1-10.	1.9	3
30	Humanized Mice Exhibit Exacerbated Abscess Formation and Osteolysis During the Establishment of Implant-Associated Staphylococcus aureus Osteomyelitis. Frontiers in Immunology, 2021, 12, 651515.	4.8	14
31	A Hyaluronic Acid Hydrogel Loaded with Gentamicin and Vancomycin Successfully Eradicates Chronic Methicillin-Resistant Staphylococcus aureus Orthopedic Infection in a Sheep Model. Antimicrobial Agents and Chemotherapy, 2021, 65, .	3.2	27
32	Generic Implant Positioning Technology Based on Hole Projections in X-Ray Images. Journal of Medical Devices, Transactions of the ASME, 2021, 15, 025002.	0.7	5
33	3D computational anatomy of the scaphoid and its waist for use in fracture treatment. Journal of Orthopaedic Surgery and Research, 2021, 16, 216.	2.3	7
34	Gut microbial-derived short-chain fatty acids and bone: a potential role in fracture healing. , 2021, 41, 454-470.		19
35	Transcriptional profiling of intervertebral disc in a postâ€ŧraumatic early degeneration organ culture model. JOR Spine, 2021, 4, e1146.	3.2	4
36	Experimental and numerical investigation of secondary screw perforation in the human proximal humerus. Journal of the Mechanical Behavior of Biomedical Materials, 2021, 116, 104344.	3.1	7

#	Article	IF	CITATIONS
37	Biomechanical Comparison of Five Fixation Techniques for Unstable Fragility Fractures of the Pelvic Ring. Journal of Clinical Medicine, 2021, 10, 2326.	2.4	20
38	Fracture-related infection. Bone and Joint Research, 2021, 10, 351-353.	3.6	25
39	A murine Staphylococcus aureus fracture-related infection model characterised by fracture non-union, staphylococcal abscess communities and myeloid-derived suppressor cells. , 2021, 41, 774-792.		9
40	The non-steroidal anti-inflammatory drug carprofen negatively impacts new bone formation and antibiotic efficacy in a rat model of orthopaedic-device-related infection. , 2021, 41, 739-755.		8
41	3D geometry of femoral reaming for bone graft harvesting. Scientific Reports, 2021, 11, 17153.	3.3	2
42	Non-union bone fractures. Nature Reviews Disease Primers, 2021, 7, 57.	30.5	122
43	Anatomical evaluation of the transpubic screw corridor based on a 3D statistical model of the pelvic ring. Scientific Reports, 2021, 11, 16677.	3.3	2
44	Titanium Wear Particles Exacerbate S. epidermidis-Induced Implant-Related Osteolysis and Decrease Efficacy of Antibiotic Therapy. Microorganisms, 2021, 9, 1945.	3.6	1
45	An Enzybiotic Regimen for the Treatment of Methicillin-Resistant Staphylococcus aureus Orthopaedic Device-Related Infection. Antibiotics, 2021, 10, 1186.	3.7	6
46	Fracture biomechanics influence local and systemic immune responses in a murine fracture-related infection model. Biology Open, 2021, 10, .	1.2	6
47	Sound-induced morphogenesis of multicellular systems for rapid orchestration of vascular networks. Biofabrication, 2021, 13, 015004.	7.1	40
48	Screw tightness and stripping rates vary between biomechanical researchers and practicing orthopaedic surgeons. Journal of Orthopaedic Surgery and Research, 2021, 16, 642.	2.3	3
49	ls Anterior Plating Superior to the Bilateral Use of Retrograde Transpubic Screws for Treatment of Straddle Pelvic Ring Fractures? A Biomechanical Investigation. Journal of Clinical Medicine, 2021, 10, 5049.	2.4	3
50	In Vitro 3D Staphylococcus aureus Abscess Communities Induce Bone Marrow Cells to Expand into Myeloid-Derived Suppressor Cells. Pathogens, 2021, 10, 1446.	2.8	6
51	Butyrate Inhibits Osteoclast Activity In Vitro and Regulates Systemic Inflammation and Bone Healing in a Murine Osteotomy Model Compared to Antibiotic-Treated Mice. Mediators of Inflammation, 2021, 2021, 1-17.	3.0	17
52	Does Cement Augmentation of the Sacroiliac Screw Lead to Superior Biomechanical Results for Fixation of the Posterior Pelvic Ring? A Biomechanical Study. Medicina (Lithuania), 2021, 57, 1368.	2.0	9
53	Bacteriophage Therapy for the Prevention and Treatment of Fracture-Related Infection Caused by Staphylococcus aureus: a Preclinical Study. Microbiology Spectrum, 2021, 9, e0173621.	3.0	15
54	Effect of the CCL5-Releasing Fibrin Gel for Intervertebral Disc Regeneration. Cartilage, 2020, 11, 169-180.	2.7	22

#	Article	IF	CITATIONS
55	Intervertebral disc organ culture for the investigation of disc pathology and regeneration – benefits, limitations, and future directions of bioreactors. Connective Tissue Research, 2020, 61, 304-321.	2.3	30
56	Development of bone seeker–functionalised microspheres as a targeted local antibiotic delivery system for bone infections. Journal of Orthopaedic Translation, 2020, 21, 136-145.	3.9	19
57	General treatment principles for fracture-related infection: recommendations from an international expert group. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 1013-1027.	2.4	141
58	Development of generic Asian pelvic bone models using CT-based 3D statistical modelling. Journal of Orthopaedic Translation, 2020, 20, 100-106.	3.9	12
59	Focused highâ€energy extracorporeal shockwaves as supplemental treatment in a rabbit model of fractureâ€related infection. Journal of Orthopaedic Research, 2020, 38, 1351-1358.	2.3	9
60	Local Application of a Gentamicin-Loaded Hydrogel Early After Injury Is Superior to Perioperative Systemic Prophylaxis in a Rabbit Open Fracture Model. Journal of Orthopaedic Trauma, 2020, 34, 231-237.	1.4	10
61	Higher stability and more predictive fixation with the Femoral Neck System versus Hansson Pins in femoral neck fractures Pauwels II. Journal of Orthopaedic Translation, 2020, 24, 88-95.	3.9	44
62	Innovative Tissueâ€Engineered Strategies for Osteochondral Defect Repair and Regeneration: Current Progress and Challenges. Advanced Healthcare Materials, 2020, 9, e2001008.	7.6	57
63	Stripping torques in human bone can be reliably predicted prior to screw insertion with optimum tightness being found between 70% and 80% of the maximum. Bone and Joint Research, 2020, 9, 493-500.	3.6	12
64	Local Bacteriophage Delivery for Treatment and Prevention of Bacterial Infections. Frontiers in Microbiology, 2020, 11, 538060.	3.5	36
65	Three-Dimensional <i>In Vitro</i> Staphylococcus aureus Abscess Communities Display Antibiotic Tolerance and Protection from Neutrophil Clearance. Infection and Immunity, 2020, 88, .	2.2	16
66	Variations in non-locking screw insertion conditions generate unpredictable changes to achieved fixation tightness and stripping rates. Clinical Biomechanics, 2020, 80, 105201.	1.2	4
67	Longitudinal time-lapse in vivo micro-CT reveals differential patterns of peri-implant bone changes after subclinical bacterial infection in a rat model. Scientific Reports, 2020, 10, 20901.	3.3	8
68	Influence of the Reamer-Irrigator-Aspirator diameter on femoral bone strength and amount of harvested bone graft – a biomechanical cadaveric study. Injury, 2020, 51, 2846-2850.	1.7	3
69	Identification and Characterization of Serum microRNAs as Biomarkers for Human Disc Degeneration: An RNA Sequencing Analysis. Diagnostics, 2020, 10, 1063.	2.6	5
70	Current Concepts of Osteomyelitis. American Journal of Pathology, 2020, 190, 1151-1163.	3.8	61
71	Preclinical ex-vivo Testing of Anti-inflammatory Drugs in a Bovine Intervertebral Degenerative Disc Model. Frontiers in Bioengineering and Biotechnology, 2020, 8, 583.	4.1	26
72	Surgical performance when inserting non-locking screws: a systematic review. EFORT Open Reviews, 2020, 5, 26-36.	4.1	20

#	Article	IF	CITATIONS
73	Fracture-related infection: current methods for prevention and treatment. Expert Review of Anti-Infective Therapy, 2020, 18, 307-321.	4.4	38
74	Ligamentous Lisfranc injuries: analysis of CT findings under weightbearing. European Journal of Trauma and Emergency Surgery, 2020, 47, 1243-1248.	1.7	9
75	The tissue-renin-angiotensin-system of the human intervertebral disc. , 2020, 40, 115-132.		14
76	Comparison of Ligament-Repair Techniques for the Syndesmosis: A Simulated Cadaveric Weight-Bearing Computed Tomography Analysis. Journal of Foot and Ankle Surgery, 2020, 59, 1156-1161.	1.0	2
77	Computed Tomography Analysis for Quantification of Displacement of the Distal Fibula in Different Foot Positions With Weightbearing and Sequentially Increased Instability: An Anatomic Cadaveric Study on Syndesmosis. Journal of Foot and Ankle Surgery, 2019, 58, 734-738.	1.0	7
78	Bacterial osteomyelitis in veterinary orthopaedics: Pathophysiology, clinical presentation and advances in treatment across multiple species. Veterinary Journal, 2019, 250, 44-54.	1.7	36
79	Optimization of electrospray fabrication of stem cell–embedded alginate–gelatin microspheres and their assembly in 3D-printed poly(ε-caprolactone) scaffold for cartilage tissue engineering. Journal of Orthopaedic Translation, 2019, 18, 128-141.	3.9	49
80	Secondary Perforation Risk in Plate Osteosynthesis of Unstable Proximal Humerus Fractures: A Biomechanical Investigation of the Effect of Screw Length. Journal of Orthopaedic Research, 2019, 37, 2625-2633.	2.3	7
81	Late screw-related complications in locking plating of proximal humerus fractures: A systematic review. Injury, 2019, 50, 2176-2195.	1.7	32
82	Osteogenic magnesium incorporated into PLGA/TCP porous scaffold by 3D printing for repairing challenging bone defect. Biomaterials, 2019, 197, 207-219.	11.4	348
83	Importance of locking plate positioning in proximal humeral fractures as predicted by computer simulations. Journal of Orthopaedic Research, 2019, 37, 957-964.	2.3	26
84	Recommendations for design and conduct of preclinical in vivo studies of orthopedic deviceâ€related infection. Journal of Orthopaedic Research, 2019, 37, 271-287.	2.3	38
85	Osseointegration of Permanent and Temporary Orthopedic Implants. , 2019, , 257-269.		4
86	Screw configuration in proximal humerus plating has a significant impact on fixation failure risk predicted by finite element models. Journal of Shoulder and Elbow Surgery, 2019, 28, 1816-1823.	2.6	22
87	The influence of screw length on predicted cut-out failures for proximal humeral fracture fixations predicted by finite element simulations. Archives of Orthopaedic and Trauma Surgery, 2019, 139, 1069-1074.	2.4	24
88	Bacterial Interactions With PEEK. , 2019, , 121-145.		0
89	Introduction of the Anspach drill as a novel surgical driller for creating calvarial defects in animal models. Journal of Orthopaedic Research, 2019, 37, 1183-1191.	2.3	4
90	Surface Modification Techniques of PEEK, Including Plasma Surface Treatment. , 2019, , 179-201.		8

Surface Modification Techniques of PEEK, Including Plasma Surface Treatment. , 2019, , 179-201. 90

#	Article	IF	CITATIONS
91	Intraoperative loading of calcium phosphate-coated implants with gentamicin prevents experimental Staphylococcus aureus infection in vivo. PLoS ONE, 2019, 14, e0210402.	2.5	21
92	Does Supplemental Intramedullary Grafting Increase Stability of Plated Proximal Humerus Fractures?. Journal of Orthopaedic Trauma, 2019, 33, 196-202.	1.4	11
93	3D statistical model of the pelvic ring – a <scp>CT</scp> â€based statistical evaluation of anatomical variation. Journal of Anatomy, 2019, 234, 376-383.	1.5	12
94	Biomechanical comparison between standard and inclined screw orientation in dynamic hip screw side-plate fixation: The lift-off phenomenon. Journal of Orthopaedic Translation, 2019, 18, 92-99.	3.9	5
95	Infection burden and immunological responses are equivalent for polymeric and metallic implant materials in vitro and in a murine model of fractureâ€related infection. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2019, 107, 1095-1106.	3.4	6
96	International survey among orthopaedic trauma surgeons: Lack of a definition of fracture-related infection. Injury, 2018, 49, 491-496.	1.7	31
97	An intervertebral disc whole organ culture system to investigate proinflammatory and degenerative disc disease condition. Journal of Tissue Engineering and Regenerative Medicine, 2018, 12, e2051-e2061.	2.7	55
98	The role of a small posterior malleolar fragment in trimalleolar fractures. Bone and Joint Journal, 2018, 100-B, 95-100.	4.4	26
99	Fragility fractures of the sacrum occur in elderly patients with severe loss of sacral bone mass. Archives of Orthopaedic and Trauma Surgery, 2018, 138, 971-977.	2.4	36
100	The impact of translational orthopaedic research: Journal of Orthopaedic Translation indexed in Science Citation Index Expanded. Journal of Orthopaedic Translation, 2018, 12, A1-A2.	3.9	2
101	Infections associated with mesh repairs of abdominal wall hernias: Are antimicrobial biomaterials the longed-for solution?. Biomaterials, 2018, 167, 15-31.	11.4	61
102	Infection after fracture fixation: Current surgical and microbiological concepts. Injury, 2018, 49, 511-522.	1.7	336
103	Definition of infection after fracture fixation: A systematic review of randomized controlled trials to evaluate current practice. Injury, 2018, 49, 497-504.	1.7	66
104	Influence of steel implant surface microtopography on soft and hard tissue integration. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2018, 106, 705-715.	3.4	9
105	Biomechanical Analysis of the Proximal Femoral Locking Compression Plate: Do Quality of Reduction and Screw Orientation Influence Construct Stability?. Journal of Orthopaedic Trauma, 2018, 32, 67-74.	1.4	18
106	Fracture-related infection: A consensus on definition from an international expert group. Injury, 2018, 49, 505-510.	1.7	440
107	Antibiotic Prophylaxis With Cefuroxime: Influence of Duration on Infection Rate With Staphylococcus aureus in a Contaminated Open Fracture Model. Journal of Orthopaedic Trauma, 2018, 32, 190-195.	1.4	4
108	Drug delivery systems functionalized with bone mineral seeking agents for bone targeted therapeutics. Journal of Controlled Release, 2018, 269, 88-99.	9.9	74

#	Article	IF	CITATIONS
109	Biomechanical investigation of four different fixation techniques in sacrum Denis type II fracture with low bone mineral density. Journal of Orthopaedic Research, 2018, 36, 1624-1629.	2.3	23
110	Is augmented LISS plating biomechanically advantageous over conventional LISS plating in unstable osteoporotic distal femoral fractures?. Journal of Orthopaedic Research, 2018, 36, 2604-2611.	2.3	19
111	Axial and shear pullout forces of composite, porcine and human metatarsal and cuboid bones. Journal of Orthopaedic Translation, 2018, 14, 67-73.	3.9	5
112	LagLoc—a new surgical technique for locking plate systems. Journal of Orthopaedic Research, 2018, 36, 2886-2891.	2.3	2
113	Benefits of hardware removal after plating. Injury, 2018, 49, S91-S95.	1.7	14
114	Biomechanical evaluation of a new gliding screw concept for the fixation of proximal humeral fractures. Bone and Joint Research, 2018, 7, 422-429.	3.6	7
115	Phenotype and Viability of MLO-Y4 Cells Is Maintained by TGFβ3 in a Serum-Dependent Manner within a 3D-Co-Culture with MG-63 Cells. International Journal of Molecular Sciences, 2018, 19, 1932.	4.1	5
116	Dual-functional 3D-printed composite scaffold for inhibiting bacterial infection and promoting bone regeneration in infected bone defect models. Acta Biomaterialia, 2018, 79, 265-275.	8.3	134
117	Transcriptional activation of ENPP1 by osterix in osteoblasts and osteocytes. , 2018, 36, 1-14.		14
118	Preclinical in vivo models of fracture-related infection: a systematic review and critical appraisal. , 2018, 36, 184-199.		16
119	The calcification potential of human MSCs can be enhanced by interleukin-1 <i>β</i> in osteogenic medium. Journal of Tissue Engineering and Regenerative Medicine, 2017, 11, 564-571.	2.7	20
120	Vancomycin displays timeâ€dependent eradication of mature <i>Staphylococcus aureus</i> biofilms. Journal of Orthopaedic Research, 2017, 35, 381-388.	2.3	54
121	Heterodimeric BMPâ€2/7 for nucleus pulposus regeneration—In vitro and ex vivo studies. Journal of Orthopaedic Research, 2017, 35, 51-60.	2.3	45
122	Computational anatomy of the dens axis evaluated by quantitative computed tomography: Implications for anterior screw fixation. Journal of Orthopaedic Research, 2017, 35, 2154-2163.	2.3	16
123	Surface-enrichment with hydroxyapatite nanoparticles in stereolithography-fabricated composite polymer scaffolds promotes bone repair. Acta Biomaterialia, 2017, 54, 386-398.	8.3	151
124	Subchondral screw abutment: does it harm the joint cartilage? An in vivo study on sheep tibiae. International Orthopaedics, 2017, 41, 1607-1615.	1.9	5
125	Critical dimensions of transâ€sacral corridors assessed by 3D CT models: Relevance for implant positioning in fractures of the sacrum. Journal of Orthopaedic Research, 2017, 35, 2577-2584.	2.3	33
126	High-Resolution Tomography-Based Quantification of Cortical Porosity and Cortical Thickness at the Surgical Neck of the Humerus During Aging. Calcified Tissue International, 2017, 101, 271-279.	3.1	21

#	Article	IF	CITATIONS
127	Antibiotic stability over six weeks in aqueous solution at body temperature with and without heat treatment that mimics the curing of bone cement. Bone and Joint Research, 2017, 6, 296-306.	3.6	58
128	Reconstruction of the lateral tibia plateau fracture with a third triangular support screw: A biomechanical study. Journal of Orthopaedic Translation, 2017, 11, 30-38.	3.9	6
129	Morphometry of the sacrum and its implication on trans-sacral corridors using a computed tomography data-based three-dimensional statistical model. Spine Journal, 2017, 17, 1141-1147.	1.3	34
130	Biomimetic matrix fabricated by LMP-1 gene-transduced MC3T3-E1 cells for bone regeneration. Biofabrication, 2017, 9, 045010.	7.1	10
131	Comparative Genomics Study of Staphylococcus epidermidis Isolates from Orthopedic-Device-Related Infections Correlated with Patient Outcome. Journal of Clinical Microbiology, 2017, 55, 3089-3103.	3.9	55
132	Are two retrograde 3.5 mm screws superior to one 7.3 mm screw for anterior pelvic ring fixation in bones with low bone mineral density?. Bone and Joint Research, 2017, 6, 8-13.	3.6	15
133	Biomechanical comparison of augmented versus non-augmented sacroiliac screws in a novel hemi-pelvis test model. Journal of Orthopaedic Research, 2017, 35, 1485-1493.	2.3	45
134	Hyaluronic acid derivatives and its polyelectrolyte complexes with gentamicin as a delivery system for antibiotics. Polymers for Advanced Technologies, 2017, 28, 1325-1333.	3.2	5
135	Influence of tibialis posterior muscle activation on foot anatomy under axial loading: A biomechanical CT human cadaveric study. Foot and Ankle Surgery, 2017, 23, 250-254.	1.7	9
136	Poly(trimethylene carbonate) and nanoâ€hydroxyapatite porous scaffolds manufactured by stereolithography. Polymers for Advanced Technologies, 2017, 28, 1219-1225.	3.2	32
137	4.8 Bacterial Adhesion and Biomaterial Surfaces. , 2017, , 101-129.		9
138	Pathogenic Mechanisms and Host Interactions in Staphylococcus epidermidis Device-Related Infection. Frontiers in Microbiology, 2017, 8, 1401.	3.5	149
139	A large animal model for a failed two-stage revision of intramedullary nail-related infection by methicillin-resistant Staphylococcus aureus. , 2017, 34, 83-98.		13
140	Characterization of nasal methicillin-resistant Staphylococcus aureus isolated from international human and veterinary surgeons. Journal of Medical Microbiology, 2017, 66, 360-370.	1.8	5
141	Biomechanical investigation of two plating systems for medial column fusion in foot. PLoS ONE, 2017, 12, e0172563.	2.5	9
142	Reamed locked intramedullary nailing for studying femur fracture and its complications. , 2017, 34, 99-107.		10
143	Influence of fracture stability on Staphylococcus epidermidis and Staphylococcus aureus infection in a murine femoral fracture model. , 2017, 34, 321-340.		17
144	Orthopaedic device-related infection: current and future interventions for improved prevention and treatment. EFORT Open Reviews, 2016, 1, 89-99.	4.1	131

#	Article	IF	CITATIONS
145	Biomechanical comparison of plate and screw fixation in anterior pelvic ring fractures with low bone mineral density. Injury, 2016, 47, 1456-1460.	1.7	29
146	Sacral Bone Mass Distribution Assessed by Averaged Three-Dimensional CT Models. Journal of Bone and Joint Surgery - Series A, 2016, 98, 584-590.	3.0	77
147	Influence of implant properties and local delivery systems on the outcome in operative fracture care. Injury, 2016, 47, 595-604.	1.7	26
148	The influence of the Peroneus Longus muscle on the foot under axial loading: A CT evaluated dynamic cadaveric model study. Clinical Biomechanics, 2016, 34, 7-11.	1.2	35
149	Bone cement flow analysis by stepwise injection through medical cannulas. Medical Engineering and Physics, 2016, 38, 1434-1438.	1.7	2
150	Letter to the Editor: New Definition for Periprosthetic Joint Infection: From the Workgroup of the Musculoskeletal Infection Society. Clinical Orthopaedics and Related Research, 2016, 474, 2726-2727.	1.5	13
151	Anti-infective efficacy, cytocompatibility and biocompatibility of a 3D-printed osteoconductive composite scaffold functionalized with quaternized chitosan. Acta Biomaterialia, 2016, 46, 112-128.	8.3	128
152	Improving translation success of cell-based therapies in orthopaedics. Journal of Orthopaedic Research, 2016, 34, 17-21.	2.3	15
153	Innovating in the medical device industry – challenges & opportunities ESB 2015 translational research symposium. Journal of Materials Science: Materials in Medicine, 2016, 27, 144.	3.6	19
154	Virtual bite registration using intraoral digital scanning, CT and CBCT: InÂvitro evaluation of a new method and its implication for orthognathic surgery. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 1194-1200.	1.7	33
155	Injectable gentamicin-loaded thermo-responsive hyaluronic acid derivative prevents infection in a rabbit model. Acta Biomaterialia, 2016, 43, 185-194.	8.3	60
156	Biofilm formation increases treatment failure in <i>Staphylococcus epidermidis</i> deviceâ€related osteomyelitis of the lower extremity in human patients. Journal of Orthopaedic Research, 2016, 34, 1905-1913.	2.3	39
157	Cement augmentation of implants—no general cure in osteoporotic fracture treatment. A biomechanical study on nonâ€displaced femoral neck fractures. Journal of Orthopaedic Research, 2016, 34, 314-319.	2.3	11
158	Analysis of sacro-iliac joint screw fixation: does quality of reduction and screw orientation influence joint stability? A biomechanical study. International Orthopaedics, 2016, 40, 1537-1543.	1.9	18
159	Titanium and steel fracture fixation plates with different surface topographies: Influence on infection rate in a rabbit fracture model. Injury, 2016, 47, 633-639.	1.7	35
160	Polyurethane scaffold with in situ swelling capacity for nucleus pulposus replacement. Biomaterials, 2016, 84, 196-209.	11.4	50
161	Computed tomography-based virtual fracture reduction techniques in bimandibular fractures. Journal of Cranio-Maxillo-Facial Surgery, 2016, 44, 177-185.	1.7	28
162	Monitoring immune responses in a mouse model of fracture fixation with and without Staphylococcus aureus osteomyelitis. Bone, 2016, 83, 82-92.	2.9	45

#	Article	IF	CITATIONS
163	Antibiotic Resistance of Commensal Staphylococcus aureus and Coagulase-Negative Staphylococci in an International Cohort of Surgeons: A Prospective Point-Prevalence Study. PLoS ONE, 2016, 11, e0148437.	2.5	58
164	Musculoskeletal regeneration research network: A global initiative. Journal of Orthopaedic Translation, 2015, 3, 160-165.	3.9	1
165	Histomorphometric Assessment of Cancellous and Cortical Bone Material Distribution in the Proximal Humerus of Normal and Osteoporotic Individuals. Medicine (United States), 2015, 94, e2043.	1.0	23
166	Preparation of gentamicin dioctyl sulfosuccinate loaded poly(trimethylene carbonate) matrices intended for the treatment of orthopaedic infections. Clinical Hemorheology and Microcirculation, 2015, 60, 89-98.	1.7	8
167	Endothelial Progenitor Cell Fraction Contained in Bone Marrow-Derived Mesenchymal Stem Cell Populations Impairs Osteogenic Differentiation. BioMed Research International, 2015, 2015, 1-10.	1.9	9
168	<i>In Vivo</i> MicroCT Monitoring of Osteomyelitis in a Rat Model. BioMed Research International, 2015, 2015, 1-12.	1.9	32
169	Does Metaphyseal Cement Augmentation in Fracture Management Influence the Adjacent Subchondral Bone and Joint Cartilage?. Medicine (United States), 2015, 94, e414.	1.0	12
170	Assessment of Ankle and Hindfoot Stability and Joint Pressures Using a Human Cadaveric Model of a Large Lateral Talar Process Excision. Medicine (United States), 2015, 94, e606.	1.0	12
171	Antimicrobial delivery systems for local infection prophylaxis in orthopedic- and trauma surgery. Biomaterials, 2015, 52, 113-125.	11.4	160
172	Angular stable lateral plating is a valid alternative to conventional plate fixation in the proximal phalanx. A biomechanical study. Clinical Biomechanics, 2015, 30, 405-410.	1.2	8
173	What is the underlying mechanism for the failure mode observed in the proximal femoral locking compression plate? A biomechanical study. Injury, 2015, 46, 1483-1490.	1.7	28
174	The RAPIDOS project—European and Chinese collaborative research on biomaterials. Journal of Orthopaedic Translation, 2015, 3, 78-84.	3.9	3
175	A doxycycline-loaded polymer-lipid encapsulation matrix coating for the prevention of implant-related osteomyelitis due to doxycycline-resistant methicillin-resistant Staphylococcus aureus. Journal of Controlled Release, 2015, 209, 47-56.	9.9	63
176	Progressing innovation in biomaterials. From the bench to the bed of patients. Journal of Materials Science: Materials in Medicine, 2015, 26, 228.	3.6	7
177	A combined biomaterial and cellular approach for annulus fibrosus rupture repair. Biomaterials, 2015, 42, 11-19.	11.4	91
178	A rabbit humerus model of plating and nailing osteosynthesis with and without Staphylococcus aureus osteomyelitis. , 2015, 30, 148-162.		41
179	Direct Cell-Cell Contact between Mesenchymal Stem Cells and Endothelial Progenitor Cells Induces a Pericyte-Like Phenotype In Vitro. BioMed Research International, 2014, 2014, 1-10.	1.9	75
180	International Combined Orthopaedic Research Societies: A model for international collaboration to promote orthopaedic and musculoskeletal research. Journal of Orthopaedic Translation, 2014, 2, 165-169.	3.9	1

#	Article	IF	CITATIONS
181	3D statistical modeling techniques to investigate the anatomy of the sacrum, its bone mass distribution, and the transâ€sacral corridors. Journal of Orthopaedic Research, 2014, 32, 1543-1548.	2.3	54
182	Cement augmentation of hip implants in osteoporotic bone: How much cement is needed and where should it go?. Journal of Orthopaedic Research, 2014, 32, 362-368.	2.3	20
183	Implant Augmentation. Medicine (United States), 2014, 93, e166.	1.0	32
184	Assessment of Intraosseous Femoral Head Pressures During Cement Augmentation of the Perforated Proximal Femur Nail Antirotation Blade. Journal of Orthopaedic Trauma, 2014, 28, 398-402.	1.4	15
185	A phenotypic comparison of osteoblast cell lines versus human primary osteoblasts for biomaterials testing. Journal of Biomedical Materials Research - Part A, 2014, 102, 2636-2643.	4.0	173
186	Platelet-rich plasma induces annulus fibrosus cell proliferation and matrix production. European Spine Journal, 2014, 23, 745-753.	2.2	42
187	Concise Review: Bone Marrow-Derived Mesenchymal Stem Cells Change Phenotype Following In Vitro Culture: Implications for Basic Research and the Clinic. Stem Cells, 2014, 32, 1713-1723.	3.2	262
188	Phenotypic and genotypic characterisation of Staphylococcus aureus causing musculoskeletal infections. International Journal of Medical Microbiology, 2014, 304, 565-576.	3.6	56
189	Stress-shielding induced bone remodeling in cementless shoulder resurfacing arthroplasty: a finite element analysis and in vivo results. Journal of Biomechanics, 2014, 47, 3509-3516.	2.1	42
190	Propionibacterium acnes and Staphylococcus lugdunensis Cause Pyogenic Osteomyelitis in an Intramedullary Nail Model in Rabbits. Journal of Clinical Microbiology, 2014, 52, 1595-1606.	3.9	22
191	Osseointegration of machined, injection moulded and oxygen plasma modified PEEK implants in a sheep model. Biomaterials, 2014, 35, 3717-3728.	11.4	130
192	Bacterial adhesion to orthopaedic implant materials and a novel oxygen plasma modified PEEK surface. Colloids and Surfaces B: Biointerfaces, 2014, 113, 213-222.	5.0	68
193	A biomechanical study on proximal plate fixation techniques in periprosthetic femur fractures. Injury, 2014, 45, S71-S75.	1.7	44
194	An <i>in vitro</i> investigation of bacteria-osteoblast competition on oxygen plasma-modified PEEK. Journal of Biomedical Materials Research - Part A, 2014, 102, n/a-n/a.	4.0	17
195	Microstructural Parameters of Bone Evaluated Using HR-pQCT Correlate with the DXA-Derived Cortical Index and the Trabecular Bone Score in a Cohort of Randomly Selected Premenopausal Women. PLoS ONE, 2014, 9, e88946.	2.5	29
196	Challenges in linking preclinical anti-microbial research strategies with clinical outcomes for device-associated infections. , 2014, 28, 112-128.		51
197	Role and regulation of RUNX2 in osteogenesis. , 2014, 28, 269-286.		452
198	Fatigue performance of angle-stable tibial nail interlocking screws. International Orthopaedics, 2013, 37, 113-118.	1.9	14

#	Article	IF	CITATIONS
199	Biomechanical performance of different cable and wire cerclage configurations. International Orthopaedics, 2013, 37, 125-130.	1.9	76
200	Coating of carbon fiberâ€reinforced polyetheretherketone implants with titanium to improve bone apposition. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2013, 101B, 591-598.	3.4	82
201	Two-step labeling of Staphylococcus aureus with Lysostaphin-Azide and DIBO-Alexa using click chemistry. Journal of Microbiological Methods, 2013, 92, 90-98.	1.6	5
202	The use of Reamer Irrigator Aspirator (RIA) autograft harvest in the treatment of critical-sized iliac wing defects in sheep: Investigation of dexamethasone and beta-tricalcium phosphate augmentation. Bone, 2013, 53, 554-565.	2.9	5
203	AO Research Institute Davos within the AO Foundation: A model for translation of science to the clinics. Journal of Orthopaedic Translation, 2013, 1, 11-18.	3.9	8
204	Animal Models of Orthopedic Implant-Related Infection. , 2013, , 273-304.		7
205	Infection in Fracture Fixation: Device Design and Antibiotic Coatings Reduce Infection Rates. , 2013, , 435-453.		3
206	3D scaffolds co-seeded with human endothelial progenitor and mesenchymal stem cells: Evidence of prevascularisation within 7 days. , 2013, 26, 59-65.		80
207	Advances in Biomaterials and Surface Technologies. Journal of Orthopaedic Trauma, 2012, 26, 703-707.	1.4	35
208	Potential of polymethylmethacrylate cement-augmented helical proximal femoral nail antirotation blades to improve implant stability—A biomechanical investigation in human cadaveric femoral heads. Journal of Trauma, 2012, 72, E54-E59.	2.3	49
209	Influence of material on the development of device-associated infections. Clinical Microbiology and Infection, 2012, 18, 1162-1167.	6.0	94
210	Prediction of bone strength at the distal tibia by HR-pQCT and DXA. Bone, 2012, 50, 296-300.	2.9	21
211	Biomechanical evaluation of bone-cement augmented Proximal Femoral Nail Antirotation blades in a polyurethane foam model with low density. Clinical Biomechanics, 2012, 27, 71-76.	1.2	46
212	The locking attachment plate for proximal fixation of periprosthetic femur fractures—a biomechanical comparison of two techniques. International Orthopaedics, 2012, 36, 1915-1921.	1.9	36
213	Angulated locking plate in periprosthetic proximal femur fractures: biomechanical testing of a new prototype plate. Archives of Orthopaedic and Trauma Surgery, 2012, 132, 1437-1444.	2.4	14
214	Underneath the cerclage: an ex vivo study on the cerclage-bone interface mechanics. Archives of Orthopaedic and Trauma Surgery, 2012, 132, 1467-1472.	2.4	42
215	Bacterial Interactions with Polyaryletheretherketone. , 2012, , 93-117.		5
216	Reinforcing the role of the conventional C-arm - a novel method for simplified distal interlocking. BMC Musculoskeletal Disorders, 2012, 13, 8.	1.9	20

#	Article	IF	Citations
217	<i>In vivo</i> evaluation of defined polished titanium surfaces to prevent soft tissue adhesion. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2012, 100B, 611-617.	3.4	11
218	In vitro experiments with primary mammalian cells: To Pool or not to Pool?. , 2012, 24, i-ii.		27
219	In search of an osteoblast cell model for in vitro research. , 2012, 24, 1-17.		399
220	The Cell–Surface Interaction. Advances in Biochemical Engineering/Biotechnology, 2011, 126, 1-31.	1.1	10
221	Bacterial Adhesion and Biomaterial Surfaces. , 2011, , 75-100.		18
222	Preclinical Animal Models in Trauma Research. Journal of Orthopaedic Trauma, 2011, 25, 488-493.	1.4	16
223	Using Immuno-Scanning Electron Microscopy for the Observation of Focal Adhesion-substratum interactions at the Nano- and Microscale in S-Phase Cells. Methods in Molecular Biology, 2011, 695, 53-60.	0.9	2
224	Infection in fracture fixation: Can we influence infection rates through implant design?. Journal of Materials Science: Materials in Medicine, 2010, 21, 1031-1035.	3.6	56
225	The 22nd European Conference on Biomaterials: retrospective view, facts and figures. Journal of Materials Science: Materials in Medicine, 2010, 21, 843-845.	3.6	0
226	Nanotopographical modification: a regulator of cellular function through focal adhesions. Nanomedicine: Nanotechnology, Biology, and Medicine, 2010, 6, 619-633.	3.3	426
227	A rapid method for the generation of uniform acellular bone explants: a technical note. Journal of Orthopaedic Surgery and Research, 2010, 5, 32.	2.3	4
228	In Vivo Evaluation of the Effect of Intramedullary Nail Microtopography on the Development of Local Infection in Rabbits. International Journal of Artificial Organs, 2010, 33, 667-675.	1.4	32
229	The use of titanium and stainless steel in fracture fixation. Expert Review of Medical Devices, 2010, 7, 843-853.	2.8	103
230	Surfaces to control tissue adhesion for osteosynthesis with metal implants: <i>in vitro</i> and <i>in vivo</i> studies to bring solutions to the patient. Expert Review of Medical Devices, 2010, 7, 131-142.	2.8	47
231	Does cancellous bone compaction due to insertion of a blade implant influence the cut-out resistance? A biomechanical study. Clinical Biomechanics, 2010, 25, 1053-1057.	1.2	17
232	Surface polishing positively influences ease of plate and screw removal. , 2010, 19, 117-126.		41
233	The role of surface microtopography in the modulation of osteoblast differentiation. , 2010, 20, 98-108.		43

Pellet culture model for human primary osteoblasts. , 2010, 20, 149-161.

**GEOFF RICHARDS** 

#	Article	IF	CITATIONS
235	An <i>in vivo</i> evaluation of the biocompatibility of anodic plasma chemical (APC) treatment of titanium with calcium phosphate. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2009, 90B, 26-34.	3.4	10
236	TGF <i>Ĵ²</i> <sub>3</sub> and loading increases osteocyte survival in human cancellous bone cultured <i>ex vivo</i> . Cell Biochemistry and Function, 2009, 27, 23-29.	2.9	18
237	Interactions with nanoscale topography: Adhesion quantification and signal transduction in cells of osteogenic and multipotent lineage. Journal of Biomedical Materials Research - Part A, 2009, 91A, 195-208.	4.0	160
238	The use of nanoscale topography to modulate the dynamics of adhesion formation in primary osteoblasts and ERK/MAPK signalling in STRO-1+ enriched skeletal stem cells. Biomaterials, 2009, 30, 5094-5103.	11.4	248
239	Influence of Material and Microtopography on the Development of Local Infection <i>in vivo</i> : Experimental Investigation in Rabbits. International Journal of Artificial Organs, 2009, 32, 663-670.	1.4	35
240	An in vivo evaluation of surface polishing of TAN intermedullary nails for ease of removal. , 2009, 18, 15-26.		30
241	Effect of surface topography on removal of cortical bone screws in a novel sheep model. Journal of Orthopaedic Research, 2008, 26, 1377-1383.	2.3	36
242	Reduced medical infection related bacterial strains adhesion on bioactive RGD modified titanium surfaces: A first step toward cell selective surfaces. Journal of Biomedical Materials Research - Part A, 2008, 84A, 425-435.	4.0	118
243	Focal adhesion interactions with topographical structures: a novel method for immunoâ€SEM labelling of focal adhesions in Sâ€phase cells. Journal of Microscopy, 2008, 231, 28-37.	1.8	27
244	Correlating cell morphology and osteoid mineralization relative to strain profile for bone tissue engineering applications. Journal of the Royal Society Interface, 2008, 5, 899-907.	3.4	5
245	Adhesion formation of primary human osteoblasts and the functional response of mesenchymal stem cells to 330 nm deep microgrooves. Journal of the Royal Society Interface, 2008, 5, 1231-1242.	3.4	156
246	The Relevance of Implant Surfaces in Hand Fracture Fixation. , 2008, , 20-30.		4
247	The Selection of Appropriate Bacterial Strains in Preclinical Evaluation of Infection-Resistant Biomaterials. International Journal of Artificial Organs, 2008, 31, 841-847.	1.4	34
248	Regulation of implant surface cell adhesion: characterization and quantification of S-phase primary osteoblast adhesions on biomimetic nanoscale substrates. Journal of Orthopaedic Research, 2007, 25, 273-282.	2.3	107
249	Microtopography of metal surfaces influence fibroblast growth by modifying cell shape, cytoskeleton, and adhesion. Journal of Orthopaedic Research, 2007, 25, 1523-1533.	2.3	50
250	The effects of nanoscale pits on primary human osteoblast adhesion formation and cellular spreading. Journal of Materials Science: Materials in Medicine, 2007, 18, 399-404.	3.6	132
251	Is surface chemical composition important for orthopaedic implant materials?. Journal of Materials Science: Materials in Medicine, 2007, 18, 405-413.	3.6	21
252	Staphylococcus aureus adhesion to standard micro-rough and electropolished implant materials. Journal of Materials Science: Materials in Medicine, 2007, 18, 1151-1156.	3.6	81

#	Article	IF	CITATIONS
253	Animal models for implant biomaterial research in bone: A review. , 2007, 13, 1-10.		962
254	Establishing a 3D ex vivo culture system for investigations of bone metabolism and biomaterial interactions. ALTEX: Alternatives To Animal Experimentation, 2007, 24 Spec No, 56-9.	1.5	9
255	Introduction: Implants and infection in fracture fixation "ten years on― Injury, 2006, 37, S1-S2.	1.7	4
256	Staphylococci and implant surfaces: a review. Injury, 2006, 37, S3-S14.	1.7	325
257	Antiseptics and antibiotics on implants. Injury, 2006, 37, S113-S116.	1.7	8
258	Bacteria and cell cytocompatibility studies on coated medical grade titanium surfaces. Journal of Biomedical Materials Research - Part A, 2006, 78A, 50-58.	4.0	96
259	Biodegradable polyurethane cytocompatibility to fibroblasts and staphylococci. Journal of Biomedical Materials Research - Part A, 2006, 77A, 304-312.	4.0	6
260	Mechanically loaded ex vivo bone culture system 'Zetos': Systems and culture preparation. , 2006, 11, 57-75.		64
261	A comparison of non-radioactive methods for assessing viability in ex vivo cultured cancellous bone: Technical Note. , 2006, 12, 16-25.		50
262	Assessment of the cytocompatibility of different coated titanium surfaces to fibroblasts and osteoblasts. Journal of Biomedical Materials Research - Part A, 2005, 73A, 12-20.	4.0	28
263	Human fibroblast reactions to standard and electropolished titanium and Ti-6Al-7Nb, and electropolished stainless steel. Journal of Biomedical Materials Research - Part A, 2005, 75A, 541-555.	4.0	45
264	Utilizing atomic number contrast for FESEM imaging of colloidal nanotopography underlying biological cells. Nanotechnology, 2005, 16, 1433-1439.	2.6	6
265	Focal adhesion quantification - A new assay of material biocompatibility? : Review. , 2005, 9, 85-96.		86
266	Staphylococcus aureus adhesion to different treated titanium surfaces. Journal of Materials Science: Materials in Medicine, 2004, 15, 311-314.	3.6	107
267	Immunohistological identification of receptor activator of NF-ÂB ligand (RANKL) in human, ovine and bovine bone tissues. Journal of Materials Science: Materials in Medicine, 2004, 15, 367-372.	3.6	12
268	Staphylococcus aureus adhesion to titanium oxide surfaces coated with non-functionalized and peptide-functionalized poly(l-lysine)-grafted-poly(ethylene glycol) copolymers. Biomaterials, 2004, 25, 4135-4148.	11.4	347
269	Variation in cell–substratum adhesion in relation to cell cycle phases. Experimental Cell Research, 2004, 293, 58-67.	2.6	27
270	Deformation of Chondrocytes in Articular Cartilage under Compressive Load: A Morphological Study. Cells Tissues Organs, 2003, 175, 133-139.	2.3	32

#	Article	IF	CITATIONS
271	Immunohistochemistry of matrix markers in Technovit 9100 New®-embedded undecalcified bone sections. , 2003, 6, 57-71.		80
272	Analysis of Ebh, a 1.1-Megadalton Cell Wall-Associated Fibronectin-Binding Protein of Staphylococcus aureus. Infection and Immunity, 2002, 70, 6680-6687.	2.2	127
273	Simultaneously identifying S-phase labelled cells and immunogold-labelling of vinculin in focal adhesions. Journal of Microscopy, 2002, 207, 27-36.	1.8	16
274	Fibroblast and osteoblast adhesion and morphology on calcium phosphate surfaces. , 2002, 4, 1-17.		106
275	Novel aspects to the structure of rabbit articular cartilage. , 2002, 4, 18-29.		30
276	An introduction to staphylococcus aureus, and techniques for identifying and quantifying s. aureus adhesins in relation to adhesion to biomaterials: review. , 2002, 4, 39-60.		187
277	MEASUREMENT OF FIBROBLAST AND BACTERIAL DETACHMENT FROM BIOMATERIALS USING JET IMPINGEMENT. Cell Biology International, 2001, 25, 289-307.	3.0	35
278	IMMUNOGOLD LABELLING OF FIBROBLAST FOCAL ADHESION SITES VISUALISED IN FIXED MATERIAL USING SCANNING ELECTRON MICROSCOPY, AND LIVING, USING INTERNAL REFLECTION MICROSCOPY. Cell Biology International, 2001, 25, 1237-1249.	3.0	42
279	ENHANCEMENT OF IMMUNOGOLD-LABELLED FOCAL ADHESION SITES IN FIBROBLASTS CULTURED ON METAL SUBSTRATES: PROBLEMS AND SOLUTIONS. Cell Biology International, 2001, 25, 1251-1259.	3.0	17
280	Freeze-substitution of rabbit tibial articular cartilage reveals that radial zone collagen fibres are tubules. Journal of Microscopy, 2000, 197, 159-172.	1.8	40
281	Advantages of stereo imaging of metallic surfaces with low voltage backscattered electrons in a field emission scanning electron microscope. Journal of Microscopy, 2000, 199, 115-123.	1.8	15
282	The effect of surface roughness on fibroblast adhesion in vitro. Injury, 1996, 27, S/C38-S/C43.	1.7	46
283	Microwaveâ€enhanced fixation of rabbit articular cartilage. Journal of Microscopy, 1996, 181, 269-276.	1.8	19
284	Adult human bone cells from jaw bones cultured on plasma-sprayed or polished surfaces of titanium or hydroxylapatite discs. Journal of Materials Science: Materials in Medicine, 1996, 7, 21-28.	3.6	49
285	Microjet impingement followed by scanning electron microscopy as a qualitative technique to compare cellular adhesion to various biomaterials. Cell Biology International, 1995, 19, 1015-1024.	3.0	28
286	Scanning electron microscopy of the undersurface of cell monolayers grown on metallic implants. Journal of Materials Science: Materials in Medicine, 1995, 6, 120-124.	3.6	9
287	Investigation of cell compatibility of titanium test surfaces to fibroblasts. Injury, 1995, 26, 21-27.	1.7	2
288	Backscattered electron imaging of the undersurface of resinâ€embedded cells by fieldâ€emission scanning electron microscopy. Journal of Microscopy, 1995, 177, 43-52.	1.8	45

#	Article	IF	CITATIONS
289	A new method for investigating the undersurface of cell monolayers by scanning electron microscopy. Journal of Microscopy, 1993, 171, 205-213.	1.8	11

Local application of a gentamicin-loaded thermo-responsive hydrogel allows for fracture healing upon clearance of a high Staphylococcus aureus load in a rabbit model. , 0, 35, 151-164.

41