

Geraldo da Rocha Castelar Pinheiro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6117802/publications.pdf>

Version: 2024-02-01

26
papers

1,009
citations

643344

15
h-index

511568

30
g-index

34
all docs

34
docs citations

34
times ranked

1879
citing authors

#	ARTICLE	IF	CITATIONS
1	Benzbromarone in the treatment of gout. <i>Advances in Rheumatology</i> , 2019, 59, 37.	0.8	70
2	Gout, Hyperuricaemia and Crystal-Associated Disease Network (G-CAN) consensus statement regarding labels and definitions of disease states of gout. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1592-1600.	0.5	72
3	Changing rate of serious infections in biologic-exposed rheumatoid arthritis patients. Data from South American registries BIOBADABRASIL and BIOBADASAR. <i>Clinical Rheumatology</i> , 2019, 38, 2129-2139.	1.0	8
4	Causes of synthetic disease-modifying drug discontinuation in rheumatoid arthritis: Data from a large real-life cohort. <i>PLoS ONE</i> , 2019, 14, e0213219.	1.1	6
5	The Long Pentraxin 3 Contributes to Joint Inflammation in Gout by Facilitating the Phagocytosis of Monosodium Urate Crystals. <i>Journal of Immunology</i> , 2019, 202, 1807-1814.	0.4	7
6	Prevalence of chronic musculoskeletal conditions and associated factors in Brazilian adults – National Health Survey. <i>BMC Public Health</i> , 2018, 18, 287.	1.2	24
7	2017 recommendations of the Brazilian Society of Rheumatology for the pharmacological treatment of rheumatoid arthritis. <i>Advances in Rheumatology</i> , 2018, 58, 2.	0.8	25
8	Interleukin 6 Inhibition and Coronary Artery Disease in a High-Risk Population: A Prospective Community-Based Clinical Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	118
9	Incidência de tuberculose em pacientes com artrite reumatoide em uso de bloqueadores do TNF no Brasil: dados do Registro Brasileiro de Monitoração de Terapias Biológicas BiobadaBrasil. <i>Revista Brasileira De Reumatologia</i> , 2017, 57, 477-483.	0.8	28
10	Recomendações da Sociedade Brasileira de Reumatologia para diagnóstico e tratamento da febre chikungunya. Parte 1 – Diagnóstico e situações especiais. <i>Revista Brasileira De Reumatologia</i> , 2017, 57, 421-437.	0.8	30
11	Incidence of tuberculosis among patients with rheumatoid arthritis using TNF blockers in Brazil: data from the Brazilian Registry of Biological Therapies in Rheumatic Diseases (Registro Brasileiro de) <i>TJ ETQq1 1 0.784314 rgBT / Overlock 10</i> 477-483.	0.7	19
12	Paradoxical psoriasis after the use of anti-TNF in a patient with rheumatoid arthritis. <i>Anais Brasileiros De Dermatologia</i> , 2016, 91, 137-139.	0.5	15
13	Development of Preliminary Remission Criteria for Gout Using Delphi and 1000Minds Consensus Exercises. <i>Arthritis Care and Research</i> , 2016, 68, 667-672.	1.5	48
14	Prevalence of musculoskeletal symptoms in the five urban regions of Brazil – the Brazilian COPCORD study (BRAZCO). <i>Clinical Rheumatology</i> , 2016, 35, 1217-1223.	1.0	10
15	Update on the 2012 Brazilian Society of Rheumatology Guidelines for the treatment of rheumatoid arthritis: position on the use of tofacitinib. <i>Revista Brasileira De Reumatologia</i> , 2015, 55, 512-521.	0.7	0
16	Rheumatoid arthritis in Latin America: the importance of an early diagnosis. <i>Clinical Rheumatology</i> , 2015, 34, 29-44.	1.0	21
17	Evaluation of functional capacity in individuals with signs and symptoms of musculoskeletal disease: results of the BRAZCO population study (Brazilian COPCORD Study). <i>Rheumatology International</i> , 2015, 35, 1873-1879.	1.5	5
18	Brazilian urban population norms derived from the health-related quality of life SF-6D. <i>Quality of Life Research</i> , 2015, 24, 2559-2564.	1.5	18

#	ARTICLE	IF	CITATIONS
19	Analysis of the association of fatigue with clinical and psychological variables in a series of 371 Brazilian patients with rheumatoid arthritis. <i>Revista Brasileira De Reumatologia</i> , 2014, 54, 200-207.	0.7	2
20	Impact of rheumatoid arthritis on quality of life, work productivity and resource utilisation: an observational, cross-sectional study in Brazil. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 334-40.	0.4	19
21	Multinational evidence-based recommendations for pain management by pharmacotherapy in inflammatory arthritis: integrating systematic literature research and expert opinion of a broad panel of rheumatologists in the 3e Initiative. <i>Rheumatology</i> , 2012, 51, 1416-1425.	0.9	71
22	Contrasting diagnosis performance of forced oscillation and spirometry in patients with rheumatoid arthritis and respiratory symptoms. <i>Clinics</i> , 2012, 67, 987-994.	0.6	9
23	Consenso 2012 da Sociedade Brasileira de Reumatologia sobre o manejo de comorbidades em pacientes com artrite reumatoide. <i>Revista Brasileira De Reumatologia</i> , 2012, 52, 483-495.	0.8	13
24	Recomendações nacionais baseadas em evidências científicas e opiniões dos especialistas sobre o uso do metotrexato nas doenças reumáticas, especialmente na artrite reumatoide: resultados da iniciativa 3E do Brasil. <i>Revista Brasileira De Reumatologia</i> , 2009, 49, 346-361.	0.8	10
25	Increased expression of FcγRI/CD64 on circulating monocytes parallels ongoing inflammation and nephritis in lupus. <i>Arthritis Research and Therapy</i> , 2009, 11, R6.	1.6	297
26	Rheumatoid Arthritis and Tuberculosis in the Tumor Necrosis Factor Inhibitors Era. <i>Journal of Clinical Rheumatology</i> , 2005, 11, 344-346.	0.5	1