Chiara Bardella

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6118628/publications.pdf

Version: 2024-02-01

19	1,698	17 h-index	19
papers	citations		g-index
19	19	19	3915
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Serum- and Glucocorticoid-induced Kinase Sgk1 Directly Promotes the Differentiation of Colorectal Cancer Cells and Restrains Metastasis. Clinical Cancer Research, 2019, 25, 629-640.	7.0	28
2	Oncogenic IDH1 Mutations Promote Enhanced Proline Synthesis through PYCR1 to Support the Maintenance of Mitochondrial Redox Homeostasis. Cell Reports, 2018, 22, 3107-3114.	6.4	64
3	Bone morphogenetic protein and Notch signalling crosstalk in poorâ€prognosis, mesenchymalâ€subtype colorectal cancer. Journal of Pathology, 2017, 242, 178-192.	4.5	36
4	Expression of Idh1R132H in the Murine Subventricular Zone Stem Cell Niche Recapitulates Features of Early Gliomagenesis. Cancer Cell, 2016, 30, 578-594.	16.8	122
5	HOT mutation screening in human glioblastomas. Future Science OA, 2015, 1, .	1.9	1
6	Recurrent chromosomal gains and heterogeneous driver mutations characterise papillary renal cancer evolution. Nature Communications, 2015, 6, 6336.	12.8	100
7	Aberrant epithelial GREM1 expression initiates colonic tumorigenesis from cells outside the stem cell niche. Nature Medicine, 2015, 21, 62-70.	30.7	213
8	IDH mutations in tumorigenesis and their potential role as novel therapeutic targets. Future Oncology, 2013, 9, 1923-1935.	2.4	53
9	Common genetic variants at the $11q13.3$ renal cancer susceptibility locus influence binding of HIF to an enhancer of cyclin D1 expression. Nature Genetics, 2012, 44, 420-425.	21.4	148
10	Cells Lacking the Fumarase Tumor Suppressor Are Protected from Apoptosis through a Hypoxia-Inducible Factor-Independent, AMPK-Dependent Mechanism. Molecular and Cellular Biology, 2012, 32, 3081-3094.	2.3	29
11	Screen for IDH1, IDH2, IDH3, D2HGDH and L2HGDH Mutations in Glioblastoma. PLoS ONE, 2011, 6, e19868.	2.5	71
12	SDH mutations in cancer. Biochimica Et Biophysica Acta - Bioenergetics, 2011, 1807, 1432-1443.	1.0	327
13	Aberrant succination of proteins in fumarate hydrataseâ€deficient mice and HLRCC patients is a robust biomarker of mutation status. Journal of Pathology, 2011, 225, 4-11.	4.5	225
14	Fumarase tumor suppressor gene and MET oncogene cooperate in upholding transformation and tumorigenesis. FASEB Journal, 2010, 24, 2680-2688.	0.5	12
15	Expression Profiling in Progressive Stages of Fumarate-Hydratase Deficiency: The Contribution of Metabolic Changes to Tumorigenesis. Cancer Research, 2010, 70, 9153-9165.	0.9	63
16	ERÎ \pm as ligand-independent activator of CDH-1 regulates determination and maintenance of epithelial morphology in breast cancer cells. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 7420-7425.	7.1	43
17	The Therapeutic Potential of Hepatocyte Growth Factor to Sensitize Ovarian Cancer Cells to Cisplatin and Paclitaxel In vivo. Clinical Cancer Research, 2007, 13, 2191-2198.	7.0	29
18	p38 MAPK turns hepatocyte growth factor to a death signal that commits ovarian cancer cells to chemotherapy-induced apoptosis. International Journal of Cancer, 2006, 118, 2981-2990.	5.1	38

#	Article	IF	CITATIONS
19	Truncated RON Tyrosine Kinase Drives Tumor Cell Progression and Abrogates Cell-Cell Adhesion Through E-Cadherin Transcriptional Repression. Cancer Research, 2004, 64, 5154-5161.	0.9	96