

Vickie McKee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6118786/publications.pdf>

Version: 2024-02-01

304
papers

9,350
citations

36271

51
h-index

71651

76
g-index

318
all docs

318
docs citations

318
times ranked

7958
citing authors

#	ARTICLE	IF	CITATIONS
1	Nanostructured Fe_2O_3 Thin Films for Photoelectrochemical Hydrogen Generation. <i>Chemistry of Materials</i> , 2009, 21, 3763-3772.	3.2	317
2	Hemocyanin models: synthesis, structure, and magnetic properties of a binucleating copper(II) system. <i>Journal of the American Chemical Society</i> , 1984, 106, 4765-4772.	6.6	276
3	Molecular methods for assessment of non-covalent metallo-drug-DNA interactions. <i>Chemical Society Reviews</i> , 2019, 48, 971-988.	18.7	196
4	Further insight into magnetostructural correlations in binuclear copper(II) species related to methemocyanin: x-ray crystal structure of 1,2- μ -nitrito complex. <i>Inorganic Chemistry</i> , 1985, 24, 2914-2919.	1.9	181
5	Caged oxoanions Electronic supplementary information (ESI) available: tables of protonation and stability constants and graphs of species formation as a function of pH for R3Bm + malonate and R3P + malonate and the distribution of protonated species as a function of pH for Me6R3Bm. See http://www.rsc.org/suppdata/cs/b2/b200672n/ . <i>Chemical Society Reviews</i> , 2003, 32, 309.	18.7	177
6	Geometric control of manganese redox state. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1035.	2.0	136
7	Copper(II) hemocyanin models. <i>Journal of the American Chemical Society</i> , 1981, 103, 7000-7001.	6.6	123
8	Highly delocalized Cu(I)/Cu(II); a copper-copper bond?. <i>Journal of the American Chemical Society</i> , 1991, 113, 9684-9685.	6.6	122
9	Self-Assembled Dinuclear Lanthanide Helicates: Substantial Luminescence Enhancement upon Replacing Terminal Benzimidazole Groups by Carboxamide Binding Units. <i>Inorganic Chemistry</i> , 1998, 37, 577-589.	1.9	122
10	Synthesis and anti-Candida activity of copper(II) and manganese(II) carboxylate complexes. <i>Polyhedron</i> , 1999, 18, 2931-2939.	1.0	122
11	Potentially bioactive organotin(IV) compounds: Synthesis, characterization, in vitro bioactivities and interaction with SS-DNA. <i>European Journal of Medicinal Chemistry</i> , 2014, 84, 343-363.	2.6	114
12	Structural comparison of a redox pair of copper(I/II) complexes having benzimidazole thioether ligands. <i>Inorganic Chemistry</i> , 1982, 21, 1332-1342.	1.9	108
13	Synthesis and catalytic activity of manganese(II) complexes of heterocyclic carboxylic acids: X-ray crystal structures of $[\text{Mn}(\text{pyr})_2]_n$, $[\text{Mn}(\text{dipic})(\text{bipy})_2] \cdot 4.5\text{H}_2\text{O}$ and $[\text{Mn}(\text{chedam})(\text{bipy})] \cdot \text{H}_2\text{O}$ (pyr=2-pyrazinecarboxylic acid; dipic=pyridine-2,6-dicarboxylic acid; chedam=chelidamic) <i>Tj ETQq1 1 0.784314 rgBT/Overlock 10 Tf 5</i>	1.0	108
14	A Manganese(III) Complex That Exhibits Spin Crossover Triggered by Geometric Tuning. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 7192-7195.	7.2	104
15	Dinuclear copper(II) and polymeric tetranuclear copper(II) and copper(II)-copper(I) complexes of macrocyclic ligands capable of forming endogenous alkoxide and phenoxide bridges. Structural, magnetic, and electrochemical studies. <i>Inorganic Chemistry</i> , 1992, 31, 4635-4642.	1.9	102
16	Bis-phenanthroline copper(II) phthalate complexes are potent in vitro antitumour agents with self-activating metallo-nuclease and DNA binding properties. <i>Dalton Transactions</i> , 2011, 40, 1024-1027.	1.6	98
17	Synthesis, characterization and biological assay of Salicylaldehyde Schiff base Cu(II) complexes and their precursors. <i>Journal of Molecular Structure</i> , 2018, 1155, 337-348.	1.8	98
18	Organotin(IV) carboxylate derivatives as a new addition to anticancer and antileishmanial agents: design, physicochemical characterization and interaction with Salmon sperm DNA. <i>RSC Advances</i> , 2014, 4, 57505-57521.	1.7	90

#	ARTICLE	IF	CITATIONS
19	“Silver bullets”™ in antimicrobial chemotherapy: Synthesis, characterisation and biological screening of some new Ag(I)-containing imidazole complexes. <i>Polyhedron</i> , 2006, 25, 1771-1778.	1.0	88
20	Syntheses and X-ray crystal structures of cis-[Mn(bipy)2Cl2] · 2H2O · EtOH and cis-[Mn(phen)2Cl2] (bipy) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102 Td (=d,l-5,5',7,12,12,14-H ₆) peroxide. <i>Inorganica Chimica Acta</i> , 1998, 279, 24-29.	1.2	85
21	Synthesis, X-ray crystal structure, anti-fungal and anti-cancer activity of [Ag2(NH3)2(salH)2] (salH ₂ =salicylic acid). <i>Journal of Inorganic Biochemistry</i> , 2004, 98, 1361-1366.	1.5	84
22	Synthesis and X-ray crystal structure of [Ag(phen)2]ClO ₄ (phen) = 1,10-phenanthroline-5,6-dione) and its effects on fungal and mammalian cells. <i>BioMetals</i> , 2004, 17, 635-645.	1.8	83
23	Synthesis, antimicrobial activity and chemotherapeutic potential of inorganic derivatives of 2-(4-thiazolyl)benzimidazole{thiabendazole}: X-ray crystal structures of [Cu(TBZH)2Cl]Cl · H ₂ O · EtOH and TBZH ₂ NO ₃ (TBZH=thiabendazole). <i>Journal of Inorganic Biochemistry</i> , 2004, 98, 1023-1031.	1.5	80
24	Cascade complexation of pseudo-halide by dicopper cryptates: a linear Cu ^{II} –NNN [–] –Cu unit. <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 3227-3230.	1.1	77
25	Constrained ferromagnetic coupling in dinuclear 1,3-azido nickel(II) cryptate compounds. Crystal structure and magnetic behaviour of [Ni ₂ (L ₁)(N ₃)(H ₂ O)] [CF ₃ SO ₃] ₃ · 2H ₂ O · EtOH {L ₁ = N[(CH ₂) ₂ NHCH ₂ (C ₆ H ₄ -m)CH ₂ NH(CH ₂) ₂] ₃ N} · 5H ₂ O. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 223-228.	1.1	72
26	Macrocyclic Complexes as Models for Nonporphyrin Metalloproteins. <i>Advances in Inorganic Chemistry</i> , 1993, , 323-410.	0.4	71
27	Towards promising oxoanion extractants: azacages and open-chain counterparts. <i>Dalton Transactions</i> , 2003, , 1961-1968.	1.6	69
28	Polyiron Oxo Chemistry at the Molecular/Solid-State Boundary: Synthesis, Structure, and Magnetic and Moessbauer Properties of [Fe ₁₆ MO ₁₀ (OH) ₁₀ (O ₂ CPh) ₂₀] Complexes, M = Mn, Fe, or Co. <i>Journal of the American Chemical Society</i> , 1994, 116, 8061-8069.	6.6	68
29	Cascade chemistry in azacryptand cages: bridging carbonates and methylcarbonates Electronic supplementary information (ESI) available: magnetic data. See http://www.rsc.org/suppdata/dt/b1/b110449g/ . <i>Dalton Transactions RSC</i> , 2002, , 1704-1713.	2.3	68
30	Newly designed organotin(IV) carboxylates with peptide linkage: Synthesis, structural elucidation, physicochemical characterizations and pharmacological investigations. <i>European Journal of Medicinal Chemistry</i> , 2018, 143, 1903-1918.	2.6	65
31	Tsalen- and Tsalpn-Based Nickel Complexes with Two Aldehyde Functionalities as Potential Synthons for Thiophenolate-Containing Di- and Polynucleating Acyclic and Macrocyclic Ligands. <i>Inorganic Chemistry</i> , 1997, 36, 6080-6085.	1.9	61
32	Synthesis and fungitoxic activity of manganese(II) complexes of fumaric acid: X-ray crystal structures of [Mn(fum)(bipy)(H ₂ O)] and [Mn(Phen) ₂ (H ₂ O) ₂](fum) · 4H ₂ O (fumH ₂ =fumaric acid; bipy=2,2'-bipyridine;) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 102 Td (=d,l-5,5',7,12,12,14-H ₆)	1.9	59
33	Hydrothermal synthesis and crystal structure of two Co phosphonates containing trifunctional phosphonate anions: Co ₃ (O ₃ PCH ₂ NH ₂ CH ₂ PO ₃) ₂ and Co ₃ (O ₃ PCH ₂ NC ₄ H ₇ -CO ₂) ₂ · 5H ₂ O. <i>Dalton Transactions</i> , 2003, , 1314-1319.	1.6	61
34	Monodentate Schiff base ligands: Their structural characterization, photoluminescence, anticancer, electrochemical and sensor properties. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 137, 477-485.	2.0	61
35	Structural and Magnetic Diversity in Cyano-Bridged Bi- and Trimetallic Complexes Assembled from Cyanometalates and [M(rac-CTH)] _n +Building Blocks (CTH) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 102 Td (=d,l-5,5',7,12,12,14-H ₆)	1.9	59
36	Binuclear manganese(II) and nickel(II) complexes with a potentially octadentate macrocyclic ligand (H ₄ L ₁): synthesis and characterisation. X-ray crystal structures of [Mn ₂ (H ₂ L ₁)(CH ₃ COO) ₂] · 2CH ₃ OH and [Ni ₂ (H ₂ L ₁)(H ₂ O) ₂ Cl ₂] · 2H ₂ O. <i>Inorganica Chimica Acta</i> , 1990, 173, 181-190.	1.2	58

#	ARTICLE	IF	CITATIONS
37	Straightforward Methodology for the Enantioselective Synthesis of Benzo[a]- and Indolo[2,3-a]quinolizidines. <i>Journal of Organic Chemistry</i> , 2007, 72, 5193-5201.	1.7	58
38	Structural characterization of some Schiff base compounds: Investigation of their electrochemical, photoluminescence, thermal and anticancer activity properties. <i>Journal of Luminescence</i> , 2013, 143, 623-634.	1.5	57
39	Binding Properties of Octaaminocryptands. <i>Inorganic Chemistry</i> , 2000, 39, 573-579.	1.9	56
40	Coordination Chemistry of Azacryptands. <i>Progress in Inorganic Chemistry</i> , 2007, , 167-316.	3.0	56
41	An octacopper(II) complex with .mu.5-oxo, and tripod-like perchlorate ligands; formation and x-ray structure of the [Cu4(L)O(CLO4)]2(CLO4)2.2H2O dimer. <i>Inorganic Chemistry</i> , 1989, 28, 2901-2902.	1.9	55
42	Manganese(II) complexes of hexanedioic and heptanedioic acids: X-ray crystal structures of [Mn(O2C(CH2)4CO2(phen)2H2O)]·7H2O and [Mn(phen)2(H2O)2][Mn(O2C(CH2)5CO2)] Tj ETQq0 0 0 rgBT /Owrlck 105f 50 537	1.1	55
43	Partial spin crossover behaviour in a dinuclear iron(ii) triple helicate. <i>Dalton Transactions</i> , 2011, 40, 12368.	1.6	55
44	Regulating Bioactivity of Cu²⁺ Bis-1,10-phenanthroline Artificial Metallonucleases with Sterically Functionalized Pendant Carboxylates. <i>Journal of Medicinal Chemistry</i> , 2013, 56, 8599-8615.	2.9	55
45	Formation of a (4 + 4) Schiff-base macrocyclic ligand by a template rearrangement. Crystal and molecular structures of two tetranuclear manganese(II) complexes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1987, , 2555.	1.1	54
46	Synthesis and characterisation of a series of tetra- and octa-copper(II) complexes with macrocyclic ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 221.	1.1	54
47	Protonated azacryptate hosts for nitrate and perchlorate. <i>Dalton Transactions RSC</i> , 2000, , 2853-2859.	2.3	54
48	Bu3SnH-mediated radical cyclisation onto azoles. <i>Tetrahedron</i> , 2008, 64, 7745-7758.	1.0	54
49	Potent oxidative DNA cleavage by the di-copper cytotoxin: [Cu2(1/4-terephthalate)(1,10-phen)4]2+. <i>Chemical Communications</i> , 2012, 48, 6906.	2.2	54
50	Synthesis, structure and anti-fungal activity of dimeric Ag(I) complexes containing bis-imidazole ligands. <i>Polyhedron</i> , 2004, 23, 1249-1255.	1.0	53
51	Raman Spectroscopy of Three Average-Valence Dicopper Cryptates: Evidence for Copper-Copper Bonding. <i>Inorganic Chemistry</i> , 1998, 37, 3567-3574.	1.9	52
52	Dicopper cryptates with 1,1 and 1,3 bridging ligands: spectroscopic, magnetic and electrochemical properties. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 1471.	1.1	51
53	ZnFe2O4 thin films from a single source precursor by aerosol assisted chemical vapour deposition. <i>Thin Solid Films</i> , 2010, 518, 3664-3668.	0.8	49
54	Hydrolytically-sensitive hexaimino and hydrolytically-inert octaamino-cryptand hosts for dicopper. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 1739.	1.1	48

#	ARTICLE	IF	CITATIONS
55	Di-, Tri-, and Tetracopper(II) Complexes of a Pseudocalixarene Macrocyclic. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 4553-4556.	7.2	48
56	Mannich and O-Alkylation Reactions of Tetraalkoxyresorcin[4]arenes – The Use of Some Products in Ligand-Assisted Reactions. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 5117-5134.	1.2	48
57	Dicopper(II) complexes of a macrocyclic ligand containing single hydroxo-, methoxo-, or 1,1-azido-bridges: synthesis, magnetic properties, electron spin resonance spectra, and the crystal and molecular structure of a μ -hydroxo-derivative. <i>Journal of the Chemical Society Dalton Transactions</i> , 1982, , 1837-1843.	1.1	47
58	The crystal and molecular structures of magnesium tetraphenylporphyrin complexes involving water and methanol coordination. <i>Inorganica Chimica Acta</i> , 1988, 151, 233-236.	1.2	47
59	Synthesis, structural characterization, catalytic, thermal and electrochemical investigations of bidentate Schiff base ligand and its metal complexes. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2010, 76, 174-181.	2.0	47
60	Synthetic applications of aryl radical building blocks for cyclisation onto azoles. <i>Tetrahedron</i> , 2005, 61, 2689-2696.	1.0	46
61	Schiff base triphenylphosphine palladium (II) complexes: Synthesis, structural elucidation, electrochemical and biological evaluation. <i>Journal of Molecular Structure</i> , 2016, 1118, 250-258.	1.8	46
62	Silver(I) complexes of 9-anthracenecarboxylic acid and imidazoles: synthesis, structure and antimicrobial activity. <i>Dalton Transactions</i> , 2012, 41, 6516.	1.6	45
63	A dinuclear manganese(II) complex with 2,6-pyridinedicarboxylate: Preparation, crystal structure and oxygen evolution activity in the presence of oxone. <i>Catalysis Communications</i> , 2010, 11, 1032-1035.	1.6	44
64	Synthesis, characterization and antimicrobial studies of 2-[(E)-[(2-hydroxy-5-methylphenyl)imino]methyl]-4-[(E)-phenyldiazenyl]phenol as a novel azo-azomethine dye. <i>Journal of Molecular Structure</i> , 2013, 1053, 89-99.	1.8	44
65	Caged anions: perchlorate and perfluoroanion cryptates. <i>Journal of the Chemical Society Chemical Communications</i> , 1995, , 1649.	2.0	43
66	Binuclear and polymeric copper(II) dicarboxylate complexes: syntheses and crystal structures of $[\text{Cu}_2(\text{pda})(\text{Phen})_4(\text{ClO}_4)_2 \cdot 5\text{H}_2\text{O} \cdot \text{C}_2\text{H}_5\text{OH}]$, $[\text{Cu}_2(\text{oda})(\text{Phen})_4(\text{ClO}_4)_2 \cdot 2.67\text{H}_2\text{O} \cdot \text{C}_2\text{H}_5\text{OH}]$ and $\{[\text{Cu}_2(\text{pda})_2(\text{NH}_3)_4(\text{H}_2\text{O})_2] \cdot 4\text{H}_2\text{O}\}_n$ (odaH ₂ =octanedioic acid; pdaH ₂ =pentanedioic acid; Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 29	1.0	43
67	The first pentanuclear heterobimetallic coordination cation with CeIII, CeIV and MnII. <i>Inorganic Chemistry Communication</i> , 2011, 14, 125-127.	1.8	43
68	Response to steric constraint in azacryptate and related complexes of iron-(II) and -(III) d^5 . <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 1837-1844.	1.1	42
69	Copper(I) hemocyanin models: variable coordination number and distorted geometries in benzimidazole chelates. <i>Inorganic Chemistry</i> , 1990, 29, 110-119.	1.9	41
70	Chloromercury(II) anions. <i>Coordination Chemistry Reviews</i> , 1994, 135-136, 533-586.	9.5	41
71	Selectivity for dinegative versus mononegative oxoanionic guests within a cryptand host. <i>Dalton Transactions RSC</i> , 2001, , 1395-1397.	2.3	41
72	Synthesis, structure and biological activity of silver(I) complexes of substituted imidazoles. <i>Polyhedron</i> , 2013, 56, 180-188.	1.0	41

#	ARTICLE	IF	CITATIONS
73	Di-copper metallodrugs promote NCI-60 chemotherapy via singlet oxygen and superoxide production with tandem TA/TA and AT/AT oligonucleotide discrimination. <i>Nucleic Acids Research</i> , 2018, 46, 2733-2750.	6.5	41
74	X-Ray structural analysis of a tetra-manganese(II) complex of a new (4 Å– 4) Schiff-base macrocycle incorporating a cubane-like Mn ₄ (alkoxy) ₄ core. <i>Journal of the Chemical Society Chemical Communications</i> , 1985, , 158-159.	2.0	40
75	Synthesis of Bridged, Multifunctional Calixarenes via Ring Closing Metathesis. <i>Journal of Organic Chemistry</i> , 1998, 63, 946-951.	1.7	40
76	An azo-azomethine ligand and its copper(II) complex: Synthesis, X-ray crystal structure, spectral, thermal, electrochemical and photoluminescence properties. <i>Inorganica Chimica Acta</i> , 2015, 430, 268-279.	1.2	39
77	Crystal and molecular structure and some properties of pyridinium μ -oxo-bis[trichloroferrate(III)] π -pyridine. <i>Journal of the Chemical Society Dalton Transactions</i> , 1978, , 80-84.	1.1	38
78	The crystal structures of chloro mercury(II) salts found for some Cr ^{N63+} cations and their Cr ⁱ –N bond-ruptured hydrolysis products. <i>Inorganica Chimica Acta</i> , 1989, 157, 15-27.	1.2	38
79	Mn ₂ O ₃ π 4TiO ₂ semiconducting composite thin films for photo-electrochemical water splitting. <i>Polyhedron</i> , 2014, 75, 135-140.	1.0	38
80	Lead(II) and barium(II) complexes of a potentially octadentate macrocyclic ligand (H ₄ L), capable of providing endogenous alkoxy and phenoxy bridges. The X-ray crystal structures of [Pb(H ₄ L)][ClO ₄] ₂ , [Pb ₂ (H ₂ L)][ClO ₄] ₂ , and [(H ₆ L)(H ₂ O) ₂][ClO ₄] ₂ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1989, , 19.	1.1	37
81	A new polyhalogen network for bromine - Br ₁₀₂ π . <i>Inorganica Chimica Acta</i> , 1990, 167, 135-137.	1.2	37
82	Complexes of a new mononucleating cage ligand; livelier than sepulchrates?. <i>Journal of the Chemical Society Chemical Communications</i> , 1990, , 1148.	2.0	37
83	Pyridinophane cryptand hosts with dicopper(I) or dicopper(II) preferences. <i>Inorganica Chimica Acta</i> , 1993, 211, 195-202.	1.2	37
84	A new phenanthroline π oxazine ligand: synthesis, coordination chemistry and atypical DNA binding interaction. <i>Chemical Communications</i> , 2013, 49, 2341.	2.2	37
85	New bio-active azo-azomethine based Cu(II) complexes. <i>Inorganica Chimica Acta</i> , 2016, 444, 166-175.	1.2	37
86	Structural systematics of the isomeric di- π /4-chlorobis(N, N-dialkylbenzylamine-2,C, N)dipalladium(II) complexes. The crystal structures of the ortho-, meta- and para-methoxy substituted complexes. <i>Journal of Organometallic Chemistry</i> , 1985, 288, 109-117.	0.8	36
87	Synthesis and Biological Activity of Manganese (II) Complexes of Phthalic and Isophthalic Acid: X-Ray Crystal Structures of [Mn(ph)(Phen) ₂ (H ₂ O)] \cdot 4H ₂ O, [Mn(Phen) ₂ (H ₂ O) ₂] ₂ (Isoph) ₂ (Phen) \cdot 12H ₂ O and {[Mn(Isoph)(bipy)] ₄ \cdot 2.75bipy} _n (phH ₂ = Phthalic Acid; isoph = Isophthalic Acid; phen =) Tj ETQq1 1 0.784314 rgBT/Overlock 10 Tf 50	3.8	36
88	The Preparation and Absolute Configurations of Enantiomerically Pure C ₄ -Symmetric Tetraalkoxyresorcin[4]arenes Obtained from Camphorsulfonate Derivatives. <i>European Journal of Organic Chemistry</i> , 2006, 2006, 5135-5151.	1.2	36
89	Synthesis, characterization, biological and electrochemical evaluation of novel ether based ON donor bidentate Schiff bases. <i>Journal of Molecular Structure</i> , 2016, 1116, 84-92.	1.8	36
90	Exploration of organotin(IV) derivatives for medicinal applications: Synthesis, spectroscopic characterization, structural elucidation and molecular docking study. <i>Journal of Molecular Structure</i> , 2019, 1181, 93-108.	1.8	36

#	ARTICLE	IF	CITATIONS
91	A furan-derived schiff-base crypt and incorporating the trans,trans dicarbimine link. <i>Polyhedron</i> , 1989, 8, 1143-1145.	1.0	35
92	Tetra- and pentamanganese(II) macrocyclic complexes with bridging carboxylate groups: product control by pretreatment of manganese acetate solutions. <i>Inorganica Chimica Acta</i> , 1996, 246, 171-179.	1.2	35
93	Manganese(II) salicylate complexes as H ₂ O ₂ disproportionation catalysts: X-ray crystal structure of [Mn(Hsal) ₂ (bipy)]·H ₂ O (H ₂ sal = salicylic acid, bipy = 2,2'-bipyridine). <i>Polyhedron</i> , 1996, 15, 2029-2033.	1.0	35
94	Synthesis and catalytic activity of manganese(II) complexes of pentanedioic acid; X-ray crystal structure of [Mn(phen) ₂ (H ₂ O) ₂][Mn(O ₂ C(CH ₂) ₃ CO ₂)(phen) ₂ H ₂ O]·(O ₂ C(CH ₂) ₃ CO ₂) ⁻ ·12H ₂ O (phen = 1,10-phenanthroline). <i>Polyhedron</i> , 1996, 15, 2029-2033.	1.0	35
95	Amides as precursors of imidoyl radicals in cyclisation reactions. <i>Tetrahedron</i> , 2007, 63, 191-203.	1.0	35
96	Optically active cis-dianion(tetraamine)chromium(III) complexes. 5. The absolute configuration of (-)-cis-(RRRR)-[CrCl ₂ (cyclam)]ClO ₄ . <i>Inorganic Chemistry</i> , 1984, 23, 4237-4242.	1.9	34
97	Synthesis and structure of Mn(II), Cu(II) and Zn(II) complexes containing bis-imidazole ligands. <i>Polyhedron</i> , 2004, 23, 1731-1737.	1.0	34
98	Synthesis, spectroscopic characterization and in vitro antimicrobial, anticancer and antileishmanial activities as well interaction with Salmon sperm DNA of newly synthesized carboxylic acid derivative, 4-(4-methoxy-2-nitrophenylamino)-4-oxobutanoic acid. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 138, 569-578.	2.0	34
99	The X-ray crystal structure and some properties of a planar tetracopper(II) macrocyclic complex containing a μ ₄ -hydroxo bridge. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 385-387.	2.0	33
100	Linear Cu ²⁺ OH ⁻ Cu: magnetic silence for dicopper(II) in trigonal bipyramidal coordination geometry. <i>Journal of the Chemical Society Chemical Communications</i> , 1993, .	2.0	33
101	Cation Complexation by Chemically Modified Calixarenes. 11. Complexation and Extraction of Alkali Cations by Calix[5]- and -[6]arene Ketones. Crystal and Molecular Structures of Calix[5]arene Ketones and Na ⁺ and Rb ⁺ Complexes. <i>Journal of Organic Chemistry</i> , 1998, 63, 489-501.	1.7	33
102	A new paradigm in N-heterocyclic carbenoid ligands. <i>Journal of Organometallic Chemistry</i> , 2005, 690, 6210-6216.	0.8	33
103	[Ag ₂ (aca) ₂] _n and [Ag ₄ (aca) ₄ (NH ₃) ₂] (acaH=9-anthracenecarboxylic acid): Synthesis, X-ray crystal structures, antimicrobial and anti-cancer activities. <i>Inorganic Chemistry Communication</i> , 2007, 10, 1149-1153.	1.8	33
104	Synthesis, structural characterization, thermal and electrochemical studies of the N,N'-bis[(3,4-dichlorophenyl)methylidene]cyclohexane-1,4-diamine and its Cu(II), Co(II) and Ni(II) metal complexes. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2009, 71, 1648-1654.	2.0	33
105	X-Ray crystal structure and some properties of a tetranuclear, mixed-valence manganese complex of a macrocyclic ligand. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 1334.	2.0	32
106	Geometric control of redox level in tetranuclear manganese and cobalt systems. <i>Inorganica Chimica Acta</i> , 2000, 297, 220-230.	1.2	32
107	Conformational and coordination plasticity in silver(I) cryptates. <i>Dalton Transactions RSC</i> , 2001, , 3641-3646.	2.3	32
108	Synthesis and antimicrobial activity of (Z)-3-(1H-imidazol-1-yl)-2-phenylpropenenitrile and its metal complexes: X-ray crystal structures of the Zn(II) and Ag(I) complexes. <i>Polyhedron</i> , 2003, 22, 1595-1601.	1.0	32

#	ARTICLE	IF	CITATIONS
109	Tetrahedral cobalt(II) complexes stabilized by the aminodiphosphine PNP ligand [PNP = CH ₃ CH ₂ CH ₂ N(CH ₂ CH ₂ PPh ₂) ₂]. Dalton Transactions, 2003, , 3233.	1.6	32
110	Development of molecular precursors for deposition of indium sulphide thin film electrodes for photoelectrochemical applications. Dalton Transactions, 2013, 42, 10919.	1.6	32
111	Cascade complexation: a single cyano bridge links a pair of Cu(II) cations. Dalton Transactions, 2005, , 2403.	1.6	31
112	Metalloantimalarials: Synthesis, X-ray crystal structure of potent antimalarial copper (II) complex of arylazo-4-hydroxy-1,2-naphthoquinone. Bioorganic and Medicinal Chemistry Letters, 2006, 16, 430-432.	1.0	31
113	Asymmetric Synthesis of Tetrahydrofurans through Palladium(0)-Catalyzed [3 + 2]-Cycloaddition of Vinylcyclopropanes with Ketenes. Journal of Organic Chemistry, 2019, 84, 11983-11991.	1.7	31
114	Complexes of ligands providing endogenous bridges. Part 4. Copper(II) complexes of macrocyclic Schiff bases derived from 2,6-diacetylpyridine and 1,n-diamino- n -hydroxyalkanes (n , $n=3, 2; 4, 2; \text{ and } 5, 3$): synthesis, properties, and structures. Journal of the Chemical Society Dalton Transactions, 1987, , 2519-2529.	1.1	30
115	MgTi ₂ O ₅ thin films from single molecular precursor for photoelectrochemical water splitting. Solar Energy Materials and Solar Cells, 2017, 161, 328-337.	3.0	30
116	Macrocyclic tetramanganese(II) complexes with alkoxy and chloro or azido bridges; X-ray crystal structures of [Mn ₂ (HL)(Cl) ₂] ₂ (ClO ₄) ₂ ·2dmf·H ₂ O and [Mn ₂ (HL)(N ₃) ₂] ₂ (ClO ₄) ₂ ·3MeCN (H ₂ L =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf Journal of the Chemical Society Chemical Communications, 1989, , 619-620.	2.0	29
117	Hexagonal structured Zn(1-x)Cd _x O solid solution thin films: synthesis, characterization and applications in photoelectrochemical water splitting. Journal of Materials Chemistry A, 2013, 1, 5284.	5.2	29
118	Triggering autophagic cell death with a di-manganese(II) developmental therapeutic. Redox Biology, 2017, 12, 150-161.	3.9	29
119	Copper (II) complexes bearing ether based ON donor bidentate Schiff bases: Synthesis, characterization, biological and electrochemical investigations. Polyhedron, 2017, 124, 117-124.	1.0	29
120	Spectroscopic characterizations, structural peculiarities, molecular docking study and evaluation of biological potential of newly designed organotin(IV) carboxylates. Journal of Photochemistry and Photobiology B: Biology, 2019, 197, 111516.	1.7	29
121	Polypyridyl-Based Copper Phenanthrene Complexes: A New Type of Stabilized Artificial Chemical Nuclease. Chemistry - A European Journal, 2019, 25, 221-237.	1.7	29
122	The structure of a dinuclear copper(I) complex of a Schiff-base ligand containing a copper-copper bond. Journal of the Chemical Society Dalton Transactions, 1985, , 1771-1774.	1.1	28
123	Syntheses and anti-Candida activity of cobalt(II) complexes of octanedioic acid (odaH ₂) and nonanedioic acid (ndaH ₂); X-ray crystal structures of [Co(phen) ₃ oda]·14H ₂ O and [Co(phen) ₃ nda]·11.5H ₂ O (phen=1,10-phenanthroline). Inorganica Chimica Acta, 1999, 293, 160-166.	1.2	28
124	Tetradentate Schiff base ligands and their complexes: Synthesis, structural characterization, thermal, electrochemical and alkane oxidation. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2012, 95, 382-398.	2.0	27
125	Synthesis and catalase activity of manganese(II) complexes of cis-5-norbornene-Endo-2,3-dicarboxylic acid (ndaH ₂): X-ray crystal structure of [Mn(1-1-1-nda)(phen) ₂] ₂ ·EtOH·H ₂ O (phen = 1,10-phenanthroline). Polyhedron, 1995, 14, 2247-2253.	1.0	26
126	Structural characterization, luminescence and electrochemical properties of the Schiff base ligands. Journal of Luminescence, 2012, 132, 2917-2928.	1.5	26

#	ARTICLE	IF	CITATIONS
127	Imidazole Schiff base ligands: Synthesis, coordination complexes and biological activities. Polyhedron, 2013, 55, 169-178.	1.0	26
128	Mn(II) complexes of a tridentate benzimidazole ligand: Synthesis, structural characterisation and catalase mimetic studies. Polyhedron, 2014, 75, 30-39.	1.0	26
129	Spectral, structural and quantum chemical computational and dissociation constant studies of a novel azo-enamine tautomer. Journal of Molecular Structure, 2014, 1074, 449-456.	1.8	26
130	Synthesis, biological and electrochemical evaluation of novel nitroaromatics as potential anticancerous drugs. Bioelectrochemistry, 2015, 104, 85-92.	2.4	26
131	Synthesis, characterization and biological screenings of 5-coordinated Organotin(IV) complexes based on carboxylate ligand. Journal of Molecular Structure, 2020, 1206, 127683.	1.8	26
132	Solid state structure and solution conformation of a macrobicyclic cyclophane. Tetrahedron Letters, 1989, 30, 7453-7456.	0.7	25
133	Mononuclear and binuclear copper(II) complexes of benzene-1,2-dioxyacetic acid (bdoaH ₂) : X-ray		

#	ARTICLE	IF	CITATIONS
145	Synthesis, spectroscopic characterization, crystal structure, DNA interaction study and in vitro biological screenings of 4-(5-chloro-2-hydroxyphenylamino)-4-oxobut-2-enoic acid. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 134, 244-250.	2.0	23
146	Asymmetric synthesis of cyclopentanones through dual Lewis acid-catalysed [3+2]-cycloaddition of donor-acceptor cyclopropanes with ketenes. <i>Chemical Communications</i> , 2019, 55, 13558-13561.	2.2	23
147	Fabrication of photoactive CaTiO ₃ /TiO ₂ composite thin film electrodes via facile single step aerosol assisted chemical vapor deposition route. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 1411-1424.	1.1	23
148	A Click Chemistry Approach to Developing Molecularly Targeted DNA Scissors. <i>Chemistry - A European Journal</i> , 2020, 26, 16782-16792.	1.7	23
149	Six- and seven-co-ordinate manganese(II) complexes of Schiff-base ligands derived from the condensation of 2,6-diacetylpyridine with ethanolamine (L1) or propanolamine (L2); X-ray crystal structures of [MnL1Cl2]·H ₂ O and {[MnL2(NCS) ₂]} _x . <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 2397-2401.	1.1	22
150	Synthesis and Anti-Candida Activity of Cobalt(II) Complexes of Benzene-1,2-Dioxyacetic Acid (bdoaH ₂). X-Ray Crystal Structures of [Co(bdoa)(H ₂ O) ₃]·3.5H ₂ O and {[Co(phen) ₃](bdoa)} ₂ ·24H ₂ O (phen =) Tj ETQq0.00 rgBT2/Overlock	0.8	22
151	Synthesis, Superoxide Dismutase Mimetic and Anticancer Activities of Metal Complexes of 2,2-Dimethylpentanedioic Acid(2dmepdaH ₂) and 3,3-Dimethylpentanedioic acid(3dmepdaH ₂): X-Ray Crystal Structures of [Cu(3dmepda)(bipy)] ₂ ·6H ₂ O and [Cu(2dmepda)(bipy)(EtOH)] ₂ ·4EtOH(bipy=2,2'-Bipyridine). <i>Bioinorganic Chemistry and Applications</i> , 2006, 2006, 1-11.	1.8	22
152	Functionalized 4-Hydroxy Coumarins: Novel Synthesis, Crystal Structure and DFT Calculations. <i>Molecules</i> , 2011, 16, 384-402.	1.7	22
153	Some binuclear molybdenum(VI) complexes obtained from condensation reactions: their crystal and molecular structures. <i>Journal of the Chemical Society Dalton Transactions</i> , 1987, , 523.	1.1	21
154	Redox-linked pyrrole NH deprotonation in a dicopper azacryptate system. <i>Journal of the Chemical Society Chemical Communications</i> , 1994, , 649.	2.0	21
155	Disorder in a Disilver Azacryptate Structure. <i>Inorganic Chemistry</i> , 1994, 33, 4427-4428.	1.9	21
156	Syntheses, characterization, and crystal structures of two zinc(II) carboxylates containing pyridine. <i>Journal of Coordination Chemistry</i> , 2011, 64, 1165-1176.	0.8	21
157	The crystal structures of some chloromercury(II) anions with Co(III) complexes or protonated polyamines as cations. <i>Inorganica Chimica Acta</i> , 1992, 193, 77-85.	1.2	20
158	Site-selectivity in a heterotetranuclear macrocyclic complex. <i>Chemical Communications</i> , 2001, , 1918-1919.	2.2	20
159	Dinuclear complexes of a pseudocalixarene macrocycle: structural consequences of intramolecular hydrogen bonding. <i>Dalton Transactions</i> , 2005, , 923.	1.6	20
160	Interaction between Langmuir and Langmuir-Blodgett Films of Two Calix[4]arenes with Aqueous Copper and Lithium Ions. <i>Langmuir</i> , 2010, 26, 10906-10912.	1.6	20
161	Structure-Reactivity Studies of Simple 4-Hydroxyprolinamide Organocatalysts in the Asymmetric Michael Addition Reaction of Aldehydes to Nitroolefins. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 1035-1042.	2.1	20
162	A new Salen-type azo-azomethine ligand and its Ni(II), Cu(II) and Zn(II) complexes: Synthesis, spectral characterization, crystal structure and photoluminescence studies. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 150, 966-973.	2.0	20

#	ARTICLE	IF	CITATIONS
163	Synthesis of two new azo-azomethines; spectral characterization, crystal structures, computational and fluorescence studies. <i>Journal of Molecular Structure</i> , 2015, 1094, 183-194.	1.8	20
164	A bi-copper(I)/bi-copper(II) redox cycle in the co-ordination and activation of dioxygen by a bi-copper(I) complex of a macrocyclic ligand. <i>Journal of the Chemical Society Chemical Communications</i> , 1980, , 829.	2.0	19
165	Unexpected Ring Expansion of an Enantiopure Imidazoline Carbene Ligand. <i>Organic Letters</i> , 2006, 8, 3049-3051.	2.4	19
166	Towards a total synthesis of the manadomanzamine alkaloids: the first asymmetric construction of the pentacyclic indole core. <i>Tetrahedron Letters</i> , 2007, 48, 4711-4714.	0.7	19
167	Synthesis, Structural Characterization, Spectroscopic and Electrochemical Studies of N,N-bis[(2,4-dimethoxyphenyl) methylidene]butane-1,4-diamine. <i>Current Organic Chemistry</i> , 2010, 14, 281-288.	0.9	19
168	Synthesis, structural characterization and alcohol oxidation activity of a new mononuclear manganese(II) complex. <i>Transition Metal Chemistry</i> , 2010, 35, 297-303.	0.7	19
169	Synthesis, characterization, crystal structure and oxygen-evolution activity of a manganese(II) complex with 2,4,6-tris (2-pyridyl)-1,3,5-triazine. <i>Polyhedron</i> , 2010, 29, 3246-3250.	1.0	19
170	Double template effect in [4 + 4] Schiff base macrocycle formation; an ESI-MS study. <i>Dalton Transactions</i> , 2011, 40, 12040.	1.6	19
171	A novel azo-aldehyde and its Ni(II) chelate; synthesis, characterization, crystal structure and computational studies of 2-hydroxy-5-[(E)-[4-(propan-2-yl)phenyl]diazanyl]benzaldehyde. <i>Journal of Molecular Structure</i> , 2014, 1065-1066, 191-198.	1.8	19
172	Structural, computational and cytotoxic studies of square planar copper(II) complexes derived from dicyandiamide. <i>Polyhedron</i> , 2016, 117, 652-660.	1.0	19
173	Electrochemical sensing of nitrite using a copper-titanium oxide composite derived from a hexanuclear complex. <i>RSC Advances</i> , 2016, 6, 27852-27861.	1.7	19
174	Pharmacological, electrochemical and drug-DNA interaction aspects of tridentate Schiff bases and their triphenylphosphine nickel(II) complexes. <i>Polyhedron</i> , 2017, 133, 270-278.	1.0	19
175	Recent Advances in Anticancer Copper Compounds. <i>2-Oxoglutarate-Dependent Oxygenases</i> , 2019, , 91-119.	0.8	19
176	5T2 ⁺ 1A1 Transitions in six-co-ordinate iron(II) complexes of 2,2-bi-2-thiazoline and 2,2-bi-4,5-dihydrothiazine ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1978, , 522-526.	1.1	18
177	A tetranickel(ii) macrocyclic complex incorporating five different bridging groups. <i>Chemical Communications</i> , 1997, , 1341-1342.	2.2	18
178	Synthesis and in vitro anti-microbial activity of manganese (II) complexes of 2,2-dimethylpentanedioic and 3,3-dimethylpentanedioic acid: X-ray crystal structure of [Mn(3dmepda)(phen)2]·7.5H ₂ O (3dmepdaH ₂ =3,3-dimethylpentanedioic acid and phen=1,10-phenanthroline). <i>Polyhedron</i> , 2003, 22, 3187-3194.	1.0	18
179	First X-ray structural characterisation of host-guest interactions in tetra-tetrazole macrocycles. <i>Tetrahedron</i> , 2009, 65, 7942-7947.	1.0	18
180	Synthesis and X-ray structure of a bicopper(II) Schiff base macrocyclic complex having a single endogenous alkoxy bridge. <i>Journal of the Chemical Society Chemical Communications</i> , 1983, , 1465.	2.0	17

#	ARTICLE	IF	CITATIONS
181	Crystal structures of ligands derived from the condensation of 2-formyl- or 2-acetylpyridine with ethanolamine and the formation of two rearrangement products; X-ray crystal structures of $Mn(L1)_2(NCS)_2$, $[Mn(L1)(NCS)_2]_x$, $[Cu(L1)(H_2O)_2(ClO_4)]_2(ClO_4)_2$, $[Zn(L1)(H_2O)_2(ClO_4)]_2(ClO_4)_2$ and $[Mn(L3)(L4)]_2(ClO_4)_4 \cdot 2EtOH$ (L1 = N-(2-hydroxyethyl)-2-pyridinecarboxaldehyde, L3 =) <i>Tetrahedron</i> , 1990, 47, 10783-10791.	1.2	17
182	Azacryptand host for lead: NMR and structural studies. <i>Inorganica Chimica Acta</i> , 1994, 218, 5-8.	1.2	17
183	Polypyridyl-Based Copper Phenanthrene Complexes: Combining Stability with Enhanced DNA Recognition. <i>Chemistry - A European Journal</i> , 2021, 27, 971-983.	1.7	17
184	N-methylation of macrobicycles reduces encapsulation ability. <i>Dalton Transactions</i> , 2007, , 1762.	1.6	16
185	Vysotskite structured photoactive palladium sulphide thin films from dithiocarbamate derivatives. <i>New Journal of Chemistry</i> , 2014, 38, 4083-4091.	1.4	16
186	Synthesis and characterisation of macrocycles containing both tetrazole and pyridine functionalities. <i>Tetrahedron</i> , 2011, 67, 3260-3266.	1.0	15
187	The selectivity of water-based pyrophosphate recognition is tuned by metal substitution in dimetallic receptors. <i>Dalton Transactions</i> , 2015, 44, 11877-11886.	1.6	15
188	A novel Schiff base: Synthesis, structural characterisation and comparative sensor studies for metal ion detections. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2015, 136, 1388-1394.	2.0	15
189	Electrochemically driven reversible solid state metal exchange processes in polynuclear copper complexes. <i>Journal of Solid State Electrochemistry</i> , 2003, 7, 141-146.	1.2	14
190	A prominent C-acylation cyclisation synthetic sequence and X-ray structure elucidation of benzothioopyranone derivatives. <i>Tetrahedron</i> , 2008, 64, 5454-5458.	1.0	14
191	Protein engineering with artificial chemical nucleases. <i>Chemical Communications</i> , 2015, 51, 12908-12911.	2.2	14
192	Development of Gene-Targeted Polypyridyl Triplex-Forming Oligonucleotide Hybrids. <i>ChemBioChem</i> , 2020, 21, 3563-3574.	1.3	14
193	The structures of $[Co(en)_3][HgCl_4]$ and <i>cis</i> - $[Co(en)_2(NH_3)(py)][Hg_2Cl_7]^{2-}$ complexes containing novel halo-mercury(II) anions. <i>Inorganica Chimica Acta</i> , 1989, 160, 71-76.	1.2	13
194	Evidence on ligand strengths from the crystal structures of $[InCl_3(dmf)_3]$, $[InCl_3(dma)_3]$, $[InCl_3(PhCHO)_3] \cdot PhCHO$ and $[InCl_3(PhCOMe)_2]$ from dimethylformamide (dmf), dimethylacetamide (dma), benzaldehyde and acetophenone. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, , 3111-3116.	1.1	13
195	Synthesis, X-ray crystal structure and catalytic activity of the manganese(II) E-urocanic acid (E-uroH) complex $[Mn(E-uro)_2(H_2O)_4]$. <i>Polyhedron</i> , 1996, 15, 2321-2325.	1.0	13
196	Synthesis and structure of metal complexes containing zwitterionic N-hydroxyimidazole ligands. <i>Polyhedron</i> , 2007, 26, 4573-4580.	1.0	13
197	Novel polymeric potassium complex: Its synthesis, structural characterization, photoluminescence and electrochemical properties. <i>Journal of Luminescence</i> , 2012, 132, 850-857.	1.5	13
198	The importance of interactions between methyl groups and aromatic rings in homo and hetero-cyclophane structures. A molecular mechanics and X-ray crystallographic investigation. <i>Supramolecular Chemistry</i> , 1995, 5, 281-287.	1.5	12

#	ARTICLE	IF	CITATIONS
199	Remarkable reversal of ¹³ C-NMR assignment in d ¹ , d ² compared to d ⁸ , d ⁹ acetylacetonate complexes: analysis and explanation based on solid-state MAS NMR and computations. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 8048-8059.	1.3	12
200	Chemistry in Cages: Dinucleating Azacryptand Hosts and Their Cation and Anion Cryptates. <i>Journal of Chemical Education</i> , 2001, 78, 1269.	1.1	11
201	Effect of methylation on the coordination of copper by small azacryptands; the role of geometrically constrained hydrogen bonding in stabilizing terminally coordinated oxygen species. <i>Dalton Transactions</i> , 2006, , 3204.	1.6	11
202	Efficient construction of functionalized 5-carboxymethyl tetramic acids using N-Ac-l-aspartic anhydride as chiral building block. <i>Tetrahedron</i> , 2010, 66, 3944-3950.	1.0	11
203	<i>C</i> ₃ -symmetric opioid scaffolds are pH-responsive DNA condensation agents. <i>Nucleic Acids Research</i> , 2017, 45, 527-540.	6.5	11
204	d ¹⁰ Cations within triple-helical cryptand hosts; a structural and modelling study. <i>Dalton Transactions RSC</i> , 2000, , 1513-1519.	2.3	10
205	Spirobicyclic diamines. Part 3: Synthesis and metal complexation of proline-derived [4.4]-spirodiamines. <i>Tetrahedron</i> , 2007, 63, 9235-9242.	1.0	10
206	Unusual metal coordination chemistry from an amino-amide derivative of 4-nitrophenol, a surprising ligand. <i>Dalton Transactions</i> , 2009, , 8406.	1.6	10
207	Tetrameric and polymeric silver complexes of the omeprazole scaffold; synthesis, structure, in vitro and in vivo antimicrobial activities and DNA interaction. <i>Journal of Inorganic Biochemistry</i> , 2018, 186, 317-328.	1.5	10
208	Photochromic formazans: Raman spectra, X-ray crystal structures, and ¹³ C magnetic resonance spectra of the orange and red isomers of 3-ethyl-1,5-diphenylformazan. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1988, , 1275.	0.9	9
209	Macrocyclic dimanganese complexes with 1,1 bridging ligands; X-ray crystallographic structure determination of an N-only bridged thiocyanato derivative. <i>Journal of the Chemical Society Chemical Communications</i> , 1989, , 5.	2.0	9
210	A perchlorate salt of an octaprotonated cryptand. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2003, 59, o150-o152.	0.4	9
211	N-Acetyl-5-arylidene tetramic acids: synthesis, X-ray structure elucidation and application to the preparation of zinc(II) and copper(II) complexes. <i>Tetrahedron</i> , 2014, 70, 2439-2443.	1.0	9
212	Two Cu(II) complexes from an N-alkylated benzimidazole: synthesis, structural characterization, and biological properties. <i>Journal of Coordination Chemistry</i> , 2014, 67, 1746-1759.	0.8	9
213	An efficient synthetic approach towards fully functionalized tetronic acids: the use of 1,3-dioxolane-2,4-diones as novel protected-activated synthons of α -hydroxy acids. <i>Tetrahedron</i> , 2015, 71, 8637-8648.	1.0	9
214	Hydrogen bond directed 1D to 3D structures of square-planar Ni(II) complexes and their antimicrobial studies. <i>Inorganica Chimica Acta</i> , 2017, 462, 281-288.	1.2	9
215	Synthesis, characterization and antimicrobial activity of N-acetyl-3-acetyl-5-benzylidene tetramic acid-metal complexes. X-ray analysis and identification of the Cd(II) complex as a potent antifungal agent. <i>Journal of Inorganic Biochemistry</i> , 2019, 194, 65-73.	1.5	9
216	The synthesis and crystal structure of [CrF(NH ₃) ₅]ZnCl ₄ . <i>Polyhedron</i> , 1993, 12, 2335-2341.	1.0	8

#	ARTICLE	IF	CITATIONS
217	Voltammetric Measurements at the Surface of Cotton: Absorption and Catalase Reactivity of a Dinuclear Manganese Complex. <i>Langmuir</i> , 2007, 23, 2239-2246.	1.6	8
218	4-[(2-Hydroxy-1-naphthyl)methylideneamino]benzoic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o682-o682.	0.2	8
219	Regioselective ring opening of thiomalic acid anhydrides by carbon nucleophiles. Synthesis and X-ray structure elucidation of novel thiophenone derivatives. <i>Tetrahedron</i> , 2009, 65, 3711-3716.	1.0	8
220	New Methodologies for the Synthesis of 3-Acylpyridone Metabolites. <i>Synlett</i> , 2010, 2010, 654-658.	1.0	8
221	<i>C</i> ₄ -Symmetric Alkoxyresorcin[4]arene Triflates: The Use of Palladium-Catalyzed Reactions in the Synthesis of Axially Chiral Derivatives with Amino- and/or Alkoxy-Substituents. <i>European Journal of Organic Chemistry</i> , 2011, 2011, 3016-3025.	1.2	8
222	Synthesis, X-ray crystallographic study, and biological evaluation of coumarin and quinolinone carboxamides as anticancer agents. <i>Monatshefte für Chemie</i> , 2013, 144, 1063-1069.	0.9	8
223	Novel conformationally constrained 2'-methylribonucleosides: synthesis and incorporation into oligonucleotides. <i>Organic and Biomolecular Chemistry</i> , 2018, 16, 1312-1321.	1.5	8
224	Synthesis and single crystal X-ray diffraction studies of coumarin-based Zn(II) and Mn(II) complexes, involving supramolecular interactions. <i>Polyhedron</i> , 2018, 141, 289-295.	1.0	8
225	Nickel(II) complexes of Schiff-base ligands derived from the condensation of 2,6-diacetylpyridine with ethanolamine (L1) or propanolamine (L2); X-ray crystal structures of [NiL12][ClO4]2·H2O, [NiL22][ClO4]2, and [NiL2(NCS)2]x {L1 = 2,6-bis[1-(2-hydroxyethylimino)ethyl]pyridine and L2 = 2,6-bis[1-(3-hydroxypropylimino)ethyl]pyridine}. <i>Journal of the Chemical Society Dalton Transactions</i> , 1998, , 3183-3186.	1.1	7
226	Electrochemistry of a labile average-valence dicopper system. <i>Dalton Transactions</i> , 2004, , 2357.	1.6	7
227	Applications of the amino-Cope rearrangement: synthesis of tetrahydropyran, β -lactone and piperidine targets. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 809-815.	1.5	7
228	Comparison of copper imine and amine podates: geometric consequences of podand size and donor type. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2006, 62, m472-m476.	0.4	7
229	Identification of the Dinuclear and Tetranuclear Air-Oxidized Products Derived from Labile Phenolate-Bridged Dimanganese(II) Pyridyl-Chelate Compounds. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 3841-3852.	1.0	7
230	Imidazolium ylides from a conjugate addition-proton transfer route and their cycloaddition reactions. <i>Chemical Communications</i> , 2011, 47, 7965.	2.2	7
231	Synthesis, characterisation and metal complexation reactions of two calix[4]arene derivatives functionalised with pendant benzamide arms. <i>Inorganica Chimica Acta</i> , 2011, 375, 57-62.	1.2	7
232	Synthesis and bioelectrochemical behavior of aromatic amines. <i>Bioorganic Chemistry</i> , 2017, 75, 224-234.	2.0	7
233	Dichlorido(4,4'-di- <i>tert</i> -butyl-2,2'-bipyridine) λ^2 -gold(III) tetrachloridoaurate(III) acetonitrile solvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, m1189-m1190.	0.2	7
234	Response to steric constraint by d10 cations: an Λ -frame disilver cryptate. <i>Chemical Communications</i> , 1998, , 709-710.	2.2	6

#	ARTICLE	IF	CITATIONS
235	Synthesis of the Pyoverdinin Chromophore by a Biomimetic Oxidative Cyclization. <i>Organic Letters</i> , 2009, 11, 1519-1522.	2.4	6
236	A novel trisprotonated λ^2 -dialdiminate cryptand. <i>Dalton Transactions</i> , 2009, , 6315.	1.6	6
237	An Unexpected Stereochemical Course of Dihydroimidazolium Ylide Cycloadditions. <i>Chemistry - an Asian Journal</i> , 2010, 5, 461-465.	1.7	6
238	Structural characterization and electrochemical properties of novel salicylidene phosphonate derivatives. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2010, 77, 219-225.	2.0	6
239	Synthesis, structural characterization and photoluminescence properties of a novel La(III) complex. <i>Journal of Molecular Structure</i> , 2015, 1088, 129-137.	1.8	6
240	Synthesis, structural features, antibacterial behaviour and theoretical investigation of two new manganese(III) Schiff base complexes. <i>Polyhedron</i> , 2018, 151, 407-416.	1.0	6
241	Cubes on a string: a series of linear coordination polymers with cubane-like nodes and dicarboxylate linkers. <i>Nanoscale</i> , 2020, 12, 11601-11611.	2.8	6
242	Solid Phase Nitrosylation of Enantiomeric Cobalt(II) Complexes. <i>Chemistry</i> , 2021, 3, 585-597.	0.9	6
243	4-(8-Quinolinoxyl)phthalonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o1423-o1424.	0.2	5
244	Tris[2-(2-nitrobenzylideneamino)ethyl]amine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o3747-o3749.	0.2	5
245	A coordinatively flexible hexadentate ligand gives structurally isomeric complexes $M_2(L)_3X_3$ ($M = Cu, Zn; X = Br, Cl$). <i>Acta Crystallographica Section C, Structural Chemistry</i> , 2016, 72, 68-74.	0.2	5
246	Copper bis-Dipyridoquinoxaline Is a Potent DNA Intercalator that Induces Superoxide-Mediated Cleavage via the Minor Groove. <i>Molecules</i> , 2019, 24, 4301.	1.7	5
247	Synthesis, biological evaluation and structure-activity relationships of 5-arylidene tetramic acids with antibacterial activity against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020, 30, 127107.	1.0	5
248	2,9-Dimethyl-4,7-diphenyl-1,10-phenanthroline tetrachloridoaurate(III). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, m479-m480.	0.2	5
249	2-[3-(2-Pyridyl)pyrazin-2-yl]pyridinium tetrachloridoaurate(III). <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, m491-m492.	0.2	5
250	Hydroxo at the heart of a hydrophobic cavity: a square planar Cu ₄ O assembly. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 387.	2.0	4
251	Crystal Structure of Poly[diaquamanganese(II)-μ ₂ -nicotinamido-N,O]perchlorate. <i>Analytical Sciences: X-ray Structure Analysis Online</i> , 2007, 23, X23-X24.	0.1	4
252	Rubidium(I) monensinate dihydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, m154-m155.	0.2	4

#	ARTICLE	IF	CITATIONS
253	Crystal Structure of 3-(4-Methoxy-benzylidene)-isothiochroman-4-one. <i>Journal of Chemical Crystallography</i> , 2010, 40, 165-168.	0.5	4
254	7-[2-(3-Furyl)ethyl]-7,8-dimethyl-3,5,6,6a,7,8,9,10-octahydro-1H-naphtho[1,8a-c]furan-3-one. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2529-o2529.	0.2	4
255	5,7-Dihydroxy-3,6-dimethoxy-2-(4-methoxyphenyl)-4H-chromen-4-one monohydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2716-o2717.	0.2	4
256	X-Ray Crystallographic Analysis, EPR Studies, and Computational Calculations of a Cu(II) Tetramic Acid Complex. <i>Bioinorganic Chemistry and Applications</i> , 2017, 2017, 1-10.	1.8	4
257	NO sorption, in-crystal nitrite and nitrate production with arylamine oxidation in gasâ€“solid single crystal to single crystal reactions. <i>Chemical Communications</i> , 2019, 55, 10551-10554.	2.2	4
258	A seven-co-ordinate dioxygen adduct of iron(II) with spin-triplet ground state. <i>Journal of the Chemical Society Chemical Communications</i> , 1976, , 225.	2.0	3
259	1,4,10,16,21-Pentaaza-7,13,24-triazoniabicyclo[8.8.8]hexacosane monohydrate clathrate trichloride hexahydrate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o81-o83.	0.2	3
260	Tetrakis(guanidinium) butane-1,2,3,4-tetracarboxylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o741-o743.	0.2	3
261	Preparation, crystal structure, and characterization of a polymeric phenol-bridged potassium compound with 2-bromo-4,6-dinitrophenolate. <i>Main Group Chemistry</i> , 2009, 8, 11-19.	0.4	3
262	Crystal Structure of Bis(5,17-dihydroxy-3,7,15,19,25,26-hexa-azatricyclo(19.3.1.19,13)hexacosane-1(25),2,7,9(26),10,12,14,19,21,23-decane-1,2-perchlorate 1,3-Diaminopropan-2-ol. <i>Journal of Chemical Crystallography</i> , 2011, 41, 577-581.	0.5	3
263	Crystal structure, spectroscopic and redox behaviour of novel imidazolidine ligand. <i>Journal of Molecular Structure</i> , 2011, 985, 167-172.	1.8	3
264	A Rapid and Highly Diastereoselective Synthesis of Enantiomerically Pure (4R,5R)- and (4S,5S)-Isocytosazine. <i>Synlett</i> , 2011, 2011, 1399-1402.	1.0	3
265	Aerosol assisted chemical vapor deposition of magnesium orthotitanate (Mg ₂ TiO ₄) films from a trinuclear molecular precursor. <i>Polyhedron</i> , 2017, 133, 179-186.	1.0	3
266	Copper-promoted methylene C-H oxidation to a ketone derivative by O ₂ . <i>Dalton Transactions</i> , 2017, 46, 709-719.	1.6	3
267	Dopaminium perchlorate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o2268-o2268.	0.2	3
268	Synthesis and X-ray crystal structure of a tetracyclic gem-cis-bis(aminal) formed from N,N'-bis(2-aminophenyl)ethylenediamine and 1,10-phenanthroline-5,6-dione. <i>Arkivoc</i> , 2003, 2003, 59-66.	0.3	3
269	Redetermination of bis(benzimidazol-2-ylmethyl)amine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2003, 59, o1199-o1201.	0.2	2
270	5,5-Di-tert-butyl-2,2-dihydroxy-3,3-methanediyl dibenzaldehyde and its allyl-protected dialcohol and dialdehyde precursors. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, o776-o780.	0.4	2

#	ARTICLE	IF	CITATIONS
271	Bis(2-pyridylmethyl)amine-borane. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, o567-o568.	0.2	2
272	5,5a-Diallyl-5,5a,13,14-tetrahydro-12H-di-1,3-benzimidazolo[1,2-a;1,2-c][1,4]diazepine. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o5697-o5698.	0.2	2
273	Dimetal complexes of a bibrachial 2+2 thiolate-based macrocycle. Supramolecular Chemistry, 2012, 24, 604-617.	1.5	2
274	Anion and solvent controlled growth of crystalline and amorphous zinc coordination polymers and a molecular complex. Dalton Transactions, 2021, 50, 3979-3989.	1.6	2
275	2-(5-Bromo-2-hydroxyphenyl)-1,2-dihydroquinazolin-4(3H)-one. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o193-o193.	0.2	2
276	6,7-Dimethyl-3,4,4a,7,8,8a-hexahydroisochromen-1-one. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o701-o702.	0.2	1
277	Guanidinium diphenylphosphinate monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o1365-o1368.	0.2	1
278	4-(4-Nitrophenoxy)butanol. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o800-o800.	0.2	1
279	Bis{2,6-bis[(2-hydroxy-5-methylphenyl)iminomethyl]pyridine} monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, o3193-o3193.	0.2	1
280	4-Phenethoxyaniline hemihydrate. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o1912-o1912.	0.2	1
281	N-[4-(4-Nitrophenoxy)phenyl]pentanamide. Acta Crystallographica Section E: Structure Reports Online, 2012, 68, o2816-o2816.	0.2	1
282	Triple ring contraction of a [2+2] macrocyclic ligand. Acta Crystallographica Section C: Crystal Structure Communications, 2013, 69, 837-840.	0.4	1
283	2-[(3,4-Dichlorobenzylidene)amino]-4-methylphenol. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o961-o961.	0.2	1
284	Synthesis, Characterization and X-Ray Crystal Structure of Copper Complex with 18-Crown-6. Asian Journal of Chemistry, 2014, 26, 3953-3957.	0.1	1
285	Synthesis, characterization, antioxidant evaluation, molecular docking and density functional theory studies of phenyl and naphthyl based esters. Journal of Molecular Structure, 2020, 1207, 127812.	1.8	1
286	Manganese(II) complexes derived from acyclic ligands having flexible alcohol arms: structural characterization and SOD and catalase mimetic studies. Acta Crystallographica Section C, Structural Chemistry, 2021, 77, 100-110.	0.2	1
287	Ethyl 5-acetyl-2-amino-4-methylthiophene-3-carboxylate. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o1084-o1084.	0.2	1
288	Reversible and Vapochromic Chemisorption of Ammonia by a Copper(II) Coordination Polymer. Australian Journal of Chemistry, 2019, 72, 817.	0.5	1

#	ARTICLE	IF	CITATIONS
289	4-(2-Allylphenoxy)phthalonitrile. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, o1183-o1184.	0.2	0
290	Synthetic Applications of Aryl Radical Building Blocks for Cyclization onto Azoles.. ChemInform, 2005, 36, no.	0.1	0
291	Pentacarbonyl(N,N-dimethylbenzylamine)tungsten. Acta Crystallographica Section E: Structure Reports Online, 2005, 61, m1789-m1791.	0.2	0
292	3-Phenyl-1,5-di-2-pyridylpentane-1,5-dione. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, o153-o155.	0.2	0
293	Aqua[7,11:19,23-dinitrilo-1,5,13,17-tetraazacyclotetracos-1(24),5,7,9,12,17,20,22-octaene]bis(perchlorato- \hat{p} 2O, \hat{q} 2)barium(II) monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, m1720-m1721.	0.2	0
294	Bis{tris[2-(2-oxidobenzylideneazanium)ethyl]amine- \hat{p} 3O, \hat{q} 2, \hat{r} 2}calcium bis(perchlorate) acetonitrile disolvate. Acta Crystallographica Section E: Structure Reports Online, 2011, 67, m149-m149.	0.2	0
295	Synthesis, Characterization and X-Ray Crystal Structure of Macrocyclic Ligand Based on 2,2-Methylene-bis[(6-formyl)-4-tert-butylphenol] and 1,2-bis-(2-aminoethoxy)ethane. Asian Journal of Chemistry, 2014, 26, 6202-6206.	0.1	0
296	Synthesis, Characterization and X-Ray Crystal Structure of Dizinc(II) Complex of Pseudo Calixarene Macrocycle Based on 2,2-Methylene-bis[(6-formyl)-4-tert-butylphenol] and 1,3-Diamino-2-propanol. Asian Journal of Chemistry, 2015, 27, 2630-2634.	0.1	0
297	Frontispiece: Polypyridyl-Based Copper Phenanthrene Complexes: A New Type of Stabilized Artificial Chemical Nuclease. Chemistry - A European Journal, 2019, 25, .	1.7	0
298	Acetylacetonate and Acetate Complexes of Nickel(II) Catalyse the Air Oxidation of Phosphines. European Journal of Inorganic Chemistry, 2020, 2020, 4163-4169.	1.0	0
299	2-[(E)-4-Quinolylmethylideneamino]phenol. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o2168-o2168.	0.2	0
300	2-[Bis(5-chloro-2-pyridylamino)methyl]pyridine monohydrate. Acta Crystallographica Section E: Structure Reports Online, 2008, 64, o2428-o2428.	0.2	0
301	Bis(2-chlorobenzyl)dimethylammonium bromide. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o1570-o1571.	0.2	0
302	1-Nitro-4-(4-nitrophenoxy)benzene: a second monoclinic polymorph. Acta Crystallographica Section E: Structure Reports Online, 2013, 69, o1747-o1747.	0.2	0
303	(<i>E</i>)-6,6'-Diazene-1,2-diylbis(1,10-phenanthroline-5-ol) trichloromethane disolvate: a superconjugated ligand. Acta Crystallographica Section E: Crystallographic Communications, 2019, 75, 1224-1227.	0.2	0
304	Facile transmetallation of [Sb ^{III} (DOTA)] ⁻ renders it unsuitable for medical applications. RSC Advances, 2022, 12, 5772-5781.	1.7	0