

Young Ae Kang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6120221/young-ae-kang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

2,737
citations

28
h-index

46
g-index

169
ext. papers

3,294
ext. citations

4.4
avg, IF

4.71
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 154 | Discrepancy between the tuberculin skin test and the whole-blood interferon gamma assay for the diagnosis of latent tuberculosis infection in an intermediate tuberculosis-burden country. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 293, 2756-61 | 27.4 | 307 |
| 153 | Characterization of microbiome in bronchoalveolar lavage fluid of patients with lung cancer comparing with benign mass like lesions. <i>Lung Cancer</i> , 2016 , 102, 89-95 | 5.9 | 137 |
| 152 | Usefulness of whole-blood interferon-gamma assay and interferon-gamma enzyme-linked immunospot assay in the diagnosis of active pulmonary tuberculosis. <i>Chest</i> , 2007 , 132, 959-65 | 5.3 | 99 |
| 151 | The prevalence and evolution of anemia associated with tuberculosis. <i>Journal of Korean Medical Science</i> , 2006 , 21, 1028-32 | 4.7 | 91 |
| 150 | Risk factors for multi-drug resistant <i>Acinetobacter baumannii</i> bacteremia in patients with colonization in the intensive care unit. <i>BMC Infectious Diseases</i> , 2010 , 10, 228 | 4 | 90 |
| 149 | Delta neutrophil index as an early marker of disease severity in critically ill patients with sepsis. <i>BMC Infectious Diseases</i> , 2011 , 11, 299 | 4 | 87 |
| 148 | Performance of the tuberculin skin test and interferon-gamma release assay for detection of tuberculosis infection in immunocompromised patients in a BCG-vaccinated population. <i>BMC Infectious Diseases</i> , 2009 , 9, 207 | 4 | 62 |
| 147 | Comparison of levofloxacin versus moxifloxacin for multidrug-resistant tuberculosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 188, 858-64 | 10.2 | 55 |
| 146 | Prognostic Implications of Serum Lipid Metabolism over Time during Sepsis. <i>BioMed Research International</i> , 2015 , 2015, 789298 | 3 | 50 |
| 145 | Changing epidemiology of nontuberculous mycobacterial lung disease in South Korea. <i>Scandinavian Journal of Infectious Diseases</i> , 2012 , 44, 733-8 | | 49 |
| 144 | Elevated serum C-reactive protein as a prognostic marker in small cell lung cancer. <i>Yonsei Medical Journal</i> , 2012 , 53, 111-7 | 3 | 47 |
| 143 | Healthcare-associated pneumonia among hospitalized patients in a Korean tertiary hospital. <i>BMC Infectious Diseases</i> , 2011 , 11, 61 | 4 | 47 |
| 142 | The C-Reactive Protein/Albumin Ratio as a Predictor of Mortality in Critically Ill Patients. <i>Journal of Clinical Medicine</i> , 2018 , 7, | 5.1 | 45 |
| 141 | Prevalence, incidence, and mortality of nontuberculous mycobacterial infection in Korea: a nationwide population-based study. <i>BMC Pulmonary Medicine</i> , 2019 , 19, 140 | 3.5 | 43 |
| 140 | Thoracic skeletal muscle quantification: low muscle mass is related with worse prognosis in idiopathic pulmonary fibrosis patients. <i>Respiratory Research</i> , 2019 , 20, 35 | 7.3 | 42 |
| 139 | Risk factors and prognosis of pulmonary complications after endoscopic submucosal dissection for gastric neoplasia. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 540-6 | 4 | 42 |
| 138 | The drug susceptibility profile and inducible resistance to macrolides of <i>Mycobacterium abscessus</i> and <i>Mycobacterium massiliense</i> in Korea. <i>Diagnostic Microbiology and Infectious Disease</i> , 2015 , 81, 107-117 | 11.9 | 41 |

| | | | |
|-----|---|------|----|
| 137 | Comparison of the tuberculin skin test and interferon- γ release assay for the diagnosis of latent tuberculosis infection before kidney transplantation. <i>Infection</i> , 2013 , 41, 103-10 | 5.8 | 39 |
| 136 | Discrimination between active and latent tuberculosis based on ratio of antigen-specific to mitogen-induced IP-10 production. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 504-10 | 9.7 | 38 |
| 135 | Role of C-reactive protein and procalcitonin in differentiation of tuberculosis from bacterial community acquired pneumonia. <i>Korean Journal of Internal Medicine</i> , 2009 , 24, 337-42 | 2.5 | 38 |
| 134 | Urine Cotinine for Assessing Tobacco Smoke Exposure in Korean: Analysis of the Korea National Health and Nutrition Examination Survey (KNHANES). <i>Tuberculosis and Respiratory Diseases</i> , 2012 , 73, 210-8 | 3.2 | 36 |
| 133 | Adjunctive biomarkers for improving diagnosis of tuberculosis and monitoring therapeutic effects. <i>Journal of Infection</i> , 2015 , 70, 346-55 | 18.9 | 34 |
| 132 | Increased prevalence of self-reported asthma among Korean adults: an analysis of KNHANES I and IV data. <i>Lung</i> , 2013 , 191, 281-8 | 2.9 | 34 |
| 131 | Mycobacterial infections in patients treated with tumor necrosis factor antagonists in South Korea. <i>Lung</i> , 2013 , 191, 565-71 | 2.9 | 33 |
| 130 | Impact of diabetes on treatment outcomes and long-term survival in multidrug-resistant tuberculosis. <i>Respiration</i> , 2013 , 86, 472-8 | 3.7 | 33 |
| 129 | Efficacy of IP-10 as a biomarker for monitoring tuberculosis treatment. <i>Journal of Infection</i> , 2014 , 68, 252-8 | 18.9 | 32 |
| 128 | Efficacy of inducible protein 10 as a biomarker for the diagnosis of tuberculosis. <i>International Journal of Infectious Diseases</i> , 2012 , 16, e855-9 | 10.5 | 30 |
| 127 | Poor prediction of potentially drug-resistant pathogens using current criteria of health care-associated pneumonia. <i>Respiratory Medicine</i> , 2012 , 106, 1311-9 | 4.6 | 30 |
| 126 | Prognostic and predictive value of CEA and CYFRA 21-1 levels in advanced non-small cell lung cancer patients treated with gefitinib or erlotinib. <i>Experimental and Therapeutic Medicine</i> , 2011 , 2, 685-693 | 2.1 | 28 |
| 125 | Cost of treatment for multidrug-resistant tuberculosis in South Korea. <i>Respirology</i> , 2006 , 11, 793-8 | 3.6 | 27 |
| 124 | The responses of multiple cytokines following incubation of whole blood from TB patients, latently infected individuals and controls with the TB antigens ESAT-6, CFP-10 and TB7.7. <i>Scandinavian Journal of Immunology</i> , 2012 , 76, 580-6 | 3.4 | 26 |
| 123 | Choice between Levofloxacin and Moxifloxacin and Multidrug-Resistant Tuberculosis Treatment Outcomes. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 364-70 | 4.7 | 25 |
| 122 | TGF- β T869C polymorphism may affect susceptibility to idiopathic pulmonary fibrosis and disease severity. <i>Lung</i> , 2013 , 191, 199-205 | 2.9 | 25 |
| 121 | Risk factors for occurrence and 30-day mortality for carbapenem-resistant <i>Acinetobacter baumannii</i> bacteremia in an intensive care unit. <i>Journal of Korean Medical Science</i> , 2012 , 27, 939-47 | 4.7 | 25 |
| 120 | Dose effect of cigarette smoking on frequency and spectrum of epidermal growth factor receptor gene mutations in Korean patients with non-small cell lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 1937-44 | 4.9 | 25 |

| | | | |
|-----|--|------|----|
| 119 | Diagnostic performance of a cytokine and IFN- γ -induced chemokine mRNA assay after Mycobacterium tuberculosis-specific antigen stimulation in whole blood from infected individuals. <i>Journal of Molecular Diagnostics</i> , 2015 , 17, 90-9 | 5.1 | 24 |
| 118 | Identification of serum biomarkers for active pulmonary tuberculosis using a targeted metabolomics approach. <i>Scientific Reports</i> , 2020 , 10, 3825 | 4.9 | 24 |
| 117 | Screening for latent tuberculosis infection in South Korean healthcare workers using a tuberculin skin test and whole blood interferon-gamma assay. <i>Scandinavian Journal of Infectious Diseases</i> , 2010 , 42, 672-8 | | 24 |
| 116 | Severe pulmonary adverse effects in lymphoma patients treated with cyclophosphamide, doxorubicin, vincristine, and prednisone (CHOP) regimen plus rituximab. <i>Korean Journal of Internal Medicine</i> , 2010 , 25, 86-92 | 2.5 | 24 |
| 115 | Antibiotic treatment for nontuberculous mycobacterial lung disease. <i>Expert Review of Respiratory Medicine</i> , 2016 , 10, 557-68 | 3.8 | 23 |
| 114 | Questionable role of interferon- γ assays for smear-negative pulmonary TB in immunocompromised patients. <i>Journal of Infection</i> , 2012 , 64, 188-96 | 18.9 | 23 |
| 113 | Value of Serum Cystatin C Measurement in the Diagnosis of Sepsis-Induced Kidney Injury and Prediction of Renal Function Recovery. <i>Yonsei Medical Journal</i> , 2017 , 58, 604-612 | 3 | 22 |
| 112 | Comparison of CT-Determined Pulmonary Artery Diameter, Aortic Diameter, and Their Ratio in Healthy and Diverse Clinical Conditions. <i>PLoS ONE</i> , 2015 , 10, e0126646 | 3.7 | 22 |
| 111 | Endobronchial metastases from extrathoracic malignancy. <i>Yonsei Medical Journal</i> , 2013 , 54, 403-9 | 3 | 20 |
| 110 | Factors associated with the quality of life of Korean COPD patients as measured by the EQ-5D. <i>Quality of Life Research</i> , 2015 , 24, 2549-58 | 3.7 | 19 |
| 109 | Non-tuberculous mycobacterial lung disease: diagnosis based on computed tomography of the chest. <i>European Radiology</i> , 2016 , 26, 4449-4456 | 8 | 19 |
| 108 | Prediction of methicillin-resistant Staphylococcus aureus in patients with non-nosocomial pneumonia. <i>BMC Infectious Diseases</i> , 2013 , 13, 370 | 4 | 19 |
| 107 | EGFR polymorphism as a predictor of clinical outcome in advanced lung cancer patients treated with EGFR-TKI. <i>Yonsei Medical Journal</i> , 2012 , 53, 1128-35 | 3 | 19 |
| 106 | Inhibition of EphA2/EphrinA1 signal attenuates lipopolysaccharide-induced lung injury. <i>Clinical Science</i> , 2016 , 130, 1993-2003 | 6.5 | 16 |
| 105 | EphA2 Receptor Signaling Mediates Inflammatory Responses in Lipopolysaccharide-Induced Lung Injury. <i>Tuberculosis and Respiratory Diseases</i> , 2015 , 78, 218-26 | 3.2 | 16 |
| 104 | Association between the -159C/T CD14 gene polymorphism and tuberculosis in a Korean population. <i>FEMS Immunology and Medical Microbiology</i> , 2009 , 57, 229-35 | | 16 |
| 103 | Prognostic utility of changes in N-terminal pro-brain natriuretic Peptide combined with sequential organ failure assessment scores in patients with acute lung injury/acute respiratory distress syndrome concomitant with septic shock. <i>Shock</i> , 2011 , 36, 109-14 | 3.4 | 16 |
| 102 | The Risk Factors and Characteristics of COPD Among Nonsmokers in Korea: An Analysis of KNHANES IV and V. <i>Lung</i> , 2016 , 194, 353-61 | 2.9 | 16 |

| | | | |
|-----|---|-----|----|
| 101 | Evaluation of antigen-specific immunoglobulin g responses in pulmonary tuberculosis patients and contacts. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 904-9 | 9.7 | 15 |
| 100 | Standardization of multilocus sequence typing scheme for Mycobacterium abscessus and Mycobacterium massiliense. <i>Diagnostic Microbiology and Infectious Disease</i> , 2013 , 77, 143-9 | 2.9 | 15 |
| 99 | Risk factors for false-negative results of QuantiFERON-TB Gold In-Tube assay in non-HIV-infected patients with culture-confirmed tuberculosis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2011 , 70, 324-9 | 2.9 | 15 |
| 98 | Association between genetic variants in the IRGM gene and tuberculosis in a Korean population. <i>Infection</i> , 2014 , 42, 655-60 | 5.8 | 14 |
| 97 | Relationship between blood levels of heavy metals and lung function based on the Korean National Health and Nutrition Examination Survey IV-V. <i>International Journal of COPD</i> , 2015 , 10, 1559-70 | 3 | 14 |
| 96 | Efficacy and toxicity of belotecan for relapsed or refractory small cell lung cancer patients. <i>Journal of Thoracic Oncology</i> , 2012 , 7, 731-6 | 8.9 | 14 |
| 95 | Relationship between obstructive lung disease and non-alcoholic fatty liver disease in the Korean population: Korea National Health and Nutrition Examination Survey, 2007-2010. <i>International Journal of COPD</i> , 2018 , 13, 2603-2611 | 3 | 14 |
| 94 | Risk factors and clinical characteristics of Pneumocystis jirovecii pneumonia in lung cancer. <i>Scientific Reports</i> , 2019 , 9, 2094 | 4.9 | 13 |
| 93 | Hemoglobin and mortality in patients with COPD: a nationwide population-based cohort study. <i>International Journal of COPD</i> , 2018 , 13, 1599-1605 | 3 | 13 |
| 92 | All-trans retinoic acid attenuates bleomycin-induced pulmonary fibrosis via downregulating EphA2-EphrinA1 signaling. <i>Biochemical and Biophysical Research Communications</i> , 2017 , 491, 721-726 | 3.4 | 13 |
| 91 | Glucagon levels, disease severity, and outcome in severe sepsis. <i>Shock</i> , 2015 , 43, 563-8 | 3.4 | 13 |
| 90 | Prevalence and Impact of Diabetes Mellitus Among Patients with Active Pulmonary Tuberculosis in South Korea. <i>Lung</i> , 2017 , 195, 209-215 | 2.9 | 12 |
| 89 | Relationship between depression and lung function in the general population in Korea: a retrospective cross-sectional study. <i>International Journal of COPD</i> , 2018 , 13, 2207-2213 | 3 | 12 |
| 88 | Factors associated with quality of life measured by EQ-5D in patients with nontuberculous mycobacterial pulmonary disease. <i>Quality of Life Research</i> , 2014 , 23, 2735-41 | 3.7 | 12 |
| 87 | Changes in cytokine responses to TB antigens ESAT-6, CFP-10 and TB 7.7 and inflammatory markers in peripheral blood during therapy. <i>Scientific Reports</i> , 2018 , 8, 1159 | 4.9 | 11 |
| 86 | Active Tuberculosis Incidence and Characteristics in Patients Treated with Tumor Necrosis Factor Antagonists According to Latent Tuberculosis Infection. <i>Scientific Reports</i> , 2017 , 7, 6473 | 4.9 | 10 |
| 85 | Tuberculin skin test and boosted reactions among newly employed healthcare workers: an observational study. <i>PLoS ONE</i> , 2013 , 8, e64563 | 3.7 | 10 |
| 84 | N-terminal pro-brain natriuretic peptide as a marker of right ventricular dysfunction after open-lung approach in patients with acute lung injury/acute respiratory distress syndrome. <i>Journal of Critical Care</i> , 2011 , 26, 241-8 | 4 | 10 |

| | | | |
|----|--|-----|----|
| 83 | Clinical characteristics and treatment outcomes of patients with macrolide-resistant <i>Mycobacterium avium</i> complex pulmonary disease: a systematic review and meta-analysis. <i>Respiratory Research</i> , 2019 , 20, 286 | 7.3 | 10 |
| 82 | The influence of protein provision in the early phase of intensive care on clinical outcomes for critically ill patients on mechanical ventilation. <i>Asia Pacific Journal of Clinical Nutrition</i> , 2017 , 26, 234-240 ¹ | | 10 |
| 81 | Impact of Cigarette Smoke Exposure on the Lung Fibroblastic Response after Influenza Pneumonia. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2018 , 59, 770-781 | 5.7 | 9 |
| 80 | Conversion rates of an interferon- γ release assay and the tuberculin skin test in the serial monitoring of healthcare workers. <i>Infection</i> , 2013 , 41, 511-6 | 5.8 | 9 |
| 79 | Pharmacogenomic assessment of outcomes of pemetrexed-treated patients with adenocarcinoma of the lung. <i>Yonsei Medical Journal</i> , 2013 , 54, 854-64 | 3 | 9 |
| 78 | Age- and sex-related characteristics of the increasing trend of nontuberculous mycobacteria pulmonary disease in a tertiary hospital in South Korea from 2006 to 2016. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 1424-1431 | 2.5 | 9 |
| 77 | Elevated serum CA 19-9 levels in patients with pulmonary nontuberculous mycobacterial disease. <i>Brazilian Journal of Infectious Diseases</i> , 2016 , 20, 26-32 | 2.8 | 9 |
| 76 | Delamanid, linezolid, levofloxacin, and pyrazinamide for the treatment of patients with fluoroquinolone-sensitive multidrug-resistant tuberculosis (Treatment Shortening of MDR-TB Using Existing and New Drugs, MDR-END): study protocol for a phase II/III, multicenter, randomized, open-label clinical trial. <i>Trials</i> , 2019 , 20, 57 | 2.8 | 8 |
| 75 | Prognosis of Small Cell Lung Cancer with Idiopathic Pulmonary Fibrosis: Assessment according to GAP Stage. <i>Journal of Oncology</i> , 2019 , 2019, 5437390 | 4.5 | 8 |
| 74 | Risk factors and outcome of primary graft dysfunction after lung transplantation in Korea. <i>Journal of Thoracic Disease</i> , 2016 , 8, 3275-3282 | 2.6 | 8 |
| 73 | Improved Fluoroquinolone-Resistant and Extensively Drug-Resistant Tuberculosis Treatment Outcomes. <i>Open Forum Infectious Diseases</i> , 2019 , 6, ofz118 | 1 | 7 |
| 72 | Efficacy of low dose pirfenidone in idiopathic pulmonary fibrosis: real world experience from a tertiary university hospital. <i>Scientific Reports</i> , 2020 , 10, 21218 | 4.9 | 7 |
| 71 | Urine IP-10 as a biomarker of therapeutic response in patients with active pulmonary tuberculosis. <i>BMC Infectious Diseases</i> , 2018 , 18, 240 | 4 | 7 |
| 70 | The Effects of Retinoic Acid and MAPK Inhibitors on Phosphorylation of Smad2/3 Induced by Transforming Growth Factor β . <i>Tuberculosis and Respiratory Diseases</i> , 2019 , 82, 42-52 | 3.2 | 7 |
| 69 | A case of occupational hypersensitivity pneumonitis associated with trichloroethylene. <i>Tuberculosis and Respiratory Diseases</i> , 2014 , 76, 75-9 | 3.2 | 6 |
| 68 | Poor correlation between tuberculin skin tests and interferon- γ assays in close contacts of patients with multidrug-resistant tuberculosis. <i>Respirology</i> , 2012 , 17, 1125-30 | 3.6 | 6 |
| 67 | Risk factors for tuberculosis after gastrectomy in gastric cancer. <i>World Journal of Gastroenterology</i> , 2016 , 22, 2585-91 | 5.6 | 6 |
| 66 | Mortality of patients with chronic obstructive pulmonary disease: a nationwide populationbased cohort study. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 1272-1278 | 2.5 | 6 |

| | | | |
|----|---|------|---|
| 65 | Corticosteroid responsiveness in patients with acute exacerbation of interstitial lung disease admitted to the emergency department. <i>Scientific Reports</i> , 2021 , 11, 5762 | 4.9 | 6 |
| 64 | Regional differences in the incidence of tuberculosis among patients with newly diagnosed diabetes mellitus. <i>Clinical Respiratory Journal</i> , 2018 , 12, 1732-1738 | 1.7 | 6 |
| 63 | Serial testing of healthcare workers for latent tuberculosis infection and long-term follow up for development of active tuberculosis. <i>PLoS ONE</i> , 2018 , 13, e0204035 | 3.7 | 6 |
| 62 | Mycobacterial Growth Inhibition in South Korean Adults With Latent TB Infection. <i>Frontiers in Immunology</i> , 2019 , 10, 896 | 8.4 | 5 |
| 61 | Sarcoidosis presenting with massive pleural effusion and elevated serum and pleural fluid carbohydrate antigen-125 levels. <i>Tuberculosis and Respiratory Diseases</i> , 2012 , 73, 320-4 | 3.2 | 5 |
| 60 | Impact of Bronchiectasis on Incident Nontuberculous Mycobacterial Pulmonary Disease: A 10-Year National Cohort Study. <i>Chest</i> , 2021 , 159, 1807-1811 | 5.3 | 5 |
| 59 | Relationship between vitamin D-binding protein polymorphisms and blood vitamin D level in Korean patients with COPD. <i>International Journal of COPD</i> , 2016 , 11, 731-8 | 3 | 5 |
| 58 | Pneumocystis jirovecii pneumonia (PCP) PCR-negative conversion predicts prognosis of HIV-negative patients with PCP and acute respiratory failure. <i>PLoS ONE</i> , 2018 , 13, e0206231 | 3.7 | 5 |
| 57 | Evaluation and treatment of latent tuberculosis infection among healthcare workers in Korea: A multicentre cohort analysis. <i>PLoS ONE</i> , 2019 , 14, e0222810 | 3.7 | 4 |
| 56 | Prognostic impact of the ratio of the main pulmonary artery to that of the aorta on chest computed tomography in patients with idiopathic pulmonary fibrosis. <i>BMC Pulmonary Medicine</i> , 2019 , 19, 81 | 3.5 | 4 |
| 55 | Erythropoietin-Producing Hepatoma Receptor Tyrosine Kinase A2 Modulation Associates with Protective Effect of Prone Position in Ventilator-induced Lung Injury. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2018 , 58, 519-529 | 5.7 | 4 |
| 54 | Prognostic value of pre-transplant mean pulmonary arterial pressure in lung transplant recipients: a single-institution experience. <i>Journal of Thoracic Disease</i> , 2018 , 10, 1578-1587 | 2.6 | 4 |
| 53 | Comparison of methicillin-resistant Staphylococcus aureus community-acquired and healthcare-associated pneumonia. <i>Yonsei Medical Journal</i> , 2014 , 55, 967-74 | 3 | 3 |
| 52 | A Case of Prolonged Extracorporeal Membrane Oxygenation Support for Severe Acute Respiratory Distress Syndrome - A Case Report -. <i>The Korean Journal of Critical Care Medicine</i> , 2010 , 25, 37 | | 3 |
| 51 | The role of bilirubin to albumin ratio as a predictor for mortality in critically ill patients without existing liver or biliary tract disease. <i>Acute and Critical Care</i> , 2020 , 35, 24-30 | 2.3 | 3 |
| 50 | Impact of prognostic nutritional index on outcomes in patients with Mycobacterium avium complex pulmonary disease. <i>PLoS ONE</i> , 2020 , 15, e0232714 | 3.7 | 2 |
| 49 | Gene-based diagnosis of tuberculosis with a new-generation pathogen enrichment technique. <i>European Respiratory Journal</i> , 2020 , 55, | 13.6 | 2 |
| 48 | Tuberculosis treatment in patients with comorbidities. <i>Tuberculosis and Respiratory Diseases</i> , 2014 , 76, 257-60 | 3.2 | 2 |

| | | | |
|----|--|------|---|
| 47 | Diagnosis and treatment of multidrug-resistant tuberculosis. <i>Journal of the Korean Medical Association</i> , 2014 , 57, 27 | 0.5 | 2 |
| 46 | A Case of Pneumonia with Septic Shock Due to <i>Nocardia farcinia</i> in Liver Transplant Patient. <i>Tuberculosis and Respiratory Diseases</i> , 2010 , 69, 469 | 3.2 | 2 |
| 45 | Bilioptysis Caused by Bronchobiliary Fistula Secondary to Sclerosing Therapy of Liver Cyst. <i>Tuberculosis and Respiratory Diseases</i> , 2010 , 69, 119 | 3.2 | 2 |
| 44 | Enhancement of Sensitivity of Human Lung Cancer Cell Line to TRAIL and Gefitinib by IGF-1R Blockade. <i>Tuberculosis and Respiratory Diseases</i> , 2007 , 63, 42 | 3.2 | 2 |
| 43 | Towards Understanding Tuberculosis-Related Issues in North Korea: A Narrative Review of North Korean Literature. <i>Tuberculosis and Respiratory Diseases</i> , 2020 , 83, 201-210 | 3.2 | 2 |
| 42 | Predictors and outcomes of sepsis-induced cardiomyopathy in critically ill patients. <i>Acute and Critical Care</i> , 2020 , 35, 67-76 | 2.3 | 2 |
| 41 | Characteristics and risk factors associated with missed diagnosis in patients with smear-negative pulmonary tuberculosis. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, S151-S159 | 2.5 | 2 |
| 40 | Evaluation of the Quality of Care among Hospitalized Adult Patients with Community-Acquired Pneumonia in Korea. <i>Tuberculosis and Respiratory Diseases</i> , 2018 , 81, 175-186 | 3.2 | 2 |
| 39 | Deep Learning to Determine the Activity of Pulmonary Tuberculosis on Chest Radiographs. <i>Radiology</i> , 2021 , 301, 435-442 | 20.5 | 2 |
| 38 | Reference values of skeletal muscle area for diagnosis of sarcopenia using chest computed tomography in Asian general population.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022 , | 10.3 | 2 |
| 37 | Multifocal micronodular pneumocyte hyperplasia mimicking miliary tuberculosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 225-6 | 10.2 | 2 |
| 36 | Gene-Based Diagnosis of Tuberculosis from Oral Swabs with a New Generation Pathogen Enrichment Technique.. <i>Microbiology Spectrum</i> , 2022 , e0020722 | 8.9 | 2 |
| 35 | Nontuberculous mycobacterial infection after lung transplantation: A single-center experience in South Korea. <i>Journal of Microbiology, Immunology and Infection</i> , 2020 , | 8.5 | 1 |
| 34 | A Case of Prothionamide Induced Hepatitis on Patient with Multi-Drug Resistant Pulmonary Tuberculosis. <i>Tuberculosis and Respiratory Diseases</i> , 2011 , 70, 251 | 3.2 | 1 |
| 33 | Caplan's Syndrome Presenting as Multiple Pulmonary Nodules. <i>Tuberculosis and Respiratory Diseases</i> , 2011 , 70, 150 | 3.2 | 1 |
| 32 | A Case of Squamous Cell Carcinomatous Lung Abscess with Multiple Metastatic Abscesses. <i>Tuberculosis and Respiratory Diseases</i> , 2009 , 66, 390 | 3.2 | 1 |
| 31 | Identification of MicroRNAs as Potential Blood-Based Biomarkers for Diagnosis and Therapeutic Monitoring of Active Tuberculosis.. <i>Diagnostics</i> , 2022 , 12, | 3.8 | 1 |
| 30 | Associations among Uncertainty, Depression, and Anxiety in Isolated Inpatients. <i>Journal of Korean Academy of Psychiatric and Mental Health Nursing</i> , 2019 , 28, 216 | 0.4 | 1 |

| | | | |
|----|---|-----|---|
| 29 | Risk Factors for Predicting Hypoxia in Adult Patients Undergoing Bronchoscopy under Sedation. <i>Tuberculosis and Respiratory Diseases</i> , 2020 , 83, 276-282 | 3.2 | 1 |
| 28 | Effectiveness of pirfenidone in idiopathic pulmonary fibrosis according to the autoantibody status: a retrospective cohort study. <i>BMC Pulmonary Medicine</i> , 2021 , 21, 145 | 3.5 | 1 |
| 27 | Anemia, sarcopenia, physical activity, and the risk of tuberculosis in the older population: a nationwide cohort study. <i>Therapeutic Advances in Chronic Disease</i> , 2021 , 12, 20406223211015959 | 4.9 | 1 |
| 26 | Clinical impact of pneumothorax in patients with <i>Pneumocystis jirovecii</i> pneumonia and respiratory failure in an HIV-negative cohort.. <i>BMC Pulmonary Medicine</i> , 2022 , 22, 7 | 3.5 | 0 |
| 25 | Opening opportunities for women in respiratory medicine: Letter from Korea.. <i>Respirology</i> , 2022 , | 3.6 | 0 |
| 24 | Decreased annual risk of tuberculosis infection in South Korean healthcare workers using interferon-gamma release assay between 1986 and 2005. <i>BMC Infectious Diseases</i> , 2021 , 21, 1161 | 4 | 0 |
| 23 | Association of protein consumption and energy intake on sarcopenia in tuberculosis survivors. <i>Therapeutic Advances in Chronic Disease</i> , 2021 , 12, 20406223211056712 | 4.9 | 0 |
| 22 | Characteristics and Treatment Outcomes of Isoniazid Mono-Resistant Tuberculosis: A Retrospective Study. <i>Yonsei Medical Journal</i> , 2020 , 61, 1034-1041 | 3 | 0 |
| 21 | Impact of Susceptibility to Injectable Antibiotics on the Treatment Outcomes of Pulmonary Disease. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab215 | 1 | 0 |
| 20 | The Association between Behavioral Risk Factors and Nontuberculous Mycobacterial Pulmonary Disease. <i>Yonsei Medical Journal</i> , 2021 , 62, 702-707 | 3 | 0 |
| 19 | Impact of non-cystic fibrosis bronchiectasis on critically ill patients in Korea: a retrospective observational study. <i>Scientific Reports</i> , 2021 , 11, 15757 | 4.9 | 0 |
| 18 | Isoniazid Preventive Therapy for Tuberculosis in People Living with HIV: A Cross Sectional Study in Butebo, Uganda.. <i>Infection and Chemotherapy</i> , 2022 , 54, 70-79 | 3.9 | 0 |
| 17 | Heterogeneous effects of COVID-19 control measures on tuberculosis in South Korea: an analysis of case notification data.. <i>Respiratory Research</i> , 2022 , 23, 56 | 7.3 | 0 |
| 16 | Relationship of the lung microbiome with PD-L1 expression and immunotherapy response in lung cancer.. <i>Respiratory Research</i> , 2021 , 22, 322 | 7.3 | 0 |
| 15 | Long-term clinical course and progression of lymphangiomyomatosis in a single lung transplant referral centre in Korea.. <i>Scientific Reports</i> , 2022 , 12, 8260 | 4.9 | 0 |
| 14 | Retraction: Prognostic and predictive value of carcinoembryonic antigen and cytokeratin-19 fragments levels in advanced non-small cell lung cancer patients treated with gefitinib or erlotinib. <i>Yonsei Med J</i> 2012;53:931-9. <i>Yonsei Medical Journal</i> , 2013 , 54, 269 | 3 | |
| 13 | The Importance of the Simple Chest X-ray Tend to Make Careless Interpretation: with a Case of Mediastinal Tumor. <i>Tuberculosis and Respiratory Diseases</i> , 2009 , 66, 482 | 3.2 | |
| 12 | The relationship between cognitive function and competence in inhaler technique in older adults with airway disease. <i>Geriatric Nursing</i> , 2021 , 43, 15-20 | 2.1 | |

| | | |
|----|--|-----|
| 11 | Prevalence and Risk Factors of Latent Tuberculosis Infection among Healthcare Workers Using Tuberculin Skin Test and Interferon-Release Assay at a Tertiary Hospital in South Korea. <i>Korean Journal of Healthcare-Associated Infection Control and Prevention</i> , 2020 , 25, 46-53 | 0.4 |
| 10 | Protocol of a Nationwide Observational Study among Patients with Nontuberculous Mycobacterium Pulmonary Disease in South Korea (NTM-KOREA). <i>Tuberculosis and Respiratory Diseases</i> , 2020 , 83, 141-146 | 3.2 |
| 9 | Lethal Hyperammonemia due to Ornithine Transcarbamylase Deficiency in a Patient with Severe Septic Shock. <i>Korean Journal of Critical Care Medicine</i> , 2016 , 31, 140 | |
| 8 | Non-tuberculous Mycobacterial Lung Disease Presenting as a Solitary Pulmonary Nodule. <i>Tuberculosis and Respiratory Diseases</i> , 2010 , 69, 43 | 3.2 |
| 7 | Utility of Routine Culture for Tuberculosis from Endobronchial Ultrasound-Guided Transbronchial Needle Aspiration in a Tuberculosis Endemic Country. <i>Tuberculosis and Respiratory Diseases</i> , 2011 , 71, 408 | 3.2 |
| 6 | Prediction of 1-year treatment outcome using early sputum culture conversion status in Mycobacterium abscessus pulmonary disease. <i>Journal of Global Antimicrobial Resistance</i> , 2021 , 25, 117-118 | 4.4 |
| 5 | Correlation between serum carbohydrate antigen 19-9 levels and computed tomography severity score in patients with nontuberculous mycobacterial pulmonary disease. <i>Scientific Reports</i> , 2021 , 11, 2777 | 4.9 |
| 4 | Impact of prognostic nutritional index on outcomes in patients with Mycobacterium avium complex pulmonary disease 2020 , 15, e0232714 | |
| 3 | Impact of prognostic nutritional index on outcomes in patients with Mycobacterium avium complex pulmonary disease 2020 , 15, e0232714 | |
| 2 | Impact of prognostic nutritional index on outcomes in patients with Mycobacterium avium complex pulmonary disease 2020 , 15, e0232714 | |
| 1 | Impact of prognostic nutritional index on outcomes in patients with Mycobacterium avium complex pulmonary disease 2020 , 15, e0232714 | |