

Luigi Angelo Vaira

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6122896/luigi-angelo-vaira-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

2,094
citations

22
h-index

44
g-index

112
ext. papers

3,046
ext. citations

3
avg, IF

6
L-index

#	Paper	IF	Citations
97	Anosmia and Ageusia: Common Findings in COVID-19 Patients. <i>Laryngoscope</i> , 2020 , 130, 1787	3.6	401
96	Objective evaluation of anosmia and ageusia in COVID-19 patients: Single-center experience on 72 cases. <i>Head and Neck</i> , 2020 , 42, 1252-1258	4.2	279
95	Olfactory and gustatory function impairment in COVID-19 patients: Italian objective multicenter-study. <i>Head and Neck</i> , 2020 , 42, 1560-1569	4.2	164
94	Potential pathogenesis of ageusia and anosmia in COVID-19 patients. <i>International Forum of Allergy and Rhinology</i> , 2020 , 10, 1103-1104	6.3	132
93	Smell and taste recovery in coronavirus disease 2019 patients: a 60-day objective and prospective study. <i>Journal of Laryngology and Otology</i> , 2020 , 134, 703-709	1.8	102
92	Validation of a self-administered olfactory and gustatory test for the remotely evaluation of COVID-19 patients in home quarantine. <i>Head and Neck</i> , 2020 , 42, 1570-1576	4.2	86
91	Remote psychophysical evaluation of olfactory and gustatory functions in early-stage coronavirus disease 2019 patients: the Bologna experience of 300 cases. <i>Journal of Laryngology and Otology</i> , 2020 , 134, 571-576	1.8	50
90	Six-Month Psychophysical Evaluation of Olfactory Dysfunction in Patients with COVID-19. <i>Chemical Senses</i> , 2021 , 46,	4.8	44
89	Six month follow-up of self-reported loss of smell during the COVID-19 pandemic. <i>Rhinology</i> , 2021 , 59, 26-31	7	42
88	Do olfactory and gustatory psychophysical scores have prognostic value in COVID-19 patients? A prospective study of 106 patients. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2020 , 49, 56	5.4	40
87	Olfactory epithelium histopathological findings in long-term coronavirus disease 2019 related anosmia. <i>Journal of Laryngology and Otology</i> , 2020 , 134, 1123-1127	1.8	39
86	Accuracy of computer-assisted orthognathic surgery. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018 , 46, 293-298	3.6	37
85	Severity of Anosmia as an Early Symptom of COVID-19 Infection May Predict Lasting Loss of Smell. <i>Frontiers in Medicine</i> , 2020 , 7, 582802	4.9	34
84	Complications after orthognathic surgery: our experience on 423 cases. <i>Oral and Maxillofacial Surgery</i> , 2017 , 21, 171-177	1.6	32
83	Clinical and Radiological Evaluations of COVID-19 Patients With Anosmia: Preliminary Report. <i>Laryngoscope</i> , 2020 , 130, 2526-2531	3.6	32
82	In Response to Anosmia and Ageusia: Common Findings in COVID-19 Patients. <i>Laryngoscope</i> , 2020 , 130, E695	3.6	27
81	The importance of olfactory and gustatory disorders as early symptoms of coronavirus disease (COVID-19). <i>British Journal of Oral and Maxillofacial Surgery</i> , 2020 , 58, 615-616	1.4	26

80	Objective Olfactory Findings in Hospitalized Severe COVID-19 Patients. <i>Pathogens</i> , 2020 , 9,	4.5	25
79	Efficacy of corticosteroid therapy in the treatment of long- lasting olfactory disorders in COVID-19 patients. <i>Rhinology</i> , 2021 , 59, 21-25	7	24
78	Six-month smell and taste recovery rates in coronavirus disease 2019 patients: a prospective psychophysical study. <i>Journal of Laryngology and Otology</i> , 2021 , 135, 436-441	1.8	24
77	ACE2 & TMPRSS2 Expressions in Head & Neck Tissues: A Systematic Review. <i>Head and Neck Pathology</i> , 2021 , 15, 225-235	3.3	24
76	Self-reported smell and taste recovery in coronavirus disease 2019 patients: a one-year prospective study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	23
75	The epidemiological analysis of maxillofacial fractures in Italy: The experience of a single tertiary center with 1720 patients. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017 , 45, 1319-1326	3.6	22
74	Psychophysical Evaluation of the Olfactory Function: European Multicenter Study on 774 COVID-19 Patients. <i>Pathogens</i> , 2021 , 10,	4.5	22
73	Predictive factors of smell recovery in a clinical series of 288 coronavirus disease 2019 patients with olfactory dysfunction. <i>European Journal of Neurology</i> , 2021 , 28, 3702-3711	6	16
72	Epidemiological, otolaryngological, olfactory and gustatory outcomes according to the severity of COVID-19: a study of 2579 patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 278, 2851-2859	3.5	16
71	Sensory recovery of myomucosal flap oral cavity reconstructions. <i>Head and Neck</i> , 2018 , 40, 467-474	4.2	16
70	High prevalence of long-term olfactory, gustatory, and chemesthesis dysfunction in post-COVID-19 patients: a matched case-control study with one-year follow-up using a comprehensive psychophysical evaluation. <i>Rhinology</i> , 2021 , 59, 517-527	7	16
69	Self-reported olfactory loss in COVID-19: is it really a favorable prognostic factor?. <i>International Forum of Allergy and Rhinology</i> , 2020 , 10, 926	6.3	15
68	Rational and simplified nomenclature for buccinator myomucosal flaps. <i>Oral and Maxillofacial Surgery</i> , 2017 , 21, 453-459	1.6	15
67	Complications and post-operative sequelae of temporomandibular joint arthrocentesis. <i>Cranio - Journal of Craniomandibular Practice</i> , 2018 , 36, 264-267	1.2	14
66	Gustatory Dysfunction: A Highly Specific and Smell-Independent Symptom of COVID-19. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2020 , 1-3	0.6	13
65	The Influence of Socioeconomic Factors on the Epidemiology of Maxillofacial Fractures in Southern Italy. <i>Journal of Craniofacial Surgery</i> , 2018 , 29, 2119-2123	1.2	13
64	In Response to: In Reference to Anosmia and Ageusia: Common Findings in COVID-19 Patients. <i>Laryngoscope</i> , 2020 , 130, E506	3.6	11
63	Prevalence of Persistent Olfactory Disorders in Patients With COVID-19: A Psychophysical Case-Control Study With 1-Year Follow-up. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 1945998211061511	5.5	11

62	Evaluation of discriminative sensibility recovery in patients with buccinator myomucosal flap oral cavity reconstructions. <i>European Journal of Plastic Surgery</i> , 2017 , 40, 427-434	0.6	10
61	New Onset of Smell and Taste Loss Are Common Findings Also in Patients With Symptomatic COVID-19 After Complete Vaccination. <i>Laryngoscope</i> , 2021 ,	3.6	10
60	Vertiginous crisis following temporomandibular joint arthrocentesis: a case report. <i>Oral and Maxillofacial Surgery</i> , 2017 , 21, 79-81	1.6	9
59	Systemic inflammatory markers and psychophysical olfactory scores in coronavirus disease 2019 patients: is there any correlation?. <i>Journal of Laryngology and Otology</i> , 2021 , 135, 723-728	1.8	9
58	Correlations Between Olfactory Psychophysical Scores and SARS-CoV-2 Viral Load in COVID-19 Patients. <i>Laryngoscope</i> , 2021 , 131, 2312-2318	3.6	9
57	Islanded facial artery musculomucosal flap for tongue reconstruction. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2017 , 46, 1060-1061	2.9	8
56	Bone marrow nucleated cell concentrate autograft in temporomandibular joint degenerative disorders: 1-year results of a randomized clinical trial. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019 , 47, 1728-1738	3.6	8
55	COVID-19 Reinfection and Second Episodes of Olfactory and Gustatory Dysfunctions: Report of First Cases. <i>Ear, Nose and Throat Journal</i> , 2020 , 145561320970105	1	8
54	Making scents of loss of taste in COVID-19: Is self-reported loss of taste due to olfactory dysfunction? A prospective study using psychophysical testing. <i>International Forum of Allergy and Rhinology</i> , 2021 , 11, 1504-1507	6.3	8
53	Coronavirus disease 2019 (COVID-19)-related smell and taste impairment with widespread diffusion of severe acute respiratory syndrome-coronavirus-2 (SARS-CoV-2) Omicron variant.. <i>International Forum of Allergy and Rhinology</i> , 2022 ,	6.3	8
52	Validity and reliability of the COVID-19 symptom index, an instrument evaluating severity of general and otolaryngological symptoms. <i>Acta Oto-Laryngologica</i> , 2021 , 141, 615-620	1.6	7
51	Correlations between IL-6 serum level and olfactory dysfunction severity in COVID-19 patients: a preliminary study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021 , 1	3.5	7
50	Short-Term Efficacy and Safety of Oral and Nasal Corticosteroids in COVID-19 Patients with Olfactory Dysfunction: A European Multicenter Study. <i>Pathogens</i> , 2021 , 10,	4.5	7
49	Analysis of the correlations between the severity of lung involvement and olfactory psychophysical scores in coronavirus disease 2019 (COVID-19) patients. <i>International Forum of Allergy and Rhinology</i> , 2021 ,	6.3	7
48	Alveolar nerve impairment following bilateral sagittal split ramus osteotomy and genioplasty. <i>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology</i> , 2017 , 29, 203-209	0.4	6
47	Soft palate functional reconstruction with buccinator myomucosal island flaps. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2018 , 47, 316-323	2.9	6
46	Synovial chondromatosis of temporomandibular joint spreading into the cranial space. <i>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology</i> , 2018 , 30, 267-271	0.4	5
45	COVID-19: Post-vaccine Smell and Taste Disorders: Report of 6 Cases. <i>Ear, Nose and Throat Journal</i> , 2021 , 1455613211033125	1	5

44	The Effects of Persistent Olfactory and Gustatory Dysfunctions on Quality of Life in Long-COVID-19 Patients.. <i>Life</i> , 2022 , 12,	3	4
43	Clinical features of patients who had two COVID-19 episodes: a European multicentre case series. <i>Journal of Internal Medicine</i> , 2021 , 290, 421-429	10.8	4
42	The interest of fluticasone nasal spray in COVID-19 related anosmia is still not demonstrated. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 103008	2.8	4
41	The study of recovery rates of COVID-19 olfactory and gustatory dysfunctions requires psychophysical evaluations. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 103168	2.8	4
40	Facing COVID-19 pandemic: development of custom-made face mask with rapid prototyping system. <i>Journal of Infection in Developing Countries</i> , 2021 , 15, 51-57	2.3	4
39	Aesthetic and Functional Evaluation of Total Nasal Reconstructions. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2018 , 70, 71-78	0.6	3
38	Have There Been any Changes in the Epidemiology and Etiology of Maxillofacial Trauma During the COVID-19 Pandemic? An Italian Multicenter Study. <i>Journal of Craniofacial Surgery</i> , 2021 , 32, 1445-1447	1.2	3
37	Self-reported smell and taste recovery in COVID-19 patients: a one-year prospective study		3
36	Virtual Surgical Planning and the In-House Rapid Prototyping Technique in Maxillofacial Surgery: The Current Situation and Future Perspectives. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 1009	2.6	3
35	Chemosensory dysfunction in COVID-19: Is there really a correlation with viral load?. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 103037	2.8	3
34	SARS-CoV-2 vaccination may help patients with persistent COVID-19 smell dysfunction. <i>Ear, Nose and Throat Journal</i> , 2021 , 1455613211044770	1	3
33	COVID-19-related Smell and Taste Impairment with Widespread Diffusion of SARS-CoV-2 Omicron Variant		3
32	In Response to Isolated Anosmia and Ageusia in COVID-19 With Spontaneous Recovery. <i>Laryngoscope</i> , 2020 , 130, E503	3.6	2
31	Tactile recovery assessment with shortened Semmes-Weinstein monofilaments in patients with buccinator myomucosal flap oral cavity reconstructions. <i>Oral and Maxillofacial Surgery</i> , 2018 , 22, 151-156	1.6	2
30	The role of nasal immunoglobulins in the recovery of olfactory function in COVID-19 patients.. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 103301	2.8	2
29	Malignant tumours of the parotid gland: management of the neck (including the clinically negative neck) and a literature review. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2021 , 59, 665-671	1.4	2
28	Anosmia: a COVID-19 symptom that must be investigated by rhinoplasty surgeons. <i>European Journal of Plastic Surgery</i> , 2020 , 43, 1-2	0.6	2
27	Neck dissection with harmonic instruments and electrocautery: a prospective comparative study. <i>Oral and Maxillofacial Surgery</i> , 2021 , 25, 75-79	1.6	2

26	Reconstruction of full-thickness cheek defect with chimeric facial artery free flap: A case report. <i>Microsurgery</i> , 2018 , 38, 427-431	2.1	2
25	High prevalence of long-term psychophysical olfactory dysfunction in patients with COVID-19		2
24	The mandibular condyle as uncommon metastatic site of neuroendocrine carcinoma: Case report and review of literature. <i>Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology</i> , 2017 , 29, 314-320	0.4	1
23	In Response to Smell and Taste Loss in COVID-19 After Complete Vaccination: Correspondence.. <i>Laryngoscope</i> , 2021 ,	3.6	1
22	New protocol for in-house management of computer assisted orthognathic surgery. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2020 , 58, e265-e271	1.4	1
21	Obstructive sleep apnoea/hypopnoea syndrome: relationship with obesity and management in obese patients. <i>Acta Otorhinolaryngologica Italica</i> , 2021 , 41, 120-130	2.8	1
20	The prognostic role of the pre-treatment neutrophil to lymphocyte ratio (NLR) and tumor depth of invasion (DOI) in early-stage squamous cell carcinomas of the oral tongue. <i>Oral and Maxillofacial Surgery</i> , 2021 , 1	1.6	1
19	Secondary thrombocytopenia after SARS-CoV-2 vaccine: Report of a case of hemorrhage and hematoma after minor oral surgery. <i>Journal of Stomatology, Oral and Maxillofacial Surgery</i> , 2021 ,	1.7	1
18	Translation and validation of the short version of the Questionnaire of Olfactory Disorders-Negative Statements to Spanish. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 102775	2.8	1
17	Specific Therapy of Olfactory Disorders in COVID-19 Patients is Essential for the Prevention of Long-term Dysfunction. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2021 , 1-2	0.6	1
16	Olfactory and gustatory dysfunctions are difficult to evaluate in hospitalized COVID-19 patients. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2021 , 42, 103169	2.8	1
15	Machine Learning Algorithms as a Computer-Assisted Decision Tool for Oral Cancer Prognosis and Management Decisions: A Systematic Review.. <i>Orl</i> , 2022 , 1-11	2	0
14	Post-COVID-19 Dysphonia may have Several Origins. <i>Indian Journal of Otolaryngology and Head and Neck Surgery</i> , 2021 , 1-2	0.6	0
13	Long-term outcomes and cost-effectiveness of a magnet-based valve voice prosthesis for endoprosthesis leakage treatment.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	0
12	Use of absorbable membrane in diced cartilage technique for nasal dorsum restoration. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2020 , 73, 2239-2260	1.7	
11	Comment on: Facial Artery Myomucosal Flap, Pedicled Solely on the Facial Artery: Experimental Design Study on Survival. <i>Journal of Craniofacial Surgery</i> , 2018 , 29, 809	1.2	
10	"Swab Team" in the SARS-CoV-2 outbreak containment among healthcare workers.. <i>Journal of Infection in Developing Countries</i> , 2021 , 15, 1640-1645	2.3	
9	In reply to: IL-6 serum level and olfactory dysfunction severity in COVID-19: correspondence.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5	

8	Reader response: Miller Fisher syndrome and polyneuritis cranialis in COVID-19. <i>Neurology</i> , 2020 , 95, 368-369	6.5
7	Comment on: Reconstruction using facial artery system-based flaps. One vascular system for multiple purposes in head and neck reconstructive surgery. <i>Acta Otorrinolaringológica Española</i> , 2021 , 72, 135-136	0.9
6	Comment on: Reconstruction using facial artery system-based flaps. One vascular system for multiple purposes in head and neck reconstructive surgery. <i>Acta Otorrinolaringológica (English Edition)</i> , 2021 , 72, 135-136	0.1
5	Ageusia, a highly specific symptom of COVID-19, for which an unaware patient may seek dental assistance. <i>International Dental Journal</i> , 2020 , 71, 85-85	2.2
4	In Reference to Distinct Histopathology Characteristics in Empty Nose Syndrome. <i>Laryngoscope</i> , 2021 , 131, E1038	3.6
3	The study of laryngopharyngeal reflux needs adequate animal model.. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022 , 1	3.5
2	In Response to Clinical Features of Parosmia Associated with COVID-19 Infection.. <i>Laryngoscope</i> , 2022 ,	3.6
1	The detection of smell disorder depends on the clinical tools.. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2022 , 103445	2.8