Justyna Bień

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6122955/publications.pdf

Version: 2024-02-01

414303 430754 1,079 45 18 32 citations h-index g-index papers 45 45 45 1529 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Insight into Trichinella britovi Infection in Pigs: Effect of Various Infectious Doses on Larvae Density and Spatial Larvae Distribution in Carcasses and Comparison of the Detection of Anti-T. britovi IgG of Three Different Commercial ELISA Tests and Immunoblot Assay. Pathogens, 2022, 11, 735.	1.2	3
2	Use of meat juice from racoons (Procyon lotor) collected from Central Europe for immunological detection of Trichinella spp Veterinary Parasitology, 2021, 297, 109066.	0.7	2
3	Exploiting the potential of 2D DIGE and 2DE immunoblotting for comparative analysis of crude extract of Trichinella britovi and Trichinella spiralis muscle larvae proteomes. Veterinary Parasitology, 2021, 289, 109323.	0.7	6
4	Regulation of human THP-1 macrophage polarization by Trichinella spiralis. Parasitology Research, 2021, 120, 569-578.	0.6	6
5	The first analysis of Trichinella spiralis and Trichinella britovi adult worm excretory-secretory proteins by two-dimensional electrophoresis coupled with LC-MS/MS. Veterinary Parasitology, 2021, 297, 109096.	0.7	8
6	Sarcocystis cruzi infection in free-living European bison (Bison bonasus bonasus L.) from the BiaÅ,owieża Forest, Poland – A molecular analysis based on the cox1 gene. International Journal for Parasitology: Parasites and Wildlife, 2021, 16, 59-63.	0.6	3
7	Acute phase protein pattern and antibody response in pigs experimentally infected with a moderate dose of Trichinella spiralis, T. britovi, and T. pseudospiralis. Veterinary Parasitology, 2020, 288, 109277.	0.7	4
8	Immunization with a Recombinant Protein of Trichinella britovi 14-3-3 Triggers an Immune Response but No Protection in Mice. Vaccines, 2020, 8, 515.	2.1	2
9	Molecular identification of sarcocysts from tissue of fallow deer (Dama dama) farmed in the open pasture system based on ssu rRNA gene. Acta Parasitologica, 2020, 65, 354-360.	0.4	2
10	Immunoproteomic analysis of Trichinella spiralis and Trichinella britovi excretory-secretory muscle larvae proteins recognized by sera from humans infected with Trichinella. PLoS ONE, 2020, 15, e0241918.	1.1	10
11	Ashworthius sidemi in cattle and wild ruminants in Poland - the current state of play. Annals of Parasitology, 2020, 66, 517-520.	0.1	3
12	The Immunological Properties of Recombinant Multi-Cystatin-Like Domain Protein From Trichinella Britovi Produced in Yeast. Frontiers in Immunology, 2019, 10, 2420.	2.2	11
13	Seroprevalence of Toxoplasma gondii and Neospora caninum infection in sheep, goats, and fallow deer farmed on the same area1. Journal of Animal Science, 2018, 96, 2468-2473.	0.2	33
14	Trichinella britovi muscle larvae and adult worms: stage-specific and common antigens detected by two-dimensional gel electrophoresis-based immunoblotting. Parasites and Vectors, 2018, 11, 584.	1.0	20
15	Immunoproteomics and Surfaceomics of the Adult Tapeworm Hymenolepis diminuta. Frontiers in Immunology, 2018, 9, 2487.	2.2	22
16	Use of ELISA and Western blot for serological detection of antibodies to E-S antigens of Trichinella spiralis muscle larvae in sera of swine experimentally infected with Trichinella spiralis. Veterinary Immunology and Immunopathology, 2018, 203, 13-20.	0.5	11
17	First Toxoplasma gondii isolate from an aborted foetus of European bison (Bison bonasus bonasus L.). Parasitology Research, 2017, 116, 2457-2461.	0.6	6
18	Identification of immunogenic proteins of the cysticercoid of Hymenolepis diminuta. Parasites and Vectors, 2017, 10, 577.	1.0	23

#	Article	IF	CITATIONS
19	Comparative Proteomic Analysis of Hymenolepis diminuta Cysticercoid and Adult Stages. Frontiers in Microbiology, 2017, 8, 2672.	1.5	24
20	Mass spectrometry analysis of the excretory-secretory (E-S) products of the model cestode Hymenolepis diminut a reveals their immunogenic properties and the presence of new E-S proteins in cestodes. Acta Parasitologica, 2016, 61, 429-42.	0.4	37
21	The occurrence of nematodes of the genus Trichinella in wolves (Canis lupus) from the Bieszczady Mountains and Augustowska Forest in Poland. Veterinary Parasitology, 2016, 231, 115-117.	0.7	14
22	The usefulness of direct agglutination test, enzyme-linked immunosorbent assay and polymerase chain reaction for the detection of Toxoplasma gondii in wild animals. Veterinary Parasitology, 2016, 228, 85-89.	0.7	18
23	The Occurrence of <i>Trichinella</i> spp. in Red Foxes (<i>Vulpes vulpes</i>) in Different Regions of Poland: Current Data. Vector-Borne and Zoonotic Diseases, 2016, 16, 717-721.	0.6	15
24	The first identification of a blood-sucking abomasal nematode Ashworthius sidemi in cattle (Bos) Tj ETQq0 0 0 rg	gBT/Overl	ock 10 Tf 50 !
25	Proteomic analysis of potential immunoreactive proteins from muscle larvae and adult worms of Trichinella spiralis in experimentally infected pigs. Folia Parasitologica, 2015, 62, .	0.7	34
26	Wild boars meat as a potential source of human trichinellosis in Poland: current data. Acta Parasitologica, 2015, 60, 530-5.	0.4	14
27	Editorial: Gut Microbiota and Gastrointestinal Diseases: To Treat or Not to Treat. Current Pharmaceutical Design, 2014, 20, 4533-4534.	0.9	2
28	Editorial (Thematic Issue: Helicobacter pylori Eradication Therapy: Advantages and Disadvantages). Current Pharmaceutical Design, 2014, 20, 4487-4488.	0.9	1
29	The parasitic fauna of the European bison (Bison bonasus) (Linnaeus, 1758) and their impact on the conservation. Part 1 The summarising list of parasites noted. Acta Parasitologica, 2014, 59, 363-71.	0.4	48
30	The parasitic fauna of the European bison (Bison bonasus) (Linnaeus, 1758) and their impact on the conservation. Part 2 The structure and changes over time. Acta Parasitologica, 2014, 59, 372-9.	0.4	24
31	The usefulness of DNA derived from third stage larvae in the detection of Ashworthius sidemi infection in European bison, by a simple polymerase chain reaction. Parasites and Vectors, 2014, 7, 215.	1.0	6
32	Detection of antibodies to Neospora caninum in moose (Alces alces): the first report in Europe. Folia Parasitologica, 2014, 61, 34-36.	0.7	7
33	First report of Trichinella pseudospiralis in Poland, in red foxes (Vulpes vulpes). Acta Parasitologica, 2013, 58, 149-54.	0.4	22
34	Recognition of antigens of three different stages of the Trichinella spiralis by antibodies from pigs infected with T. spiralis. Experimental Parasitology, 2013, 134, 129-137.	0.5	10
35	The intestinal microbiota dysbiosis and <i>Clostridium difficile </i> infection: is there a relationship with inflammatory bowel disease?. Therapeutic Advances in Gastroenterology, 2013, 6, 53-68.	1.4	182
36	Colitis Promotes Adaptation of an Intestinal Nematode: A Heligmosomoides Polygyrus Mouse Model System. PLoS ONE, 2013, 8, e78034.	1.1	22

#	Article	IF	CITATIONS
37	Role of Uropathogenic <i>Escherichia coli</i> Virulence Factors in Development of Urinary Tract Infection and Kidney Damage. International Journal of Nephrology, 2012, 2012, 1-15.	0.7	266
38	Detection of specific antibodies anti-Neospora caninum in the fallow deer (Dama dama). Research in Veterinary Science, 2012, 92, 96-98.	0.9	11
39	Molecular identification of Trichinella britovi in martens (Martes martes) and badgers (Meles meles); new host records in Poland. Acta Parasitologica, 2012, 57, 402-5.	0.4	20
40	Comparative analysis of excretory-secretory antigens of Trichinella spiralis and Trichinella britovi muscle larvae by two-dimensional difference gel electrophoresis and immunoblotting. Proteome Science, 2012, 10, 10.	0.7	34
41	Prevalence of antibodies against Neospora caninum in dogs from urban areas in Central Poland. Parasitology Research, 2011, 108, 991-996.	0.6	23
42	In vitro isolation and identification of the first Neospora caninum isolate from European bison (Bison) Tj ETQq0 0	OrgBT /O	verlock 10 Tf
43	Studies on Neospora caninum DNA detection in the oocytes and embryos collected from infected cows. Veterinary Parasitology, 2008, 158, 370-375.	0.7	6
44	The first detection of Neospora caninum DNA in the colostrum of infected cows. Parasitology Research, 2006, 100, 633-636.	0.6	22
45	The estimation of different ELISA procedures for serodiagnosis of human trichinellosis. Annals of Parasitology, 2006, 52, 231-8.	0.1	3