

Nobuhiko Ishizuka

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6123032/publications.pdf>

Version: 2024-02-01

22
papers

438
citations

623574

14
h-index

713332

21
g-index

22
all docs

22
docs citations

22
times ranked

501
citing authors

#	ARTICLE	IF	CITATIONS
1	Pregnancy outcomes after exposure to tocilizumab: A retrospective analysis of 61 patients in Japan. <i>Modern Rheumatology</i> , 2016, 26, 667-671.	0.9	79
2	Nicorandil prevents sirolimus-induced production of reactive oxygen species, endothelial dysfunction, and thrombus formation. <i>Journal of Pharmacological Sciences</i> , 2015, 127, 284-291.	1.1	17
3	GATA-4 Transcription Factor Regulates Cardiac COX-2 Expression Induced by Nicorandil in Left Ventricle of Rats. <i>Pharmacology</i> , 2014, 93, 129-136.	0.9	2
4	Nicorandil Ameliorated Hypertensive Renal Injury without Lowering Blood Pressure in Spontaneously Hypertensive Rats. <i>Pharmacology</i> , 2013, 91, 92-103.	0.9	4
5	Paclitaxel-Induced Endothelial Dysfunction in Living Rats Is Prevented by Nicorandil via Reduction of Oxidative Stress. <i>Journal of Pharmacological Sciences</i> , 2012, 119, 349-358.	1.1	24
6	Nicorandil prevents endothelial dysfunction due to antioxidative effects via normalisation of NADPH oxidase and nitric oxide synthase in streptozotocin diabetic rats. <i>Cardiovascular Diabetology</i> , 2011, 10, 105.	2.7	61
7	Left ventricular hypertrophy is associated with inflammation in sodium loaded subtotal nephrectomized rats. <i>Biomedical Research</i> , 2011, 32, 83-90.	0.3	10
8	Nicorandil Improves Glomerular Injury in Rats With Mesangioproliferative Glomerulonephritis via Inhibition of Proliferative and Profibrotic Growth Factors. <i>Journal of Pharmacological Sciences</i> , 2009, 111, 53-59.	1.1	21
9	Nicorandil Attenuates FeCl ₃ -Induced Thrombus Formation Through the Inhibition of Reactive Oxygen Species Production. <i>Circulation Journal</i> , 2009, 73, 554-561.	0.7	28
10	Inhibitory effects of nicorandil, a K _{ATP} channel opener and a nitric oxide donor, on overactive bladder in animal models. <i>BJU International</i> , 2008, 101, 360-365.	1.3	18
11	Nicorandil enhances the effect of endothelial nitric oxide under hypoxia reoxygenation: Role of the KATP channel. <i>European Journal of Pharmacology</i> , 2008, 579, 86-92.	1.7	17
12	Nicorandil, a Potassium Channel Opener and Nitric Oxide Donor, Improves the Frequent Urination without Changing the Blood Pressure in Rats with Partial Bladder Outlet Obstruction. <i>Biological and Pharmaceutical Bulletin</i> , 2008, 31, 2079-2082.	0.6	3
13	Nicorandil and Leukocyte Activation. <i>Journal of Cardiovascular Pharmacology</i> , 2002, 40, 684-692.	0.8	34
14	Hypotensive Interaction of Sildenafil and Nicorandil in Rats Through the cGMP Pathway but Not by KATP Channel Activation. <i>The Japanese Journal of Pharmacology</i> , 2000, 84, 316-324.	1.2	15
15	Adrenomedullin synergistically interacts with endogenous vasodilators in rats: a possible role of KATP channels. <i>European Journal of Pharmacology</i> , 1998, 359, 151-159.	1.7	16
16	Hypotensive mechanism of [Leu ¹³]motilin in dogs in vivo and in vitro. <i>Canadian Journal of Physiology and Pharmacology</i> , 1998, 76, 1103-1109.	0.7	11
17	Hypotensive mechanism of [Leu ¹³]motilin in dogs in vivo and in vitro. <i>Canadian Journal of Physiology and Pharmacology</i> , 1998, 76, 1103-1109.	0.7	10
18	Na Pump Current Can Be Separated into Ouabain-Sensitive and -Insensitive Components in Single Rat Ventricular Myocytes. <i>The Japanese Journal of Physiology</i> , 1996, 46, 215-223.	0.9	18

#	ARTICLE	IF	CITATIONS
19	A comparative study of whole-blood platelet aggregation in laboratory animals: its species differences and comparison with turbidimetric method. <i>Comparative Biochemistry and Physiology C, Comparative Pharmacology and Toxicology</i> , 1995, 112, 359-365.	0.5	14
20	?-Adrenergic stimulation does not regulate Na pump function in voltage-clamped ventricular myocytes of the rat heart. <i>Pflugers Archiv European Journal of Physiology</i> , 1993, 424, 361-363.	1.3	21
21	Identification of Low and High Affinity Ouabain-Sensitive Na Pump Current in Voltage-Clamped Rat Cardiac Myocytes. <i>Annals of the New York Academy of Sciences</i> , 1992, 671, 440-442.	1.8	7
22	Na ⁺ ,K ⁺ -ATPase inhibition by an endogenous peptide, SPAI-1, isolated from porcine duodenum. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1991, 1069, 259-266.	1.4	8