


## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6124867/publications.pdf Version: 2024-02-01



Ιιλιν Υιι

#	Article	IF	CITATIONS
1	Predominant cerebral cytokine release syndrome in CD19-directed chimeric antigen receptor-modified T cell therapy. Journal of Hematology and Oncology, 2016, 9, 70.	17.0	151
2	Potent Anti-leukemia Activities of Chimeric Antigen Receptor–Modified T Cells against CD19 in Chinese Patients with Relapsed/Refractory Acute Lymphocytic Leukemia. Clinical Cancer Research, 2017, 23, 3297-3306.	7.0	106
3	Long Non-coding RNA TUG1 Sponges Mir-145a-5p to Regulate Microglial Polarization After Oxygen-Glucose Deprivation. Frontiers in Molecular Neuroscience, 2019, 12, 215.	2.9	69
4	IGF-1 induces hypoxia-inducible factor 1α-mediated GLUT3 expression through PI3K/Akt/mTOR dependent pathways in PC12 cells. Brain Research, 2012, 1430, 18-24.	2.2	57
5	Pre-transplant MRD negativity predicts favorable outcomes of CAR-T therapy followed by haploidentical HSCT for relapsed/refractory acute lymphoblastic leukemia: a multi-center retrospective study. Journal of Hematology and Oncology, 2020, 13, 42.	17.0	56
6	Incidence, Risk Factors, and Outcomes of Primary Poor Graft Function after Allogeneic Hematopoietic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2019, 25, 1898-1907.	2.0	48
7	Netrin-1 Ameliorates Blood-Brain Barrier Impairment Secondary to Ischemic Stroke via the Activation of PI3K Pathway. Frontiers in Neuroscience, 2017, 11, 700.	2.8	42
8	Efficacy and safety of bispecific T-cell engager (BiTE) antibody blinatumomab for the treatment of relapsed/refractory acute lymphoblastic leukemia and non-Hodgkin's lymphoma: a systemic review and meta-analysis. Hematology, 2019, 24, 199-207.	1.5	40
9	Neuroprotective effect of chondroitinase ABC on primary and secondary brain injury after stroke in hypertensive rats. Brain Research, 2014, 1543, 324-333.	2.2	38
10	A retrospective comparison of allogenic and autologous chimeric antigen receptor T cell therapy targeting CD19 in patients with relapsed/refractory acute lymphoblastic leukemia. Bone Marrow Transplantation, 2019, 54, 1208-1217.	2.4	37
11	Dasatinib enhances anti-leukemia efficacy of chimeric antigen receptor T cells by inhibiting cell differentiation and exhaustion. Journal of Hematology and Oncology, 2021, 14, 113.	17.0	32
12	Calcineurin Inhibitors Replacement by Ruxolitinib as Graft-versus-Host Disease Prophylaxis for Patients after Allogeneic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2020, 26, e128-e133.	2.0	28
13	Chinese Stroke Association guidelines for clinical management of cerebrovascular disorders: executive summary and 2019 update of clinical management of cerebral venous sinus thrombosis. Stroke and Vascular Neurology, 2020, 5, 152-158.	3.3	25
14	CD19 targeted CAR-T therapy versus chemotherapy in re-induction treatment of refractory/relapsed acute lymphoblastic leukemia: results of a case-controlled study. Annals of Hematology, 2018, 97, 781-789.	1.8	24
15	Beclin 1 knockdown retards re-endothelialization and exacerbates neointimal formation via a crosstalk between autophagy and apoptosis. Atherosclerosis, 2014, 237, 146-154.	0.8	22
16	mTOR inhibitor rapamycin induce polymorphonuclear myeloid-derived suppressor cells mobilization and function in protecting against acute graft-versus-host disease after bone marrow transplantation. Clinical Immunology, 2018, 187, 122-131.	3.2	21
17	Clinical implications of HLA locus mismatching in unrelated donor hematopoietic cell transplantation: a meta-analysis. Oncotarget, 2017, 8, 27645-27660.	1.8	20
18	Quantitative characterization of T-cell repertoire alteration in Chinese patients with B-cell acute lymphocyte leukemia after CAR-T therapy. Bone Marrow Transplantation, 2019, 54, 2072-2080.	2.4	18

Jian Yu

#	Article	IF	CITATIONS
19	Risk factors for postoperative fatigue after gastrointestinal surgery. Journal of Surgical Research, 2015, 194, 114-119.	1.6	15
20	Different screening frequencies of carbapenem-resistant Enterobacteriaceae in patients undergoing hematopoietic stem cell transplantation: which one is better?. Antimicrobial Resistance and Infection Control, 2020, 9, 49.	4.1	15
21	Antithymocyte globulin improves GVHD-free and relapse-free survival in unrelated hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2019, 54, 1668-1675.	2.4	14
22	NR2F2 regulates bone marrow-derived mesenchymal stem cell-promoted proliferation of Reh cells. Molecular Medicine Reports, 2016, 14, 1351-1356.	2.4	12
23	Eltrombopag treatment promotes platelet recovery and reduces platelet transfusion for patients with post-transplantation thrombocytopenia. Annals of Hematology, 2020, 99, 2679-2687.	1.8	12
24	Prophylactic modified donor lymphocyte infusion after low-dose ATG-F-based haploidentical HSCT with myeloablative conditioning in high-risk acute leukemia: a matched-pair analysis. Bone Marrow Transplantation, 2021, 56, 664-672.	2.4	12
25	Ruxolitinib combined with etanercept induce a rapid response to corticosteroidâ€refractory severe acute graft vs host disease after allogeneic stem cell transplantation: Results of a multiâ€center prospective study. American Journal of Hematology, 2020, 95, 1075-1084.	4.1	11
26	INTRACEREBROVENTRICULAR INJECTION OF EPIDERMAL GROWTH FACTOR REDUCES NEUROLOGICAL DEFICIT AND INFARCT VOLUME AND ENHANCES NESTIN EXPRESSION FOLLOWING FOCAL CEREBRAL INFARCTION IN ADULT HYPERTENSIVE RATS. Clinical and Experimental Pharmacology and Physiology, 2009, 36, 539-546.	1.9	10
27	Comparison of Novel Oral Anticoagulants and Vitamin K Antagonists in Patients With Cerebral Venous Sinus Thrombosis on Efficacy and Safety: A Systematic Review. Frontiers in Neurology, 2020, 11, 597623.	2.4	10
28	Determining Whether Prophylactic Antiviral Treatment Is Necessary in HBsAg-Negative/HBcAb-Positive Patients Receiving Allogeneic Hematopoietic Stem Cell Transplantation. Biology of Blood and Marrow Transplantation, 2020, 26, 956-964.	2.0	10
29	Tandem fecal microbiota transplantation cycles in an allogeneic hematopoietic stem cell transplant recipient targeting carbapenem-resistant Enterobacteriaceae colonization: a case report and literature review. European Journal of Medical Research, 2021, 26, 37.	2.2	10
30	Salvage Therapy With Low-Dose Ruxolitinib Leads to a Significant Improvement in Bronchiolitis Obliterans Syndrome in Patients With cGVHD After Allogeneic Hematopoietic Stem Cell Transplantation. Frontiers in Pharmacology, 2021, 12, 668825.	3.5	8
31	Incidence, risk factors and outcome of extramedullary relapse after allogeneic hematopoietic stem cell transplantation in patients with adult acute lymphoblastic leukemia. Annals of Hematology, 2020, 99, 2639-2648.	1.8	7
32	Preemptive low-dose interleukin-2 or DLI for late-onset minimal residual disease in acute leukemia or myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation. Annals of Hematology, 2021, 100, 517-527.	1.8	7
33	Venetoclax plus hypomethylating agent for the salvage treatment of relapsing myeloid malignancies after hematopoietic stem cell transplantation: A multicenter retrospective study on behalf of the Zhejiang Cooperative Group for Blood and Marrow Transplantation. American Journal of Hematology, 2022. 97. E44.	4.1	7
34	Effect of donor characteristics on T cellâ€replete haploidentical stem cell transplantation over the last 10 years at a single institution. British Journal of Haematology, 2022, 196, 1225-1238.	2.5	7
35	Assessment of Patient-Specific Human Leukocyte Antigen Genomic Loss at Relapse After Antithymocyte Globulin–Based T-Cell–Replete Haploidentical Hematopoietic Stem Cell Transplant. JAMA Network Open, 2022, 5, e226114.	5.9	7
36	Decitabine plus CLAG chemotherapy as a bridge to haploidentical transplantation in the setting of acute myeloid leukemia relapse after HLA-matched sibling transplantation: a case report. BMC Cancer, 2019, 19, 242.	2.6	6

Jian Yu

#	Article	IF	CITATIONS
37	Obesity is correlated with poor outcome after allogeneic hematopoietic stem cell transplantation in patients with acute leukemia. Japanese Journal of Clinical Oncology, 2020, 50, 889-896.	1.3	6
38	Maintenance sorafenib is superior to prophylactic donor lymphocyte infusion at improving the prognosis of acute myeloid leukemia with FMS-like tyrosine kinase 3 internal tandem duplication after allogeneic hematopoietic stem cell transplantation. Bone Marrow Transplantation, 2021, 56, 293-296.	2.4	6
39	Decreased iKIR-HLA C Pair Confers Worse Clinical Outcomes for Patients With Myeloid Disease Receiving Antithymocyte Globulin-Based Haploidentical Hematopoietic Stem Cell Transplantation. Frontiers in Immunology, 2020, 11, 614488.	4.8	6
40	A Novel Strategy for the Prevention of Hepatitis B Virus-Related Hepatitis Following Allogeneic Hematopoietic Stem Cell Transplantation from Hepatitis B Surface Antigen-Positive Donors. Biology of Blood and Marrow Transplantation, 2020, 26, 1719-1728.	2.0	6
41	The relationship between exposure to hepatitis B virus and increased atherosclerosis-associated morbidity — a meta-analysis. Kardiologia Polska, 2018, 76, 119-124.	0.6	6
42	<i>CEBPA</i> mutants down-regulate AML cell susceptibility to NK-mediated lysis by disruption of the expression of NKG2D ligands, which can be restored by LSD1 inhibition. Oncolmmunology, 2022, 11, 2016158.	4.6	6
43	Hydroxychloroquine sensitizes chronic myeloid leukemia cells to Vγ9Vδ2 T cell-mediated lysis independent of autophagy. International Journal of Oncology, 2017, 50, 1810-1820.	3.3	5
44	Klippel–Trenaunay and Sturge–Weber Overlap Syndrome with KRAS and GNAQ mutations. Annals of Clinical and Translational Neurology, 2020, 7, 1258-1264.	3.7	5
45	Impact of stroke center certification on rt-PA thrombolysis after acute ischemic stroke in South China from 2015 to 2020. International Journal of Stroke, 2022, 17, 559-565.	5.9	5
46	Successful treatment of relapsed acute B-cell lymphoblastic leukemia with CD20/CD22 bispecific chimeric antigen receptor T-cell therapy. Regenerative Therapy, 2020, 15, 281-284.	3.0	4
47	Comparison of non-first-degree related donors and first-degree related donors in haploidentical HSCT: a multi-centre retrospective analysis. Bone Marrow Transplantation, 2021, 56, 2567-2574.	2.4	4
48	Association between aspirinâ€induced hemoglobin decline and outcome after acute ischemic stroke in G6PDâ€deficient patients. CNS Neuroscience and Therapeutics, 2021, 27, 1206-1213.	3.9	4
49	Netrin-1 in Post-stroke Neuroprotection: Beyond Axon Guidance Cue. Current Neuropharmacology, 2022, 20, 1879-1887.	2.9	4
50	High Prevalence of Post-stroke Anxiety in Elderly Patients Following COVID-19 Outbreak. Frontiers in Psychiatry, 2021, 12, 699869.	2.6	3
51	Efficacy of CD19-targeted chimeric antigen receptor T cells in the treatment of relapsed extramedullary B-cell acute lymphoblastic leukemia (B-ALL) and diffuse large B-cell lymphoma (DLBCL) Journal of Clinical Oncology, 2017, 35, e14549-e14549.	1.6	3
52	Inordinate Glucose Variation Poststroke is Associated with Poor Neurological Improvement in Patients Without History of Diabetes. CNS Neuroscience and Therapeutics, 2014, 20, 503-508.	3.9	2
53	The rostral to caudal gradient of clinical and electrophysiological features in sporadic amyotrophic lateral sclerosis with bulbar-onset. Journal of International Medical Research, 2020, 48, 030006052095650.	1.0	2
54	Local uncoordinated gene 5H2 contributes to nerve injuryâ€induced mechanical allodynia associated to its role in autophagy. Clinical and Experimental Pharmacology and Physiology, 2021, 48, 361-369.	1.9	2

Jian Yu

#	Article	IF	CITATIONS
55	Sumoylation of TRF1 Is Essential for Its Recruitment to ALT-Associated PML Bodies Blood, 2007, 110, 4169-4169.	1.4	2
56	Effectiveness of prophylactic antiviral therapy in reducing HBV reactivation for HBsAg-positive recipients following allogeneic hematopoietic stem cell transplantation: a multi-institutional experience from an HBV endemic area. Annals of Hematology, 2022, 101, 631-641.	1.8	2
57	Prevalence of Pure Red Cell Aplasia Following Major ABO-Incompatible Hematopoietic Stem Cell Transplantation. Frontiers in Immunology, 2022, 13, 829670.	4.8	2
58	Impact of Donor-to-Recipient ABO Mismatch on Outcomes of Antithymocyte Globulin-Based Peripheral Blood Stem Cell-Derived Myeloablative Conditioning Haploidentical Stem Cell Transplantation. Transplantation and Cellular Therapy, 2022, , .	1.2	2
59	Mammalian Sterile 20-Like Kinase 1 Mediates Neuropathic Pain Associated with Its Effects on Regulating Mitophagy in Schwann Cells. Oxidative Medicine and Cellular Longevity, 2022, 2022, 1-17.	4.0	2
60	Risk factor differences between type 2 diabetes patients with ischemic cerebrovascular versus coronary heart diseases at admission. Journal of Diabetes and Its Complications, 2015, 29, 783-787.	2.3	1
61	Improved survival for young acute leukemia patients following a new donor hierarchy for allogeneic hematopoietic stem cell transplantation: A phase III randomized controlled study. American Journal of Hematology, 2021, 96, 1429-1440.	4.1	1
62	A rare case of adult diffuse midline glioma with H3 K27M mutant in the prepontine cistern. Journal of International Medical Research, 2021, 49, 030006052098126.	1.0	1
63	Comparison of Prophylactic and Preemptive Donor Lymphocyte Infusion in Patients with Very High Risk Acute Leukemia after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2021, 138, 3860-3860.	1.4	1
64	Salvage Therapy with Low-Dose Ruxolitinib Led to a Significant Improvement in Bronchiolitis Obliterans Syndrome in Patients with cGvHD after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2020, 136, 43-44.	1.4	1
65	Ruxolitinib for Steroid-Refractory cGvHD: A Significant Response in Heavily Pretreated Patients after Haploidentical-SCT. Blood, 2020, 136, 1-1.	1.4	1
66	Glucoseâ€6â€phosphate Dehydrogenase Deficiency and Intracranial Atherosclerosis Stenosis in Stroke Patients. European Journal of Neurology, 0, , .	3.3	1
67	Chromosomal Instability Induced by Overexpression of Telomere Repeats Binding Factor 1 Blood, 2005, 106, 4398-4398.	1.4	0
68	Regular Prophylactic Donor Lymphocyte Infusion Is Effective and Safe to Prevent Relapse after Hematopoietic Cell Transplantation in High-Risk Patients. Blood, 2016, 128, 3439-3439.	1.4	0
69	Adenovirus-mediated transfection with glucose transporter 3 suppresses PC12 cell apoptosis following ischemic injury. Neural Regeneration Research, 2012, 7, 1338-42.	3.0	Ο