
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/612519/publications.pdf Version: 2024-02-01



Ιςμαίι δαράμ

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Amyloidosis and its related factors in Turkish patients with familial Mediterranean fever: a multicentre study. Rheumatology, 2014, 53, 741-745. | 1.9 | 96 |
| 2 | Biomarkers and cytokines of bone turnover: extensive evaluation in a cohort of patients with ankylosing spondylitis. BMC Musculoskeletal Disorders, 2012, 13, 191. | 1.9 | 77 |
| 3 | Comparison of group-based exercise versus home-based exercise in patients with ankylosing spondylitis: effects on Bath Ankylosing Spondylitis Indices, quality of life and depression. Clinical Rheumatology, 2008, 27, 695-700. | 2.2 | 71 |
| 4 | Body composition, insulin, and leptin levels in patients with ankylosing spondylitis. Clinical Rheumatology, 2007, 26, 1427-1432. | 2.2 | 65 |
| 5 | Efficacy of Interleukin-1 Targeting Treatments in Patients with Familial Mediterranean Fever. Inflammation, 2015, 38, 27-31. | 3.8 | 62 |
| 6 | Macrophage Migration Inhibitory Factor Induces Inflammation and Predicts Spinal Progression in Ankylosing Spondylitis. Arthritis and Rheumatology, 2017, 69, 1796-1806. | 5.6 | 61 |
| 7 | Early ultrasonographic markers of atherosclerosis in patients with familial Mediterranean fever. Clinical Rheumatology, 2007, 26, 1467-1473. | 2.2 | 58 |
| 8 | High mean platelet volume, low-grade systemic coagulation and fibrinolytic activation are associated with androgen and insulin levels in polycystic ovary syndrome. Archives of Gynecology and Obstetrics, 2009, 280, 187-193. | 1.7 | 54 |
| 9 | Irritable Bowel Syndrome in Persons Who Acquired Trichinellosis. American Journal of Gastroenterology, 2007, 102, 1064-1069. | 0.4 | 50 |
| 10 | Nationwide Experience With Off‣abel Use of Interleukinâ€1 Targeting Treatment in Familial Mediterranean Fever Patients. Arthritis Care and Research, 2018, 70, 1090-1094. | 3.4 | 48 |
| 11 | Cytomegalovirus colitis in a patient with Behcet's disease receiving tumor necrosis factor alpha inhibitory treatment. World Journal of Gastroenterology, 2008, 14, 2912. | 3.3 | 45 |
| 12 | Fatigue in Ankylosing Spondylitis and Nonradiographic Axial Spondyloarthritis: Analysis from a Longitudinal Observation Cohort. Journal of Rheumatology, 2015, 42, 2354-2360. | 2.0 | 44 |
| 13 | Increased Levels of Asymmetric Dimethylarginine (ADMA) in Patients with Ankylosing Spondylitis. Internal Medicine, 2009, 48, 1363-1368. | 0.7 | 43 |
| 14 | Increased prevalence of M694V in patients with ankylosing spondylitis: Additional evidence for a link with familial mediterranean fever. Arthritis and Rheumatism, 2010, 62, 3059-3063. | 6.7 | 43 |
| 15 | Hyperuricemia and its related factors in an urban population, Izmir, Turkey. Rheumatology International, 2009, 29, 869-874. | 3.0 | 40 |
| 16 | Evaluation of Early Atherosclerosis in Patients with Inflammatory Bowel Disease. Digestive Diseases and Sciences, 2012, 57, 2137-2143. | 2.3 | 36 |
| 17 | Evaluation of inflammation and oxidative stress in ankylosing spondylitis: a role for macrophage migration inhibitory factor. Modern Rheumatology, 2010, 20, 34-39. | 1.8 | 30 |
| 18 | The Effect of Ethinylestradiol (EE)/Cyproterone Acetate (CA) and EE/CA Plus Metformin Treatment on Adhesion Molecules in Cases with Polycystic Ovary Syndrome (PCOS). Internal Medicine, 2009, 48, 1193-1199. | 0.7 | 28 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Comparison of four different treatment regimens on coagulation parameters, hormonal and metabolic changes in women with polycystic ovary syndrome. Archives of Gynecology and Obstetrics, 2010, 281, 35-42. | 1.7 | 28 |
| 20 | Prevalence of spondyloarthritis in Turkish patients with inflammatory bowel disease. Rheumatology International, 2009, 29, 955-957. | 3.0 | 27 |
| 21 | Markers of endothelial damage and repair in Takayasu arteritis: Are they associated with disease activity?. Rheumatology International, 2014, 34, 1129-1138. | 3.0 | 27 |
| 22 | Oxidative stress and related factors in patients with ankylosing spondylitis. European Journal of Rheumatology, 2016, 3, 20-24. | 0.6 | 27 |
| 23 | Clinical Efficacy of Celecoxib Compared to Acetaminophen in Chronic Nonspecific Low Back Pain: Results of a Randomized Controlled Trial. Arthritis Care and Research, 2016, 68, 845-852. | 3.4 | 27 |
| 24 | Acute Trichinellosis in Children Compared With Adults. Pediatric Infectious Disease Journal, 2005, 24, 897-900. | 2.0 | 25 |
| 25 | Evaluation of the T helper 17 axis in ankylosing spondylitis. Rheumatology International, 2012, 32, 2511-2515. | 3.0 | 25 |
| 26 | Prevalence of Sacroiliitis in Inflammatory Bowel Disease Using a Standardized Computed Tomography Scoring System. Arthritis Care and Research, 2018, 70, 807-810. | 3.4 | 25 |
| 27 | Ventricular Diastolic Functions of Ankylosing Spondylitis Patients by Using Conventional Pulsed?Wave Doppler, Myocardial Performance Index, and Tissue Doppler Imaging. Echocardiography, 2007, 25, 070619173248003-???. | 0.9 | 24 |
| 28 | The Influence of Helicobacter pylori Eradication on Leptin, Soluble CD40 Ligand, Oxidative Stress and Body Composition in Patients with Peptic Ulcer Disease. Internal Medicine, 2009, 48, 2055-2059. | 0.7 | 24 |
| 29 | Performance of response scales of activity and functional measures of ankylosing spondylitis: numerical rating scale versus visual analog scale. Rheumatology International, 2013, 33, 2617-2623. | 3.0 | 24 |
| 30 | Plasma levels of free tissue factor pathway inhibitor in patients with various thyroid disorders. Thrombosis Research, 2003, 110, 243-247. | 1.7 | 23 |
| 31 | The distribution of MEFV mutations in Turkish FMF patients: multicenter study representing results of Anatolia. Turkish Journal of Medical Sciences, 2019, 49, 472-477. | 0.9 | 23 |
| 32 | The Effect of Regular Colchicine Treatment on Biomarkers Related with Vascular Injury in Newly Diagnosed Patients with Familial Mediterranean Fever. Inflammation, 2012, 35, 1191-1197. | 3.8 | 22 |
| 33 | Treatment of ankylosing spondylitis. Turkish Journal of Medical Sciences, 2015, 45, 416-430. | 0.9 | 22 |
| 34 | Thyrotoxic Periodic Paralysis in a Turkish Male; The Recurrence of the Attack after Radioiodine Treatment. Endocrine Journal, 2005, 52, 149-151. | 1.6 | 21 |
| 35 | A Case of Adult-Onset Still's Disease Complicated with Diffuse Alveolar Hemorrhage. Journal of Korean Medical Science, 2009, 24, 155. | 2.5 | 21 |
| 36 | Fetuin-A is related to syndesmophytes in patients with ankylosing spondylitis: a case control study. Clinics, 2014, 69, 688-693. | 1.5 | 21 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Axial sarcoidosis mimicking radiographic sacroiliitis. Rheumatology International, 2009, 29, 343-345. | 3.0 | 20 |
| 38 | Evaluation of circulating endothelial biomarkers in familial Mediterranean fever. Rheumatology International, 2013, 33, 1967-1972. | 3.0 | 20 |
| 39 | Evaluation of Circulating Endothelial and Platelet Microparticles in Men with Ankylosing Spondylitis. Journal of Rheumatology, 2012, 39, 594-599. | 2.0 | 18 |
| 40 | Radiographic Progression in Ankylosing Spondylitis: From Prognostication to Disease Modification. Current Rheumatology Reports, 2018, 20, 82. | 4.7 | 18 |
| 41 | Analysis of dedicated sacroiliac views to improve reliability of conventional pelvic radiographs. Rheumatology, 2017, 56, 1740-1745. | 1.9 | 17 |
| 42 | Thrombosis and priapism in a patient with Henoch-Schonlein purpura. Rheumatology International, 2005, 25, 472-474. | 3.0 | 16 |
| 43 | Osteopoikilosis coexistent with ankylosing spondylitis and familial Mediterranean fever. Rheumatology International, 2009, 29, 321-323. | 3.0 | 15 |
| 44 | Ghrelin and adipokines as circulating markers of disease activity in patients with Takayasu arteritis. Arthritis Research and Therapy, 2012, 14, R272. | 3.5 | 15 |
| 45 | Development of a Screening Tool for the Identification of Sacroiliitis in Computed Tomography Scans of the Abdomen. Journal of Rheumatology, 2016, 43, 1687-1694. | 2.0 | 15 |
| 46 | Gabapentin-Induced Rhabdomyolysis in a Patient with Diabetic Neuropathy. Internal Medicine, 2009, 48, 1085-1087. | 0.7 | 13 |
| 47 | Atypical infectious mononucleosis in a patient receiving tumor necrosis factor alpha inhibitory treatment. Rheumatology International, 2009, 29, 825-826. | 3.0 | 12 |
| 48 | Comparison of Oxidant/Antioxidant, Detoxification Systems in Various Tissue Homogenates and Mitochondria of Rats with Diabetes Induced by Streptozocin. Experimental Diabetes Research, 2012, 2012, 1-5. | 3.8 | 12 |
| 49 | Evaluation of the relationship between serum levels of VEGF and sVEGFR1 with mortality and prognosis in patients with Crimean-Congo hemorrhagic fever. Journal of Medical Virology, 2013, 85, 1794-1801. | 5.0 | 11 |
| 50 | S1000A12, Chitotriosidase, and Resolvin D1 as Potential Biomarkers of Familial Mediterranean Fever. Journal of Korean Medical Science, 2015, 30, 1241. | 2.5 | 11 |
| 51 | Identification of potential microRNA markers related to Crimean ongo hemorrhagic fever disease. Journal of Cellular Biochemistry, 2019, 120, 15506-15517. | 2.6 | 11 |
| 52 | Thymic enlargement in a patient with juvenile idiopathic arthritis during etanercept therapy. Rheumatology International, 2009, 29, 591-593. | 3.0 | 10 |
| 53 | Profiling Response to Tumor Necrosis Factor Inhibitor Treatment in Axial Spondyloarthritis. Arthritis Care and Research, 2018, 70, 1393-1399. | 3.4 | 10 |
| 54 | Factors Predictive of Radiographic Progression in Ankylosing Spondylitis. Arthritis Care and Research, 2021, 73, 275-281. | 3.4 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Lack of Association between the MTHFR C677T Polymorphism and Lung Cancer in a Turkish Population. Asian Pacific Journal of Cancer Prevention, 2014, 15, 6333-6337. | 1.2 | 10 |
| 56 | Oral contraceptives alone and with spironolactone increase sCD40 ligand in PCOS patients. Archives of Gynecology and Obstetrics, 2010, 281, 539-543. | 1.7 | 8 |
| 57 | Evaluation of various endothelial biomarkers in ankylosing spondylitis. Clinical Rheumatology, 2012, 31, 23-28. | 2.2 | 8 |
| 58 | Different disease subtypes with distinct clinical expression in familial Mediterranean fever: results of a cluster analysis. Rheumatology, 2016, 55, 343-346. | 1.9 | 8 |
| 59 | Do major histocompatibility complex tag single nucleotide polymorphisms accurately identify <scp>HLA</scp> â€B27 in the Turkish population?. International Journal of Rheumatic Diseases, 2017, 20, 2035-2039. | 1.9 | 8 |
| 60 | Association between the soluble epoxide hydrolase gene and preeclampsia. Hypertension in Pregnancy, 2017, 36, 315-325. | 1.1 | 8 |
| 61 | Body composition in patients with rheumatoid arthritis is not different than healthy subjects. European Journal of Rheumatology, 2014, 1, 106-110. | 0.6 | 8 |
| 62 | Increased Levels of Macrophage Migration Inhibitory Factor in Patients with Familial Mediterranean Fever. International Journal of Medical Sciences, 2013, 10, 836-839. | 2.5 | 7 |
| 63 | Significant Association Between Polymorphisms of Wnt Antagonist Genes and Lung Cancer. Journal of Investigative Medicine, 2015, 63, 1. | 1.6 | 7 |
| 64 | Prevalence of Inflammatory Back Pain and Axial Spondyloarthritis Among University Employees in Izmir, Turkey. Journal of Rheumatology, 2015, 42, 1647-1651. | 2.0 | 7 |
| 65 | Vitamin D status, serum lipid concentrations, and vitamin D receptor (VDR) gene polymorphisms in Familial Mediterranean fever. Bosnian Journal of Basic Medical Sciences, 2018, 18, 21-28. | 1.0 | 7 |
| 66 | M694V mutation may have a role in susceptibility to ankylosing spondylitis. Rheumatology International, 2009, 29, 1259-1260. | 3.0 | 6 |
| 67 | Intracardiac Thrombosis and Superior Vena Cava Syndrome in Behcet's Disease. Internal Medicine, 2011, 50, 1787-1788. | 0.7 | 6 |
| 68 | Mediterranean fever (MEFV) gene mutation frequency is not increased in adults with rheumatic heart disease. Clinical Rheumatology, 2011, 30, 491-495. | 2.2 | 6 |
| 69 | Papilledema Caused by Cerebral Venous Sinus Thrombosis in a Patient With Behçet Disease. Journal of Clinical Rheumatology, 2013, 19, 52. | 0.9 | 6 |
| 70 | Genetic variants in the microRNA machinery gene (Dicer) have a prognostic value in the management of endometrial cancer. Journal of Cancer Research and Therapeutics, 2018, 14, 1279-1284. | 0.9 | 6 |
| 71 | Histopathological differences between primary Sjögren's syndrome and Sjögren's syndrome accompanied by scleroderma. Indian Journal of Pathology and Microbiology, 2018, 61, 319. | 0.2 | 6 |
| 72 | Assessment of soluble cell adhesion molecules and soluble CD40 ligand levels in ankylosing spondylitis. Joint Bone Spine, 2010, 77, 85-87. | 1.6 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Metformin plus oral contraceptive may decrease plasma sCD40 ligand in women with PCOS patients. Gynecological Endocrinology, 2011, 27, 91-95. | 1.7 | 5 |
| 74 | Effects of an EE/CA compared with EE/CA-metformin on serum ADMA levels in women with polycystic ovary syndrome. Open Medicine (Poland), 2009, 4, 423-427. | 1.3 | 4 |
| 75 | Determination of serum adenosine deaminase and xanthine oxidase levels in patients with crimean-congo hemorrhagic fever. Clinics, 2010, 65, 697-702. | 1.5 | 4 |
| 76 | Comparison of conventional dose steroid treatment and high dose steroid treatment as run-in regime for splenectomy in immune thrombocytopenic purpura (ITP). Transfusion and Apheresis Science, 2011, 44, 239-242. | 1.0 | 4 |
| 77 | Down-regulation of adiponectin in patients with familial Mediterranean fever during attack-free period. Rheumatology International, 2012, 32, 2819-2822. | 3.0 | 4 |
| 78 | Baseline sacroiliac joint magnetic resonance imaging abnormalities and male sex predict the development of radiographic sacroiliitis. Clinical Rheumatology, 2013, 32, 1511-1517. | 2.2 | 4 |
| 79 | Effects of vitrification and transplantation on follicular development and expression of EphrinB1 and PDGFA in mouse ovaries. Cryobiology, 2018, 80, 101-113. | 0.7 | 4 |
| 80 | Effect of ovarian stimulation on the expression of piRNA pathway proteins. PLoS ONE, 2020, 15, e0232629. | 2.5 | 4 |
| 81 | Association of the sEH gene promoter polymorphisms and haplotypes with preeclampsia. Journal of Medical Biochemistry, 2020, 39, 428-435. | 1.7 | 4 |
| 82 | The Effect of Iron Treatment on Adhesion Molecules in Patients with Iron Deficiency Anemia. Biological Trace Element Research, 2010, 137, 317-323. | 3.5 | 3 |
| 83 | Comparative levels of macrophage migration inhibitory factor, procalcitonin, osteoprotegerin, interleukin-8, hs-C reactive protein, d-dimer in febrile neutropenia, newly diagnosed cancer patients, and infectious fever. Transfusion and Apheresis Science, 2012, 46, 19-24. | 1.0 | 3 |
| 84 | The effect of nonâ€steroidal antiâ€inflammatory drugs on the endothelial function of patients with osteoarthritis in short term. International Journal of Rheumatic Diseases, 2012, 15, 207-211. | 1.9 | 3 |
| 85 | Is there a relationship between gouty arthritis and Mediterranean fever gene mutations?. Revista Brasileira De Reumatologia, 2015, 55, 325-329. | 0.7 | 3 |
| 86 | Minor salivary gland evaluation: Sjögren's syndrome. Turkish Journal of Medical Sciences, 2016, 46, 63-65. | 0.9 | 3 |
| 87 | Investigation of LAMTOR1 gene and protein expressions in germinal vesicle and metaphase II oocytes and embryos from 1-cell to blastocyst stage in a mouse model. Gene Expression Patterns, 2018, 28, 72-76. | 0.8 | 3 |
| 88 | Editorial: Axial Spondyloarthritis: The Recurrence Plot Thickens. Arthritis and Rheumatology, 2016, 68, 2354-2356. | 5.6 | 2 |
| 89 | Superoxide Dismutase 1 (<i>SOD 1</i>) <i>A251G</i> Polymorphism. Turkish Journal of Biochemistry, 2017, 42, 181-185. | 0.5 | 2 |
| 90 | Evaluation of limited hand mobility in systemic sclerosis patients by using "prayer sign―and "tabletop sign― Clinical Rheumatology, 2021, 40, 2771-2777. | 2.2 | 2 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Inflammatory rheumatic diseases in patients with ochronotic arthropathy. Modern Rheumatology, 2021, 31, 1031-1037. | 1.8 | 2 |
| 92 | Is there a relationship between endothelial nitric oxide synthase gene polymorphisms and ankylosing spondylitis?. Clinics, 2013, 68, 305-309. | 1.5 | 2 |
| 93 | Epoxyeicosatrienoic acid Metabolism in Preeclampsia. Cumhuriyet Medical Journal, 0, , . | 0.1 | 2 |
| 94 | Antioxidant-oxidant status in patients with hydatid cyst. Biyokimya Dergisi, 2012, 37, 29-34. | 0.5 | 1 |
| 95 | Hypophysis Involvement in Granulomatosis With Polyangiitis. Arthritis and Rheumatology, 2019, 71, 1124-1124. | 5.6 | 1 |
| 96 | Subclinical Hypercortisolism among Polycythemia Vera Patients. Internal Medicine, 2010, 49, 1277-1280. | 0.7 | 0 |
| 97 | Hypopyon Uveitis in Ankylosing Spondylitis. Journal of Clinical Rheumatology, 2012, 18, 382. | 0.9 | 0 |
| 98 | Comparison of sulfur transferases in various tissue and mitochondria of rats with type 1 diabetes mellitus induced by streptozotocin. International Journal of Diabetes in Developing Countries, 2016, 36, 4-9. | 0.8 | 0 |
| 99 | Sacroiliitis-like Changes in 2 Patients with Spina Bifida. Journal of Rheumatology, 2016, 43, 673-673. | 2.0 | 0 |
| 100 | Varicella-Zoster Virus in Giant Cell Arteritis. JAMA Neurology, 2016, 73, 238. | 9.0 | 0 |
| 101 | Fetuin-A and its association with disease activity in psoriatic arteritis. Ulusal Romatoloji Dergisi, 2021, 13, 47-53. | 0.0 | 0 |
| 102 | Is there diagnostic and prognostic importance of serum anti-p53 antibody level in lung cancer?. Cumhuriyet Medical Journal, 2017, 39, 546-554. | 0.1 | 0 |
| 103 | MDM2 SNP309 polymorphism in Turkish population. Cumhuriyet Medical Journal, 2017, 39, 644-651. | 0.1 | 0 |
| 104 | Kanser hücreleri üzerine Origanum minutiflorum'un Sitotoksik Etkisinin Araştırılması. Celal Bayar Üniversitesi Sağlık Bilimleri Enstitüsü Dergisi, 0, , . | 0.3 | 0 |
| 105 | APOPTOTIC AND CYTOTOXIC EFFECT OF ORIGANUM MINUTIFLORUM ON NB2A NEUROBLASTOMA CELLS. Ankara Universitesi Eczacilik Fakultesi Dergisi, 0, , 281-292. | 0.1 | 0 |
| 106 | Unmet needs in axial spondylarthritis: Focusing on Th-17 axis. Ulusal Romatoloji Dergisi, 2020, 12, 21-27. | 0.0 | 0 |