

# Wen-Min Wang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6126240/wen-min-wang-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49  
papers

1,535  
citations

26  
h-index

38  
g-index

50  
ext. papers

1,795  
ext. citations

3.8  
avg, IF

4.99  
L-index

#	Paper	IF	Citations
49	Three Ln <sub>2</sub> compounds (Gd <sub>2</sub> , Tb <sub>2</sub> and Dy <sub>2</sub> ) with a Ln <sub>2</sub> O <sub>2</sub> center showing magnetic refrigeration property and single-molecular magnet behavior. <i>Polyhedron</i> , <b>2022</b> , 215, 115675	2.7	0
48	Construction of two Ln(III) <sub>2</sub> (Ln = Dy and Er) compounds by a polydentate Schiff-based ligand: structure and remarkable single-molecule magnet behaviour. <i>Journal of Molecular Structure</i> , <b>2022</b> , 133072	3.4	1
47	Structures and magnetic properties of two dinuclear lanthanide complexes based on 8-hydroxyquinoline Schiff base derivatives. <i>Journal of Molecular Structure</i> , <b>2021</b> , 1232, 130070	3.4	2
46	A Porous Copper-Organic Framework Assembled by [Cu] Nanocages: Highly Efficient CO Capture and Chemical Fixation and Theoretical DFT Calculations. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 9122-9131	5.1	10
45	A rhombic shaped {GdIII <sub>2</sub> CoII <sub>2</sub> } heterometallic cluster exhibiting larger cryogenic magnetocaloric effect. <i>Inorganica Chimica Acta</i> , <b>2021</b> , 514, 120020	2.7	2
44	Two lanthanide-based dinuclear clusters (Gd <sub>2</sub> and Dy <sub>2</sub> ) with Schiff base derivatives: Synthesis, structures and magnetic properties. <i>Inorganica Chimica Acta</i> , <b>2021</b> , 514, 120015	2.7	1
43	Structures and magnetic properties of rhombus-shaped tetranuclear [Ln <sub>4</sub> ] clusters: Dy <sub>4</sub> cluster displaying single molecule magnet behavior. <i>Journal of Molecular Structure</i> , <b>2021</b> , 1228, 129753	3.4	
42	Structure, fluorescence properties and slow magnetic relaxation of Dy <sub>2</sub> and Tb <sub>4</sub> clusters. <i>Journal of Molecular Structure</i> , <b>2021</b> , 1227, 129510	3.4	2
41	Multifunctional properties of {CuLn} systems involving nitrogen-rich nitronyl nitroxide: single-molecule magnet behavior, luminescence, magnetocaloric effects and heat capacity. <i>Dalton Transactions</i> , <b>2021</b> , 50, 2854-2863	4.3	3
40	Molecular assemblies from linear-shaped Ln clusters to Ln clusters using different βdiketonates: disparate magnetocaloric effects and single-molecule magnet behaviours. <i>Dalton Transactions</i> , <b>2021</b> , 50, 12931-12943	4.3	9
39	Structures, magnetic refrigeration and single molecule-magnet behavior of five rhombus-shaped tetranuclear Ln(III)-based clusters. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 10266-10274	3.6	12
38	Construction of a family of Ln <sub>3</sub> clusters using multidentate Schiff base and βdiketonate ligands: fluorescence properties, magnetocaloric effect and slow magnetic relaxation. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 9230-9237	3.6	14
37	Modulation of magnetic relaxation behaviors via replacing coordinated solvents in a series of linear tetranuclear Dy <sub>4</sub> complexes. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 8494-8502	3.6	15
36	Windmill-shaped LnIII <sub>4</sub> (LnIII = Gd and Dy) clusters: magnetocaloric effect and single-molecule-magnet behavior. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 4631-4638	3.6	27
35	Structures and magnetic properties of novel Ln(III)-based pentanuclear clusters: magnetic refrigeration and single-molecule magnet behavior. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 19351-19359	3.6	13
34	Two hexanuclear lanthanide Ln <sub>6</sub> III clusters featuring remarkable magnetocaloric effect and slow magnetic relaxation behavior. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 18025-18030	3.6	9
33	Solvent-Dependent Assembly and Magnetic Relaxation Behaviors of [CuI] Cluster-Based Lanthanide MOFs: Acting as Efficient Catalysts for Carbon Dioxide Conversion with Propargylic Alcohols. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 15111-15119	5.1	20

32	A novel tetranuclear Gd(III)-based cluster showing larger magnetic refrigeration property. <i>Journal of Molecular Structure</i> , <b>2020</b> , 1222, 128906	3.4	3
31	Tetranuclear lanthanide complexes showing magnetic refrigeration and single molecule magnet behavior. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 8067-8074	3.6	32
30	Two linear-shaped Gd <sub>4</sub> clusters based on a multidentate ligand: Synthesis, structures, and magnetic refrigeration. <i>Polyhedron</i> , <b>2019</b> , 169, 247-252	2.7	8
29	A series of [2 × 2] square grid LnIII <sub>4</sub> clusters: a large magnetocaloric effect and single-molecule-magnet behavior. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 7419-7426	3.6	49
28	Structures, fluorescence properties and magnetic properties of a series of rhombus-shaped LnIII <sub>4</sub> clusters: magnetocaloric effect and single-molecule-magnet behavior. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 12941-12949	3.6	29
27	A New Planar Hexanuclear Dysprosium Cluster Exhibiting Slow Magnetic Relaxation Features. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , <b>2019</b> , 645, 1291-1295	1.3	2
26	Large magnetocaloric effect and remarkable single-molecule-magnet behavior in triangle-assembled LnIII <sub>6</sub> clusters. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 16639-16646	3.6	30
25	Linear-shaped Ln and Ln clusters constructed by a polydentate Schiff base ligand and a β-diketone co-ligand: structures, fluorescence properties, magnetic refrigeration and single-molecule magnet behavior. <i>Dalton Transactions</i> , <b>2019</b> , 48, 16744-16755	4.3	64
24	Modulating single-molecule magnet behaviors of Dy <sub>4</sub> III clusters through utilizing two different β-diketone co-ligands. <i>Polyhedron</i> , <b>2019</b> , 160, 272-278	2.7	28
23	Lanthanide-directed fabrication of three phenoxo-O bridged dinuclear compounds showing magnetic refrigeration and single-molecule magnet behavior. <i>Polyhedron</i> , <b>2018</b> , 142, 43-48	2.7	32
22	Luminescence and magnetocaloric effect of Ln <sub>4</sub> clusters (Ln = Eu, Gd, Tb, Er) bridged by CO <sub>3</sub> <sup>2-</sup> deriving from the spontaneous fixation of carbon dioxide in the atmosphere. <i>Inorganic Chemistry Frontiers</i> , <b>2018</b> , 5, 394-402	6.8	28
21	Modulating single-molecule magnet behavior towards multiple magnetic relaxation processes through structural variation in Dy <sub>4</sub> clusters. <i>Inorganic Chemistry Frontiers</i> , <b>2018</b> , 5, 1876-1885	6.8	99
20	Two rhombus-shaped tetranuclear gadolinium clusters showing magnetic refrigeration. <i>Polyhedron</i> , <b>2018</b> , 147, 126-130	2.7	15
19	Two Ln <sub>4</sub> clusters based complexes exhibiting magnetocaloric effect and magnetic dynamics behaviors. <i>Polyhedron</i> , <b>2018</b> , 146, 161-165	2.7	24
18	Butterfly-shaped tetranuclear Ln <sub>4</sub> clusters showing magnetic refrigeration and single molecule-magnet behavior. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 14949-14955	3.6	54
17	Self-assembly of tetra-nuclear lanthanide clusters via atmospheric CO <sub>2</sub> fixation: interesting solvent-induced structures and magnetic relaxation conversions. <i>Inorganic Chemistry Frontiers</i> , <b>2018</b> , 5, 2346-2354	6.8	102
16	Two LnIII <sub>4</sub> (Ln = DyIII and GdIII) clusters showing single molecule magnet behavior and magnetic refrigeration. <i>Polyhedron</i> , <b>2018</b> , 154, 480-485	2.7	15
15	Four tetra-nuclear lanthanide complexes based on 8-hydroxyquinolin derivatives: magnetic refrigeration and single-molecule magnet behaviour. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 11847-11853	3.6	35

14	Synthesis, luminescence and magnetic properties of tetranuclear lanthanide-based (Eu <sub>4</sub> , Gd <sub>4</sub> and Dy <sub>4</sub> ) clusters. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 18305-18311	3.6	31
13	Butterfly shaped tetranuclear dysprosium compound displaying slow magnetic relaxation features. <i>Polyhedron</i> , <b>2017</b> , 126, 282-286	2.7	44
12	A Dy <sub>4</sub> single-molecule magnet and its Gd(iii), Tb(iii), Ho(iii), and Er(iii) analogues encapsulated by an 8-hydroxyquinoline Schiff base derivative and Ediketonate coligand. <i>Dalton Transactions</i> , <b>2017</b> , 46, 4669-4677	4.7	44
11	Fine-tuning the magnetocaloric effect and SMMs behaviors of coplanar RE <sub>4</sub> complexes by Ediketonate coligands. <i>Inorganic Chemistry Frontiers</i> , <b>2017</b> , 4, 860-870	6.8	40
10	Structures, luminescence properties, magnetocaloric effect and slow magnetic relaxation of three Ln (III) complexes based on 8-hydroxyquinoline Schiff-base ligand. <i>Polyhedron</i> , <b>2017</b> , 133, 119-124	2.7	28
9	Modulating the single-molecule magnet behaviour in phenoxo-O bridged Dy <sub>2</sub> systems via subtle structural variations. <i>Journal of Solid State Chemistry</i> , <b>2017</b> , 253, 154-160	3.3	27
8	Two Gd <sub>2</sub> compounds constructed by 8-hydroxyquinoline Schiff base ligands: Synthesis, structure, and magnetic refrigeration. <i>Inorganic Chemistry Communication</i> , <b>2017</b> , 79, 8-11	3.1	29
7	A series of planar tetranuclear lanthanide complexes: axial ligand modulated magnetic dynamics in Dy <sub>4</sub> species. <i>RSC Advances</i> , <b>2017</b> , 7, 55523-55535	3.7	38
6	Single-Molecule-Magnet Behavior and Fluorescence Properties of 8-Hydroxyquinolate Derivative-Based Rare-Earth Complexes. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 8898-904	5.1	31
5	Modulation of the relaxation dynamics of linear-shaped tetranuclear rare-earth clusters through utilizing different solvents. <i>Dalton Transactions</i> , <b>2016</b> , 45, 19117-19126	4.3	21
4	Multiple magnetic relaxation processes, magnetocaloric effect and fluorescence properties of rhombus-shaped tetranuclear rare earth complexes. <i>Dalton Transactions</i> , <b>2016</b> , 45, 253-64	4.3	53
3	Modulating single-molecule magnet behaviour of phenoxo-O bridged lanthanide(III) dinuclear complexes by using different Ediketonate coligands. <i>Inorganic Chemistry Frontiers</i> , <b>2016</b> , 3, 133-141	6.8	116
2	Structures and magnetic properties of several phenoxo-O bridged dinuclear lanthanide complexes: Dy derivatives displaying substituent dependent magnetic relaxation behavior. <i>Dalton Transactions</i> , <b>2016</b> , 45, 8182-91	4.3	88
1	Ligand Field Affected Single-Molecule Magnet Behavior of Lanthanide(III) Dinuclear Complexes with an 8-Hydroxyquinoline Schiff Base Derivative as Bridging Ligand. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 10610-22	5.1	155