

Toshiharu Sakurai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6127453/publications.pdf>

Version: 2024-02-01

60
papers

4,635
citations

257101

24
h-index

133063

59
g-index

60
all docs

60
docs citations

60
times ranked

7081
citing authors

#	ARTICLE	IF	CITATIONS
1	Takayasu's Arteritis Diagnosed in an Adolescent Patient with Crohn's Disease: Management of Biologicals. <i>Life</i> , 2021, 11, 1019.	1.1	0
2	Intestinal Microbiota and Gene Expression Reveal Similarity and Dissimilarity Between Immune-Mediated Colitis and Ulcerative Colitis. <i>Frontiers in Oncology</i> , 2021, 11, 763468.	1.3	10
3	Efficacy of a modified double-guidewire technique using an uneven double lumen cannula (uneven) Tj ETQq1 1 0.784314 rgBT /Overlo Endoscopy and Other Interventional Techniques, 2020, 34, 1432-1441.	1.3	18
4	Mucosal microbiota and gene expression are associated with long-term remission after discontinuation of adalimumab in ulcerative colitis. <i>Scientific Reports</i> , 2020, 10, 19186.	1.6	10
5	Deficiency of Gankyrin in the small intestine is associated with augmented colitis accompanied by altered bacterial composition of intestinal microbiota. <i>BMC Gastroenterology</i> , 2020, 20, 12.	0.8	3
6	Refractory case of ulcerative colitis with idiopathic thrombocytopenic purpura successfully treated by Janus kinase inhibitor tofacitinib: A case report. <i>World Journal of Clinical Cases</i> , 2020, 8, 6389-6395.	0.3	6
7	Promising anticancer therapy: combination of immune checkpoint inhibitors and molecular-targeted agents. <i>Hepatobiliary Surgery and Nutrition</i> , 2020, 9, 777-779.	0.7	5
8	Gankyrin Contributes to Tumorigenesis and Chemoresistance in Sporadic Colorectal Cancer. <i>Digestion</i> , 2019, 100, 192-200.	1.2	4
9	RICK/RIP2 is a NOD2-independent nodal point of gut inflammation. <i>International Immunology</i> , 2019, 31, 669-683.	1.8	50
10	Usefulness of Ustekinumab for Treating a Case of Myelodysplastic Syndrome-associated Inflammatory Bowel Disease. <i>Internal Medicine</i> , 2019, 58, 2029-2033.	0.3	1
11	The Oncoprotein Gankyrin/PSMD10 as a Target of Cancer Therapy. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1164, 63-71.	0.8	10
12	Value of additional endoscopic ultrasonography for surveillance after surgical removal of intraductal papillary mucinous neoplasms. <i>Digestive Endoscopy</i> , 2018, 30, 659-666.	1.3	10
13	Sustained Antiviral Effects and Clearance of Hepatitis Surface Antigen after Combination Therapy with Entecavir and Pegylated Interferon in Chronic Hepatitis B. <i>Antiviral Therapy</i> , 2018, 23, 513-521.	0.6	19
14	Induction of Complete Remission by Azacitidine in a Patient with Myelodysplastic Syndrome-Associated Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 499-502.	0.6	6
15	Supplementation of pancreatic digestive enzymes alters the composition of intestinal microbiota in mice. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 273-279.	1.0	43
16	Molecular Scoring of Hepatocellular Carcinoma for Predicting Metastatic Recurrence and Requirements of Systemic Chemotherapy. <i>Cancers</i> , 2018, 10, 367.	1.7	24
17	Dysbiosis-Associated Polyposis of the Colon's Cap Polyposis. <i>Frontiers in Immunology</i> , 2018, 9, 918.	2.2	17
18	Cystic duct antegrade stenting for cholangitis after the long-term deployment of lumen-apposing metal stents for calculous cholecystitis. <i>Endoscopic Ultrasound</i> , 2018, 7, 349.	0.6	1

#	ARTICLE	IF	CITATIONS
19	Stress Response Protein RBM3 Promotes the Development of Colitis-associated Cancer. <i>Inflammatory Bowel Diseases</i> , 2017, 23, 57-65.	0.9	17
20	Stress Response Protein RBM3 Promotes the Development of Colitis-associated Cancer. <i>Inflammatory Bowel Diseases</i> , 2017, 23, 66-74.	0.9	5
21	Rescue EUS-guided intrahepatic biliary drainage for malignant hilar biliary stricture after failed transpapillary re-intervention. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2017, 31, 4764-4772.	1.3	40
22	Gankyrin induces STAT3 activation in tumor microenvironment and sorafenib resistance in hepatocellular carcinoma. <i>Cancer Science</i> , 2017, 108, 1996-2003.	1.7	40
23	TRPV4-dependent induction of a novel mammalian cold-inducible protein SRSF5 as well as CIRP and RBM3. <i>Scientific Reports</i> , 2017, 7, 2295.	1.6	22
24	Prophylactic Suturing Closure Is Recommended after Endoscopic Treatment of Colorectal Tumors in Patients with Antiplatelet/Anticoagulant Therapy. <i>Oncology</i> , 2017, 93, 27-29.	0.9	7
25	Clinical Significance of Bmi1 Expression in Inflammatory Bowel Disease. <i>Oncology</i> , 2017, 93, 20-26.	0.9	11
26	The oncoprotein gankyrin promotes the development of colitis-associated cancer through activation of STAT3. <i>Oncotarget</i> , 2017, 8, 24762-24776.	0.8	18
27	Hepatic DNA Methylation Is Affected by Hepatocellular Carcinoma Risk in Patients with and without Hepatitis Virus. <i>Digestive Diseases</i> , 2015, 33, 745-750.	0.8	9
28	Cold-inducible RNA -binding protein promotes the development of liver cancer. <i>Cancer Science</i> , 2015, 106, 352-358.	1.7	49
29	Heat Shock Protein A4 Controls Cell Migration and Gastric Ulcer Healing. <i>Digestive Diseases and Sciences</i> , 2015, 60, 850-857.	1.1	18
30	Involvement of Heat Shock Protein A4/Apg-2 in Refractory Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2015, 21, 31-39.	0.9	22
31	Identification of Epigenetically Inactivated Genes in Human Hepatocellular Carcinoma by Integrative Analyses of Methylation Profiling and Pharmacological Unmasking. <i>Digestive Diseases</i> , 2014, 32, 740-746.	0.8	12
32	Genome-Wide Profiling of DNA Methylation and Tumor Progression in Human Hepatocellular Carcinoma. <i>Digestive Diseases</i> , 2014, 32, 658-663.	0.8	25
33	Stress Response Protein Cirp Links Inflammation and Tumorigenesis in Colitis-Associated Cancer. <i>Cancer Research</i> , 2014, 74, 6119-6128.	0.4	64
34	Association of Gankyrin and Stemness Factor Expression in Human Colorectal Cancer. <i>Digestive Diseases and Sciences</i> , 2013, 58, 2337-2344.	1.1	25
35	Overexpression of gankyrin in mouse hepatocytes induces hemangioma by suppressing factor inhibiting hypoxia-inducible factor-1 (FIH-1) and activating hypoxia-inducible factor-1. <i>Biochemical and Biophysical Research Communications</i> , 2013, 432, 22-27.	1.0	24
36	Heat Shock Protein 27 Expression is Inversely Correlated with Atrophic Gastritis and Intraepithelial Neoplasia. <i>Digestive Diseases and Sciences</i> , 2013, 58, 381-388.	1.1	12

#	ARTICLE	IF	CITATIONS
37	p38 $\hat{\pm}$ Inhibits Liver Fibrogenesis and Consequent Hepatocarcinogenesis by Curtailing Accumulation of Reactive Oxygen Species. <i>Cancer Research</i> , 2013, 73, 215-224.	0.4	65
38	Hypothermia Protects against Fulminant Hepatitis in Mice by Reducing Reactive Oxygen Species Production. <i>Digestive Diseases</i> , 2013, 31, 440-446.	0.8	23
39	Molecular Link between Liver Fibrosis and Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2013, 2, 365-366.	4.2	50
40	Impact of peginterferon alpha $\hat{\pm}$ 2b and entecavir hydrate combination therapy on persistent viral suppression in patients with chronic hepatitis B. <i>Journal of Medical Virology</i> , 2013, 85, 987-995.	2.5	19
41	Unique Association between Global DNA Hypomethylation and Chromosomal Alterations in Human Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2013, 8, e72312.	1.1	31
42	Cold-inducible RNA-binding protein (Cirp) interacts with Dyrk1b/Mirk and promotes proliferation of immature male germ cells in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 10885-10890.	3.3	72
43	Case of <sc>P</sc>eutzâ€<sc>J</sc>eghers syndrome with depressedâ€type early duodenal carcinoma. <i>Digestive Endoscopy</i> , 2012, 24, 489-489.	1.3	1
44	p38MAPK suppresses chronic pancreatitis by regulating HSP27 and BAD expression. <i>Free Radical Biology and Medicine</i> , 2012, 52, 2284-2291.	1.3	7
45	Activation of câ€Jun Nâ€terminal kinase in nonâ€cancerous liver tissue predicts a high risk of recurrence after hepatic resection for hepatocellular carcinoma. <i>Hepatology Research</i> , 2012, 42, 394-400.	1.8	8
46	Involvement of Angiotensin II and Reactive Oxygen Species in Pancreatic Fibrosis. <i>Pancreatology</i> , 2011, 11, 7-13.	0.5	30
47	Signaling Pathways Governing Tumor Angiogenesis. <i>Oncology</i> , 2011, 81, 24-29.	0.9	159
48	Adriamycin Enhances Proteasome-Mediated Generation of the Proapoptotic Processed Form of MAGE-A4 in Hepatoma Cells. <i>Oncology</i> , 2011, 81, 30-35.	0.9	12
49	Hepatocyte IKK $\hat{\pm}$ 2/NF- $\hat{\pm}$ B Inhibits Tumor Promotion and Progression by Preventing Oxidative Stress-Driven STAT3 Activation. <i>Cancer Cell</i> , 2010, 17, 286-297.	7.7	405
50	Hepatocyte Necrosis Induced by Oxidative Stress and IL-1 $\hat{\pm}$ Release Mediate Carcinogen-Induced Compensatory Proliferation and Liver Tumorigenesis. <i>Cancer Cell</i> , 2008, 14, 156-165.	7.7	441
51	Gender Disparity in Liver Cancer Due to Sex Differences in MyD88-Dependent IL-6 Production. <i>Science</i> , 2007, 317, 121-124.	6.0	1,665
52	Cirp protects against tumor necrosis factor- $\hat{\pm}$ -induced apoptosis via activation of extracellular signal-regulated kinase. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2006, 1763, 290-295.	1.9	104
53	Loss of hepatic NF- $\hat{\pm}$ B activity enhances chemical hepatocarcinogenesis through sustained c-Jun N-terminal kinase 1 activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 10544-10551.	3.3	393
54	The oncoprotein gankyrin binds to MDM2/HDM2, enhancing ubiquitylation and degradation of p53. <i>Cancer Cell</i> , 2005, 8, 75-87.	7.7	215

#	ARTICLE	IF	CITATIONS
55	Low temperature protects mammalian cells from apoptosis initiated by various stimuli in vitro. <i>Experimental Cell Research</i> , 2005, 309, 264-272.	1.2	51
56	A Cleaved Form of MAGE-A4 Binds to Miz-1 and Induces Apoptosis in Human Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 15505-15514.	1.6	52
57	Apg-2 has a chaperone-like activity similar to Hsp110 and is overexpressed in hepatocellular carcinomas. <i>FEBS Letters</i> , 2004, 560, 19-24.	1.3	42
58	Lens culinaris agglutinin-A-reactive alpha-fetoprotein as a marker for liver atrophy in fulminant hepatic failure. <i>Hepatology Research</i> , 2003, 26, 98-105.	1.8	13
59	MAGE-A4 Interacts with the Liver Oncoprotein Gankyrin and Suppresses Its Tumorigenic Activity. <i>Journal of Biological Chemistry</i> , 2003, 278, 10668-10674.	1.6	91
60	Antitumor Activity of New Antitumor Substance, Polyoxomolybdate, against Several human Cancers in Athymic Nude Mice.. <i>Tohoku Journal of Experimental Medicine</i> , 1992, 168, 421-426.	0.5	29