List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6127786/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Prenatal methamphetamine—impact on the mother and child—a review. Addiction, 2022, 117, 250-260. | 3.3 | 17 |
| 2 | Neurodevelopmental outcomes of preterm infants after randomisation to initial resuscitation with lower (FiO ₂ <0.3) or higher (FiO ₂ >0.6) initial oxygen levels. An individual patient meta-analysis. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2022, 107, 386-392. | 2.8 | 9 |
| 3 | Tobacco use during pregnancy. Addiction, 2022, 117, 1801-1810. | 3.3 | 13 |
| 4 | SIDS is associated with prenatal drug use: a meta-analysis and systematic review of 4 238 685 infants. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2022, 107, 617-623. | 2.8 | 5 |
| 5 | The quest for optimum oxygenation during newborn delivery room resuscitation: Is it the baby or is it us?. Seminars in Perinatology, 2022, , 151622. | 2.5 | 2 |
| 6 | Therapeutic drift in newborn care- an evaluation of common practices with little or no evidence. Seminars in Fetal and Neonatal Medicine, 2021, 26, 101226. | 2.3 | 0 |
| 7 | Oxygen saturation (SpO2) targeting for newborn infants at delivery: Are we reaching for an impossible unknown?. Seminars in Fetal and Neonatal Medicine, 2021, 26, 101220. | 2.3 | 4 |
| 8 | Introduction/Preface Part II. Seminars in Fetal and Neonatal Medicine, 2021, 26, 101232. | 2.3 | 0 |
| 9 | Economic Evaluation of Interventions for Treatment of Neonatal Opioid Withdrawal Syndrome: A Review. Children, 2021, 8, 534. | 1.5 | 3 |
| 10 | Oxygen for the delivery room respiratory support of moderateâ€toâ€late preterm infants. An international survey of clinical practice from 21 countries. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 3261-3268. | 1.5 | 6 |
| 11 | Outcomes of delivery room resuscitation of bradycardic preterm infants: A retrospective cohort study of randomised trials of high vs low initial oxygen concentration and an individual patient data analysis. Resuscitation, 2021, 167, 209-217. | 3.0 | 15 |
| 12 | Oxygen in the First Minutes of Life in Very Preterm Infants. Neonatology, 2021, 118, 218-224. | 2.0 | 10 |
| 13 | Oxygen for respiratory support of moderate and late preterm and term infants at birth: Is air best?. Seminars in Fetal and Neonatal Medicine, 2020, 25, 101074. | 2.3 | 3 |
| 14 | Prenatal Opioid Exposure Research: Shortcomings and Solutions. Journal of Addiction Medicine, 2020, 14, 355-356. | 2.6 | 3 |
| 15 | Review of guidelines and recommendations from 17 countries highlights the challenges that clinicians face caring for neonates born to mothers with COVIDâ€19. Acta Paediatrica, International Journal of Paediatrics, 2020, 109, 2192-2207. | 1.5 | 57 |
| 16 | Characteristics and causes of death in children with neonatal abstinence syndrome. Journal of Paediatrics and Child Health, 2020, 56, 1933-1940. | 0.8 | 6 |
| 17 | Alcohol use in pregnancy and its impact on the mother and child. Addiction, 2020, 115, 2148-2163. | 3.3 | 50 |
| 18 | Complex survival in extreme prematurity parents, their options and the need for a unified team approach. Journal of Paediatrics and Child Health, 2020, 56, 1959-1962. | 0.8 | 0 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Optimizing oxygen therapy for preterm infants at birth: Are we there yet?. Seminars in Fetal and Neonatal Medicine, 2020, 25, 101081. | 2.3 | 6 |
| 20 | Diaphragm-triggered non-invasive respiratory support in preterm infants. The Cochrane Library, 2020, 2020, CD012935. | 2.8 | 7 |
| 21 | Will Simplifying the Finnegan Neonatal Abstinence Scoring Tool Improve Outcomes for Infants With Opioid Exposure?. JAMA Network Open, 2020, 3, e202271. | 5.9 | 3 |
| 22 | Cost is an important factor influencing active management of extremely preterm infants. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 70-75. | 1.5 | 16 |
| 23 | Cognitive and Motor Outcomes of Children With Prenatal Opioid Exposure. JAMA Network Open, 2019, 2, e197025. | 5.9 | 122 |
| 24 | ls There a "Right―Amount of Oxygen for Preterm Infant Stabilization at Birth?. Frontiers in Pediatrics, 2019, 7, 354. | 1.9 | 12 |
| 25 | Four-Dimensional Ultrasound for Evaluating Newborn Cardiac Output: A Pilot Study of Healthy Infants. Neonatology, 2019, 116, 115-122. | 2.0 | 1 |
| 26 | Validation of hospital discharge coding for neonatal abstinence syndrome. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 1786-1792. | 1.5 | 3 |
| 27 | Introduction. Seminars in Fetal and Neonatal Medicine, 2019, 24, 85. | 2.3 | Ο |
| 28 | After NAS. Seminars in Fetal and Neonatal Medicine, 2019, 24, 161-165. | 2.3 | 8 |
| 29 | Maternal intramuscular dexamethasone versus betamethasone before preterm birth (ASTEROID): a multicentre, double-blind, randomised controlled trial. The Lancet Child and Adolescent Health, 2019, 3, 769-780. | 5.6 | 47 |
| 30 | Active care of infants born between 22 and 26Âweeks of gestation does not follow consensus expert recommendations. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 1222-1229. | 1.5 | 6 |
| 31 | Retrospective study found that outpatient care for infants exposed to drugs during pregnancy was sustainable and safe. Acta Paediatrica, International Journal of Paediatrics, 2019, 108, 654-661. | 1.5 | 4 |
| 32 | Expression of kappa opioid receptors in developing rat brain – Implications for perinatal buprenorphine exposure. Reproductive Toxicology, 2018, 78, 81-89. | 2.9 | 16 |
| 33 | What does the world think of ankyloglossia?. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1733-1738. | 1.5 | 28 |
| 34 | Patterns of use of nearâ€infrared spectroscopy in neonatal intensive care units: international usage survey. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 1198-1204. | 1.5 | 22 |
| 35 | Adult consequences of prenatal drug exposure. Internal Medicine Journal, 2018, 48, 25-31. | 0.8 | 42 |
| 36 | Diaphragm-triggered non-invasive respiratory support for preventing respiratory failure in preterm infants. The Cochrane Library, 2018, , . | 2.8 | 0 |

| # | Article | lF | CITATIONS |
|----|--|-----|-----------|
| 37 | Lower versus higher oxygen concentrations titrated to target oxygen saturations during resuscitation of preterm infants at birth. The Cochrane Library, 2018, 5, CD010239. | 2.8 | 21 |
| 38 | Outcomes of oxygen saturation targeting during delivery room stabilisation of preterm infants. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2018, 103, F446-F454. | 2.8 | 103 |
| 39 | The Goldilocks principle. Oxygen in the delivery room: When is it too little, too much, and just right?. Seminars in Fetal and Neonatal Medicine, 2018, 23, 347-354. | 2.3 | 9 |
| 40 | Preterm Infant Outcomes after Randomization to Initial Resuscitation with FiO2 0.21 or 1.0. Journal of Pediatrics, 2018, 201, 55-61.e1. | 1.8 | 33 |
| 41 | Treatment with nitric oxide in the neonatal intensive care unit is associated with increased risk of childhood cancer. Acta Paediatrica, International Journal of Paediatrics, 2018, 107, 2092-2098. | 1.5 | 23 |
| 42 | Neonatal Abstinence Syndrome and High School Performance. Pediatrics, 2017, 139, . | 2.1 | 133 |
| 43 | Authors' Response. Pediatrics, 2017, 139, . | 2.1 | 1 |
| 44 | Placing preterm infants on their side at birth does not increase 5â€min SpO2. Evidence-Based Medicine, 2017, 22, 68-69. | 0.6 | 0 |
| 45 | Cerebral oxygenation as measured by nearâ€infrared spectroscopy in neonatal intensive care: correlation with arterial oxygenation. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 1073-1078. | 1.5 | 13 |
| 46 | Targeted Oxygen in the Resuscitation of Preterm Infants, a Randomized Clinical Trial. Pediatrics, 2017, 139, . | 2.1 | 93 |
| 47 | Higher or lower oxygen for delivery room resuscitation of preterm infants below 28 completed weeks gestation: a meta-analysis. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2017, 102, F24-F30. | 2.8 | 75 |
| 48 | Magnetic noninvasive acupuncture for infant comfort (<scp>MAGNIFIC</scp>) – a singleâ€blinded randomised controlled pilot trial. Acta Paediatrica, International Journal of Paediatrics, 2017, 106, 1780-1786. | 1.5 | 27 |
| 49 | Antenatal gastrointestinal anomalies in neonates subsequently found to have alveolar capillary dysplasia. Clinical Case Reports (discontinued), 2017, 5, 559-566. | 0.5 | 8 |
| 50 | Populationâ€based study shows that resuscitating apparently stillborn extremely preterm babies is associated with poor outcomes. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, 1305-1311. | 1.5 | 8 |
| 51 | Outcomes of infants with abdominal wall defects over 18years. Journal of Pediatric Surgery, 2016, 51, 1644-1649. | 1.6 | 24 |
| 52 | Clinicians in 25 countries prefer to use lower levels of oxygen to resuscitate preterm infants at birth. Acta Paediatrica, International Journal of Paediatrics, 2016, 105, 1061-1066. | 1.5 | 24 |
| 53 | <i>FOXF1</i> gene mutation in alveolar capillary dysplasia associated with Hirschsprung's disease and clinical review. Journal of Paediatrics and Child Health, 2016, 52, 787-788. | 0.8 | 6 |
| 54 | Basal ganglia perfusion in the preterm infant during transition. Pediatric Research, 2016, 80, 573-576. | 2.3 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Epidemiological Evidence for a Decreasing Incidence of Neonatal Abstinence Syndrome, 2000–11. Paediatric and Perinatal Epidemiology, 2016, 30, 267-273. | 1.7 | 10 |
| 56 | Reference Ranges for Neonatal Basal Ganglia Perfusion as Measured by Fractional Moving Blood Volume. Neonatology, 2016, 109, 91-96. | 2.0 | 5 |
| 57 | What initial oxygen is best for preterm infants in the delivery room?—A response to the 2015 neonatal resuscitation guidelines. Resuscitation, 2016, 101, e7-e8. | 3.0 | 9 |
| 58 | Spatiotemporal Image Correlation and Volumetric Impedance Indices in the Neonatal Brain. Journal of Ultrasound in Medicine, 2016, 35, 505-510. | 1.7 | 2 |
| 59 | Spatio-temporal imaging correlation to measure tissue impedance in the neonatal brain. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2015, 100, F348-F349. | 2.8 | 0 |
| 60 | Reasons for Rehospitalization in Children Who Had Neonatal Abstinence Syndrome. Pediatrics, 2015, 136, e811-e820. | 2.1 | 89 |
| 61 | Prematurity reduces the severity and need for treatment of neonatal abstinence syndrome. Acta Paediatrica, International Journal of Paediatrics, 2015, 104, e188-94. | 1.5 | 42 |
| 62 | Perinatal outcomes of <scp>A</scp> ustralian buprenorphineâ€exposed mothers and their newborn infants. Journal of Paediatrics and Child Health, 2013, 49, 746-753. | 0.8 | 15 |
| 63 | Neurodevelopmental outcomes of extremely premature infants conceived after assisted conception: a population based cohort study. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2013, 98, F205-F211. | 2.8 | 22 |
| 64 | The association between maternal country of birth and neonatal intensive care unit outcomes. Early Human Development, 2013, 89, 607-614. | 1.8 | 8 |
| 65 | Molecular Characterization of Bacterial Colonization in the Preterm and Term Infant's Intestine. Indian Journal of Pediatrics, 2013, 80, 1-5. | 0.8 | 21 |
| 66 | Causes of death in infants admitted to <scp>A</scp> ustralian neonatal intensive care units between 1995 and 2006. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, e17-23. | 1.5 | 12 |
| 67 | Review of calls to an <scp>A</scp> ustralian teratogen information service regarding psychotropic medications over a 12â€year period. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2013, 53, 544-552. | 1.0 | 11 |
| 68 | Dopamine D2 receptor gene polymorphisms in newborn infants of drug-using women. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2012, 97, F193-F198. | 2.8 | 13 |
| 69 | Early Postnatal Surge of Serum Clara Cell Secretory Protein in Newborn Infants. Neonatology, 2012, 101, 125-131. | 2.0 | 8 |
| 70 | The associations between ethnicity and outcomes of infants in neonatal intensive care units. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2012, 97, F133-F138. | 2.8 | 16 |
| 71 | Higher versus lower oxygen concentrations titrated to target oxygen saturations during resuscitation of preterm infants at birth. The Cochrane Library, 2012, , . | 2.8 | 13 |
| 72 | Use of oxygen for delivery room neonatal resuscitation in nonâ€ŧertiary Australian and New Zealand hospitals: A survey of current practices, opinions and equipment. Journal of Paediatrics and Child Health, 2012, 48, 828-832. | 0.8 | 13 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | The use of oxygen for delivery room resuscitation of newborn infants in non-Western countries. Early Human Development, 2012, 88, 631-635. | 1.8 | 13 |
| 74 | Short-term outcomes of mothers and infants exposed to antenatal amphetamines. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2010, 95, F36-F41. | 2.8 | 43 |
| 75 | Short-Term Outcomes of Mothers and Newborn Infants with Comorbid Psychiatric Disorders and Drug Dependency. Australian and New Zealand Journal of Psychiatry, 2009, 43, 323-331. | 2.3 | 26 |
| 76 | Strategies for reducing the burden of respiratory syncytial virus in high-risk infants. Pediatric Health, 2009, 3, 391-406. | 0.3 | 1 |
| 77 | Use of oxygen in the resuscitation of preterm infants: Current opinion and practice in Australia and New Zealand. Journal of Paediatrics and Child Health, 2009, 45, 31-35. | 0.8 | 18 |
| 78 | Effectiveness and Safety of Propofol in Newborn Infants: In Reply. Pediatrics, 2008, 121, 448-449. | 2.1 | 15 |
| 79 | Galvanised by a respiratory distress diagnosis. Archives of Disease in Childhood: Education and Practice Edition, 2008, 93, 112-119. | 0.5 | 4 |
| 80 | Timing of Dose-Finding Studies: Before or After Completion of a Randomized Clinical Trial?: In Reply. Pediatrics, 2007, 120, 692-693. | 2.1 | 0 |
| 81 | Propofol Compared With the Morphine, Atropine, and Suxamethonium Regimen as Induction Agents for Neonatal Endotracheal Intubation: A Randomized, Controlled Trial: In Reply. Pediatrics, 2007, 120, 933-933. | 2.1 | 3 |
| 82 | Propofol Compared With the Morphine, Atropine, and Suxamethonium Regimen as Induction Agents for Neonatal Endotracheal Intubation: A Randomized, Controlled Trial. Pediatrics, 2007, 119, e1248-e1255. | 2.1 | 152 |
| 83 | Does rural or urban residence make a difference to neonatal outcome in premature birth? A regional study in Australia. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2006, 91, F251-F256. | 2.8 | 50 |
| 84 | Pulmonary haemorrhage and cardiac dysfunction in a neonate with medium-chain acyl-CoA dehydrogenase (MCAD) deficiency. Acta Paediatrica, International Journal of Paediatrics, 2005, 94, 114-116. | 1.5 | 11 |
| 85 | Octreotide in the treatment of congenital chylothorax. Journal of Paediatrics and Child Health, 2004, 40, 585-588. | 0.8 | 43 |
| 86 | Attitudes of Level II obstetricians towards the care of the extremely premature infant: A national survey. Journal of Paediatrics and Child Health, 2003, 39, 451-455. | 0.8 | 22 |
| 87 | Decreased neutrophil apoptosis in tracheal fluids of preterm infants at risk of chronic lung disease. Archives of Disease in Childhood: Fetal and Neonatal Edition, 2003, 88, 245F-249. | 2.8 | 24 |
| 88 | Strabismus in infants of opiateâ€dependent mothers. Acta Paediatrica, International Journal of Paediatrics, 2003, 92, 379-385. | 1.5 | 56 |
| 89 | Strabismus in infants of opiate-dependent mothers. Acta Paediatrica, International Journal of Paediatrics, 2003, 92, 379-385. | 1.5 | 13 |
| 90 | Facilitation of neonatal nasotracheal intubation with premedication: A randomized controlled trial. Journal of Paediatrics and Child Health, 2002, 38, 146-150. | 0.8 | 84 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Decreased interleukinâ€10 in tracheal aspirates from preterm infants developing chronic lung disease. Acta Paediatrica, International Journal of Paediatrics, 2002, 91, 1194-1199. | 1.5 | 37 |
| 92 | The diagnosis and management of neonatal urinary ascites. Journal of Paediatrics and Child Health, 2001, 37, 513-515. | 0.8 | 20 |
| 93 | Coordinated outpatient care of the narcotic-dependent infant. Journal of Paediatrics and Child Health, 2001, 37, 266-270. | 0.8 | 39 |
| 94 | A placebo ontrolled trial of lowâ€dose erythromycin to promote feed tolerance in preterm infants. Acta Paediatrica, International Journal of Paediatrics, 2001, 90, 904-908. | 1.5 | 54 |
| 95 | A placebo-controlled trial of low-dose erythromycin to promote feed tolerance in preterm infants. Acta Paediatrica, International Journal of Paediatrics, 2001, 90, 904-8. | 1.5 | 14 |
| 96 | Attitudes of neonatal clinicians towards resuscitation of the extremely premature infant: An exploratory survey. Journal of Paediatrics and Child Health, 2000, 36, 357-362. | 0.8 | 37 |
| 97 | A regional study of underlying congenital diseases in term neonates with necrotizing enterocolitis. | 1.5 | 59 |