

# Ling Wei

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6128236/publications.pdf>

Version: 2024-02-01

19  
papers

426  
citations

933447

10  
h-index

794594

19  
g-index

19  
all docs

19  
docs citations

19  
times ranked

318  
citing authors

#	ARTICLE	IF	CITATIONS
1	HIF-1 $\alpha$ ameliorates tubular injury in diabetic nephropathy via HO-1-mediated control of mitochondrial dynamics. <i>Cell Proliferation</i> , 2020, 53, e12909.	5.3	74
2	DsbA-L ameliorates high glucose induced tubular damage through maintaining MAM integrity. <i>EBioMedicine</i> , 2019, 43, 607-619.	6.1	53
3	The Susceptibility Genes in Diabetic Nephropathy. <i>Kidney Diseases (Basel, Switzerland)</i> , 2018, 4, 226-237.	2.5	51
4	Lipophagy deficiency exacerbates ectopic lipid accumulation and tubular cells injury in diabetic nephropathy. <i>Cell Death and Disease</i> , 2021, 12, 1031.	6.3	37
5	Association Between Vitamin D Status and Diabetic Complications in Patients With Type 2 Diabetes Mellitus: A Cross-Sectional Study in Hunan China. <i>Frontiers in Endocrinology</i> , 2020, 11, 564738.	3.5	33
6	PACS-2 Ameliorates Tubular Injury by Facilitating Endoplasmic Reticulum-Mitochondria Contact and Mitophagy in Diabetic Nephropathy. <i>Diabetes</i> , 2022, 71, 1034-1050.	0.6	29
7	Identification of two novel subgroups in patients with diabetes mellitus and their association with clinical outcomes: A two-step cluster analysis. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1346-1358.	2.4	27
8	Aristolochic acid induces renal fibrosis by arresting proximal tubular cells in G2/M phase mediated by HIF-1 $\alpha$ . <i>FASEB Journal</i> , 2020, 34, 12599-12614.	0.5	19
9	Effects of HIF-1 $\alpha$ on renal fibrosis in cisplatin-induced chronic kidney disease. <i>Clinical Science</i> , 2021, 135, 1273-1288.	4.3	19
10	MAMs Protect Against Ectopic Fat Deposition and Lipid-Related Kidney Damage in DN Patients. <i>Frontiers in Endocrinology</i> , 2021, 12, 609580.	3.5	14
11	Targeting the NLRP3 Inflammasome in Diabetic Nephropathy. <i>Current Medicinal Chemistry</i> , 2021, 28, 8810-8824.	2.4	14
12	Mitophagy: A Novel Therapeutic Target for Treating DN. <i>Current Medicinal Chemistry</i> , 2021, 28, 2717-2728.	2.4	12
13	Family history of diabetes is associated with diabetic foot complications in type 2 diabetes. <i>Scientific Reports</i> , 2020, 10, 17056.	3.3	11
14	Questionnaire to assess quality of life in patients with breast cancer – Validation of the Chinese version of the EORTC QLQ-BR 53. <i>Breast</i> , 2017, 32, 87-92.	2.2	7
15	Expression and clinical significance of CD147 in renal cell carcinoma: a meta-analysis. <i>Oncotarget</i> , 2017, 8, 51331-51344.	1.8	7
16	The Relationship Between Simple Renal Cysts and Renal Function in Patients With Type 2 Diabetes. <i>Frontiers in Physiology</i> , 2020, 11, 616167.	2.8	6
17	Sex Differences in Kidney Stone Disease in Chinese Patients with Type 2 Diabetes Mellitus. <i>Kidney Diseases (Basel, Switzerland)</i> , 2020, 6, 195-203.	2.5	5
18	Effects of family history of diabetes on pancreatic $\beta$ -cell function and diabetic ketoacidosis in newly diagnosed patients with type 2 diabetes: a cross-sectional study in China. <i>BMJ Open</i> , 2021, 11, e041072.	1.9	4

#	ARTICLE	IF	CITATIONS
19	The comparison of albumin and 6% hydroxyethyl starches (130/0.4) in cardiac surgery: a meta-analysis of randomized controlled clinical trials. BMC Surgery, 2021, 21, 342.	1.3	4