Dimitar Borisov Karakashev

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6129908/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Biological caproate production by Clostridium kluyveri from ethanol and acetate as carbon sources. Bioresource Technology, 2017, 241, 638-644.	4.8	100
2	Integrated production of cellulosic bioethanol and succinic acid from industrial hemp in a biorefinery concept. Bioresource Technology, 2016, 200, 639-647.	4.8	65
3	Thermochemical pretreatments for enhancing succinic acid production from industrial hemp (Cannabis sativa L.). Bioresource Technology, 2015, 182, 58-66.	4.8	46
4	Effects of Benzalkonium Chloride, Proxel LV, P3 Hypochloran, Triton X-100 and DOWFAX 63N10 on anaerobic digestion processes. Bioresource Technology, 2015, 193, 393-400.	4.8	18
5	The dominant acetate degradation pathway/methanogenic composition in full-scale anaerobic digesters operating under different ammonia levels. International Journal of Environmental Science and Technology, 2014, 11, 2087-2094.	1.8	98
6	Potential of Jerusalem artichoke (Helianthus tuberosus L.) as a biorefinery crop. Industrial Crops and Products, 2014, 56, 231-240.	2.5	78
7	An environmentally-friendly fluorescent method for quantification of lipid contents in yeast. Bioresource Technology, 2014, 151, 388-391.	4.8	18
8	Bioaugmentation as a Solution To Increase Methane Production from an Ammonia-Rich Substrate. Environmental Science & Technology, 2014, 48, 7669-7676.	4.6	191
9	Effective harvesting of the microalgae Chlorella protothecoides via bioflocculation with cationic starch. Bioresource Technology, 2014, 167, 214-218.	4.8	54
10	Succinic acid production by fermentation of Jerusalem artichoke tuber hydrolysate with Actinobacillus succinogenes 130Z. Industrial Crops and Products, 2014, 62, 125-129.	2.5	35
11	Microwave and thermal pretreatment as methods for increasing the biogas potential of secondary sludge from municipal wastewater treatment plants. Bioresource Technology, 2013, 134, 290-297.	4.8	166
12	Thermoanaerobacter pentosaceus sp. nov., an anaerobic, extremely thermophilic, high ethanol-yielding bacterium isolated from household waste. International Journal of Systematic and Evolutionary Microbiology, 2013, 63, 2396-2404.	0.8	29
13	Life cycle assessment of biofuel production from brown seaweed in Nordic conditions. Bioresource Technology, 2013, 129, 92-99.	4.8	135
14	Effect of ammonium and acetate on methanogenic pathway and methanogenic community composition. FEMS Microbiology Ecology, 2013, 83, 38-48.	1.3	204
15	Bioaugmentation with an acetate-oxidising consortium as a tool to tackle ammonia inhibition of anaerobic digestion. Bioresource Technology, 2013, 146, 57-62.	4.8	121
16	Extreme thermophilic ethanol production from rapeseed straw: Using the newly isolated <i>Thermoanaerobacter pentosaceus</i> and combining it with <i>Saccharomyces cerevisiae</i> in a twoâ€step process. Biotechnology and Bioengineering, 2013, 110, 1574-1582.	1.7	28
17	Effect of continuous oleate addition on microbial communities involved in anaerobic digestion process. Bioresource Technology, 2012, 106, 74-81.	4.8	55
18	Biohydrogen production from arabinose and glucose using extreme thermophilic anaerobic mixed cultures. Biotechnology for Biofuels, 2012, 5, 6.	6.2	47

#	Article	IF	CITATIONS
19	Thermophilic Biohydrogen Production. , 2011, , 525-536.		2
20	Biomethanation and Its Potential. Methods in Enzymology, 2011, 494, 327-351.	0.4	277
21	Longâ€ŧerm effect of inoculum pretreatment on fermentative hydrogen production by repeated batch cultivations: Homoacetogenesis and methanogenesis as competitors to hydrogen production. Biotechnology and Bioengineering, 2011, 108, 1816-1827.	1.7	114
22	Enhanced bioenergy recovery from rapeseed plant in a biorefinery concept. Bioresource Technology, 2011, 102, 1433-1439.	4.8	99
23	Effect of xylose and nutrients concentration on ethanol production by a newly isolated extreme thermophilic bacterium. Water Science and Technology, 2011, 64, 341-347.	1.2	7
24	Xylose fermentation to biofuels (hydrogen and ethanol) by extreme thermophilic (70°C) mixed culture. International Journal of Hydrogen Energy, 2010, 35, 3415-3422.	3.8	42
25	Production of bioethanol from wheat straw: An overview on pretreatment, hydrolysis and fermentation. Bioresource Technology, 2010, 101, 4744-4753.	4.8	860
26	Engineered heat treated methanogenic granules: A promising biotechnological approach for extreme thermophilic biohydrogen production. Bioresource Technology, 2010, 101, 9577-9586.	4.8	52
27	A strict anaerobic extreme thermophilic hydrogen-producing culture enriched from digested household waste. Journal of Applied Microbiology, 2009, 106, 1041-1049.	1.4	10
28	Anammox for ammonia removal from pig manure effluents: Effect of organic matter content on process performance. Bioresource Technology, 2009, 100, 2171-2175.	4.8	229
29	High yield simultaneous hydrogen and ethanol production under extreme-thermophilic (70°C) mixed culture environment. International Journal of Hydrogen Energy, 2009, 34, 5657-5665.	3.8	47
30	Ex-situ bioremediation of polycyclic aromatic hydrocarbons in sewage sludge. Journal of Hazardous Materials, 2009, 164, 1568-1572.	6.5	33
31	Effect of post-digestion temperature on serial CSTR biogas reactor performance. Water Research, 2009, 43, 669-676.	5.3	25
32	Anaerobic biodegradation of fluoranthene under methanogenic conditions in presence of surface-active compounds. Journal of Hazardous Materials, 2008, 153, 123-127.	6.5	61
33	Thermophilic fermentative hydrogen production by the newly isolated Thermoanaerobacterium thermosaccharolyticum PSU-2. International Journal of Hydrogen Energy, 2008, 33, 1204-1214.	3.8	227
34	High-rate continuous hydrogen production by Thermoanaerobacterium thermosaccharolyticum PSU-2 immobilized on heat-pretreated methanogenic granules. International Journal of Hydrogen Energy, 2008, 33, 6498-6508.	3.8	50
35	16S rRNA-targeted probes for specific detection of Thermoanaerobacterium spp., Thermoanaerobacterium thermosaccharolyticum, and Caldicellulosiruptor spp. by fluorescent in situ hybridization in biohydrogen producing systems. International Journal of Hydrogen Energy, 2008, 33, 6082-6091.	3.8	26
36	Innovative process scheme for removal of organic matter, phosphorus and nitrogen from pig manure. Water Research, 2008, 42, 4083-4090.	5.3	82

#	Article	IF	CITATIONS
37	Ex-situ bioremediation of polycyclic aromatic hydrocarbons in sewage sludge. WIT Transactions on Ecology and the Environment, 2008, , .	0.0	0
38	Anaerobic biotechnological approaches for production of liquid energy carriers from biomass. Biotechnology Letters, 2007, 29, 1005-1012.	1.1	40
39	Acetate Oxidation Is the Dominant Methanogenic Pathway from Acetate in the Absence of Methanosaetaceae. Applied and Environmental Microbiology, 2006, 72, 5138-5141.	1.4	357
40	Influence of Environmental Conditions on Methanogenic Compositions in Anaerobic Biogas Reactors. Applied and Environmental Microbiology, 2005, 71, 331-338.	1.4	428
41	A simple and rapid test for differentiation of aerobic from anaerobic bacteria. World Journal of Microbiology and Biotechnology, 2003, 19, 233-238.	1.7	48
42	Emerging Biological Technologies: Biofuels and Biochemicals. , 0, , 639-650.		1