

Georgios Psychogios

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6130645/publications.pdf>

Version: 2024-02-01

49
papers

1,201
citations

304368

22
h-index

414034

32
g-index

67
all docs

67
docs citations

67
times ranked

1207
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Review of surgical techniques and guide for decision making in the treatment of benign parotid tumors. <i>European Archives of Oto-Rhino-Laryngology</i> , 2021, 278, 15-29. | 0.8 | 42 |
| 2 | Ultrasonography techniques in the preoperative diagnosis of parotid gland tumors – an updated review of the literature. <i>Medical Ultrasonography</i> , 2021, 23, 122. | 0.4 | 2 |
| 3 | Can Ultrasound in Combination with Virtual Touch Imaging Quantification Predict the Dignity of a Parotid Tumor?. <i>Ultrasound in Medicine and Biology</i> , 2021, 47, 1192-1203. | 0.7 | 5 |
| 4 | Multimodal Ultrasound Including Virtual Touch Imaging Quantification for Differentiating Cervical Lymph Nodes. <i>Ultrasound in Medicine and Biology</i> , 2020, 46, 2677-2682. | 0.7 | 9 |
| 5 | Significance of Extranodal Extension in Surgically Treated HPV-Positive Oropharyngeal Carcinomas. <i>Frontiers in Oncology</i> , 2020, 10, 1394. | 1.3 | 12 |
| 6 | Author’s response to the letter of the editor regarding the “Review of surgical techniques and guide for decision making in the treatment of benign parotid tumors”. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 3539-3540. | 0.8 | 4 |
| 7 | Warthin’s tumour seems to be the most common benign neoplasm of the parotid gland in Germany. <i>European Archives of Oto-Rhino-Laryngology</i> , 2020, 277, 2081-2084. | 0.8 | 24 |
| 8 | Ultrasound can help to indirectly predict contact of parotid tumors to the facial nerve, correct intraglandular localization, and appropriate surgical technique. <i>Head and Neck</i> , 2019, 41, 3211-3218. | 0.9 | 19 |
| 9 | Cervical Hyperostosis Leading to Dyspnea, Aspiration and Dysphagia: Strategies to Improve Patient Management. <i>Frontiers in Surgery</i> , 2018, 5, 33. | 0.6 | 11 |
| 10 | Two case reports of synchronous unilateral pleomorphic adenoma and cystadenolymphoma of the parotid gland with literature review. <i>Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona Sudołska</i> , 2018, 18, 369-373. | 0.7 | 5 |
| 11 | Inflamed benign tumors of the parotid gland: Diagnostic pitfalls from a potentially misleading entity. <i>Head and Neck</i> , 2015, 37, 23-29. | 0.9 | 27 |
| 12 | Thyroglossal duct cysts: 20 years’ experience (1992–2011). <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 2513-2519. | 0.8 | 27 |
| 13 | Lymph node ratio is of limited value for the decision-making process in the treatment of patients with laryngeal cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 453-461. | 0.8 | 19 |
| 14 | Primary Surgical Therapy for Locally Limited Oral Tongue Cancer. <i>BioMed Research International</i> , 2014, 2014, 1-6. | 0.9 | 10 |
| 15 | Early Stage Oropharyngeal Carcinomas: Comparing Quality of Life for Different Treatment Modalities. <i>BioMed Research International</i> , 2014, 2014, 1-7. | 0.9 | 18 |
| 16 | Spatiotemporal Analysis of High-Speed Videolaryngoscopic Imaging of Organic Pathologies in Males. <i>Journal of Speech, Language, and Hearing Research</i> , 2014, 57, 1148-1161. | 0.7 | 29 |
| 17 | Outcome and Prognostic Factors in T4a Oropharyngeal Carcinoma, Including the Role of HPV Infection. <i>BioMed Research International</i> , 2014, 2014, 1-8. | 0.9 | 5 |
| 18 | Lymph node ratio as a predictor of outcome in patients with oropharyngeal cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 1171-1180. | 0.8 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Clinical relevance and prognostic value of radiographic findings in Zenker's diverticulum. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 583-588. | 0.8 | 24 |
| 20 | Management of locally advanced laryngeal cancer. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2014, 43, 4. | 0.9 | 55 |
| 21 | Epidemiology and survival of HPV-related tonsillar carcinoma. <i>Cancer Medicine</i> , 2014, 3, 652-659. | 1.3 | 12 |
| 22 | Long-term results and subjective outcome after gland-preserving treatment in parotid duct stenosis. <i>Laryngoscope</i> , 2014, 124, 1813-1818. | 1.1 | 36 |
| 23 | Lymph node ratio as a valuable additional predictor of outcome in selected patients with oral cavity cancer. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2014, 117, 677-684. | 0.2 | 28 |
| 24 | Incidence of occult cervical metastasis in head and neck carcinomas: Development over time. <i>Journal of Surgical Oncology</i> , 2013, 107, 384-387. | 0.8 | 36 |
| 25 | Closure of defects after resection of tumors of the oral cavity and the pharynx: medium- to long-term oncologic and functional results with the myocutaneous platysma flap. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 2537-2545. | 0.8 | 18 |
| 26 | Results of treatment for pT1/pT2 carcinomas of the floor of mouth. <i>Acta Oto-Laryngologica</i> , 2013, 133, 1000-1005. | 0.3 | 3 |
| 27 | Elective neck dissection vs observation in transorally treated early head and neck carcinomas with cN0 neck. <i>Acta Oto-Laryngologica</i> , 2013, 133, 313-317. | 0.3 | 9 |
| 28 | Prognostic factors in limited (T1-2, N0-1) oropharyngeal carcinoma treated with surgery ± adjuvant therapy. <i>Head and Neck</i> , 2013, 35, 1752-1758. | 0.9 | 9 |
| 29 | Evaluation of the Different Transcervical Approaches for Zenker Diverticulum. <i>Otolaryngology - Head and Neck Surgery</i> , 2012, 146, 725-729. | 1.1 | 28 |
| 30 | Results of Minimally Invasive Gland-Preserving Treatment in Different Types of Parotid Duct Stenosis. <i>JAMA Otolaryngology</i> , 2012, 138, 804. | 1.5 | 44 |
| 31 | Primary surgical treatment of T3 glottic carcinoma: Long-term results and decision-making aspects. <i>Laryngoscope</i> , 2012, 122, 2723-2727. | 1.1 | 18 |
| 32 | Primary surgical treatment of T2 oropharyngeal carcinoma. <i>Journal of Surgical Oncology</i> , 2012, 105, 719-723. | 0.8 | 13 |
| 33 | Management of advanced carcinoma of the base of tongue. <i>Journal of Surgical Oncology</i> , 2012, 106, 713-718. | 0.8 | 11 |
| 34 | Diagnosis and gland-preserving minimally invasive therapy for wharton's duct stenoses. <i>Laryngoscope</i> , 2012, 122, 552-558. | 1.1 | 35 |
| 35 | Surgical management of T1 oropharyngeal carcinoma. <i>Head and Neck</i> , 2012, 34, 1277-1282. | 0.9 | 19 |
| 36 | Sonoelastography of parotid gland tumours: initial experience and identification of characteristic patterns. <i>European Radiology</i> , 2012, 22, 947-956. | 2.3 | 66 |

| # | ARTICLE | IF | CITATIONS |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Surgical treatment of locally limited tonsillar cancer. <i>Surgical Oncology</i> , 2012, 21, e13-e16. | 0.8 | 24 |
| 38 | Comparison of different surgical approaches in T2 glottic cancer. <i>Head and Neck</i> , 2012, 34, 73-77. | 0.9 | 29 |
| 39 | Predicting the Long-Term Outcome After Idiopathic Facial Nerve Paralysis. <i>Otology and Neurotology</i> , 2011, 32, 848-851. | 0.7 | 43 |
| 40 | Voice handicap index and voice-related quality of life in small laryngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 401-404. | 0.8 | 23 |
| 41 | Carcinoma of unknown primary in the head and neck: Comparison between positron emission tomography (PET) and PET/CT. <i>Head and Neck</i> , 2011, 33, 1569-1575. | 0.9 | 66 |
| 42 | Voice Handicap and Health-Related Quality of Life after Treatment for Small Laryngeal Carcinoma. <i>Folia Phoniatica Et Logopaedica</i> , 2011, 63, 122-128. | 0.5 | 5 |
| 43 | Effect of repeated laser microsurgical operations on laryngeal cancer prognosis. <i>Head and Neck</i> , 2010, 32, 921-928. | 0.9 | 18 |
| 44 | Evaluation of available surgical management options for early supraglottic cancer. <i>Head and Neck</i> , 2010, 32, 1048-1055. | 0.9 | 29 |
| 45 | Evaluation of the revised TNM classification in advanced laryngeal cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2010, 267, 117-121. | 0.8 | 5 |
| 46 | Resection margins and other prognostic factors regarding surgically treated glottic carcinomas. <i>Journal of Surgical Oncology</i> , 2010, 101, 131-136. | 0.8 | 21 |
| 47 | T1 and T2 hypopharyngeal cancer treatment with laser microsurgery. <i>Journal of Surgical Oncology</i> , 2010, 102, 27-33. | 0.8 | 40 |
| 48 | Comparison among different available surgical approaches in T1 glottic cancer. <i>Laryngoscope</i> , 2009, 119, 1704-1708. | 1.1 | 53 |
| 49 | Long-term results of endonasal dacryocystorhinostomy. <i>European Archives of Oto-Rhino-Laryngology</i> , 2009, 266, 1733-1738. | 0.8 | 46 |