
Slawomir Wolczynski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6131044/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Novel expression of zona pellucida 3 protein in normal testis; potential functional implications. Molecular and Cellular Endocrinology, 2022, 539, 111502. | 1.6 | 6 |
| 2 | Placenta is Capable of Protecting the Male Fetus from Exposure to Environmental Bisphenol A. Exposure and Health, 2021, 13, 1-14. | 2.8 | 12 |
| 3 | The Effect of Ageing on Clinical, Hormonal and Sonographic Features Associated with PCOS—A Long-Term Follow-Up Study. Journal of Clinical Medicine, 2021, 10, 2101. | 1.0 | 8 |
| 4 | Sex-dependent dysregulation of human neutrophil responses by bisphenol A. Environmental Health, 2021, 20, 5. | 1.7 | 12 |
| 5 | Pharmacogenomic Biomarkers of Follicle-Stimulating Hormone Receptor Malfunction in Females with Impaired Ovarian Response—A Genetic Survey. Journal of Clinical Medicine, 2021, 10, 170. | 1.0 | 3 |
| 6 | Potential of mucoadhesive chitosan glutamate microparticles as microbicide carriers – antiherpes activity and penetration behavior across the human vaginal epithelium. Drug Delivery, 2021, 28, 2278-2288. | 2.5 | 7 |
| 7 | Macrophage deletion of Noc4l triggers endosomal TLR4/TRIF signal and leads to insulin resistance. Nature Communications, 2021, 12, 6121. | 5.8 | 6 |
| 8 | The Association between Bisphenol A, Steroid Hormones, and Selected MicroRNAs Levels in Seminal Plasma of Men with Infertility. Journal of Clinical Medicine, 2021, 10, 5945. | 1.0 | 12 |
| 9 | Melatonin inhibits inflammasome-associated activation of endothelium and macrophages attenuating pulmonary arterial hypertension. Cardiovascular Research, 2020, 116, 2156-2169. | 1.8 | 37 |
| 10 | Features of the fetal gonad in androgen synthesis in the postpubertal testis are preserved in complete androgen insensitivity syndrome due to a novel genetic splice site donor variant in androgen receptor gene intron 1. Journal of Steroid Biochemistry and Molecular Biology, 2019, 193, 105420. | 1.2 | 4 |
| 11 | Expression of serine proteases in neutrophils from women and men: Regulation by endocrine disruptor bisphenol A. Environmental Toxicology and Pharmacology, 2019, 71, 103212. | 2.0 | 11 |
| 12 | Simultaneous analysis of bisphenol A fractions in maternal and fetal compartments in early second trimester of pregnancy. Journal of Perinatal Medicine, 2019, 47, 765-770. | 0.6 | 17 |
| 13 | Molecular mechanisms underlying mifepristone's agonistic action on ovarian cancer progression. EBioMedicine, 2019, 47, 170-183. | 2.7 | 41 |
| 14 | Mouse models of adrenal tumors responsive to gonadotropin-releasing hormone and gonadotropins. Current Opinion in Endocrine and Metabolic Research, 2019, 8, 189-194. | 0.6 | 0 |
| 15 | Extragonadal FSHR Expression and Function—Is It Real?. Frontiers in Endocrinology, 2019, 10, 32. | 1.5 | 43 |
| 16 | Prenatal circulating microRNA signatures of foetal Down syndrome. Scientific Reports, 2019, 9, 2394. | 1.6 | 24 |
| 17 | First-trimester irisin and fetuin-A concentration in predicting macrosomia. Journal of Maternal-Fetal and Neonatal Medicine, 2019, 32, 2868-2873. | 0.7 | 7 |
| 18 | LPAR2 and LPAR4 are the Main Receptors Responsible for LPA Actions in Ovarian Endometriotic Cysts. Reproductive Sciences, 2019, 26, 139-150. | 1.1 | 10 |

2

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | GnRH antagonist treatment of malignant adrenocortical tumors. Endocrine-Related Cancer, 2019, 26, 103-117. | 1.6 | 14 |
| 20 | Evaluation of Bisphenol A influence on endocannabinoid system in pregnant women. Chemosphere, 2018, 203, 387-392. | 4.2 | 23 |
| 21 | The preliminary association study of ADIPOQ, RBP4, and BCMO1 variants with polycystic ovary syndrome and with biochemical characteristics in a cohort of Polish women. Advances in Medical Sciences, 2018, 63, 242-248. | 0.9 | 11 |
| 22 | Advances in the Molecular Pathophysiology, Genetics, and Treatment of Primary Ovarian Insufficiency. Trends in Endocrinology and Metabolism, 2018, 29, 400-419. | 3.1 | 118 |
| 23 | Functional Characterization of MicroRNA-27a-3p Expression in Human Polycystic Ovary Syndrome. Endocrinology, 2018, 159, 297-309. | 1.4 | 50 |
| 24 | Amniotic Fluid Angiogenic and Inflammatory Factor Profiling in Foetal Down Syndrome. Fetal Diagnosis and Therapy, 2018, 44, 44-50. | 0.6 | 6 |
| 25 | Cellular, transcriptomic and methylome effects of individual and combined exposure to BPA, BPF, BPS on mouse spermatocyte GC-2 cell line. Toxicology and Applied Pharmacology, 2018, 359, 1-11. | 1.3 | 28 |
| 26 | Maternal plasma metabolic fingerprint indicative for fetal Down syndrome. Prenatal Diagnosis, 2018, 38, 876-882. | 1.1 | 3 |
| 27 | Endocrine-disrupting chemicals—Mechanisms of action on male reproductive system. Toxicology and Industrial Health, 2017, 33, 601-609. | 0.6 | 78 |
| 28 | Recommendations of the Fertility Preservation Working Group in Oncological, Hematological and Other Patients Treated With Gonadotoxic Therapies "ONCOFERTILITY―(GROF) of the Polish Society of Oncological Gynecology. Journal of Adolescent and Young Adult Oncology, 2017, 6, 388-395. | 0.7 | 5 |
| 29 | Luteinizing Hormone and GATA4 Action in the Adrenocortical Tumorigenesis of Gonadectomized Female Mice. Cellular Physiology and Biochemistry, 2017, 43, 1064-1076. | 1.1 | 8 |
| 30 | Serum Concentrations of Betatrophin and Its Association with Indirect Indices of Insulin Resistance and Beta Cell Function in Women with Polycystic Ovary Syndrome. International Journal of Endocrinology, 2017, 2017, 1-6. | 0.6 | 8 |
| 31 | Maternal plasma angiogenic and inflammatory factor profiling in foetal Down syndrome. PLoS ONE, 2017, 12, e0189762. | 1.1 | 4 |
| 32 | Brief Communication: Maternal Plasma Autoantibodies Screening in Fetal Down Syndrome. Journal of Immunology Research, 2016, 2016, 1-11. | 0.9 | 6 |
| 33 | Application of Artificial Neural Networks and Principal Component Analysis to Predict Results of Infertility Treatment Using the IVF Method. Studies in Logic, Grammar and Rhetoric, 2016, 47, 33-46. | 0.2 | 5 |
| 34 | Serum irisin and its regulation by hyperinsulinemia in women with polycystic ovary syndrome. Endocrine Journal, 2016, 63, 1107-1112. | 0.7 | 23 |
| 35 | Revisiting the expression and function of follicle-stimulation hormone receptor in human umbilical vein endothelial cells. Scientific Reports, 2016, 6, 37095. | 1.6 | 27 |
| 36 | Functional Expression of FSH Receptor in Endometriotic Lesions. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 2905-2914. | 1.8 | 36 |

SLAWOMIR WOLCZYNSKI

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Serum anti-Müllerian hormone concentration in women with polycystic ovary syndrome and type 1 diabetes mellitus. Metabolism: Clinical and Experimental, 2016, 65, 804-811. | 1.5 | 13 |
| 38 | Maternal Plasma and Amniotic Fluid Sphingolipids Profiling in Fetal Down Syndrome. PLoS ONE, 2015, 10, e0127732. | 1.1 | 20 |
| 39 | Bisphenol A modulates receptivity and secretory function of human decidual cells: an in vitro study. Reproduction, 2015, 150, 115-125. | 1.1 | 36 |
| 40 | Assessment of FSHR, AMH, and AMHRII variants in women with polycystic ovary syndrome. Endocrine, 2015, 48, 1001-1004. | 1.1 | 3 |
| 41 | Expanding the Spectrum of Founder Mutations Causing Isolated Gonadotropin-Releasing Hormone Deficiency. Journal of Clinical Endocrinology and Metabolism, 2015, 100, E1378-E1385. | 1.8 | 22 |
| 42 | Immunohistochemical study of KiSS1 and KiSS1R expression in human primary breast cancer: Association with breast cancer receptor status, proliferation markers and clinicopathological features. Histology and Histopathology, 2015, 30, 715-23. | 0.5 | 8 |
| 43 | Assisted reproductive medicine in Poland – Fertility and Sterility Special Interest Group of the Polish Gynaecological Society (SPiN PTG) 2012 report. Ginekologia Polska, 2015, 86, 932-9. | 0.3 | 7 |
| 44 | Classification of Patients Treated for Infertility Using the IVF Method. Studies in Logic, Grammar and Rhetoric, 2015, 43, 49-59. | 0.2 | 0 |
| 45 | The Prevalence of <i>CHD7</i> Missense Versus Truncating Mutations Is Higher in Patients With Kallmann Syndrome Than in Typical CHARGE Patients. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E2138-E2143. | 1.8 | 81 |
| 46 | Maternal Plasma and Amniotic Fluid Chemokines Screening in Fetal Down Syndrome. Mediators of Inflammation, 2014, 2014, 1-10. | 1.4 | 11 |
| 47 | Potential first trimester metabolomic biomarkers of abnormal birth weight in healthy pregnancies. Prenatal Diagnosis, 2014, 34, 870-877. | 1.1 | 31 |
| 48 | Lysophosphatidic acid and sphingosine 1-phosphate metabolic pathways and their receptors are differentially regulated during decidualization of human endometrial stromal cells. Molecular Human Reproduction, 2014, 20, 1016-1025. | 1.3 | 24 |
| 49 | The Use of Data Mining Methods to Predict the Result of Infertility Treatment Using the IVF ET Method. Studies in Logic, Grammar and Rhetoric, 2014, 39, 67-74. | 0.2 | 9 |
| 50 | Oocyte zona pellucida and meiotic spindle birefringence as a biomarker of pregnancy rate outcome in IVF-ICSI treatment. Ginekologia Polska, 2014, 85, 264-71. | 0.3 | 11 |
| 51 | Altered expression of ERs, aromatase, and COX2 connected to estrogen action in type 1 endometrial cancer biology. Tumor Biology, 2013, 34, 4007-4016. | 0.8 | 31 |
| 52 | Association of rs6166 polymorphism with FSH receptor transcript variants and steroid production in human granulosa cell cultures. Systems Biology in Reproductive Medicine, 2013, 59, 191-198. | 1.0 | 9 |
| 53 | The effect of prolactin and estrogen cross-talk on prolidase– dependent signaling in MCF-7 cells. Neoplasma, 2013, 60, 355-363. | 0.7 | 9 |
| 54 | Classification Issue in the IVF ICSI/ET Data Analysis: Early Treatment Outcome Prognosis. Studies in Logic, Grammar and Rhetoric, 2013, 35, 103-115. | 0.2 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | KiSS1/GPR54 and estrogen-related gene expression profiles in primary breast cancer. Oncology Letters, 2012, 3, 930-934. | 0.8 | 9 |
| 56 | The DAX1 mutation in a patient with hypogonadotropic hypogonadism and adrenal hypoplasia congenita causes functional disruption of induction of spermatogenesis. Journal of Assisted Reproduction and Genetics, 2012, 29, 811-816. | 1.2 | 8 |
| 57 | Evidence that FGFR1 loss-of-function mutations may cause variable skeletal malformations in patients with Kallmann syndrome. Advances in Medical Sciences, 2012, 57, 314-321. | 0.9 | 28 |
| 58 | New case of Primrose syndrome with mild intellectual disability. American Journal of Medical Genetics, Part A, 2011, 155, 2838-2840. | 0.7 | 12 |
| 59 | Expression of estrogen receptors in the pelvic floor of pre- and post-menopausal women presenting pelvic organ prolapse. Folia Histochemica Et Cytobiologica, 2011, 49, 521-527. | 0.6 | 15 |
| 60 | Serum Soluble Glycoprotein 130 Concentration Is Inversely Related to Insulin Sensitivity in Women With Polycystic Ovary Syndrome. Diabetes, 2010, 59, 1026-1029. | 0.3 | 25 |
| 61 | Aromatase, oestrogens and human male reproduction. Philosophical Transactions of the Royal Society B: Biological Sciences, 2010, 365, 1571-1579. | 1.8 | 92 |
| 62 | A Comparative Phenotypic Study of Kallmann Syndrome Patients Carrying Monoallelic and Biallelic Mutations in the Prokineticin 2 or Prokineticin Receptor 2 Genes. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 659-669. | 1.8 | 124 |
| 63 | Aromatase gene expression in immature rat Sertoli cells: age-related changes in the FSH signalling pathway. Reproduction, Fertility and Development, 2010, 22, 508. | 0.1 | 18 |
| 64 | Estrogen receptor beta participate in the regulation of metabolizm of extracellular matrix in estrogen alpha negative breast cancer Folia Histochemica Et Cytobiologica, 2010, 47, S107-12. | 0.6 | 9 |
| 65 | Prenatal evaluation of a fetus with trisomy 18 and additional balanced de novo Rob(13;14) Folia Histochemica Et Cytobiologica, 2010, 47, S137-40. | 0.6 | 4 |
| 66 | Increased serum level of membrane type 1-matrix metalloproteinase (MT1-MMP/MMP-14) in patients with breast cancer Folia Histochemica Et Cytobiologica, 2010, 48, 101-3. | 0.6 | 20 |
| 67 | Vitamin A family compounds, estradiol, and docetaxel in proliferation, apoptosis and immunocytochemical profile of human ovary endometrioid cancer cell line CRL-11731 Folia Histochemica Et Cytobiologica, 2010, 47, S127-35. | 0.6 | 3 |
| 68 | Estrogen-dependent Regulation of PPAR-Î ³ Signaling on Collagen Biosynthesis in Adenocarcinoma Endometrial Cells. Neoplasma, 2009, 56, 448-454. | 0.7 | 12 |
| 69 | Effect of risperidone and olanzapine on reproductive hormones, psychopathology and sexual functioning in male patients with schizophrenia. Psychoneuroendocrinology, 2009, 34, 129-139. | 1.3 | 61 |
| 70 | The FTO gene modifies weight, fat mass and insulin sensitivity in women with polycystic ovary syndrome, where its role may be larger than in other phenotypes. Diabetes and Metabolism, 2009, 35, 328-331. | 1.4 | 43 |
| 71 | The significance of the expression of ERRα as a potential biomarker in breast cancer. Journal of Steroid Biochemistry and Molecular Biology, 2009, 113, 127-133. | 1.2 | 42 |
| 72 | Chlamydia trachomatis urogenital infection in women with infertility. Advances in Medical Sciences, 2009. 54, 82-5. | 0.9 | 15 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Estradiol and tamoxifen differently affects the inhibitory effects of vitamin A and their metabolites on the proliferation and expression of α2β1 integrins in MCF-7 breast cancer cells. Advances in Medical Sciences, 2009, 54, 91-8. | 0.9 | 5 |
| 74 | Apelin, a Novel Adipocytokine, in Relation to Endothelial Function and Inflammation in Kidney Allograft Recipients. Transplantation Proceedings, 2008, 40, 3466-3469. | 0.3 | 44 |
| 75 | Insulin Resistance Is Associated With Decreased Circulating Mannan-Binding Lectin Concentrations in Women With Polycystic Ovary Syndrome. Diabetes Care, 2008, 31, e20-e20. | 4.3 | 11 |
| 76 | Does variability in carotenoid composition and concentration in tissues of the breast and reproductive tract in women depend on type of lesion?. Advances in Medical Sciences, 2008, 53, 270-7. | 0.9 | 7 |
| 77 | Dietary carotenoids in normal and pathological tissues of corpus uteri Folia Histochemica Et Cytobiologica, 2008, 46, 283-90. | 0.6 | 6 |
| 78 | Serum visfatin in relation to insulin resistance and markers of hyperandrogenism in lean and obese women with polycystic ovary syndrome. Human Reproduction, 2007, 22, 1824-1829. | 0.4 | 96 |
| 79 | Primary amenorrhea in a young Polish woman with complete androgen insensitivity syndrome and Sertoli–Leydig cell tumor: Identification of a new androgen receptor gene mutation and evidence of aromatase hyperactivity and apoptosis dysregulation within the tumor. Gynecological Endocrinology, 2007. 23. 499-504. | 0.7 | 11 |
| 80 | Markers of Bone Metabolism in Hemodialyses and Hemodiafiltration. Renal Failure, 2007, 29, 595-601. | 0.8 | 4 |
| 81 | NovelFGFR1 sequence variants in Kallmann syndrome, and genetic evidence that the FGFR1c isoform is required in olfactory bulb and palate morphogenesis. Human Mutation, 2007, 28, 97-98. | 1.1 | 81 |
| 82 | Hyaluronic acid counteracts interleukin-1-induced inhibition of collagen biosynthesis in cultured human chondrocytes. Pharmacological Research, 2006, 54, 275-281. | 3.1 | 45 |
| 83 | The influence of N- and O-glycosylation inhibitors on the glycosylation profile of cellular membrane proteins and adhesive properties of carcinoma cell lines. International Journal of Molecular Medicine, 2006, 17, 669. | 1.8 | 7 |
| 84 | Adiponectin, leptin and thyroid hormones in patients with chronic renal failure and on renal replacement therapy: are they related?. Nephrology Dialysis Transplantation, 2006, 21, 145-152. | 0.4 | 49 |
| 85 | Kallmann Syndrome: Mutations in the Genes Encoding Prokineticin-2 and Prokineticin Receptor-2. PLoS Genetics, 2006, 2, e175. | 1.5 | 391 |
| 86 | Synthesis, DNA Binding, Topoisomerase Inhibition and Cytotoxic Properties of 2-Chloroethylnitrosourea Derivatives of Hoechst 33258. Biological and Pharmaceutical Bulletin, 2005, 28, 1004-1009. | 0.6 | 26 |
| 87 | Effect of estradiol and raloxifene on MUC1 expression and adhesive properties of Ishikawa cells. Oncology Reports, 2005, 14, 583. | 1.2 | 4 |
| 88 | Markers of Endothelial Cell Activation/Injury: CD146 and Thrombomodulin Are Related to Adiponectin in Kidney Allograft Recipients. American Journal of Nephrology, 2005, 25, 203-210. | 1.4 | 29 |
| 89 | Distinct mRNA, protein expression patterns and distribution of oestrogen receptors α and β in human primary breast cancer: Correlation with proliferation marker Ki-67 and clinicopathological factors. European Journal of Cancer, 2005, 41, 2924-2934. | 1.3 | 37 |
| 90 | Correlations Between Leptin, Body Composition, Bone Mineral Density, and Bone Metabolism in Kidney Transplant Recipients. Transplantation Proceedings, 2005, 37, 2151-2153. | 0.3 | 8 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Differential effects of echistatin and thrombin on collagen production and prolidase activity in human dermal fibroblasts and their possible implication in l²1-integrin-mediated signaling. Pharmacological Research, 2005, 51, 217-221. | 3.1 | 37 |
| 92 | Phenotype variability in a daughter and father with mild osteogenesis imperfecta correlated with collagen and prolidase levels in cultured skin fibroblasts. Annals of Clinical Biochemistry, 2005, 42, 80-84. | 0.8 | 8 |
| 93 | Differential effects of estradiol, raloxifene and tamoxifen on estrogen receptor expression in cultured human skin fibroblasts. International Journal of Molecular Medicine, 2004, 13, 903. | 1.8 | 7 |
| 94 | Inhibition of the O-glycan elongation limits MUC1 incorporation to cell membrane of human endometrial carcinoma cells. International Journal of Molecular Medicine, 2004, 13, 459. | 1.8 | 1 |
| 95 | Adiponectin Is Related to CD146, a Novel Marker of Endothelial Cell Activation/Injury in Chronic Renal Failure and Peritoneally Dialyzed Patients. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 4620-4627. | 1.8 | 52 |
| 96 | Acetylsalicylic acid as a potential regulator of prolidase-convertible pro-drugs in control and neoplastic cells. Il Farmaco, 2004, 59, 679-684. | 0.9 | 3 |
| 97 | Synthesis of analogues of a potent antitumor saponin OSW-1. Bioorganic and Medicinal Chemistry Letters, 2004, 14, 3323-3326. | 1.0 | 33 |
| 98 | Gly511 to Ser substitution in the COL1A1 gene in osteogenesis imperfecta type III patient with increased turnover of collagen. Molecular and Cellular Biochemistry, 2003, 248, 49-56. | 1.4 | 6 |
| 99 | Structure—Activity Studies of Novel Amidine Analogues (I) of Chlorambucil: Correlation of Cytotoxic Activity with DNA-Binding Affinity and Topoisomerase II Inhibition ChemInform, 2003, 34, no. | 0.1 | 1 |
| 100 | Structure-Activity Studies of Novel Amidine Analogues of Chlorambucil: Correlation of Cytotoxic Activity with DNA-Binding Affinity and Topoisomerase II Inhibition. Archiv Der Pharmazie, 2003, 336, 293-299. | 2.1 | 14 |
| 101 | A case of complete hypogonadotropic hypogonadism with a mutation in the gonadotropin-releasing hormone receptor gene. Fertility and Sterility, 2003, 79, 442-444. | 0.5 | 35 |
| 102 | Correlations of new markers of bone formation and resorption in kidney transplant recipients. Transplantation Proceedings, 2003, 35, 1351-1354. | 0.3 | 10 |
| 103 | Osteoprotegerin and its correlations with new markers of bone formation and bone resorption in kidney transplant recipients. Transplantation Proceedings, 2003, 35, 2227-2229. | 0.3 | 20 |
| 104 | Biosynthesis of MUC1 mucin in human endometrial adenocarcinoma is modulated by estradiol and tamoxifen. Gynecological Endocrinology, 2003, 17, 37-44. | 0.7 | 15 |
| 105 | Differential effects of estradiol and raloxifene on collagen biosynthesis in cultured human skin fibroblasts. International Journal of Molecular Medicine, 2003, 12, 803. | 1.8 | 15 |
| 106 | Contribution of quinolinic acid in the development of anemia in renal insufficiency. American Journal of Physiology - Renal Physiology, 2003, 284, F693-F700. | 1.3 | 30 |
| 107 | Synthesis, DNA-Binding Activity and Cytotoxicity of Carbamate Derivatives of Hoechst 33258 in Breast Cancer MCF-7 Cells Biological and Pharmaceutical Bulletin, 2002, 25, 916-919. | 0.6 | 11 |
| 108 | Vitamin K Status in Relation to Bone Metabolism in Patients with Renal Failure. American Journal of Nephrology, 2002, 22, 504-508. | 1.4 | 26 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Leptin Correlates with Some Hemostatic Parameters in CAPD Patients. Nephron, 2002, 92, 721-724. | 0.9 | 17 |
| 110 | Aluminium and beta-2-microglobulin in kidney transplant recipients. Transplantation Proceedings, 2002, 34, 580-582. | 0.3 | 1 |
| 111 | Correlations between new markers of bone formation versus bone resorption in kidney transplant recipients. Transplantation Proceedings, 2002, 34, 591-592. | 0.3 | 2 |
| 112 | Parathyroid gland sonography in relation to markers of bone metabolism in kidney transplant recipients. Transplantation Proceedings, 2002, 34, 593-595. | 0.3 | 3 |
| 113 | Parvovirus B19 infection and IGF system components in relation to erythropoiesis in dialyzed patients and kidney transplant recipients. Transplantation Proceedings, 2002, 34, 3211-3214. | 0.3 | 6 |
| 114 | Insulin-Like Growth Factor System Components in Relation to Erythropoietin Therapy and Bone Metabolism in Dialyzed Patients and Kidney Transplant Recipients. Nephron, 2002, 90, 282-289. | 0.9 | 6 |
| 115 | Synthesis and biological activity of carbocyclic lexitropsins with a bioreductive fragment. Il Farmaco, 2002, 57, 1019-1023. | 0.9 | 3 |
| 116 | Comparative studies of osteoblast and fibroblast type I collagen in a patient with osteogenesis imperfecta type IV. Journal of Pathology, 2002, 196, 235-237. | 2.1 | 13 |
| 117 | Ammonia concentration in human preovulatory ovarian follicles. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2001, 94, 256-260. | 0.5 | 7 |
| 118 | The potential mechanism for glutamine-induced collagen biosynthesis in cultured human skin fibroblasts. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 2001, 130, 23-32. | 0.7 | 56 |
| 119 | Potential Role of β1 Integrin and Collagen Biosynthesis in Estrogen-Dependent Reduction of Apoptosis in Tamoxifen-Treated Breast Cancer Cells. Gynecologic and Obstetric Investigation, 2001, 51, 248-253. | 0.7 | 6 |
| 120 | DNA-Binding Activity and Cytotoxicity of the Extended Diphenylfuran Bisamidines in Breast Cancer MCF-7 Cells Biological and Pharmaceutical Bulletin, 2001, 24, 704-706. | 0.6 | 16 |
| 121 | Serum Crosslaps Correlations with Serum ICTP and Urine DPD in Hemodialyzed and Peritoneally Dialyzed Patients. Nephron, 2001, 87, 283-285. | 0.9 | 8 |
| 122 | Defects of type I procollagen metabolism correlated with decrease of prolidase activity in a case of lethal osteogenesis imperfecta. FEBS Journal, 2001, 268, 2172-2178. | 0.2 | 25 |
| 123 | Aromatic Extended Bisamidines: Synthesis, Inhibition of Topoisomerases, and Anticancer Cytotoxicity in Vitro. Archiv Der Pharmazie, 2001, 334, 235-240. | 2.1 | 9 |
| 124 | The mechanism for anthracycline-induced inhibition of collagen biosynthesis. European Journal of Pharmacology, 2001, 411, 17-25. | 1.7 | 25 |
| 125 | Doxycycline-induced inhibition of prolidase activity in human skin fibroblasts and its involvement in impaired collagen biosynthesis. European Journal of Pharmacology, 2001, 430, 25-31. | 1.7 | 11 |
| 126 | Cytotoxicity and effect on collagen biosynthesis of proline analogue of melphalan as a prolidase-convertible prodrug in cultured human skin fibroblasts. Il Farmaco, 2001, 56, 701-706. | 0.9 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Insulin, leptin, IGF-I and insulin-dependent protein concentrations after insulin-sensitizing therapy in obese women with polycystic ovary syndrome. European Journal of Endocrinology, 2001, 144, 509-515. | 1.9 | 40 |
| 128 | Estrogenic and antiestrogenic effects of raloxifene on collagen metabolism in breast cancer MCF-7 cells. Gynecological Endocrinology, 2001, 15, 225-233. | 0.7 | 2 |
| 129 | Correctly timed coasting reduces the risk of ovarian hyperstimulation syndrome and gives good cycle outcome in an in vitro fertilization program. Gynecological Endocrinology, 2001, 15, 234-238. | 0.7 | 3 |
| 130 | Leptin and Serum Erythropoietin in Hemodialyzed and Peritoneally Dialyzed Uremic Patients during rHuEPO Therapy. American Journal of Nephrology, 2000, 20, 180-186. | 1.4 | 6 |
| 131 | Insulin-like growth factor I-dependent regulation of prolidase activity in cultured human skin fibroblasts. Molecular and Cellular Biochemistry, 1998, 189, 177-184. | 1.4 | 34 |
| 132 | Identification of carotenoids in ovarian tissue in women. Oncology Reports, 0, , . | 1.2 | 7 |