

# Twan van Hooff

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6133495/twan-van-hooff-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53  
papers

2,400  
citations

25  
h-index

48  
g-index

53  
ext. papers

2,861  
ext. citations

5.5  
avg, IF

5.65  
L-index

#	Paper	IF	Citations
53	Coupled urban wind flow and indoor natural ventilation modelling on a high-resolution grid: A case study for the Amsterdam ArenA stadium. <i>Environmental Modelling and Software</i> , <b>2010</b> , 25, 51-65	5.2	249
52	CFD simulation for pedestrian wind comfort and wind safety in urban areas: General decision framework and case study for the Eindhoven University campus. <i>Environmental Modelling and Software</i> , <b>2012</b> , 30, 15-34	5.2	240
51	CFD simulation and validation of urban microclimate: A case study for Bergpolder Zuid, Rotterdam. <i>Building and Environment</i> , <b>2015</b> , 83, 79-90	6.5	165
50	On the accuracy of CFD simulations of cross-ventilation flows for a generic isolated building: Comparison of RANS, LES and experiments. <i>Building and Environment</i> , <b>2017</b> , 114, 148-165	6.5	150
49	On the effect of wind direction and urban surroundings on natural ventilation of a large semi-enclosed stadium. <i>Computers and Fluids</i> , <b>2010</b> , 39, 1146-1155	2.8	122
48	Pedestrian wind comfort around buildings: Comparison of wind comfort criteria based on whole-flow field data for a complex case study. <i>Building and Environment</i> , <b>2013</b> , 59, 547-562	6.5	119
47	CFD analysis of transpirational cooling by vegetation: Case study for specific meteorological conditions during a heat wave in Arnhem, Netherlands. <i>Building and Environment</i> , <b>2015</b> , 83, 11-26	6.5	118
46	CFD analysis of cross-ventilation of a generic isolated building with asymmetric opening positions: Impact of roof angle and opening location. <i>Building and Environment</i> , <b>2015</b> , 85, 263-276	6.5	105
45	CFD evaluation of natural ventilation of indoor environments by the concentration decay method: CO2 gas dispersion from a semi-enclosed stadium. <i>Building and Environment</i> , <b>2013</b> , 61, 1-17	6.5	97
44	A venturi-shaped roof for wind-induced natural ventilation of buildings: Wind tunnel and CFD evaluation of different design configurations. <i>Building and Environment</i> , <b>2011</b> , 46, 1797-1807	6.5	88
43	Analysis of the predicted effect of passive climate adaptation measures on energy demand for cooling and heating in a residential building. <i>Energy</i> , <b>2016</b> , 94, 811-820	7.9	74
42	3D CFD simulations of wind flow and wind-driven rain shelter in sports stadia: Influence of stadium geometry. <i>Building and Environment</i> , <b>2011</b> , 46, 22-37	6.5	61
41	CFD evaluation of new second-skin facade concept for wind comfort on building balconies: Case study for the Park Tower in Antwerp. <i>Building and Environment</i> , <b>2013</b> , 68, 179-192	6.5	56
40	Full-scale measurements of indoor environmental conditions and natural ventilation in a large semi-enclosed stadium: Possibilities and limitations for CFD validation. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , <b>2012</b> , 104-106, 330-341	3.7	52
39	CFD evaluation of building geometry modifications to reduce pedestrian-level wind speed. <i>Building and Environment</i> , <b>2019</b> , 163, 106293	6.5	47
38	Computational analysis of the performance of a venturi-shaped roof for natural ventilation: Venturi-effect versus wind-blocking effect. <i>Computers and Fluids</i> , <b>2011</b> , 48, 202-213	2.8	46
37	PIV measurements and analysis of transitional flow in a reduced-scale model: Ventilation by a free plane jet with Coanda effect. <i>Building and Environment</i> , <b>2012</b> , 56, 301-313	6.5	43

36	Reduction of outdoor particulate matter concentrations by local removal in semi-enclosed parking garages: A preliminary case study for Eindhoven city center. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , <b>2016</b> , 159, 80-98	3.7	42
35	Overview of challenges and achievements in the climate adaptation of cities and in the Climate Proof Cities program. <i>Building and Environment</i> , <b>2015</b> , 83, 1-10	6.5	39
34	On the predicted effectiveness of climate adaptation measures for residential buildings. <i>Building and Environment</i> , <b>2014</b> , 82, 300-316	6.5	38
33	Reprint of: On the predicted effectiveness of climate adaptation measures for residential buildings. <i>Building and Environment</i> , <b>2015</b> , 83, 142-158	6.5	37
32	Cross-ventilation in a generic isolated building equipped with louvers: Wind-tunnel experiments and CFD simulations. <i>Building and Environment</i> , <b>2019</b> , 154, 263-280	6.5	36
31	On the suitability of steady RANS CFD for forced mixing ventilation at transitional slot Reynolds numbers. <i>Indoor Air</i> , <b>2013</b> , 23, 236-49	5.4	35
30	Impact of eaves on cross-ventilation of a generic isolated leeward sawtooth roof building: Windward eaves, leeward eaves and eaves inclination. <i>Building and Environment</i> , <b>2015</b> , 92, 578-590	6.5	31
29	CFD simulation of wind-driven upward cross ventilation and its enhancement in long buildings: Impact of single-span versus double-span leeward sawtooth roof and opening ratio. <i>Building and Environment</i> , <b>2016</b> , 96, 142-156	6.5	28
28	Impact of roof geometry of an isolated leeward sawtooth roof building on cross-ventilation: Straight, concave, hybrid or convex?. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , <b>2015</b> , 145, 102-114	3.7	25
27	Numerical analysis of the performance of a venturi-shaped roof for natural ventilation: Influence of building width. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , <b>2012</b> , 104-106, 419-427	3.7	21
26	CFD simulation of snow transport over flat, uniformly rough, open terrain: Impact of physical and computational parameters. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , <b>2018</b> , 177, 213-226	3.7	21
25	PIV measurements of a plane wall jet in a confined space at transitional slot Reynolds numbers. <i>Experiments in Fluids</i> , <b>2012</b> , 53, 499-517	2.5	20
24	Counter-gradient diffusion in a slot-ventilated enclosure assessed by LES and RANS. <i>Computers and Fluids</i> , <b>2014</b> , 96, 63-75	2.8	17
23	On the impact of roof geometry on rain shelter in football stadia. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , <b>2008</b> , 96, 1274-1293	3.7	17
22	Mixing ventilation driven by two oppositely located supply jets with a time-periodic supply velocity: A numerical analysis using computational fluid dynamics. <i>Indoor and Built Environment</i> , <b>2020</b> , 29, 603-620	1.8	16
21	Reduction of particulate matter concentrations by local removal in a building courtyard: Case study for the Delhi American Embassy School. <i>Science of the Total Environment</i> , <b>2019</b> , 686, 657-680	10.2	13
20	A physics-based high-resolution BIPV model for building performance simulations. <i>Solar Energy</i> , <b>2020</b> , 204, 585-599	6.8	13
19	Natural ventilation of an isolated generic building with a windward window and different windexchangers: CFD validation, sensitivity study and performance analysis. <i>Building Simulation</i> , <b>2019</b> , 12, 475-488	3.9	12

18	CFD simulation of non-isothermal mixing ventilation in a generic enclosure: Impact of computational and physical parameters. <i>International Journal of Thermal Sciences</i> , <b>2018</b> , 129, 343-357	4.1	12
17	Computational fluid dynamics predictions of non-isothermal ventilation flow-How can the user factor be minimized?. <i>Indoor Air</i> , <b>2018</b> , 28, 866-880	5.4	12
16	Modeling transient particle transport in transient indoor airflow by fast fluid dynamics with the Markov chain method. <i>Building and Environment</i> , <b>2020</b> , 186, 107323	6.5	11
15	Understanding the behaviour of naturally-ventilated BIPV modules: A sensitivity analysis. <i>Renewable Energy</i> , <b>2020</b> , 161, 133-148	8.1	11
14	Impact of passive climate adaptation measures and building orientation on the energy demand of a detached lightweight semi-portable building. <i>Building Simulation</i> , <b>2018</b> , 11, 1163-1177	3.9	11
13	Simulating building integrated photovoltaic facades: Comparison to experimental data and evaluation of modelling complexity. <i>Applied Energy</i> , <b>2021</b> , 281, 116032	10.7	10
12	Validation of steady RANS modelling of isothermal plane turbulent impinging jets at moderate Reynolds numbers. <i>European Journal of Mechanics, B/Fluids</i> , <b>2019</b> , 75, 228-243	2.4	9
11	Coupled aerostructural shape and topology optimization of horizontal-axis wind turbine rotor blades. <i>Energy Conversion and Management</i> , <b>2020</b> , 212, 112621	10.6	8
10	CFD Methodology Development for Singapore Green Mark Building Application. <i>Procedia Engineering</i> , <b>2017</b> , 180, 1596-1602		6
9	Performance of building integrated photovoltaic facades: Impact of exterior convective heat transfer. <i>Applied Energy</i> , <b>2021</b> , 287, 116538	10.7	5
8	Low-Reynolds number mixing ventilation flows: Impact of physical and numerical diffusion on flow and dispersion. <i>Building Simulation</i> , <b>2017</b> , 10, 589-606	3.9	4
7	Optimization of thin-walled beam structures: Monolithic versus staggered solution schemes. <i>Thin-Walled Structures</i> , <b>2021</b> , 159, 107182	4.7	3
6	Minimum momentum flux ratio required to prevent air curtain breakthrough in case of cross-curtain pressure gradients: CFD versus analytical equation. <i>Building Simulation</i> , <b>2020</b> , 13, 943-960	3.9	1
5	Performance of BIPV modules under different climatic conditions. <i>WEENTECH Proceedings in Energy</i> , <b>2021</b> , 1076115		1
4	Impact of a wall downstream of an air curtain nozzle on air curtain separation efficiency. <i>Building and Environment</i> , <b>2021</b> , 197, 107873	6.5	1
3	Air curtain performance: Introducing the adapted separation efficiency. <i>Building and Environment</i> , <b>2021</b> , 188, 107468	6.5	1
2	Sequentially coupled shape and topology optimization for 2.5D and 3D beam models. <i>Acta Mechanica</i> , <b>2021</b> , 232, 1683-1708	2.1	1
1	The predicted effect of climate change on indoor overheating of heritage apartments in two different Chinese climate zones. <i>Indoor and Built Environment</i> , <b>2021</b> , 1420326X2210858	1.8	0

