

Shun'ichi Makino

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/613397/publications.pdf>

Version: 2024-02-01

20
papers

384
citations

759233
12
h-index

794594
19
g-index

20
all docs

20
docs citations

20
times ranked

379
citing authors

#	ARTICLE	IF	CITATIONS
1	Stylopized hornets (<i>Vespa</i> , <i>Vespidae</i>) as preferred hosts of the parasitic mite <i>Charletonia southcotti</i> (Erythraeidae, Acari). <i>Insectes Sociaux</i> , 2021, 68, 371.	1.2	0
2	Post-hibernation ovary development in queens of the Japanese giant hornet <i>< i>Vespa mandarinia</i></i> (Hymenoptera: <i>Vespidae</i>). <i>Entomological Science</i> , 2016, 19, 440-443.	0.6	9
3	Release of juvenile nematodes at hibernation sites by overwintered queens of the hornet <i>Vespa simillima</i> . <i>Insectes Sociaux</i> , 2013, 60, 383-388.	1.2	4
4	Community structures of Mesostigmata, Prostigmata and Oribatida in broad-leaved regeneration forests and conifer plantations of various ages. <i>Experimental and Applied Acarology</i> , 2013, 59, 391-408.	1.6	21
5	Succession Influences Wild Bees in a Temperate Forest Landscape: The Value of Early Successional Stages in Naturally Regenerated and Planted Forests. <i>PLoS ONE</i> , 2013, 8, e56678.	2.5	67
6	First record of occurrence of <i>Xenos moutoni</i> (Strepsiptera; Stylopidae), an important parasite of hornets (Hymenoptera: <i>Vespidae</i>), in Korea. <i>Journal of Asia-Pacific Entomology</i> , 2011, 14, 137-139.	0.9	7
7	Smaller nests of the hornet <i>Vespa analis</i> (Hymenoptera, <i>Vespidae</i>) are more severely affected by the strepsipteran parasite <i>Xenos moutoni</i> (Strepsiptera, Stylopidae) than are larger nests. <i>Insectes Sociaux</i> , 2010, 57, 83-90.	1.2	3
8	Collembolan community in broad-leaved forests and in conifer stands of <i>Cryptomeria japonica</i> in Central Japan. <i>Pesquisa Agropecuaria Brasileira</i> , 2009, 44, 881-890.	0.9	15
9	Differences in endemic insect assemblages among vegetation types on a small island of the oceanic Ogasawara Islands. <i>Entomological Science</i> , 2008, 11, 131-141.	0.6	13
10	Parasitic mites as part-time bodyguards of a host wasp. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2008, 275, 2293-2297.	2.6	36
11	<i>Sphaerularia vespae</i> sp. nov. (Nematoda, Tylenchomorpha, Sphaerularioidea), an Endoparasite of a Common Japanese Hornet, <i>Vespa simillima</i> Smith (Insecta, Hymenoptera, <i>Vespidae</i>). <i>Zoological Science</i> , 2007, 24, 1134-1142.	0.7	17
12	The first record of infection and sterilization by the nematode <i>Sphaerularia</i> in hornets (Hymenoptera, <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 17</i>)		
13	Degradation of longicorn beetle (Coleoptera, Cerambycidae, Disteniidae) fauna caused by conversion from broad-leaved to man-made conifer stands of <i>Cryptomeria japonica</i> (Taxodiaceae) in central Japan. <i>Ecological Research</i> , 2007, 22, 372-381.	1.5	46
14	The Monitoring of Insects to Maintain Biodiversity in Ogawa Fores Reserve. <i>Environmental Monitoring and Assessment</i> , 2006, 120, 477-485.	2.7	25
15	Structure of acarinaria in the wasp <i>< i>Allodynerus delphinalis</i></i> (Hymenoptera: Eumenidae) and distribution of deutonymphs of the associated mite <i>< i>Ensliniella parasitica</i></i> (Acari: <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 17</i>)		
16	Seasonal changes in levels of parasitism and sex ratio of <i>Xenos moutoni</i> du Buysson (Strepsiptera,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> collected with attractant traps. <i>Tijdschrift Voor Entomologie</i> , 2001, 144, 217-222.	0.3	7
17	Reproductive and subsocial behaviour in the ovoviparous leaf beetle <i>< i>Gonioctena sibirica</i></i> (Coleoptera: Chrysomelidae). <i>Ecological Entomology</i> , 1995, 20, 367-373.	2.2	34
18	Losses of workers and reproductives in colonies of the paper wasp <i>Polistes riparius</i> (Hymenoptera:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i>	0.9	12

#	ARTICLE	IF	CITATIONS
19	Usurpation and nest rebuilding in <i>Polistes riparius</i> : Two ways to reproduce after the loss of the original nest (Hymenoptera: Vespidae). <i>Insectes Sociaux</i> , 1989, 36, 116-128.	1.2	24
20	Dispersion distance of queens from natal sites in the two haplometrotic paper wasps <i>Polistes riparius</i> and <i>P. snelleni</i> (Hymenoptera: Vespidae). <i>Researches on Population Ecology</i> , 1987, 29, 111-117.	0.9	16