

Alessandro Nobili

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6134353/alessandro-nobili-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

195 papers	4,043 citations	34 h-index	53 g-index
208 ext. papers	4,804 ext. citations	3.8 avg, IF	5.23 L-index

#	Paper	IF	Citations
195	High dose ivermectin for the early treatment of COVID-19 (COVER study): a randomised, double-blind, multicentre, phase II, dose-finding, proof of concept clinical trial.. <i>International Journal of Antimicrobial Agents</i> , 2022 , 59, 106516	14.3	8
194	Anemia in nursing homes, proton pump inhibitors and prescribing cascade of antianemic drugs.. <i>European Geriatric Medicine</i> , 2022 , 1	3	0
193	Impact of the post-COVID-19 condition on health care after the first disease wave in Lombardy.. <i>Journal of Internal Medicine</i> , 2022 ,	10.8	2
192	Kidney Disease Management in the Hospital Setting: A Focus on Inappropriate Drug Prescriptions in Older Patients. <i>Frontiers in Pharmacology</i> , 2021 , 12, 749711	5.6	0
191	Antibiotic use and associated factors in adult outpatients from 2000 to 2019. <i>Pharmacology Research and Perspectives</i> , 2021 , 9, e00878	3.1	1
190	Comparison between drug therapy-based comorbidity indices and the Charlson Comorbidity Index for the detection of severe multimorbidity in older subjects. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 1929-1935	4.8	2
189	Use of preventive drugs during the last year of life in older adults with cancer or chronic progressive diseases. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 1057-1065	2.6	1
188	Anticholinergic load and delirium in end-of-life patients. <i>European Journal of Clinical Pharmacology</i> , 2021 , 77, 1419-1424	2.8	2
187	Hyperglycemia at admission, comorbidities, and in-hospital mortality in elderly patients hospitalized in internal medicine wards: data from the RePoSI Registry. <i>Acta Diabetologica</i> , 2021 , 58, 1225-1236	3.9	2
186	What changed in the Italian internal medicine and geriatric wards during the lockdown. <i>European Journal of Internal Medicine</i> , 2021 , 84, 97-100	3.9	
185	Pharmacist-driven medication recognition/ reconciliation in older medical patients. <i>European Journal of Internal Medicine</i> , 2021 , 83, 39-44	3.9	3
184	Pattern of comorbidities and 1-year mortality in elderly patients with COPD hospitalized in internal medicine wards: data from the RePoSI Registry. <i>Internal and Emergency Medicine</i> , 2021 , 16, 389-400	3.7	7
183	The multifaceted spectrum of liver cirrhosis in older hospitalised patients: analysis of the REPOSI registry. <i>Age and Ageing</i> , 2021 , 50, 498-504	3	0
182	Authors' Reply to Brunetti et al. "Potentially Inappropriate Medications, Drug-Drug Interactions, and Anticholinergic Burden in Elderly Hospitalized Patients: Does an Association Exist with Post-Discharge Health Outcomes?". <i>Drugs and Aging</i> , 2021 , 38, 93-94	4.7	1
181	Initiation of Psycholeptic Medication During Hospitalization With Recommendation for Discontinuation After Discharge. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 96-100.	5.9	0
180	Underdiagnosis and undertreatment of osteoporotic patients admitted in internal medicine wards in Italy between 2010 and 2016 (the REPOSI Register). <i>Endocrine</i> , 2021 , 71, 484-493	4	2
179	Medication adherence in community-dwelling older people exposed to chronic polypharmacy. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 854-859	5.1	3

178	Use of Lipid-Lowering Drugs and Associated Outcomes According to Health State Profiles in Hospitalized Older Patients. <i>Clinical Interventions in Aging</i> , 2021 , 16, 1251-1264	4	1
177	Surface plasmon resonance unveils important pitfalls of enzyme-linked immunoassay for the detection of anti-infliximab antibodies in patients' sera. <i>Scientific Reports</i> , 2021 , 11, 14976	4.9	2
176	Clinical factors associated with death in 3044 COVID-19 patients managed in internal medicine wards in Italy: comment. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	3
175	Clinical risk scores for the early prediction of severe outcomes in patients hospitalized for COVID-19: comment. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	0
174	Renal Function, Cardiovascular Diseases, Appropriateness of Drug Prescription and Outcomes in Hospitalized Older Patients. <i>Drugs and Aging</i> , 2021 , 38, 1097-1105	4.7	0
173	Potentially Inappropriate Medications, Drug-Drug Interactions, and Anticholinergic Burden in Elderly Hospitalized Patients: Does an Association Exist with Post-Discharge Health Outcomes?. <i>Drugs and Aging</i> , 2020 , 37, 585-593	4.7	12
172	Views of medical practitioners about deprescribing in older adults: Findings from an Italian qualitative study. <i>Maturitas</i> , 2020 , 134, 29-33	5	5
171	Overuse of proton pump inhibitors in nursing homes: An Italian multicenter observational study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 461-466	2.6	5
170	Inappropriate medications among end-of-life patients living at home: an Italian observational study. <i>European Geriatric Medicine</i> , 2020 , 11, 505-510	3	4
169	COVID-19 mortality in Lombardy: the vulnerability of the oldest old and the resilience of male centenarians. <i>Aging</i> , 2020 , 12, 15186-15195	5.6	24
168	Comorbidity does not mean clinical complexity: evidence from the RePoSI register. <i>Internal and Emergency Medicine</i> , 2020 , 15, 621-628	3.7	7
167	Use and prescription appropriateness of drugs for peptic ulcer and gastroesophageal reflux disease in hospitalized older people. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 459-465	2.8	7
166	Pain and Frailty in Hospitalized Older Adults. <i>Pain and Therapy</i> , 2020 , 9, 727-740	3.6	8
165	Inappropriate use of antiplatelet agents for primary prevention in nursing homes: An Italian multicenter observational study. <i>Geriatrics and Gerontology International</i> , 2020 , 20, 828-832	2.9	0
164	Sex-related differences in prevalence, treatment and outcomes in patients with atrial fibrillation. <i>Internal and Emergency Medicine</i> , 2020 , 15, 231-240	3.7	8
163	Drug prescriptions in nursing home residents: an Italian multicenter observational study. <i>European Journal of Clinical Pharmacology</i> , 2020 , 76, 1011-1019	2.8	16
162	Interventions to prevent, delay or reverse frailty in older people: a journey towards clinical guidelines. <i>BMC Medicine</i> , 2019 , 17, 193	11.4	31
161	Patterns of infections in older patients acutely admitted to medical wards: data from the REPOSI register. <i>Internal and Emergency Medicine</i> , 2019 , 14, 1347-1352	3.7	

160	Inappropriate prescription of benzodiazepines in acutely hospitalized older patients. <i>European Neuropsychopharmacology</i> , 2019 , 29, 871-879	1.2	6
159	Appropriateness of prescription of oral anticoagulant therapy in acutely hospitalized older people with atrial fibrillation. Secondary analysis of the SIM-AF cluster randomized clinical trial. <i>British Journal of Clinical Pharmacology</i> , 2019 , 85, 2134-2142	3.8	7
158	Generation and validation of algorithms to identify subjects with dementia using administrative data. <i>Neurological Sciences</i> , 2019 , 40, 2155-2161	3.5	
157	Drug-drug interactions involving CYP3A4 and p-glycoprotein in hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , 2019 , 65, 51-57	3.9	10
156	Antibiotic use and associated factors in a large sample of hospitalised older people. <i>Journal of Global Antimicrobial Resistance</i> , 2019 , 19, 167-172	3.4	3
155	Hospital Care of Older Patients With COPD: Adherence to International Guidelines for Use of Inhaled Bronchodilators and Corticosteroids. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1313-1317.e9	5.9	4
154	Need for Deprescribing in Hospital Elderly Patients Discharged with a Limited Life Expectancy: The REPOSI Study. <i>Medical Principles and Practice</i> , 2019 , 28, 501-508	2.1	4
153	Prevalence of Preventive and Symptomatic Drug Treatments in Hospice Care: An Italian Observational Study. <i>American Journal of Hospice and Palliative Medicine</i> , 2019 , 36, 216-221	2.6	7
152	Prevalence of use and appropriateness of antidepressants prescription in acutely hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , 2019 , 68, e7-e11	3.9	1
151	Simulation-Based Education for Physicians to Increase Oral Anticoagulants in Hospitalized Elderly Patients with Atrial Fibrillation. <i>American Journal of Medicine</i> , 2019 , 132, e634-e647	2.4	5
150	Prognostic value for mortality of the new FADOI-COMPLIMED score(s) in patients hospitalized in medical wards. <i>PLoS ONE</i> , 2019 , 14, e0219767	3.7	1
149	A Surface Plasmon Resonance-based assay to measure serum concentrations of therapeutic antibodies and anti-drug antibodies. <i>Scientific Reports</i> , 2019 , 9, 2064	4.9	32
148	Long-Term Relationship Between Atrial Fibrillation, Multimorbidity and Oral Anticoagulant Drug Use. <i>Mayo Clinic Proceedings</i> , 2019 , 94, 2427-2436	6.4	36
147	Mortality rate and risk factors for gastrointestinal bleeding in elderly patients. <i>European Journal of Internal Medicine</i> , 2019 , 61, 54-61	3.9	34
146	Sex-Differences in the Pattern of Comorbidities, Functional Independence, and Mortality in Elderly Inpatients: Evidence from the RePoSI Register. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	13
145	Relation Between Delirium and Anticholinergic Drug Burden in a Cohort of Hospitalized Older Patients: An Observational Study. <i>Drugs and Aging</i> , 2019 , 36, 85-91	4.7	27
144	Prognostic relevance of glomerular filtration rate estimation obtained through different equations in hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , 2018 , 54, 60-64	3.9	4
143	Risk factors for three-month mortality after discharge in a cohort of non-oncologic hospitalized elderly patients: Results from the REPOSI study. <i>Archives of Gerontology and Geriatrics</i> , 2018 , 74, 169-173	4	9

142	Disability, and not diabetes, is a strong predictor of mortality in oldest old patients hospitalized with pneumonia. <i>European Journal of Internal Medicine</i> , 2018 , 54, 53-59	3.9	14
141	Choice and Outcomes of Rate Control versus Rhythm Control in Elderly Patients with Atrial Fibrillation: A Report from the REPOSI Study. <i>Drugs and Aging</i> , 2018 , 35, 365-373	4.7	13
140	Polypharmacy in older adults with severe haemophilia. <i>Haemophilia</i> , 2018 , 24, e1-e3	3.3	3
139	Sex differences in stroke and major adverse clinical events in patients with atrial fibrillation: A systematic review and meta-analysis of 993,600 patients. <i>International Journal of Cardiology</i> , 2018 , 269, 182-191	3.2	31
138	Appropriateness of oral anticoagulant therapy prescription and its associated factors in hospitalized older people with atrial fibrillation. <i>British Journal of Clinical Pharmacology</i> , 2018 , 84, 2010-2019	3.8	19
137	Rate and appropriateness of polypharmacy in older patients with hemophilia compared with age-matched controls. <i>Haemophilia</i> , 2018 , 24, 726-732	3.3	5
136	Choices of factor VIII products in previously untreated patients with haemophilia A: A global survey. <i>Haemophilia</i> , 2018 , 24, e266-e268	3.3	
135	Implementation of the Frailty Index in hospitalized older patients: Results from the REPOSI register. <i>European Journal of Internal Medicine</i> , 2018 , 56, 11-18	3.9	11
134	PoliFIT-INFOCUS: A pilot study exploring how to promote physical activity in older people. <i>European Journal of Internal Medicine</i> , 2018 , 57, e41-e42	3.9	1
133	Polypharmacy in older people: lessons from 10 years of experience with the REPOSI register. <i>Internal and Emergency Medicine</i> , 2018 , 13, 1191-1200	3.7	32
132	Prevalence, characteristics and treatment of chronic pain in elderly patients hospitalized in internal medicine wards. <i>European Journal of Internal Medicine</i> , 2018 , 55, 35-39	3.9	15
131	Living alone as an independent predictor of prolonged length of hospital stay and non-home discharge in older patients. <i>European Journal of Internal Medicine</i> , 2018 , 57, 25-31	3.9	6
130	Emergency department visits in older people: pattern of use, contributing factors, geographical differences and outcomes. <i>Aging Clinical and Experimental Research</i> , 2017 , 29, 319-326	4.8	14
129	Prevalence of older in-patients at risk of clopidogrel resistance according to the STIB score. Results from REPOSI registry. <i>European Journal of Internal Medicine</i> , 2017 , 41, e17-e18	3.9	1
128	Antipsychotic prescription and mortality in hospitalized older persons. <i>Psychogeriatrics</i> , 2017 , 17, 397-405	3.8	6
127	Prevalence and Determinants of the Use of Lipid-Lowering Agents in a Population of Older Hospitalized Patients: the Findings from the REPOSI (Registro POLiterapie Societ�Italiana di Medicina Interna) Study. <i>Drugs and Aging</i> , 2017 , 34, 311-319	4.7	7
126	Pattern of in-hospital changes in drug use in the older people from 2010 to 2016. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1534-1539	2.6	10
125	Appropriateness of antiplatelet therapy for primary and secondary cardio- and cerebrovascular prevention in acutely hospitalized older people. <i>British Journal of Clinical Pharmacology</i> , 2017 , 83, 2528-2540	3.8	14

124	Relationship between atrial fibrillation and cognitive decline in individuals aged 80 and older. <i>European Journal of Internal Medicine</i> , 2017 , 46, 6-10	3.9	13
123	N-of-1 Randomized Trials of Ultra-Micronized Palmitoylethanolamide in Older Patients with Chronic Pain. <i>Drugs and Aging</i> , 2017 , 34, 941-952	4.7	10
122	Adult-Onset Epilepsy in Presymptomatic Alzheimer's Disease: A Retrospective Study. <i>Journal of Alzheimer's Disease</i> , 2017 , 60, 1267-1274	4.3	36
121	Use of non-steroidal anti-inflammatory drugs and analgesics in a cohort of hospitalized elderly patients: Results from the REPOSI study. <i>European Journal of Internal Medicine</i> , 2017 , 38, e11-e12	3.9	1
120	Prognostic value of degree and types of anaemia on clinical outcomes for hospitalised older patients. <i>Archives of Gerontology and Geriatrics</i> , 2017 , 69, 21-30	4	7
119	Antiepileptic drug discontinuation by people with epilepsy in the general population. <i>Epilepsia</i> , 2017 , 58, 1524-1532	6.4	13
118	Defining Aging Phenotypes and Related Outcomes: Clues to Recognize Frailty in Hospitalized Older Patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 395-402	6.4	35
117	A survey among hospital specialists and pharmacists about biosimilars. <i>European Journal of Internal Medicine</i> , 2016 , 35, e31-e33	3.9	12
116	Risk of dementia and death in patients with atrial fibrillation: A competing risk analysis of a population-based cohort. <i>International Journal of Cardiology</i> , 2016 , 220, 440-4	3.2	24
115	Potentially Inappropriate Drug Prescribing and the "Never Change a Winning Team" Principle. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 1531-1532	6.4	2
114	Clinical Severity, Age, and Sex Overcome Cardiometabolic Morbidities but Not Stroke as Predictors of Mortality in Elderly Inpatients: Data From the REGISTRO POLiterapie Societ�Italiana di Medicina Interna Registry. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 1737-9	5.6	2
113	Efficacy of ultra-micronized palmitoylethanolamide (um-PEA) in geriatric patients with chronic pain: study protocol for a series of N-of-1 randomized trials. <i>Trials</i> , 2016 , 17, 369	2.8	4
112	Adherence to antithrombotic therapy guidelines improves mortality among elderly patients with atrial fibrillation: insights from the REPOSI study. <i>Clinical Research in Cardiology</i> , 2016 , 105, 912-920	6.1	47
111	Biological agents and biosimilars: Essential information for the internist. <i>European Journal of Internal Medicine</i> , 2016 , 33, 28-35	3.9	11
110	Comparison of Health Care Resource Utilization by Immigrants Versus Native Elderly People. <i>Journal of Immigrant and Minority Health</i> , 2016 , 18, 1-7	2.2	11
109	Prevalence and Risk Factors Associated with Use of QT-Prolonging Drugs in Hospitalized Older People. <i>Drugs and Aging</i> , 2016 , 33, 53-61	4.7	21
108	Attitudes towards polypharmacy and medication withdrawal among older inpatients in Italy. <i>International Journal of Clinical Pharmacy</i> , 2016 , 38, 454-61	2.3	54
107	A Multicomponent Intervention to Optimize Psychotropic Drug Prescription in Elderly Nursing Home Residents: An Italian Multicenter, Prospective, Pilot Study. <i>Drugs and Aging</i> , 2016 , 33, 143-9	4.7	17

106	A population-based study of active and drug-resistant epilepsies in Northern Italy. <i>Epilepsy and Behavior</i> , 2016 , 55, 30-7	3.2	23
105	Imatinib and polypharmacy in very old patients with chronic myeloid leukemia: effects on response rate, toxicity and outcome. <i>Oncotarget</i> , 2016 , 7, 80083-80090	3.3	21
104	FOCUS: Frailty Management Optimisation through EIPAHHA Commitments and Utilisation of Stakeholders Input [An innovative European Project in elderly care*]. <i>Family Medicine and Primary Care Review</i> , 2016 , 3, 373-376	0.6	13
103	Dietary Supplements in Infants and Children: Only Beneficial?. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2016 , 63, 177-80	2.8	3
102	Changes in clinical outcomes for community-dwelling older people exposed to incident chronic polypharmacy: a comparison between 2001 and 2009. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 204-11	2.6	30
101	Long-term prognosis of epilepsy, prognostic patterns and drug resistance: a population-based study. <i>European Journal of Neurology</i> , 2016 , 23, 1218-27	6	15
100	Predictors of clinical events occurring during hospital stay among elderly patients admitted to medical wards in Italy. <i>European Journal of Internal Medicine</i> , 2016 , 32, 38-42	3.9	5
99	Angiotensin-converting enzyme inhibitors and motor neuron disease: An unconfirmed association. <i>Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration</i> , 2016 , 17, 385-8	3.6	4
98	Therapeutic Duplicates in a Cohort of Hospitalized Elderly Patients: Results from the REPOSI Study. <i>Drugs and Aging</i> , 2016 , 33, 647-54	4.7	2
97	Frailty and sarcopenia: From theory to clinical implementation and public health relevance. <i>European Journal of Internal Medicine</i> , 2016 , 35, 1-9	3.9	33
96	E-learning in order to improve drug prescription for hospitalized older patients: a cluster-randomized controlled study. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 53-63	3.8	25
95	The stigma of low opioid prescription in the hospitalized multimorbid elderly in Italy. <i>Internal and Emergency Medicine</i> , 2015 , 10, 305-13	3.7	7
94	The value of software that provides clinically relevant information on drug interactions. <i>European Journal of Internal Medicine</i> , 2015 , 26, e52-3	3.9	7
93	Light and shade behind the opt-out system for the HIV screening. <i>Lancet HIV,the</i> , 2015 , 2, e317	7.8	
92	Epidemiologic Trends in Hospitalized Ischemic Stroke from 2002 to 2010: Results from a Large Italian Population-Based Study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 1917-23	2.8	16
91	Brain and kidney, victims of atrial microembolism in elderly hospitalized patients? Data from the REPOSI study. <i>European Journal of Internal Medicine</i> , 2015 , 26, 243-9	3.9	10
90	Adherence to antibiotic treatment guidelines and outcomes in the hospitalized elderly with different types of pneumonia. <i>European Journal of Internal Medicine</i> , 2015 , 26, 330-7	3.9	18
89	Prevalence of dementia in the oldest old: the Monzino 80-plus population based study. <i>Alzheimer's and Dementia</i> , 2015 , 11, 258-70.e3	1.2	44

88	Beta-Adrenoceptor Antagonists and Antianginal Drugs. <i>Side Effects of Drugs Annual</i> , 2015 , 37, 215-222	0.2	
87	Diabetes mellitus as risk factor for atrial fibrillation hospitalization: Incidence and outcomes over nine years in a region of Northern Italy. <i>Diabetes Research and Clinical Practice</i> , 2015 , 109, 476-84	7.4	20
86	The drug prescription network: a system-level view of drug co-prescription in community-dwelling elderly people. <i>Rejuvenation Research</i> , 2015 , 18, 153-61	2.6	4
85	Appropriateness of antithrombotic prophylaxis in the oldest old with non-valvular atrial fibrillation: ARAPACIS and REPOSI. <i>European Journal of Internal Medicine</i> , 2015 , 26, e47-8	3.9	1
84	Best Practices for Drug Prescribing in Older Adults: A Call for Action. <i>Drugs and Aging</i> , 2015 , 32, 887-90	4.7	14
83	Under-detection of delirium and impact of neurocognitive deficits on in-hospital mortality among acute geriatric and medical wards. <i>European Journal of Internal Medicine</i> , 2015 , 26, 696-704	3.9	47
82	Cognitive and psychological profiles in treatment compliance: a study in an elderly population with hemophilia. <i>Clinical Interventions in Aging</i> , 2015 , 10, 1141-6	4	4
81	Gender difference in drug use in hospitalized elderly patients. <i>European Journal of Internal Medicine</i> , 2015 , 26, 483-90	3.9	18
80	Very Elderly Patients with Chronic Phase-Chronic Myeloid Leukemia on Imatinib: No Impact of Concomitant Drugs on Complete Cytogenetic Response. <i>Blood</i> , 2015 , 126, 1582-1582	2.2	
79	E-learning to improve the drug prescribing in the hospitalized elderly patients: the ELICADHE feasibility pilot study. <i>Aging Clinical and Experimental Research</i> , 2014 , 26, 435-43	4.8	8
78	Understanding adverse drug reactions in older adults through drug-drug interactions. <i>European Journal of Internal Medicine</i> , 2014 , 25, 843-6	3.9	60
77	Gout, allopurinol intake and clinical outcomes in the hospitalized multimorbid elderly. <i>European Journal of Internal Medicine</i> , 2014 , 25, 847-52	3.9	1
76	Prevalence of potentially inappropriate medications and risk of adverse clinical outcome in a cohort of hospitalized elderly patients: results from the REPOSI Study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014 , 39, 511-5	2.2	50
75	Inappropriate prescription of allopurinol and febuxostat and risk of adverse events in the elderly: results from the REPOSI registry. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 1495-503	2.8	23
74	Heart failure and chronic kidney disease in a registry of internal medicine wards. <i>European Geriatric Medicine</i> , 2014 , 5, 307-313	3	0
73	Gender-differences in disease distribution and outcome in hospitalized elderly: data from the REPOSI study. <i>European Journal of Internal Medicine</i> , 2014 , 25, 617-23	3.9	62
72	Changes in prescribing patterns and clinical outcomes in elderly diabetic patients in 2000 and 2010: analysis of a large Italian population-based study. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 965-74	2.8	6
71	Elevated risk of death and major cardiovascular events in subjects with newly diagnosed diabetes: findings from an administrative database. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 263-70	4.5	11

70	Medication non-adherence among elderly patients newly discharged and receiving polypharmacy. <i>Drugs and Aging</i> , 2014 , 31, 283-9	4.7	127
69	Sex differences in cardiovascular outcomes, pharmacological treatments and indicators of care in patients with newly diagnosed diabetes: Analyses on administrative database. <i>European Journal of Internal Medicine</i> , 2014 , 25, 270-5	3.9	19
68	Prescription drug use among older adults in Italy: a country-wide perspective. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 531.e11-531.e15	5.9	15
67	Multimorbidity and polypharmacy in the elderly: lessons from REPOSI. <i>Internal and Emergency Medicine</i> , 2014 , 9, 723-34	3.7	95
66	Electrocardiographic monitoring for new prescriptions of quetiapine co-prescribed with acetylcholinesterase inhibitors or memantine from 2005 to 2009. A population study on community-dwelling older people in Italy. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 1487-94	2.8	1
65	Prevalence and incidence of epilepsy in a well-defined population of Northern Italy. <i>Epilepsia</i> , 2014 , 55, 1526-33	6.4	23
64	Changes in drug prescribing to Italian community-dwelling elderly people: the EPIFARM-Elderly Project 2000-2010. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 437-43	2.8	38
63	Prognostic value of estimated glomerular filtration rate in hospitalized elderly patients. <i>Internal and Emergency Medicine</i> , 2014 , 9, 735-47	3.7	15
62	Geographical differences in the prevalence of chronic polypharmacy in older people: eleven years of the EPIFARM-Elderly Project. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 1477-83	2.8	32
61	New prescriptions of spironolactone associated with angiotensin-converting-enzyme inhibitors and/or angiotensin receptor blockers and their laboratory monitoring from 2001 to 2008: a population study on older people living in the community in Italy. <i>European Journal of Clinical Pharmacology</i> , 2013 , 68, 889-97	2.8	4
60	Association of anticholinergic burden with cognitive and functional status in a cohort of hospitalized elderly: comparison of the anticholinergic cognitive burden scale and anticholinergic risk scale: results from the REPOSI study. <i>Drugs and Aging</i> , 2013 , 30, 103-12	4.7	120
59	Prophylaxis of venous thromboembolism in elderly patients with multimorbidity. <i>Internal and Emergency Medicine</i> , 2013 , 8, 509-20	3.7	17
58	How pre-marketing data can be used for predicting the weight of drug interactions in clinical practice. <i>European Journal of Internal Medicine</i> , 2013 , 24, 217-21	3.9	1
57	Caregivers' perceptions of the therapeutic benefits of drug treatments for dementia. <i>Aging Clinical and Experimental Research</i> , 2013 , 25, 677-83	4.8	1
56	Joint use of cardio-embolic and bleeding risk scores in elderly patients with atrial fibrillation. <i>European Journal of Internal Medicine</i> , 2013 , 24, 800-6	3.9	11
55	Risk factors for hospital readmission of elderly patients. <i>European Journal of Internal Medicine</i> , 2013 , 24, 45-51	3.9	58
54	Prevention of inappropriate prescribing in hospitalized older patients using a computerized prescription support system (INTERcheck(®)). <i>Drugs and Aging</i> , 2013 , 30, 821-8	4.7	55
53	Antipsychotics prescription and cerebrovascular events in Italian older persons. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 542-5	1.7	8

52	Comparison of disease clusters in two elderly populations hospitalized in 2008 and 2010. <i>Gerontology</i> , 2013 , 59, 307-15	5.5	11
51	Validation of healthcare administrative data for the diagnosis of epilepsy. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 1019-24	5.1	36
50	Adverse clinical events and mortality during hospitalization and 3 months after discharge in cognitively impaired elderly patients. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2013 , 68, 419-25	6.4	22
49	Drug-drug interactions in a cohort of hospitalized elderly patients. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1054-60	2.6	41
48	A new generation of antipsychotics: pharmacology and clinical utility of cariprazine in schizophrenia. <i>Therapeutics and Clinical Risk Management</i> , 2013 , 9, 319-28	2.9	31
47	Prevalence, incidence and mortality of diagnosed diabetes: evidence from an Italian population-based study. <i>Diabetic Medicine</i> , 2012 , 29, 385-92	3.5	53
46	Changes in trend of antipsychotics prescription in patients treated with cholinesterase inhibitors after warnings from Italian Medicines Agency. Results from the EPIFARM-Elderly Project. <i>European Neuropsychopharmacology</i> , 2012 , 22, 569-77	1.2	21
45	Adverse drug reactions caused by drug-drug interactions in elderly outpatients: a prospective cohort study. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 1667-76	2.8	59
44	Critical appraisal of lurasidone in the management of schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2012 , 8, 155-68	3.1	22
43	Prevalence and predictors of potential drug-drug interactions in the elderly: a cross-sectional study in the Brazilian primary public health system. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2012 , 15, 344-54	3.4	32
42	Incidence and predictors of adverse drug reactions caused by drug-drug interactions in elderly outpatients: a prospective cohort study. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2012 , 15, 332-43	3.4	27
41	The declining use of reboxetine in years 2000 to 2006: a pharmacoepidemiological comparative study. <i>Journal of Clinical Psychopharmacology</i> , 2012 , 32, 303-5	1.7	
40	Prevalence and characteristics of antidepressant drug prescriptions in older Italian patients. <i>International Psychogeriatrics</i> , 2012 , 24, 606-13	3.4	10
39	Trends in drug prescriptions to diabetic patients from 2000 to 2008 in Italy's Lombardy Region: a large population-based study. <i>Diabetes Research and Clinical Practice</i> , 2011 , 93, 123-30	7.4	34
38	Prevalence and appropriateness of drug prescriptions for peptic ulcer and gastro-esophageal reflux disease in a cohort of hospitalized elderly. <i>European Journal of Internal Medicine</i> , 2011 , 22, 205-10	3.9	70
37	More about optimal choices in cardioembolism prevention. <i>European Journal of Internal Medicine</i> , 2011 , 22, e19	3.9	
36	Association between clusters of diseases and polypharmacy in hospitalized elderly patients: results from the REPOSI study. <i>European Journal of Internal Medicine</i> , 2011 , 22, 597-602	3.9	83
35	Multiple diseases and polypharmacy in the elderly: challenges for the internist of the third millennium. <i>Journal of Comorbidity</i> , 2011 , 1, 28-44	4	132

34	Polypharmacy, length of hospital stay, and in-hospital mortality among elderly patients in internal medicine wards. The REPOSI study. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 507-19	2.8	208
33	Antidepressants utilization among elderly in Lombardy from 2000 to 2007: dispensing trends and appropriateness. <i>European Journal of Clinical Pharmacology</i> , 2011 , 67, 1077-83	2.8	33
32	Differences in outpatient antibiotic prescription in Italy's Lombardy region. <i>Infection</i> , 2011 , 39, 299-308	5.8	23
31	A Population-based study of dementia in the oldest old: the Monzino 80-plus study. <i>BMC Neurology</i> , 2011 , 11, 54	3.1	18
30	Drug utilization and polypharmacy in an Italian elderly population: the EPIFARM-elderly project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 488-96	2.6	44
29	Cholinesterase inhibitor use in Alzheimer's disease: the EPIFARM-Elderly Project. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 497-505	2.6	18
28	In-hospital death according to dementia diagnosis in acutely ill elderly patients: the REPOSI study. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 930-6	3.9	26
27	Iposcialia: considerazioni eziopatogenetiche e meccanismi farmaco-indotti. <i>Dental Cadmos</i> , 2011 , 79, 629-644	2.3	
26	New atypical antipsychotics for schizophrenia: iloperidone. <i>Drug Design, Development and Therapy</i> , 2010 , 4, 33-48	4.4	31
25	In-hospital death and adverse clinical events in elderly patients according to disease clustering: the REPOSI study. <i>Rejuvenation Research</i> , 2010 , 13, 469-77	2.6	35
24	Prevalence, incidence and types of mild anemia in the elderly: the "Health and Anemia" population-based study. <i>Haematologica</i> , 2010 , 95, 1849-56	6.6	136
23	Factors affecting adherence to guidelines for antithrombotic therapy in elderly patients with atrial fibrillation admitted to internal medicine wards. <i>European Journal of Internal Medicine</i> , 2010 , 21, 516-23	3.9	44
22	Co-prescription of gastroprotective agents in patients taking non-selective NSAIDs or COX-2 selective inhibitors: analysis of prescriptions. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2010 , 48, 735-43	2	5
21	Potentially severe drug interactions in elderly outpatients: results of an observational study of an administrative prescription database. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2009 , 34, 377-86	2.2	80
20	Predicting the clinical relevance of drug interactions from pre-approval studies. <i>Drug Safety</i> , 2009 , 32, 1017-39	5.1	14
19	Utilization and costs of antiepileptic drugs in the elderly: still an unsolved issue. <i>Drugs and Aging</i> , 2009 , 26, 157-68	4.7	12
18	Use and misuse of antipsychotic drugs in patients with dementia in Alzheimer special care units. <i>International Clinical Psychopharmacology</i> , 2009 , 24, 97-104	2.2	19
17	Association of mild anemia with hospitalization and mortality in the elderly: the Health and Anemia population-based study. <i>Haematologica</i> , 2009 , 94, 22-8	6.6	92

16	A critical review of the full economic evaluations of pharmacological treatments for glaucoma. <i>Journal of Medical Economics</i> , 2008 , 11, 719-41	2.4	2
15	A critical review of the full economic evaluations of pharmacological treatments for colorectal cancer. <i>Journal of Medical Economics</i> , 2008 , 11, 177-97	2.4	6
14	Alzheimer special care units compared with traditional nursing home for dementia care: are there differences at admission and in clinical outcomes?. <i>Alzheimer Disease and Associated Disorders</i> , 2008 , 22, 352-61	2.5	26
13	Association of mild anemia with cognitive, functional, mood and quality of life outcomes in the elderly: the "Health and Anemia" study. <i>PLoS ONE</i> , 2008 , 3, e1920	3.7	95
12	Cholinesterase inhibitor use and age in the general population. <i>Archives of Neurology</i> , 2006 , 63, 154-5		11
11	Low folate and the risk of cognitive and functional deficits in the very old: the Monzino 80-plus study. <i>Journal of the American College of Nutrition</i> , 2006 , 25, 502-8	3.5	18
10	Severe intoxication after phenytoin infusion: A preventable pharmacogenetic adverse reaction. <i>Neurology</i> , 2004 , 62, 161-161	6.5	2
9	The effect of a structured intervention on caregivers of patients with dementia and problem behaviors: a randomized controlled pilot study. <i>Alzheimer Disease and Associated Disorders</i> , 2004 , 18, 75-82	2.5	50
8	Severe intoxication after phenytoin infusion: a preventable pharmacogenetic adverse reaction. <i>Neurology</i> , 2003 , 60, 1395-6	6.5	17
7	A surveillance-oriented medical record as a source of data for both drug and quality of care surveillance. <i>Pharmacoepidemiology and Drug Safety</i> , 1999 , 8, 131-9	2.6	5
6	Doctorline: a private toll-free telephone medical information service. Five years of activity: old problems and new perspectives. <i>Annals of Pharmacotherapy</i> , 1998 , 32, 120-5	2.9	6
5	Drug use by the elderly in Italy. <i>Annals of Pharmacotherapy</i> , 1997 , 31, 416-22	2.9	37
4	Relationship between posture and occlusion: a clinical and experimental investigation. <i>Cranio - Journal of Craniomandibular Practice</i> , 1996 , 14, 274-85	1.2	51
3	Frequency of consumption of selected indicator foods and serum cholesterol. GISSI-EFRIM investigators. Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto-Epidemiologia dei Fattori di Rischio dell'Infarto Miocardico. <i>European Journal of Epidemiology</i> , 1995 , 11, 269-74	12.1	4
2	Cigarette smoking and acute myocardial infarction. A case-control study from the GISSI-2 trial. GISSI-EFRIM Investigators. Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto-Epidemiologia dei Fattori di Rischio dell'infarto Miocardico. <i>European Journal of Epidemiology</i> , 1994 , 10, 361-6	12.1	19
1	Body mass and acute myocardial infarction. GISSI-EFRIM Investigators. <i>Preventive Medicine</i> , 1992 , 21, 292-301	4.3	12