

# Laura Cesaratto

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6135420/laura-cesaratto-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23  
papers

1,103  
citations

18  
h-index

26  
g-index

26  
ext. papers

1,205  
ext. citations

5.3  
avg, IF

3.22  
L-index

#	Paper	IF	Citations
23	Sleeping beauty genetic screen identifies miR-23b::BTBD7 gene interaction as crucial for colorectal cancer metastasis. <i>EBioMedicine</i> , <b>2019</b> , 46, 79-93	8.8	10
22	Exploring the Role of Fallopian Ciliated Cells in the Pathogenesis of High-Grade Serous Ovarian Cancer. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	15
21	BNC2 is a putative tumor suppressor gene in high-grade serous ovarian carcinoma and impacts cell survival after oxidative stress. <i>Cell Death and Disease</i> , <b>2016</b> , 7, e2374	9.8	7
20	Impairment of enzymatic antioxidant defenses is associated with bilirubin-induced neuronal cell death in the cerebellum of Ugt1 KO mice. <i>Cell Death and Disease</i> , <b>2015</b> , 6, e1739	9.8	21
19	Osteoblastic cell secretome: a novel role for progranulin during risedronate treatment. <i>Bone</i> , <b>2014</b> , 58, 81-91	4.7	11
18	Specific inhibition of the redox activity of Ape1/ref-1 by e3330 blocks tnf- $\alpha$ -induced activation of IL-8 production in liver cancer cell lines. <i>PLoS ONE</i> , <b>2013</b> , 8, e70909	3.7	36
17	High-performance metabolic marker assessment in breast cancer tissue by mass spectrometry. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2011</b> , 49, 317-24	5.9	8
16	Critical lysine residues within the overlooked N-terminal domain of human APE1 regulate its biological functions. <i>Nucleic Acids Research</i> , <b>2010</b> , 38, 8239-56	20.1	83
15	A proteomic approach to the bilirubin-induced toxicity in neuronal cells reveals a protective function of DJ-1 protein. <i>Proteomics</i> , <b>2010</b> , 10, 1645-57	4.8	26
14	APE1/Ref-1 interacts with NPM1 within nucleoli and plays a role in the rRNA quality control process. <i>Molecular and Cellular Biology</i> , <b>2009</b> , 29, 1834-54	4.8	169
13	Genome-wide analysis and proteomic studies reveal APE1/Ref-1 multifunctional role in mammalian cells. <i>Proteomics</i> , <b>2009</b> , 9, 1058-74	4.8	79
12	Subcellular localization of APE1/Ref-1 in human hepatocellular carcinoma: possible prognostic significance. <i>Molecular Medicine</i> , <b>2007</b> , 13, 89-96	6.2	79
11	Bilirubin-induced cell toxicity involves PTEN activation through an APE1/Ref-1-dependent pathway. <i>Journal of Molecular Medicine</i> , <b>2007</b> , 85, 1099-112	5.5	38
10	Redox proteomics and immunohistology to study molecular events during ischemia-reperfusion in human liver. <i>Transplantation Proceedings</i> , <b>2007</b> , 39, 1755-60	1.1	21
9	Proteomic analysis of liver tissues subjected to early ischemia/reperfusion injury during human orthotopic liver transplantation. <i>Proteomics</i> , <b>2006</b> , 6, 3455-65	4.8	49
8	Extracellular nucleotides activate Runx2 in the osteoblast-like HOBIT cell line: a possible molecular link between mechanical stress and osteoblasts' response. <i>Bone</i> , <b>2005</b> , 36, 418-32	4.7	65
7	Overoxidation of peroxiredoxins as an immediate and sensitive marker of oxidative stress in HepG2 cells and its application to the redox effects induced by ischemia/reperfusion in human liver. <i>Free Radical Research</i> , <b>2005</b> , 39, 255-68	4	54

6	Effects of histone acetylation on sodium iodide symporter promoter and expression of thyroid-specific transcription factors. <i>Endocrinology</i> , <b>2005</b> , 146, 3967-74	4.8	68
5	The importance of redox state in liver damage. <i>Annals of Hepatology</i> , <b>2004</b> , 3, 86-92	3.1	139
4	Control of phosphatase and tensin homolog (PTEN) gene expression in normal and neoplastic thyroid cells. <i>Endocrinology</i> , <b>2004</b> , 145, 4660-6	4.8	19
3	The importance of redox state in liver damage. <i>Annals of Hepatology</i> , <b>2004</b> , 3, 86-92	3.1	44
2	Extracellular ATP stimulates the early growth response protein 1 (Egr-1) via a protein kinase C-dependent pathway in the human osteoblastic HOBIT cell line. <i>Biochemical Journal</i> , <b>2003</b> , 373, 815-24	3.8	35
1	Cytosine-block telomeric type DNA-binding activity of hnRNP proteins from human cell lines. <i>Archives of Biochemistry and Biophysics</i> , <b>2003</b> , 409, 305-14	4.1	26