

Josep Garr Olmo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6136314/josep-garre-olmo-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

2,662
citations

32
h-index

46
g-index

146
ext. papers

3,302
ext. citations

4
avg, IF

4.98
L-index

#	Paper	IF	Citations
118	Differential features of burden between spouse and adult-child caregivers of patients with Alzheimer disease: an exploratory comparative design. <i>International Journal of Nursing Studies</i> , 2010, 47, 1262-73	5.8	157
117	Factors related to perceived quality of life in patients with Alzheimer disease: the patient perception compared with that of caregivers. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 585-94	3.9	118
116	Prevalence and risk factors of suspected elder abuse subtypes in people aged 75 and older. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 815-22	5.6	106
115	The Trail Making Test. <i>Assessment</i> , 2017, 24, 183-196	3.7	92
114	Incidence and subtypes of early-onset dementia in a geographically defined general population. <i>Neurology</i> , 2010, 75, 1249-55	6.5	89
113	Prevalence of frailty phenotypes and risk of mortality in a community-dwelling elderly cohort. <i>Age and Ageing</i> , 2013, 42, 46-51	3	77
112	Discontinuation, Efficacy, and Safety of Cholinesterase Inhibitors for Alzheimer Disease: a Meta-Analysis and Meta-Regression of 43 Randomized Clinical Trials Enrolling 16 106 Patients. <i>International Journal of Neuropsychopharmacology</i> , 2017, 20, 519-528	5.8	63
111	Prevalence of chronic kidney disease in patients with type 2 diabetes in Spain: PERCEDIME2 study. <i>BMC Nephrology</i> , 2013, 14, 46	2.7	60
110	Comparison of different clinical diagnostic criteria for depression in Alzheimer disease. <i>American Journal of Geriatric Psychiatry</i> , 2006, 14, 589-97	6.5	58
109	Burden associated with the presence of anosognosia in Alzheimer disease. <i>International Journal of Geriatric Psychiatry</i> , 2013, 28, 291-7	3.9	57
108	Environmental determinants of quality of life in nursing home residents with severe dementia. <i>Journal of the American Geriatrics Society</i> , 2012, 60, 1230-6	5.6	55
107	Apathy syndrome in Alzheimer disease epidemiology: prevalence, incidence, persistence, and risk and mortality factors. <i>Journal of Alzheimer's Disease</i> , 2013, 33, 535-43	4.3	55
106	Kinematic and Pressure Features of Handwriting and Drawing: Preliminary Results Between Patients with Mild Cognitive Impairment, Alzheimer Disease and Healthy Controls. <i>Current Alzheimer Research</i> , 2017, 14, 960-968	3	51
105	Clinical differences in patients with Alzheimer disease according to the presence or absence of anosognosia: implications for perceived quality of life. <i>Journal of Alzheimer's Disease</i> , 2013, 33, 1105-16	4.3	50
104	Quality of life of patients with Alzheimer disease: differential perceptions between spouse and adult child caregivers. <i>Dementia and Geriatric Cognitive Disorders</i> , 2010, 29, 97-108	2.6	49
103	Epidemiology of dementia: prevalence and incidence estimates using validated electronic health records from primary care. <i>Clinical Epidemiology</i> , 2019, 11, 217-228	5.9	48
102	Severity of dementia, anosognosia, and depression in relation to the quality of life of patients with Alzheimer disease: discrepancies between patients and caregivers. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 138-47	6.5	48

101	Biometric Applications Related to Human Beings: There Is Life beyond Security. <i>Cognitive Computation</i> , 2013 , 5, 136-151	4.4	48
100	Incidence of dementia in a rural community in Spain: the Girona cohort study. <i>Neuroepidemiology</i> , 2004 , 23, 170-7	5.4	47
99	Psychosis of Alzheimer disease: prevalence, incidence, persistence, risk factors, and mortality. <i>American Journal of Geriatric Psychiatry</i> , 2013 , 21, 1135-43	6.5	46
98	Grouping and trajectories of the neuropsychiatric symptoms in patients with Alzheimer disease, part I: symptom clusters. <i>Journal of Alzheimer's Disease</i> , 2010 , 22, 1157-67	4.3	42
97	Discrepancies regarding the quality of life of patients with Alzheimer disease: a three-year longitudinal study. <i>Journal of Alzheimer's Disease</i> , 2014 , 39, 511-25	4.3	40
96	Depression subtypes and 5-year risk of dementia and Alzheimer disease in patients aged 70 years. <i>International Journal of Geriatric Psychiatry</i> , 2013 , 28, 341-50	3.9	38
95	Factors associated with the variability in caregiver assessments of the capacities of patients with Alzheimer disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2013 , 26, 86-94	3.8	38
94	Cross-cultural adaptation and psychometric validation of a Spanish version of the Quality of Life in Late-Stage Dementia Scale. <i>Quality of Life Research</i> , 2010 , 19, 445-53	3.7	38
93	Evolution of depressive symptoms in Alzheimer disease: one-year follow-up. <i>Alzheimer Disease and Associated Disorders</i> , 2003 , 17, 77-85	2.5	38
92	Three-year trajectories of caregiver burden in Alzheimer disease. <i>Journal of Alzheimer's Disease</i> , 2014 , 42, 623-33	4.3	35
91	Quality of life in people aged 65+ in Europe: associated factors and models of social welfare-analysis of data from the SHARE project (Wave 5). <i>Quality of Life Research</i> , 2017 , 26, 1059-1070	3.7	35
90	Grouping and trajectories of neuropsychiatric symptoms in patients with Alzheimer disease. Part II: two-year patient trajectories. <i>Journal of Alzheimer's Disease</i> , 2010 , 22, 1169-80	4.3	34
89	A clinical registry of dementia based on the principle of epidemiological surveillance. <i>BMC Neurology</i> , 2009 , 9, 5	3.1	33
88	Gender differences in depression and pain: A two year follow-up study of the Survey of Health, Ageing and Retirement in Europe. <i>Journal of Affective Disorders</i> , 2016 , 193, 157-64	6.6	32
87	Prevalence of disability in a composite 75 year-old population in Spain: a screening survey based on the International Classification of Functioning. <i>BMC Public Health</i> , 2011 , 11, 176	4.1	32
86	The Gut Metagenome Changes in Parallel to Waist Circumference, Brain Iron Deposition, and Cognitive Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2962-2973	5.6	31
85	Mortality after a diagnosis of dementia in a population aged 75 and over in Spain. <i>Neuroepidemiology</i> , 2008 , 31, 80-8	5.4	26
84	Syndromic association of behavioral and psychological symptoms of dementia in Alzheimer disease and patient classification. <i>American Journal of Geriatric Psychiatry</i> , 2010 , 18, 421-32	6.5	25

83	Trazodone for Alzheimer's disease: a naturalistic follow-up study. <i>Archives of Gerontology and Geriatrics</i> , 2008 , 47, 207-15	4	25
82	Stroke prevalence among the Spanish elderly: an analysis based on screening surveys. <i>BMC Neurology</i> , 2006 , 6, 36	3.1	24
81	Course of depressive symptoms and associated factors in people aged 65+ in Europe: A two-year follow-up. <i>Journal of Affective Disorders</i> , 2019 , 245, 440-450	6.6	23
80	What seems to matter in public policy and the health of informal caregivers? A cross-sectional study in 12 European countries. <i>PLoS ONE</i> , 2018 , 13, e0194232	3.7	22
79	Differential efficacy of treatment with acetylcholinesterase inhibitors in patients with mild and moderate Alzheimer's disease over a 6-month period. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005 , 19, 189-95	2.6	22
78	Changes in lifestyle resulting from confinement due to COVID-19 and depressive symptomatology: A cross-sectional a population-based study. <i>Comprehensive Psychiatry</i> , 2021 , 104, 152214	7.3	22
77	Neuroinflammation in obesity: circulating lipopolysaccharide-binding protein associates with brain structure and cognitive performance. <i>International Journal of Obesity</i> , 2017 , 41, 1627-1635	5.5	20
76	A path analysis of patient dependence and caregiver burden in Alzheimer's disease. <i>International Psychogeriatrics</i> , 2016 , 28, 1133-41	3.4	20
75	Kinship and cohabitation in relation to caregiver burden in the context of Alzheimer's disease: a 24-month longitudinal study. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, e72-e82	3.9	19
74	Sense of Well-Being in Patients with Fibromyalgia: Aerobic Exercise Program in a Mature Forest-A Pilot Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 614783	2.3	19
73	Prevalence and related factors of Active and Healthy Ageing in Europe according to two models: Results from the Survey of Health, Ageing and Retirement in Europe (SHARE). <i>PLoS ONE</i> , 2018 , 13, e0206353	3.7	19
72	What outcomes are important to patients with mild cognitive impairment or Alzheimer's disease, their caregivers, and health-care professionals? A systematic review. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 231-247	5.2	17
71	Predictors of discontinuation, efficacy, and safety of memantine treatment for Alzheimer's disease: meta-analysis and meta-regression of 18 randomized clinical trials involving 5004 patients. <i>BMC Geriatrics</i> , 2018 , 18, 168	4.1	17
70	Trends in the Prescription and Long-Term Utilization of Antidementia Drugs Among Patients with Alzheimer's Disease in Spain: A Cohort Study Using the Registry of Dementias of Girona. <i>Drugs and Aging</i> , 2017 , 34, 303-310	4.7	16
69	Reference Data of the Spanish Memory Binding Test in a Midlife Population from the ALFA STUDY (Alzheimer's and Family). <i>Journal of Alzheimer's Disease</i> , 2015 , 48, 613-25	4.3	16
68	Profile and variables related to antipsychotic consumption according to dementia subtypes. <i>International Psychogeriatrics</i> , 2012 , 24, 940-7	3.4	16
67	Course and Determinants of Anosognosia in Alzheimer's Disease: A 12-Month Follow-up. <i>Journal of Alzheimer's Disease</i> , 2016 , 51, 357-66	4.3	16
66	Depression and associated variables in people over 50 years in Spain. <i>Revista De Psiquiatría Y Salud Mental</i> , 2018 , 11, 216-226	2.7	14

65	Depression subtypes and 5-years risk of mortality in aged 70 years: a population-based cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 67-75	3.9	14
64	Predictors of cognitive decline in Alzheimer's disease and mild cognitive impairment using the CAMCOG: a five-year follow-up. <i>International Psychogeriatrics</i> , 2012, 24, 948-58	3.4	14
63	Use of antidementia drugs in frontotemporal lobar degeneration. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2012, 27, 260-6	2.5	14
62	Is complicated grief a risk factor for substance use? A comparison of substance-users and normative grievers. <i>Addiction Research and Theory</i> , 2017, 25, 361-367	2.6	13
61	Medical, environmental and personal factors of disability in the elderly in Spain: a screening survey based on the International Classification of Functioning. <i>Gaceta Sanitaria</i> , 2011, 25 Suppl 2, 29-38	2.2	13
60	Evaluation of health-related quality of life in patients candidate for spine and other musculoskeletal surgery. <i>European Spine Journal</i> , 2013, 22, 1002-9	2.7	12
59	Analysis of Self-Concept in Older Adults in Different Contexts. <i>European Journal of Psychological Assessment</i> , 2004, 20, 262-274	2.2	12
58	Measuring anticholinergic exposure in patients with dementia: A comparative study of nine anticholinergic risk scales. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 710-717	3.9	11
57	How well can electronic health records from primary care identify Alzheimer's disease cases?. <i>Clinical Epidemiology</i> , 2019, 11, 509-518	5.9	11
56	Development of a multidimensional measure of fibromyalgia symptomatology: the comprehensive rating scale for fibromyalgia symptomatology. <i>Journal of Psychosomatic Research</i> , 2013, 74, 384-92	4.1	11
55	Factor structure of depressive symptoms using the EURO-D scale in the over-50s in Europe. Findings from the SHARE project. <i>Aging and Mental Health</i> , 2018, 22, 1477-1485	3.5	10
54	Drug use in patients with dementia: a register-based study in the health region of Girona (Catalonia/Spain). <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1047-56	2.8	10
53	Prevalence and sociodemographic correlates of depressive and bipolar disorders in Catalonia (Spain) using DSM-5 criteria. <i>Journal of Affective Disorders</i> , 2015, 184, 97-103	6.6	10
52	Demographically adjusted norms for Catalan older adults on the Stroop Color and Word Test. <i>Archives of Clinical Neuropsychology</i> , 2013, 28, 282-96	2.7	9
51	Distribución factorial de la carga en cuidadores de pacientes con enfermedad de Alzheimer. <i>Revista De Neurologia</i> , 2008, 46, 582	24	9
50	Diagnosis of Dementia in the Specialist Setting: A Comparison Between the Swedish Dementia Registry (SveDem) and the Registry of Dementias of Girona (ReDeGi). <i>Journal of Alzheimer's Disease</i> , 2016, 53, 1341-51	4.3	9
49	Consequences of Anosognosia on the Cost of Caregivers' Care in Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016, 54, 1551-1560	4.3	9
48	Pharmaceutical consumption and cost in patients with dementia: A longitudinal study by the Registry of Dementias of Girona (ReDeGi) in Catalonia (Spain). <i>Archives of Gerontology and Geriatrics</i> , 2015, 60, 448-52	4	8

47	Survival, effect measures, and impact numbers after dementia diagnosis: a matched cohort study. <i>Clinical Epidemiology</i> , 2019 , 11, 525-542	5.9	8
46	Rate of dementia diagnoses according to the degree of aging of the population. <i>International Psychogeriatrics</i> , 2015 , 27, 419-27	3.4	8
45	Online Drawings for Dementia Diagnosis: In-Air and Pressure Information Analysis. <i>IFMBE Proceedings</i> , 2014 , 567-570	0.2	8
44	Dependence scale for Alzheimer's disease: relationship with other clinical indicators and psychometric properties. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2015 , 28, 117-25	3.8	7
43	Psychotropic drugs in patients with Alzheimer's Disease: a longitudinal study by the Registry of Dementias of Girona (ReDeGi) in Catalonia, Spain. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 497-503	5.9	7
42	Real-world evidence in Alzheimer's disease: The ROADMAP Data Cube. <i>Alzheimer's and Dementia</i> , 2020 , 16, 461-471	1.2	7
41	Obesity-associated deficits in inhibitory control are phenocopied to mice through gut microbiota changes in one-carbon and aromatic amino acids metabolic pathways. <i>Gut</i> , 2021 , 70, 2283-2296	19.2	7
40	Microbiota alterations in proline metabolism impact depression.. <i>Cell Metabolism</i> , 2022 , 34, 681-701.e1024	6	7
39	A Path Analysis of Dependence and Quality of Life in Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2017 , 32, 108-115	2.5	6
38	A protective personal factor against disability and dependence in the elderly: an ordinal regression analysis with nine geographically-defined samples from Spain. <i>BMC Geriatrics</i> , 2017 , 17, 42	4.1	6
37	Glycated Hemoglobin, but not Insulin Sensitivity, is Associated with Memory in Subjects with Obesity. <i>Obesity</i> , 2019 , 27, 932-942	8	6
36	The Aging Imageomics Study: rationale, design and baseline characteristics of the study population. <i>Mechanisms of Ageing and Development</i> , 2020 , 189, 111257	5.6	6
35	Study of the strength of the evidence and the redundancy of the research on pharmacological treatment for Alzheimer's disease: a cumulative meta-analysis and trial sequential analysis. <i>European Journal of Clinical Pharmacology</i> , 2019 , 75, 1659-1667	2.8	6
34	Abridged scale for the screening anosognosia in patients with dementia. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014 , 27, 220-6	3.8	6
33	Adherence to Clinical Practice Guidelines during Dementia Work-Up in a Real-World Setting: A Study from the Registry of Dementias of Girona. <i>Journal of Alzheimer's Disease</i> , 2017 , 59, 997-1007	4.3	6
32	Central nervous system drug consumption depending on the time between symptom onset and the diagnosis of Alzheimer's disease: an analysis by the Registry of Dementias of Girona. <i>Dementia and Geriatric Cognitive Disorders</i> , 2012 , 33, 104-10	2.6	6
31	Carga y calidad de vida en cuidadores de pacientes con demencia tipo Alzheimer. <i>Revista De Neurologia</i> , 2000 , 31, 522	24	5
30	Caracterización y prevalencia de los síntomas psicológicos y conductuales en pacientes con demencia. <i>Revista De Neurologia</i> , 2007 , 45, 683	24	5

29	Depression and variables associated with quality of life in people over 65 in Spain and Europe. Data from SHARE 2013. <i>European Journal of Psychiatry</i> , 2018 , 32, 122-131	1	4
28	Risk of suicide: its occurrence and related variables among bereaved substance users. <i>Journal of Substance Use</i> , 2015 , 1-7	0.8	4
27	Carga del cuidador y sntomas depresivos en pacientes con enfermedad de Alzheimer. Evoluciø a los 12 meses. <i>Revista De Neurologia</i> , 2002 , 34, 601	24	4
26	Valor econmico anual de la asistencia informal en la enfermedad de Alzheimer. <i>Revista De Neurologia</i> , 2010 , 51, 201	24	4
25	A longitudinal study on public policy and the health of in-house caregivers in Europe. <i>Health Policy</i> , 2021 , 125, 436-441	3.2	4
24	Multimorbidity patterns and their related characteristics in European older adults: A longitudinal perspective. <i>Archives of Gerontology and Geriatrics</i> , 2021 , 95, 104428	4	4
23	Mortality Risk Factors for Individuals Experiencing Homelessness in Catalonia (Spain): A 10-Year Retrospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	4
22	Caudovirales bacteriophages are associated with improved executive function and memory in flies, mice, and humans.. <i>Cell Host and Microbe</i> , 2022 ,	23.4	4
21	Adaptation and validation of a Spanish-language version of the Frontotemporal Dementia Rating Scale (FTD-FRS). <i>Neurologia</i> , 2017 , 32, 290-299	1.4	3
20	Symptoms of depression and associated factors in persons aged 50 and over in Europe and Israel: analysis of data from the SHARE project. <i>International Journal of Geriatric Psychiatry</i> , 2016 , 31, 1250-1254	3.9	3
19	Perfil de consumo farmacolgico y funciø cognoscitiva en edad avanzada: estudio de poblaciø general no institucionalizada. <i>Neurologia</i> , 2010 , 25, 498-506	1.4	3
18	Whole-Brain Dynamics in Aging: Disruptions in Functional Connectivity and the Role of the Rich Club. <i>Cerebral Cortex</i> , 2021 , 31, 2466-2481	5.1	3
17	Incidence and characteristics of uncommon dementia subtypes: Results from 10 years of clinical surveillance by the Registry of Dementia of Girona. <i>Alzheimer's and Dementia</i> , 2019 , 15, 917-926	1.2	2
16	Early parental death and psychosocial risk factors for dementia: A case-control study in Europe. <i>International Journal of Geriatric Psychiatry</i> , 2020 , 35, 1051-1059	3.9	2
15	CAUSES, mortality rates and risk factors of death in community-dwelling Europeans aged 50 years and over: Results from the Survey of Health, Ageing and Retirement in Europe 2013-2015. <i>Archives of Gerontology and Geriatrics</i> , 2020 , 89, 104035	4	2
14	A Preliminary Study of Online Drawings and Dementia Diagnose. <i>Smart Innovation, Systems and Technologies</i> , 2013 , 367-374	0.5	2
13	Pain treatment and its cost in old people with dementia: a descriptive analysis from the Registry of Dementias of Girona (ReDeGi). <i>International Journal of Neuroscience</i> , 2013 , 123, 339-46	2	2
12	Biopsychosocial differences between drivers and non-drivers over the age of 74. <i>Archives of Gerontology and Geriatrics</i> , 2009 , 49, 355-9	4	2

11	Neuropsychological profile of Alzheimer's disease in women: moderate and moderately severe cognitive decline. <i>Archives of Women's Mental Health</i> , 2004 , 7, 27-36	5	2
10	Mortalidad en pacientes con enfermedad de Alzheimer tratados con neurolépticos atípicos. <i>Revista De Neurologia</i> , 2008 , 46, 129	24	2
9	Psychosis of Alzheimer Disease. <i>American Journal of Geriatric Psychiatry</i> , 2012 , 1	6.5	2
8	Antonovsky's sense of coherence and resistance resources reduce perception of burden in family carers of people with Alzheimer's disease. <i>Aging and Mental Health</i> , 2020 , 24, 1717-1725	3.5	2
7	Is it time to use real-world data from primary care in Alzheimer's disease?. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 60	9	1
6	Consumption of pharmaceuticals in primary non-Alzheimer's degenerative dementias : a cross-sectional study by the Registry of Dementias of Girona (ReDeGi). <i>Drugs and Aging</i> , 2012 , 29, 733-40	4.7	1
5	Why is cardiovascular risk stratification important in hypertensive patients?. <i>Blood Pressure</i> , 2012 , 21, 182-90	1.7	1
4	Ejercicio físico y calidad de vida autopercebida en el anciano hipertenso. <i>Hipertension Y Riesgo Vascular</i> , 2009 , 26, 194-200	0.5	1
3	Affective Disorders in Alzheimer Disease. <i>Alzheimer Disease and Associated Disorders</i> , 2004 , 18, 176-177	2.5	0
2	Gender analysis of the frequency and course of depressive disorders and relationship with personality traits in general population: a prospective cohort study.. <i>Journal of Affective Disorders</i> , 2022 , 302, 241-241	6.6	0
1	Caregivers' Sense of Coherence: Implications on Direct and Indirect Costs of Dementia Care. <i>Journal of Alzheimer's Disease</i> , 2020 , 78, 117-126	4.3	0