

Francesco Gaudio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6136363/publications.pdf>

Version: 2024-02-01

38
papers

634
citations

623188

14
h-index

610482

24
g-index

39
all docs

39
docs citations

39
times ranked

998
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | BeEAM (bendamustine, etoposide, cytarabine, melphalan) before autologous stem cell transplantation is safe and effective for resistant/relapsed lymphoma patients. <i>Blood</i> , 2011, 118, 3419-3425. | 0.6 | 123 |
| 2 | High Ki67 Index and Bulky Disease Remain Significant Adverse Prognostic Factors in Patients with Diffuse Large B Cell Lymphoma before and after the Introduction of Rituximab. <i>Acta Haematologica</i> , 2011, 126, 44-51. | 0.7 | 48 |
| 3 | Microvascular density, CD68 and tryptase expression in human Diffuse Large B-Cell Lymphoma. <i>Leukemia Research</i> , 2014, 38, 1374-1377. | 0.4 | 44 |
| 4 | Bendamustine, etoposide, cytarabine, melphalan, and autologous stem cell rescue produce a 72% 3-year PFS in resistant lymphoma. <i>Blood</i> , 2014, 124, 3029-3031. | 0.6 | 40 |
| 5 | Recovery of CMV-Specific CD8+ T Cells and Tregs after Allogeneic Peripheral Blood Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 550-557. | 2.0 | 31 |
| 6 | Inflammatory Cells in Diffuse Large B Cell Lymphoma. <i>Journal of Clinical Medicine</i> , 2020, 9, 2418. | 1.0 | 29 |
| 7 | CD3+/Tregs Ratio in Donor Grafts Is Linked to Acute Graft-versus-Host Disease and Immunologic Recovery after Allogeneic Peripheral Blood Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 887-893. | 2.0 | 27 |
| 8 | Bone Involvement in Hodgkin's Lymphoma: Clinical Features and Outcome. <i>Acta Haematologica</i> , 2018, 140, 178-182. | 0.7 | 21 |
| 9 | Italian real life experience with brentuximab vedotin: results of a large observational study on 234 relapsed/refractory Hodgkin's lymphoma. <i>Oncotarget</i> , 2017, 8, 91703-91710. | 0.8 | 21 |
| 10 | Serological response following BNT162b2 anti-SARS-CoV-2 mRNA vaccination in haematopoietic stem cell transplantation patients. <i>British Journal of Haematology</i> , 2022, 196, 928-931. | 1.2 | 20 |
| 11 | STAT3, tumor microenvironment, and microvessel density in diffuse large B cell lymphomas. <i>Leukemia and Lymphoma</i> , 2020, 61, 567-574. | 0.6 | 19 |
| 12 | Outcome of Allogeneic Peripheral Blood Stem Cell Transplantation by Donor Graft CD3+/Tregs Ratio: A Single-Center Experience. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 495-499. | 2.0 | 18 |
| 13 | Outcome of Very Late Relapse in Patients with Hodgkin's Lymphomas. <i>Advances in Hematology</i> , 2011, 2011, 1-6. | 0.6 | 17 |
| 14 | T cells, mast cells and microvascular density in diffuse large B cell lymphoma. <i>Clinical and Experimental Medicine</i> , 2016, 16, 301-306. | 1.9 | 17 |
| 15 | STAT-3 RNAscope Determination in Human Diffuse Large B-Cell Lymphoma. <i>Translational Oncology</i> , 2019, 12, 545-549. | 1.7 | 14 |
| 16 | Bendamustine plus rituximab for relapsed or refractory diffuse large B cell lymphoma: a retrospective analysis. <i>Leukemia Research</i> , 2014, 38, 1446-1450. | 0.4 | 13 |
| 17 | Risk of lymphoma subtypes by occupational exposure in Southern Italy. <i>Journal of Occupational Medicine and Toxicology</i> , 2017, 12, 31. | 0.9 | 13 |
| 18 | Italian real-life experience with brentuximab vedotin: results of a large observational study of 40 cases of relapsed/refractory systemic anaplastic large cell lymphoma. <i>Haematologica</i> , 2017, 102, 1931-1935. | 1.7 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Pregnancy rate and outcome of pregnancies in long-term survivors of Hodgkin's lymphoma. <i>Annals of Hematology</i> , 2019, 98, 1947-1952. | 0.8 | 11 |
| 20 | Lenalidomide in Pretreated Patients with Diffuse Large B-Cell Lymphoma: An Italian Observational Multicenter Retrospective Study in Daily Clinical Practice. <i>Oncologist</i> , 2019, 24, 1246-1252. | 1.9 | 10 |
| 21 | Outcomes of Reduced Intensity Conditioning Allogeneic Hematopoietic Stem Cell Transplantation for Hodgkin Lymphomas: A Retrospective Multicenter Experience by the Rete Ematologica Pugliese (REP). <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 35-40. | 0.2 | 10 |
| 22 | Correlation between circulating blood and microenvironment T lymphocytes in diffuse large B-cell lymphomas. <i>Journal of Clinical Pathology</i> , 2022, 75, 493-497. | 1.0 | 10 |
| 23 | Brentuximab vedotin as salvage treatment in Hodgkin lymphoma naïve transplant patients or failing ASCT: the real life experience of Rete Ematologica Pugliese (REP). <i>Annals of Hematology</i> , 2018, 97, 1817-1824. | 0.8 | 9 |
| 24 | Computer-driven quantitative image analysis in the assessment of tumor cell and T cell features in diffuse large B cell lymphomas. <i>Annals of Hematology</i> , 2018, 97, 663-668. | 0.8 | 8 |
| 25 | Brentuximab vedotin prior to allogeneic stem cell transplantation increases survival in chemorefractory Hodgkin's lymphoma patients. <i>Annals of Hematology</i> , 2019, 98, 1449-1455. | 0.8 | 8 |
| 26 | Long-term Hodgkin Lymphoma Survivors: A Glimpse of What Happens 10 Years After Treatment. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e506-e512. | 0.2 | 7 |
| 27 | Extralymphatic Disease Is an Independent Prognostic Factor in Hodgkin Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, e261-e266. | 0.2 | 6 |
| 28 | Peripheral blood CD4/CD19 cell ratio is an independent prognostic factor in classical Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2014, 55, 1596-1601. | 0.6 | 5 |
| 29 | Romidepsin in relapsed/refractory T-cell lymphomas: Italian experience and results of a named patient program. <i>Leukemia and Lymphoma</i> , 2016, 57, 2370-2374. | 0.6 | 5 |
| 30 | Tumor Microenvironment and Microvascular Density in Follicular Lymphoma. <i>Journal of Clinical Medicine</i> , 2022, 11, 1257. | 1.0 | 5 |
| 31 | Different spatial distribution of inflammatory cells in the tumor microenvironment of ABC and GBC subgroups of diffuse large B cell lymphoma. <i>Clinical and Experimental Medicine</i> , 2021, 21, 573-578. | 1.9 | 4 |
| 32 | CT-guided needle biopsy performed with modified coaxial technique in patients with refractory or recurrent lymphomas. <i>Annals of Hematology</i> , 2014, 93, 1559-1564. | 0.8 | 3 |
| 33 | The Effect of the Tumor Microenvironment on Lymphoid Neoplasms Derived from B Cells. <i>Diagnostics</i> , 2022, 12, 573. | 1.3 | 3 |
| 34 | In male Hodgkin lymphoma patients, impaired fertility may be improved by non-gonadotoxic therapy. <i>British Journal of Haematology</i> , 2022, 196, 110-115. | 1.2 | 2 |
| 35 | INDOLENT LYMPHOPROLIFERATIVE T-CELL DISORDERS ASSOCIATED WITH GASTROINTESTINAL DISEASE: DIAGNOSTIC CHALLENGES AND OUTCOMES. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, , . | 0.2 | 2 |
| 36 | Computed tomography-guided needle biopsy performed with modified coaxial technique in patients with suspected lymphoma. <i>Leukemia and Lymphoma</i> , 2014, 55, 1949-1951. | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Lenalidomide Combination Therapy in Relapsed/Refractory Diffuse Large B Cell Lymphoma: The Italian Real-Life Experience. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, e321-e323. | 0.2 | 0 |
| 38 | Relapsing/refractory HL after autotransplantation: which treatment?. <i>Acta Biomedica</i> , 2020, 91, 30-40. | 0.2 | 0 |