

Paweł, Mergo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6136715/publications.pdf>

Version: 2024-02-01

199
papers

1,781
citations

279798

23
h-index

345221

36
g-index

199
all docs

199
docs citations

199
times ranked

1626
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly birefringent microstructured fibers with enhanced sensitivity to hydrostatic pressure. Optics Express, 2010, 18, 15113.	3.4	137
2	Microstructured Optical Fiber Sensors Embedded in a Laminate Composite for Smart Material Applications. Sensors, 2011, 11, 2566-2579.	3.8	70
3	All-polarization-maintaining, stretched-pulse Tm-doped fiber laser, mode-locked by a graphene saturable absorber. Optics Letters, 2017, 42, 1592.	3.3	67
4	Fast Bragg Grating Inscription in PMMA Polymer Optical Fibres: Impact of Thermal Pre-Treatment of Preforms. Sensors, 2017, 17, 891.	3.8	62
5	High-power frequency comb source tunable from 27 to 42 μm based on difference frequency generation pumped by an Yb-doped fiber laser. Optics Letters, 2017, 42, 1748.	3.3	61
6	Large-mode-area photonic crystal fiber with double lattice constant structure and low bending loss. Optics Express, 2011, 19, 22628.	3.4	58
7	Shear stress sensing with Bragg grating-based sensors in microstructured optical fibers. Optics Express, 2013, 21, 20404.	3.4	46
8	Bragg Grating Inscription in GeO ₂ -Doped Microstructured Optical Fibers. Journal of Lightwave Technology, 2010, 28, 1459-1467.	4.6	41
9	Control Over the Pressure Sensitivity of Bragg Grating-Based Sensors in Highly Birefringent Microstructured Optical Fibers. IEEE Photonics Technology Letters, 2012, 24, 527-529.	2.5	37
10	Molecular alignment relaxation in polymer optical fibers for sensing applications. Optical Fiber Technology, 2016, 28, 11-17.	2.7	36
11	Plug&Play Fiber-Coupled 73 kHz Single-Photon Source Operating in the Telecom O-Band. Advanced Quantum Technologies, 2020, 3, 2000018.	3.9	34
12	Generation of sub-100 fs pulses tunable from 1700 to 2100 nm from a compact frequency-shifted Er-fiber laser. Photonics Research, 2017, 5, 151.	7.0	32
13	Coherent supercontinuum generation up to 22 μm in an all-normal dispersion microstructured silica fiber. Optics Express, 2016, 24, 30523.	3.4	31
14	Polarized all-normal dispersion supercontinuum reaching 25 μm generated in a birefringent microstructured silica fiber. Optics Express, 2017, 25, 27452.	3.4	31
15	All-fiber mid-infrared source tunable from 6 to 9 μm based on difference frequency generation in OP-GaP crystal. Optics Express, 2018, 26, 11756.	3.4	31
16	Photonic Crystal Fiber With Large Mode Area and Characteristic Bending Properties. IEEE Photonics Technology Letters, 2012, 24, 1409-1411.	2.5	28
17	Hydrostatic Pressure and Strain Sensitivity of Long Period Grating Fabricated in Polymer Microstructured Fiber. IEEE Photonics Technology Letters, 2013, 25, 496-499.	2.5	28
18	Disbond monitoring in adhesive joints using shear stress optical fiber sensors. Smart Materials and Structures, 2014, 23, 075006.	3.5	27

#	ARTICLE	IF	CITATIONS
19	Microstructured optical fiber Bragg grating as an internal three-dimensional strain sensor for composite laminates. <i>Smart Materials and Structures</i> , 2015, 24, 055003.	3.5	27
20	A surface plasmon resonance sensor based on a single mode D-shape polymer optical fiber. <i>Journal of Optics (United Kingdom)</i> , 2017, 19, 025001.	2.2	27
21	All-in-fiber amplification and compression of coherent frequency-shifted solitons tunable in the 1800–2000 nm range. <i>Photonics Research</i> , 2018, 6, 368.	7.0	27
22	Compact all-fiber source of coherent linearly polarized octave-spanning supercontinuum based on normal dispersion silica fiber. <i>Scientific Reports</i> , 2019, 9, 12313.	3.3	26
23	Experimental study of dispersion characteristics for a series of microstructured fibers for customized supercontinuum generation. <i>Optics Express</i> , 2013, 21, 7107.	3.4	24
24	Method for direct coupling of a semiconductor quantum dot to an optical fiber for single-photon source applications. <i>Optics Express</i> , 2019, 27, 26772.	3.4	24
25	A quantum key distribution testbed using a plug&play telecom-wavelength single-photon source. <i>Applied Physics Reviews</i> , 2022, 9, .	11.3	24
26	Measurements of sensitivity to hydrostatic pressure and temperature in highly birefringent photonic crystal fibers. <i>Optical and Quantum Electronics</i> , 2007, 39, 481-489.	3.3	23
27	Influence of Fiber Orientation on Femtosecond Bragg Grating Inscription in Pure Silica Microstructured Optical Fibers. <i>IEEE Photonics Technology Letters</i> , 2011, 23, 1832-1834.	2.5	22
28	Group Polarimetric Pressure Sensitivity of an Elliptical-Core Side-Hole Fiber at Telecommunication Wavelengths. <i>IEEE Journal of Selected Topics in Quantum Electronics</i> , 2016, 22, 49-54.	2.9	22
29	Stabilized all-fiber source for generation of tunable broadband fCEO-free mid-IR frequency comb in the 7 – 9 μm range. <i>Optics Express</i> , 2019, 27, 37435.	3.4	22
30	Fabry-Perot cavity based on polymer FBG as refractive index sensor. <i>Optics Communications</i> , 2017, 394, 37-40.	2.1	21
31	Sub-Doppler Double-Resonance Spectroscopy of Methane Using a Frequency Comb Probe. <i>Physical Review Letters</i> , 2021, 126, 063001.	7.8	20
32	Highly birefringent dual-mode microstructured fiber with enhanced polarimetric strain sensitivity of the second order mode. <i>Optics Express</i> , 2012, 20, 26996.	3.4	19
33	Microstructured polymer optical fiber for long period gratings fabrication using an ultraviolet laser beam. <i>Optics Letters</i> , 2014, 39, 2242.	3.3	19
34	Low-Loss Patch Cords by Effective Splicing of Various Photonic Crystal Fibers With Standard Single Mode Fiber. <i>Journal of Lightwave Technology</i> , 2011, 29, 2940-2946.	4.6	18
35	Spectral-Domain Measurements of Birefringence and Sensing Characteristics of a Side-Hole Microstructured Fiber. <i>Sensors</i> , 2013, 13, 11424-11438.	3.8	18
36	Novel Sensor Design Using Photonic Crystal Fibres for Monitoring the Onset of Corrosion in Reinforced Concrete Structures. <i>Journal of Lightwave Technology</i> , 2014, 32, 891-896.	4.6	17

#	ARTICLE	IF	CITATIONS
37	Temporal fine structure of all-normal dispersion fiber supercontinuum pulses caused by non-ideal pump pulse shapes. Optics Express, 2020, 28, 16579.	3.4	17
38	Large Area Multimode Photonic Band-Gap Propagation in Photonic Liquid-Crystal Fiber. IEEE Photonics Technology Letters, 2012, 24, 631-633.	2.5	16
39	Nanotag-enabled photonic crystal fiber as quantitative surface-enhanced Raman scattering optofluidic platform. Applied Physics Letters, 2015, 106, .	3.3	16
40	Measurement and assignment of double-resonance transitions to the 8900â€“9100- μm levels of methane. Physical Review A, 2021, 103, .	2.5	16
41	Sensitivity of Birefringent Microstructured Polymer Optical Fiber to Hydrostatic Pressure. IEEE Photonics Technology Letters, 2013, 25, 1562-1565.	2.5	15
42	Twin-Core Fiber-Based Mach Zehnder Interferometer for Simultaneous Measurement of Strain and Temperature. Sensors, 2018, 18, 915.	3.8	15
43	Thermal effects on the photoelastic coefficient of polymer optical fibers. Optics Letters, 2016, 41, 2517.	3.3	14
44	All-Fiber Vector Bending Sensor Based on a Multicore Fiber With Asymmetric Air-Hole Structure. Journal of Lightwave Technology, 2020, 38, 6685-6690.	4.6	14
45	Nonlinear frequency conversion in a birefringent microstructured fiber tuned by externally applied hydrostatic pressure. Optics Letters, 2013, 38, 5260.	3.3	13
46	Enhanced cross phase modulation instability in birefringent photonic crystal fibers in the anomalous dispersion regime. Optics Express, 2006, 14, 8290.	3.4	12
47	Measurement of birefringence and ellipticity of polarization eigenmodes in spun highly birefringent fibers using spectral interferometry and lateral point-force method. Optics Express, 2018, 26, 34185.	3.4	12
48	Towards micro-structured optical fiber sensors for transverse strain sensing in smart composite materials. , 2011, , .		11
49	Effect of the different chain transfer agents on molecular weight and optical properties of poly(methyl methacrylate). Optical Materials, 2017, 70, 25-30.	3.6	11
50	Hybrid materials based on PEGDMA matrix and europium(III) carboxylates -thermal and luminescent investigations. European Polymer Journal, 2018, 106, 318-328.	5.4	11
51	RE ³⁺ :LaAlO ₃ doped luminescent polymer composites. Optical Materials, 2019, 87, 35-41.	3.6	11
52	Bend-induced long period grating in a helical core fiber. Optics Letters, 2020, 45, 1595.	3.3	11
53	Fiber Bragg grating inscription in few-mode highly birefringent microstructured fiber. Optics Letters, 2013, 38, 2224.	3.3	10
54	Lateral force sensing system based on different photonic crystal fibres. Sensors and Actuators A: Physical, 2014, 205, 86-91.	4.1	10

#	ARTICLE	IF	CITATIONS
55	Polymer optical microstructured fiber with birefringence induced by stress-applying elements. Optics Letters, 2014, 39, 3018.	3.3	10
56	Mass Manufacturable 180° Bend Single-Mode Fiber Socket Using Hole-Assisted Low Bending Loss Fiber. IEEE Photonics Technology Letters, 2008, 20, 187-189.	2.5	9
57	Hydrostatic Pressure and Temperature Measurements Using an In-Line Mach-Zehnder Interferometer Based on a Two-Mode Highly Birefringent Microstructured Fiber. Sensors, 2017, 17, 1648.	3.8	9
58	Dual-Wavelength Pumped Highly Birefringent Microstructured Silica Fiber for Widely Tunable Soliton Self-Frequency Shift. Journal of Lightwave Technology, 2021, 39, 3260-3268.	4.6	9
59	Ultrabroadband wavelength-swept source based on total mode-locking of an Yb:CaF ₂ laser. Photonics Research, 2019, 7, 182.	7.0	9
60	Spectral-Domain Measurement of Strain Sensitivity of a Two-Mode Birefringent Side-Hole Fiber. Sensors, 2012, 12, 12070-12081.	3.8	8
61	Birefringent optical fiber with dispersive orientation of polarization axes. Optics Express, 2014, 22, 25347.	3.4	8
62	Praseodymium doped nanocrystals and nanocomposites for application in white light sources. Optical Materials, 2019, 95, 109247.	3.6	8
63	Simple approach for extending the ambiguity-free range of dual-comb ranging. Optics Letters, 2021, 46, 3677.	3.3	8
64	Experimental Investigation of Supercontinuum Generation in Photonic Crystal Fibers Pumped With Sub-ns Pulses. Journal of Lightwave Technology, 2015, 33, 2106-2110.	4.6	7
65	Highly birefringent polymer side-hole fiber for hydrostatic pressure sensing. Optics Letters, 2015, 40, 3033.	3.3	7
66	Plasmon-Enhanced Refractometry Through Cladding Mode Excitation by a Fiber Bragg Grating in Photonic Crystal Fiber. Journal of Lightwave Technology, 2022, 40, 1121-1129.	4.6	7
67	Technology of suspended core microstructured optical fibers for evanesced wave and plasmon resonance optical fiber sensors. , 2008, , .		6
68	Physical sorption and thermogravimetry as the methods used to analyze linear polymeric structure. Adsorption, 2013, 19, 851-859.	3.0	6
69	Optical power 1 Å– 7 splitter based on multicore fiber technology. Optical Fiber Technology, 2017, 37, 1-5.	2.7	6
70	Copolymerization and thermal study of the new methacrylate derivative of 2,4,6-trichlorophenol. Journal of Thermal Analysis and Calorimetry, 2017, 127, 2263-2271.	3.6	6
71	Fiber-optic surface plasmon resonance sensor based on spectral phase shift interferometric measurements. Sensors and Actuators B: Chemical, 2018, 257, 602-608.	7.8	6
72	IR femtosecond pulsed laser-based fiber Bragg grating inscription in a photonic crystal fiber using a phase mask and a short focal length lens. Optics Express, 2018, 26, 14741.	3.4	6

#	ARTICLE	IF	CITATIONS
73	Polarimetric Sensitivity to Torsion in Spun Highly Birefringent Fibers. <i>Sensors</i> , 2019, 19, 1639.	3.8	6
74	Twist Induced Mode Confinement in Partially Open Ring of Holes. <i>Journal of Lightwave Technology</i> , 2020, 38, 1372-1381.	4.6	6
75	In-Plane Strain Measurement in Composite Structures with Fiber Bragg Grating Written in Side-Hole Elliptical Core Optical Fiber. <i>Materials</i> , 2022, 15, 77.	2.9	6
76	Photonic crystal fiber Bragg grating based sensors: opportunities for applications in healthcare. <i>Proceedings of SPIE</i> , 2011, , .	0.8	5
77	Bragg Gratings Inscription in Highly Birefringent Microstructured POFs. <i>IEEE Photonics Technology Letters</i> , 2016, 28, 621-624.	2.5	5
78	Analysis of phase sensitivity to longitudinal strain in microstructured optical fibers. <i>Optics Express</i> , 2017, 25, 12216.	3.4	5
79	Decreasing diameter fluctuation of polymer optical fiber with optimized drawing conditions. <i>Materials Research Express</i> , 2018, 5, 056201.	1.6	5
80	Transverse propagation of ultraviolet and infrared femtosecond laser pulses in photonic crystal fibers. <i>Photonics Letters of Poland</i> , 2012, 4, .	0.4	5
81	Polarizing Properties of Photonic Crystal Fibers. , 2006, , .		4
82	<title>Supercontinuum generation in suspended core microstructured optical fibers</title>. , 2008, , .		4
83	Very high polarimetric sensitivity to strain of second order mode of highly birefringent microstructured fibre. , 2011, , .		4
84	Photonic Band Gap Fibers with Novel Chiral Nematic and Low-Birefringence Nematic Liquid Crystals. <i>Molecular Crystals and Liquid Crystals</i> , 2012, 558, 184-193.	0.9	4
85	Microstructured optical fiber Bragg grating-based strain and temperature sensing in the concrete buffer of the Belgian supercontainer concept. <i>Proceedings of SPIE</i> , 2014, , .	0.8	4
86	Optical fiber technology in Poland: four decades of development 1975-2015. , 2015, , .		4
87	Inscription of long period gratings using an ultraviolet laser beam in the diffusion-doped microstructured polymer optical fiber. <i>Applied Optics</i> , 2015, 54, 6327.	2.1	4
88	Enhancement of spectral response of Bragg gratings written in nanostructured and multi-stepped optical fibers with radially shaped GeO ₂ concentration. <i>Optics Express</i> , 2020, 28, 14774.	3.4	4
89	Sensitivity tailoring of an all-fiber bend sensor based on a dual-core fiber unbalanced Michelson interferometer. <i>Optics Express</i> , 2021, 29, 39137.	3.4	4
90	<title>Multiparameter sensitivities of birefringent photonic crystal fiber</title>. , 2004, , .		3

#	ARTICLE	IF	CITATIONS
91	Microstructured low and high birefringence four core fibers for sensing applications. , 2006, 6189, 77.		3
92	Sensing with photonic crystal fibres. , 2007, , .		3
93	Characterization of photonic crystal fibres with OTDR. , 2011, , .		3
94	Transverse force sensitivity of joint photonic crystal fibres. , 2012, , .		3
95	Design of a low-bending-loss large-mode-area photonic crystal fiber. Proceedings of SPIE, 2012, , .	0.8	3
96	Large range linear torsion sensor based on a suspended-core fiber loop mirror. Optical Engineering, 2013, 52, 020501.	1.0	3
97	A fiber optic temperature sensor based on multi-core microstructured fiber with coupled cores for high temperature environment. , 2018, , .		3
98	Tunable filter based on two cascaded photonic liquid crystal fibers. Photonics Letters of Poland, 2013, 5, .	0.4	3
99	V type high birefringent PCF fiber for hydrostatic pressure sensing. Photonics Letters of Poland, 2010, 2, .	0.4	3
100	Emerging photonic devices based on photonic liquid crystal fibers. Photonics Letters of Poland, 2011, 3, .	0.4	3
101	<title>Analysis of sensitivity of side-hole optical fibers to pressure and temperature by the finite element method</title>. , 1997, 3054, 84.		2
102	Analysis of birefringent doped-core holey fibers for Bragg gratings. , 2005, 5855, 351.		2
103	Sensing properties of Bragg grating in highly birefringent and single mode photonic crystal fiber. , 2007, , .		2
104	Challenges in characterization of photonic crystal fibers. , 2011, , .		2
105	Applying optical design methods to the development of application specific photonic crystal fibres. , 2012, , .		2
106	Three fold symmetric microstructured fibers for customized sub-nanosecond supercontinuum generation. Optics Communications, 2017, 393, 45-48.	2.1	2
107	Method for increasing coupling efficiency between helical-core and standard single-mode fibers. Optics Express, 2021, 29, 5343.	3.4	2
108	All-normal dispersion supercontinuum vs frequency-shifted solitons pumped at 1560â€¦nm as seed sources for thulium-doped fiber amplifiers. Optics Express, 2021, 29, 18122.	3.4	2

#	ARTICLE	IF	CITATIONS
109	Noise Fingerprints of Fiber Supercontinuum Sources. , 2021, , .		2
110	Multicore optical fibres for next generation telecommunication transmission systems and components. Photonics Letters of Poland, 2015, 7, .	0.4	2
111	<title>Experimental structures of silica holey fibers with triangular lattice</title>. , 2004, , .		1
112	Pressure sensitivity of the birefringent photonic crystal fiber with triple defect. , 2004, , .		1
113	New kinds of microstructured fibers for change of birefringence caused by Kerr effect. , 2005, , .		1
114	Microstructured polarizing fiber. , 2005, , .		1
115	Technology of high-birefringent photonic crystal fibers for sensing applications. , 2006, , .		1
116	<title>Sensing applications of photonic crystal fibres</title>. , 2007, , .		1
117	UV Bragg grating inscription in germanium-doped photonic crystal fibers. Proceedings of SPIE, 2010, , .	0.8	1
118	Photonic sensor of liquids based on suspended-core fibres. Proceedings of SPIE, 2012, , .	0.8	1
119	Investigation of dispersion characteristics of highly nonlinear microstructured fibre series for customized supercontinuum generation. Proceedings of SPIE, 2012, , .	0.8	1
120	Attenuation of the photonic liquid crystal fibers with various core diameters. , 2013, , .		1
121	Sensing characteristics of polymer highly birefringent side-hole fiber. , 2013, , .		1
122	Optical fiber elements for addressing individual cores in multicore optical fiber sensors. Proceedings of SPIE, 2014, , .	0.8	1
123	Fiber Bragg grating-based shear strain sensors for adhesive bond monitoring. Proceedings of SPIE, 2014, , .	0.8	1
124	Dual-core fiber based strain sensor for application in extremely high temperatures. , 2017, , .		1
125	The Fiber Connection Method Using a Tapered Silica Fiber Tip for Microstructured Polymer Optical Fibers. Fibers, 2018, 6, 4.	4.0	1
126	Vector Modulation Instability in Highly Birefringent Fibers With Circularly Polarized Eigenmodes. IEEE Photonics Journal, 2021, 13, 1-16.	2.0	1

#	ARTICLE	IF	CITATIONS
127	Photonic crystal fiber Bragg grating based sensors – opportunities for applications in healthcare. , 2011, , .		1
128	Low loss poly(methyl methacrylate) useful in polymer optical fibres technology. Photonics Letters of Poland, 2013, 5, .	0.4	1
129	Microbending losses in optical fibers with different cross-sections. , 2018, , .		1
130	Determination of the optimal extrusion temperature of the PMMA optical fibers. Photonics Letters of Poland, 2019, 11, 7.	0.4	1
131	Commercially available granulates PMMA and PS - potential problems with the production of polymer optical fibers. Photonics Letters of Poland, 2020, 12, 79.	0.4	1
132	Selective liquid filling of photonic crystal fibers using two-photon polymerization lithography without post-exposure development. , 2020, , .		1
133	Method for calculation of loss dependence of single-mode optical fibers on diffusion of water. , 2000, , .		0
134	Technical aspects of hybrid method of optical fibers production for telecommunication uses. , 2001, , .		0
135	Preparation of liquid crystal optical fibers. , 2001, , .		0
136	<title>Chemical technique production of silver layers as protective coatings of optical fibers</title>. , 2003, , .		0
137	<title>Experimental holey fibers</title>. , 2003, 5028, 26.		0
138	<title>Protective coatings for side-hole optical fibers</title>. , 2003, 5028, 192.		0
139	<title>The ytterbium-doped double-clad optical fiber for applications in fiber lasers</title>. , 2004, , .		0
140	Theoretical investigations of birefringent holey fiber of new construction. , 2005, , .		0
141	Transmission properties and preparation of the side metal pipe optical fibers with silver layers. , 2005, , .		0
142	Temperature sensitivity in birefringent photonic crystal fiber with triple defect. , 2005, , .		0
143	Measurements of hydrostatic pressure and temperature sensitivity in birefringent holey fibers. , 2006, 6182, 586.		0
144	Investigations of birefringence of the fundamental and the higher order modes in index guiding photonic crystal fiber. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
145	Highly birefringent holey fibers with zero polarimetric sensitivity to temperature. Proceedings of SPIE, 2008, , .	0.8	0
146	<title>Measurements of HB photonic crystal fibers with low temperature sensitivity</title>. Proceedings of SPIE, 2008, , .	0.8	0
147	<title>Measurement of modal birefringence and temperature sensitivity of birefringent holey fibers</title>. , 2008, , .		0
148	Towards flexible photonic sensing skins with optical fiber sensors. , 2012, , .		0
149	Transverse force sensitivity of photonic crystal fibres. , 2012, , .		0
150	Photonic crystal fiber with large-mode area and low-bending loss for high-power compact lasers and amplifiers. , 2012, , .		0
151	Influence of photonic crystal fiber manufacturing inaccuracies on supercontinuum generation. Proceedings of SPIE, 2014, , .	0.8	0
152	Rocking filter induced mechanically in a highly birefringent microstructured polymer fiber. Applied Optics, 2014, 53, 7729.	2.1	0
153	Microstructured optical fiber Bragg grating-based shear stress sensing in adhesive bonds. , 2014, , .		0
154	Microstructured fibres ultraviolet sources for sensing applications. Proceedings of SPIE, 2014, , .	0.8	0
155	Analysis of supercontinuum generated with endlessly single mode new type of microstructured fibre series with near-visible zero dispersion wavelength. Proceedings of SPIE, 2014, , .	0.8	0
156	All-fiber 1 x 7 optical power splitter. Proceedings of SPIE, 2015, , .	0.8	0
157	Seven-core active fibre for application in telecommunication satellites. Proceedings of SPIE, 2015, , .	0.8	0
158	Highly birefringent polymer fibers for hydrostatic pressure sensing. Proceedings of SPIE, 2015, , .	0.8	0
159	Temperature sensing using the spectral interference of polarization modes of a highly birefringent fiber. Proceedings of SPIE, 2015, , .	0.8	0
160	Tunable Optofluidic Polymer Photonic Liquid Crystal Fibers. Molecular Crystals and Liquid Crystals, 2015, 619, 2-11.	0.9	0
161	Preparation and physicochemical characterisation of functionalised multi-walled carbon nanotubes. Adsorption, 2016, 22, 481-488.	3.0	0
162	Impact of thermal pre-treatment on preforms for fast Bragg gratings inscription using undoped PMMA POFs. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
163	An all-PM fiber source generating 5.4 nJ, 95 fs laser pulses in the 2 μ m spectral range. , 2017, , .		0
164	Polymer-based composite active fiber doped with Tm ³⁺ and Yb ³⁺ " Technology and luminescent properties in VIS spectral range. , 2017, , .		0
165	Phase mask-based IR femtosecond grating inscription in a photonic crystal fiber with short focal length cylindrical lens. , 2018, , .		0
166	Influence of attenuation on self-organized second-harmonic generation in a germanium-doped microstructured silica fiber. Optics Letters, 2018, 43, 2791.	3.3	0
167	Numerical and Experimental Study on the IR Femtosecond Laser and Phase Mask-Based Grating Inscription in Photonic Crystal Fibers. , 2019, , .		0
168	Experimental Analysis of Bragg Reflection Peak Splitting in Gratings Fabricated Using a Multiple Order Phase Mask. Sensors, 2019, 19, 433.	3.8	0
169	Synthesis of photoluminescent-doped poly(methyl methacrylate). Journal of Thermal Analysis and Calorimetry, 2019, 138, 4445-4451.	3.6	0
170	All-Fiber Source for Generation of Tunable Broadband fCEO-Free Mid-IR Pulses for Laser Spectroscopy Applications. , 2019, , .		0
171	Rare-Earths Activated Polymer Composite Fibers " Technology and Characterization. , 2019, , .		0
172	Temporal fine structure of all-normal dispersion fiber supercontinuum. , 2021, , .		0
173	Simple Approach for Ambiguity-Free Dual-Comb Ranging Using an Intrinsically Modulated Single-Cavity Laser Source. , 2021, , .		0
174	Technology of high birefringent microstructured polymer optical fibers. Photonics Letters of Poland, 2010, 2, .	0.4	0
175	Influence of X-rays on the thermal properties of poly(methyl methacrylate). Photonics Letters of Poland, 2014, 6, .	0.4	0
176	Spectral characteristics of PMMA doped with dimethacrylate derivative of naphthalene-2,7-diol use full in UV sensors. Photonics Letters of Poland, 2016, 8, .	0.4	0
177	Supercontinuum generation in highly birefringent dual-mode fiber. Photonics Letters of Poland, 2016, 8, .	0.4	0
178	Supercontinuum generation in three-fold symmetry microstructured fibers in visible and infrared spectral regions. Photonics Letters of Poland, 2016, 8, .	0.4	0
179	Refractive index sensor using a Fabry-Perot cavity in polymer fiber. , 2017, , .		0
180	Polymer and tapered silica fiber connection for polymer fiber sensor application. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
181	High birefringent microstructured polymer optical fiber with frozen stresses. , 2017, , .		0
182	Highly birefringent dual-mode nonlinear fibers for customised supercontinuum generation. , 2017, , .		0
183	Brillouin scattering effect in the multicore optical fiber applied to fiber optic shape sensing. , 2017, , .		0
184	Dual-core optical fiber based strain sensor for remote sensing in hard-to-reach areas. , 2017, , .		0
185	All-fiber intensity bend sensor based on photonic crystal fiber with asymmetric air-hole structure. , 2017, , .		0
186	Passive fiber optic temperature sensor for safety applications. , 2017, , .		0
187	Optical fiber strain sensor for application in intelligent intruder detection systems. , 2017, , .		0
188	Radiation-hardened optical amplifier based on multicore fiber for telecommunication satellites. , 2017, , .		0
189	An all-fiber mid-infrared (6 – 9 μm) source based on difference frequency generation in OP-GaP crystal. , 2018, , .		0
190	Generation of sub-100 fs pulses tunable from 1.8 to 2.0 μm from an All-fiber, All-PM Source Pumped at 1560 nm. , 2018, , .		0
191	Semiconductor quantum dot to fiber coupling system for 1.3 μm range. , 2018, , .		0
192	Thermal and optical study of the new methacrylic copolymers useful in POF technology. , 2018, , .		0
193	Study of physico-chemical properties of the new potential optical polymers based on 2-hydroxyethyl methacrylate. , 2018, , .		0
194	Polarimetric sensitivity to torsion and temperature in highly birefringent spun side-hole fibers. , 2019, , .		0
195	Mid-infrared frequency comb covering the 6.5 – 9 μm range with active output power stabilization. , 2020, , .		0
196	Demonstration of supercontinuum and frequency shifted solitons pumped at 1.56 μm as seed sources for Tm-doped fiber amplifiers. EPJ Web of Conferences, 2020, 243, 17002.	0.3	0
197	Compact 6.5 - 9 μm Frequency Comb Source for Fourier Transform Spectroscopy. , 2020, , .		0
198	Sub-Doppler Double-Resonance Spectroscopy of Methane Using a Frequency Comb Probe. , 2020, , .		0

#	ARTICLE	IF	CITATIONS
199	Phase-shifted Bragg grating inscription in photonic crystal fibers by UV phase mask beam stop technique. , 2020, , .		0