

# Kristine Krakauer

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6138506/kristine-krakauer-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

23  
papers

302  
citations

10  
h-index

17  
g-index

24  
ext. papers

394  
ext. citations

5.7  
avg, IF

3.01  
L-index

#	Paper	IF	Citations
23	EFFECTIVENESS OF DIALECTICAL BEHAVIOR THERAPY VERSUS COLLABORATIVE ASSESSMENT AND MANAGEMENT OF SUICIDALITY TREATMENT FOR REDUCTION OF SELF-HARM IN ADULTS WITH BORDERLINE PERSONALITY TRAITS AND DISORDER-A RANDOMIZED OBSERVER-BLINDED CLINICAL TRIAL. <i>Depression and Anxiety</i> , <b>2016</b> , 33, 520-30	8.4	64
22	Social cognition in patients at ultra-high risk for psychosis: What is the relation to social skills and functioning?. <i>Schizophrenia Research: Cognition</i> , <b>2016</b> , 5, 21-27	2.8	37
21	The FOCUS trial: cognitive remediation plus standard treatment versus standard treatment for patients at ultra-high risk for psychosis: study protocol for a randomised controlled trial. <i>Trials</i> , <b>2015</b> , 16, 25	2.8	32
20	Patterns of white matter microstructure in individuals at ultra-high-risk for psychosis: associations to level of functioning and clinical symptoms. <i>Psychological Medicine</i> , <b>2017</b> , 47, 2689-2707	6.9	25
19	White matter maturation during 12 months in individuals at ultra-high-risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 137, 65-78	6.5	18
18	Negative symptoms mediate the relationship between neurocognition and function in individuals at ultrahigh risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 135, 250-258	6.5	17
17	Multiple measures of HPA axis function in ultra high risk and first-episode schizophrenia patients. <i>Psychoneuroendocrinology</i> , <b>2018</b> , 92, 72-80	5	17
16	Systemic oxidative DNA and RNA damage are not increased during early phases of psychosis: A case control study. <i>Psychiatry Research</i> , <b>2016</b> , 241, 201-6	9.9	17
15	Widespread higher fractional anisotropy associates to better cognitive functions in individuals at ultra-high risk for psychosis. <i>Human Brain Mapping</i> , <b>2019</b> , 40, 5185-5201	5.9	13
14	Premorbid adjustment in individuals at ultra-high risk for developing psychosis: a case-control study. <i>Microbial Biotechnology</i> , <b>2018</b> , 12, 839-847	3.3	11
13	Cognitive remediation plus standard treatment versus standard treatment alone for individuals at ultra-high risk of developing psychosis: Results of the FOCUS randomised clinical trial. <i>Schizophrenia Research</i> , <b>2020</b> , 224, 151-158	3.6	10
12	Cerebral Glutamate and Gamma-Aminobutyric Acid Levels in Individuals at Ultra-high Risk for Psychosis and the Association With Clinical Symptoms and Cognition. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , <b>2020</b> , 5, 569-579	3.4	7
11	Effectiveness of cognitive remediation in the ultra-high risk state for psychosis. <i>World Psychiatry</i> , <b>2020</b> , 19, 401-402	14.4	7
10	Psychopathology and social functioning of 42 subjects from a Danish ultra high-risk cohort. <i>Microbial Biotechnology</i> , <b>2018</b> , 12, 1181-1187	3.3	6
9	No Effects of Cognitive Remediation on Cerebral White Matter in Individuals at Ultra-High Risk for Psychosis-A Randomized Clinical Trial. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 873	5	4
8	Examining speed of processing of facial emotion recognition in individuals at ultra-high risk for psychosis: Associations with symptoms and cognition. <i>Schizophrenia Research</i> , <b>2018</b> , 195, 562-563	3.6	4
7	Baseline measures of cerebral glutamate and GABA levels in individuals at ultrahigh risk for psychosis: Implications for clinical outcome after 12 months. <i>European Psychiatry</i> , <b>2020</b> , 63, e83	6	3

6	Interview and questionnaire assessment of cognitive impairment in subjects at ultra-high risk for psychosis: Associations with cognitive test performance, psychosocial functioning, and positive symptoms. <i>Psychiatry Research</i> , <b>2020</b> , 294, 113498	9.9	3
5	Generalized neurocognitive impairment in individuals at ultra-high risk for psychosis: The possible key role of slowed processing speed. <i>Brain and Behavior</i> , <b>2021</b> , 11, e01962	3.4	3
4	Associations between facial affect recognition and neurocognition in subjects at ultra-high risk for psychosis: A case-control study. <i>Psychiatry Research</i> , <b>2020</b> , 290, 112969	9.9	2
3	Global fractional anisotropy predicts transition to psychosis after 12 months in individuals at ultra-high risk for psychosis. <i>Acta Psychiatrica Scandinavica</i> , <b>2021</b> , 144, 448-463	6.5	2
2	Changes in negative symptoms are linked to white matter changes in superior longitudinal fasciculus in individuals at ultra-high risk for psychosis. <i>Schizophrenia Research</i> , <b>2021</b> , 237, 192-201	3.6	0
1	Are attenuated positive symptoms and cortisol levels associated?. <i>Schizophrenia Research</i> , <b>2021</b> , 228, 621-623	3.6	