

Charles R Goodlett

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6138674/charles-r-goodlett-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

4,970
citations

42
h-index

69
g-index

109
ext. papers

5,268
ext. citations

3.6
avg, IF

5.27
L-index

#	Paper	IF	Citations
100	Sexually dimorphic DYRK1A overexpression on postnatal day 15 in the Ts65Dn mouse model of Down syndrome: Effects of pharmacological targeting on behavioral phenotypes.. <i>Pharmacology Biochemistry and Behavior</i> , 2022 , 173404	3.9	0
99	Understanding ethanol's acute effects on medial prefrontal cortex neural activity using state-space approaches. <i>Neuropharmacology</i> , 2021 , 198, 108780	5.5	1
98	Evaluation of the therapeutic potential of Epigallocatechin-3-gallate (EGCG) via oral gavage in young adult Down syndrome mice. <i>Scientific Reports</i> , 2020 , 10, 10426	4.9	12
97	Influence of allelic differences in Down syndrome. <i>Progress in Brain Research</i> , 2020 , 251, 29-54	2.9	2
96	Behavioral Phenotyping for Down Syndrome in Mice. <i>Current Protocols in Mouse Biology</i> , 2020 , 10, e79	1.1	2
95	Maternal choline supplementation mitigates alcohol-induced fetal cranio-facial abnormalities detected using an ultrasonographic examination in a sheep model. <i>Alcohol</i> , 2019 , 81, 31-38	2.7	6
94	Acute alcohol and cognition: Remembering what it causes us to forget. <i>Alcohol</i> , 2019 , 79, 105-125	2.7	28
93	Usage of and attitudes about green tea extract and Epigallocatechin-3-gallate (EGCG) as a therapy in individuals with Down syndrome. <i>Complementary Therapies in Medicine</i> , 2019 , 45, 234-241	3.5	6
92	Evidence for a Long-Lasting Compulsive Alcohol Seeking Phenotype in Rats. <i>Neuropsychopharmacology</i> , 2018 , 43, 728-738	8.7	45
91	Meta-Analyses of Externalizing Disorders: Genetics or Prenatal Alcohol Exposure?. <i>Alcoholism: Clinical and Experimental Research</i> , 2018 , 42, 162-172	3.7	1
90	Can Green Tea Polyphenols Improve Phenotypes Associated With Down Syndrome? 2018 , 439-454		1
89	Epigallocatechin-3-gallate (EGCG) consumption in the Ts65Dn model of Down syndrome fails to improve behavioral deficits and is detrimental to skeletal phenotypes. <i>Physiology and Behavior</i> , 2017 , 177, 230-241	3.5	34
88	Targeting trisomic treatments: optimizing Dyrk1a inhibition to improve Down syndrome deficits. <i>Molecular Genetics & Genomic Medicine</i> , 2017 , 5, 451-465	2.3	22
87	Video-based data acquisition system for use in eye blink classical conditioning procedures in sheep. <i>Behavior Research Methods</i> , 2017 , 49, 1838-1851	6.1	2
86	Maternal choline supplementation in a sheep model of first trimester binge alcohol fails to protect against brain volume reductions in peripubertal lambs. <i>Alcohol</i> , 2016 , 55, 1-8	2.7	8
85	The Novel μ Opioid Receptor Antagonist GSK1521498 Decreases Both Alcohol Seeking and Drinking: Evidence from a New Preclinical Model of Alcohol Seeking. <i>Neuropsychopharmacology</i> , 2015 , 40, 2981-92	8.7	26
84	Computed tomography assessment of peripubertal craniofacial morphology in a sheep model of binge alcohol drinking in the first trimester. <i>Alcohol</i> , 2015 , 49, 675-89	2.7	4

83	Low dose EGCG treatment beginning in adolescence does not improve cognitive impairment in a Down syndrome mouse model. <i>Pharmacology Biochemistry and Behavior</i> , 2015 , 138, 70-9	3.9	28
82	Alcohol-Preferring Rats Show Goal Oriented Behaviour to Food Incentives but Are Neither Sign-Trackers Nor Impulsive. <i>PLoS ONE</i> , 2015 , 10, e0131016	3.7	16
81	Effects of one- and three-day binge alcohol exposure in neonatal C57BL/6 mice on spatial learning and memory in adolescence and adulthood. <i>Alcohol</i> , 2014 , 48, 99-111	2.7	30
80	Arylsulfatase B modulates neurite outgrowth via astrocyte chondroitin-4-sulfate: dysregulation by ethanol. <i>Glia</i> , 2014 , 62, 259-71	9	42
79	Effect of prenatal alcohol exposure on bony craniofacial development: a mouse MicroCT study. <i>Alcohol</i> , 2013 , 47, 405-15	2.7	20
78	Different patterns of regional Purkinje cell loss in the cerebellar vermis as a function of the timing of prenatal ethanol exposure in an ovine model. <i>Neurotoxicology and Teratology</i> , 2013 , 35, 7-13	3.9	21
77	Rehabilitation training using complex motor learning rescues deficits in eyeblink classical conditioning in female rats induced by binge-like neonatal alcohol exposure. <i>Alcoholism: Clinical and Experimental Research</i> , 2013 , 37, 1561-70	3.7	12
76	Housing in environmental complexity following wheel running augments survival of newly generated hippocampal neurons in a rat model of binge alcohol exposure during the third trimester equivalent. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 1196-204	3.7	31
75	T-maze learning in weanling lambs. <i>Developmental Psychobiology</i> , 2012 , 54, 785-97	3	4
74	Strain differences in developmental vulnerability to alcohol exposure via embryo culture in mice. <i>Alcoholism: Clinical and Experimental Research</i> , 2011 , 35, 1293-304	3.7	34
73	Alteration of gene expression by alcohol exposure at early neurulation. <i>BMC Genomics</i> , 2011 , 12, 124	4.5	62
72	Alcohol-induced facial dysmorphology in C57BL/6 mouse models of fetal alcohol spectrum disorder. <i>Alcohol</i> , 2010 , 44, 659-71	2.7	32
71	The effects of exercise on adolescent hippocampal neurogenesis in a rat model of binge alcohol exposure during the brain growth spurt. <i>Brain Research</i> , 2009 , 1294, 1-11	3.7	82
70	Binge-like postnatal alcohol exposure triggers cortical gliogenesis in adolescent rats. <i>Journal of Comparative Neurology</i> , 2009 , 514, 259-71	3.4	28
69	Animal models of fetal alcohol spectrum disorders: impact of the social environment. <i>Developmental Disabilities Research Reviews</i> , 2009 , 15, 200-8		69
68	Peptidergic agonists of activity-dependent neurotrophic factor protect against prenatal alcohol-induced neural tube defects and serotonin neuron loss. <i>Alcoholism: Clinical and Experimental Research</i> , 2008 , 32, 1361-71	3.7	24
67	Alcohol exposure alters cell cycle and apoptotic events during early neurulation. <i>Alcohol and Alcoholism</i> , 2008 , 43, 261-73	3.5	42
66	Eyeblink classical conditioning in the preweanling lamb. <i>Behavioral Neuroscience</i> , 2008 , 122, 722-9	2.1	10

65	Neonatal alcohol exposure impairs acquisition of eyeblink conditioned responses during discrimination learning and reversal in weanling rats. <i>Developmental Psychobiology</i> , 2007 , 49, 243-57	3	36
64	Binge-like ethanol exposure during the early postnatal period impairs eyeblink conditioning at short and long CS-US intervals in rats. <i>Developmental Psychobiology</i> , 2007 , 49, 589-605	3	25
63	Persistent impairment of hippocampal neurogenesis in young adult rats following early postnatal alcohol exposure. <i>Alcoholism: Clinical and Experimental Research</i> , 2007 , 31, 2073-82	3.7	130
62	Alcohol teratogenesis: mechanisms of damage and strategies for intervention. <i>Experimental Biology and Medicine</i> , 2005 , 230, 394-406	3.7	291
61	Vitamin E does not protect against neonatal ethanol-induced cerebellar damage or deficits in eyeblink classical conditioning in rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 117-29	3.7	67
60	Fetal Alcohol Effects: Potential Treatments From Basic Science. <i>Alcoholism: Clinical and Experimental Research</i> , 2005 , 29, 1074-1079	3.7	7
59	Moderate alcohol exposure compromises neural tube midline development in prenatal brain. <i>Developmental Brain Research</i> , 2003 , 144, 43-55		62
58	Therapeutic effects of complex motor training on motor performance deficits induced by neonatal binge-like alcohol exposure in rats: II. A quantitative stereological study of synaptic plasticity in female rat cerebellum. <i>Brain Research</i> , 2002 , 937, 83-93	3.7	79
57	Neonatal ethanol produces cerebellar deep nuclear cell loss and correlated disruption of eyeblink conditioning in adult rats. <i>Brain Research</i> , 2002 , 956, 302-11	3.7	55
56	Selective and Enduring Deficits in Spatial Learning After Limited Neonatal Binge Alcohol Exposure in Male Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 83-93	3.7	70
55	Deviations in brain early serotonergic development as a result of fetal alcohol exposure. <i>Neurotoxicity Research</i> , 2002 , 4, 337-42	4.3	40
54	Eyeblink classical conditioning and interpositus nucleus activity are disrupted in adult rats exposed to ethanol as neonates. <i>Learning and Memory</i> , 2002 , 9, 304-20	2.8	46
53	Alcohol-Induced Damage to the Developing Brain: Functional Approaches Using Classical Eyeblink Conditioning 2002 , 135-153		
52	Selective and enduring deficits in spatial learning after limited neonatal binge alcohol exposure in male rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2002 , 26, 83-93	3.7	28
51	Fetal Alcohol Effects: Mechanisms and Treatment. <i>Alcoholism: Clinical and Experimental Research</i> , 2001 , 25, 110S-116S	3.7	12
50	Prenatal alcohol exposure retards the migration and development of serotonin neurons in fetal C57BL mice. <i>Developmental Brain Research</i> , 2001 , 126, 147-55		94
49	Impairment in Eyeblink Classical Conditioning in Adult Rats Exposed to Ethanol as Neonates. <i>Alcoholism: Clinical and Experimental Research</i> , 2000 , 24, 438-447	3.7	40
48	Therapeutic motor training ameliorates cerebellar effects of postnatal binge alcohol. <i>Neurotoxicology and Teratology</i> , 2000 , 22, 125-32	3.9	51

47	Neonatal Ethanol Exposure Impairs Eyeblink Conditioning in Weanling Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 1998 , 22, 270-275	3.7	78
46	Therapeutic effects of complex motor training on motor performance deficits induced by neonatal binge-like alcohol exposure in rats . I. Behavioral results. <i>Brain Research</i> , 1998 , 800, 48-61	3.7	85
45	Alcohol-induced Purkinje cell loss depends on developmental timing of alcohol exposure and correlates with motor performance. <i>Developmental Brain Research</i> , 1998 , 105, 159-66		149
44	Binge neonatal alcohol intubations induce dose-dependent loss of Purkinje cells. <i>Neurotoxicology and Teratology</i> , 1998 , 20, 285-92	3.9	82
43	Alcohol-Induced Purkinje Cell Loss with a Single Binge Exposure in Neonatal Rats: A Stereological Study of Temporal Windows of Vulnerability. <i>Alcoholism: Clinical and Experimental Research</i> , 1997 , 21, 738-744	3.7	93
42	Binge-Like Alcohol Exposure of Neonatal Rats Via Intragastric Intubation Induces Both Purkinje Cell Loss and Cortical Astroglia. <i>Alcoholism: Clinical and Experimental Research</i> , 1997 , 21, 1010-1017	3.7	76
41	Therapeutic Motor Training Increases Parallel Fiber Synapse Number Per Purkinje Neuron in Cerebellar Cortex of Rats Given Postnatal Binge Alcohol Exposure: Preliminary Report. <i>Alcoholism: Clinical and Experimental Research</i> , 1997 , 21, 1257-1263	3.7	21
40	Neonatal binge ethanol exposure using intubation: timing and dose effects on place learning. <i>Neurotoxicology and Teratology</i> , 1997 , 19, 435-46	3.9	135
39	Alcohol-Induced Purkinje Cell Loss with a Single Binge Exposure in Neonatal Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 1997 , 21, 738	3.7	3
38	Temporal determinants of neonatal alcohol-induced cerebellar damage and motor performance deficits. <i>Pharmacology Biochemistry and Behavior</i> , 1996 , 55, 531-40	3.9	71
37	Behavioral deficits induced by binge-like exposure to alcohol in neonatal rats: importance of developmental timing and number of episodes. <i>Developmental Psychobiology</i> , 1996 , 29, 433-52	3	86
36	Sex differences in vulnerability to developmental spatial learning deficits induced by limited binge alcohol exposure in neonatal rats. <i>Neurobiology of Learning and Memory</i> , 1995 , 64, 265-75	3.1	85
35	NMDA prevents alcohol-induced neuronal cell death of cerebellar granule cells in culture. <i>Alcoholism: Clinical and Experimental Research</i> , 1995 , 19, 846-53	3.7	48
34	Developing rat Purkinje cells are more vulnerable to alcohol-induced depletion during differentiation than during neurogenesis. <i>Alcohol</i> , 1994 , 11, 147-56	2.7	120
33	Transient cortical astroglia induced by alcohol exposure during the neonatal brain growth spurt in rats. <i>Developmental Brain Research</i> , 1993 , 72, 85-97		91
32	Vulnerability of cerebellar granule cells to alcohol-induced cell death diminishes with time in culture. <i>Alcoholism: Clinical and Experimental Research</i> , 1993 , 17, 1014-21	3.7	65
31	Alteration in the pattern of nerve terminal protein immunoreactivity in the perforant pathway in Alzheimer's disease and in rats after entorhinal lesions. <i>Neurobiology of Aging</i> , 1992 , 13, 283-91	5.6	58
30	Alcohol reduces the number of pheochromocytoma (PC12) cells in culture. <i>Alcohol</i> , 1992 , 9, 171-80	2.7	74

29	Prenatal ethanol exposure during the last third of gestation in rat reduces hippocampal NMDA agonist binding site density in 45-day-old offspring. <i>Alcohol</i> , 1992 , 9, 37-41	2.7	91
28	Dissociation of spatial navigation and visual guidance performance in Purkinje cell degeneration (pcd) mutant mice. <i>Behavioural Brain Research</i> , 1992 , 47, 129-41	3.4	94
27	Fetal Alcohol Effects: Rat Model of Alcohol Exposure during the Brain Growth Spurt 1992 , 45-75		26
26	Forebrain ischemia induces selective behavioral impairments associated with hippocampal injury in rats. <i>Stroke</i> , 1991 , 22, 1040-7	6.7	149
25	Long-term deficits in cerebellar growth and rotarod performance of rats following "binge-like" alcohol exposure during the neonatal brain growth spurt. <i>Neurotoxicology and Teratology</i> , 1991 , 13, 69-74	3.9	104
24	New approaches to research on the long-term consequences of prenatal exposure to alcohol. <i>Alcoholism: Clinical and Experimental Research</i> , 1990 , 14, 684-9	3.7	27
23	Cell population depletion associated with fetal alcohol brain damage: mechanisms of BAC-dependent cell loss. <i>Alcoholism: Clinical and Experimental Research</i> , 1990 , 14, 813-8	3.7	139
22	Teratogenic effects of alcohol on brain development. <i>Annals of Medicine</i> , 1990 , 22, 319-25	1.5	76
21	A single day of alcohol exposure during the brain growth spurt induces brain weight restriction and cerebellar Purkinje cell loss. <i>Alcohol</i> , 1990 , 7, 107-14	2.7	183
20	Regional differences in the timing of dendritic outgrowth of Purkinje cells in the vermal cerebellum demonstrated by MAP2 immunocytochemistry. <i>Developmental Brain Research</i> , 1990 , 53, 131-4		45
19	Differential neuronal loss following early postnatal alcohol exposure. <i>Teratology</i> , 1989 , 40, 113-26		138
18	Brain growth deficits following a single day of alcohol exposure in the neonatal rat. <i>Alcohol</i> , 1989 , 6, 121-6	2.7	37
17	Alz-50 immunoreactivity in the neonatal rat: changes in development and co-distribution with MAP-2 immunoreactivity. <i>Neuroscience Letters</i> , 1989 , 98, 264-71	3.3	21
16	Long-term deficits in water maze spatial conditional alternation performance following retrohippocampal lesions in rats. <i>Behavioural Brain Research</i> , 1989 , 32, 63-7	3.4	27
15	Impaired spatial navigation in adult female but not adult male rats exposed to alcohol during the brain growth spurt. <i>Behavioural Brain Research</i> , 1988 , 27, 247-57	3.4	120
14	Constraints on water maze spatial learning in rats: implications for behavioral studies of brain damage and recovery of function. <i>Behavioural Brain Research</i> , 1988 , 28, 275-86	3.4	23
13	Blood alcohol concentration and severity of microencephaly in neonatal rats depend on the pattern of alcohol administration. <i>Alcohol</i> , 1988 , 5, 209-14	2.7	150
12	Time course and reversibility of ethanol's suppressive effects on axon sprouting in the dentate gyrus of the adult rat. <i>Alcoholism: Clinical and Experimental Research</i> , 1988 , 12, 433-9	3.7	6

11	Sprouting responsiveness in the dentate gyrus is reduced by ethanol administered following but not preceding an entorhinal lesion. <i>Experimental Neurology</i> , 1987 , 97, 441-53	5.7	5
10	Effects of pre- and early postnatal protein malnutrition on carcass composition and lipoprotein lipase activity in male rats. <i>Physiology and Behavior</i> , 1987 , 39, 721-6	3.5	3
9	Differential effects of clonidine, B-HT 933 and B-HT 920 in immature rat pups. <i>Pharmacology Biochemistry and Behavior</i> , 1987 , 27, 283-90	3.9	3
8	Early postnatal alcohol exposure that produces high blood alcohol levels impairs development of spatial navigation learning. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 1987 , 15, 64-74		26
7	Spatial cue utilization in chronically malnourished rats: task-specific learning deficits. <i>Developmental Psychobiology</i> , 1986 , 19, 1-15	3	53
6	Altered development of responsiveness to clonidine in severely malnourished rats. <i>Pharmacology Biochemistry and Behavior</i> , 1985 , 23, 567-72	3.9	12
5	The presence of home-cage stimuli attenuates spontaneous-alternation deficits in rats with septal lesions. <i>Physiological Psychology</i> , 1983 , 11, 119-124		5
4	Attenuation of reversal deficits of mice with septal lesions by shifts in the motivational context.. <i>Behavioral Neuroscience</i> , 1983 , 97, 937-944	2.1	2
3	Influence of environmental rearing history and postsurgical environmental change on the septal rage syndrome in mice. <i>Physiology and Behavior</i> , 1982 , 28, 1077-81	3.5	15
2	Environmental enrichment and restriction: effects on reactivity, exploration and maze learning in mice with septal lesions. <i>Physiology and Behavior</i> , 1982 , 29, 885-93	3.5	20
1	Limited sparing a function on spatial delayed alternation after two-stage lesions of prefrontal cortex in the rat. <i>Physiology and Behavior</i> , 1981 , 26, 763-71	3.5	21