

Stephan Handschuh-Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6138915/stephan-handschuh-wang-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68
papers

2,056
citations

24
h-index

44
g-index

76
ext. papers

2,702
ext. citations

6.3
avg, IF

5.68
L-index

#	Paper	IF	Citations
68	Multiple interval thixotropic test (miTT) – An advanced tool for the rheological characterization of emulsions and other colloidal systems. <i>Rheologica Acta</i> , 2022 , 61, 229-242	2.3	2
67	Liquid metal droplets enabled soft robots. <i>Applied Materials Today</i> , 2022 , 27, 101423	6.6	7
66	Anti-Freezing, Non-Drying, Localized Stiffening, and Shape-Morphing Organohydrogels. <i>Gels</i> , 2022 , 8, 331	4.2	0
65	Self-Healable and Recyclable Dual-Shape Memory Liquid Metal/Elastomer Composites. <i>Polymers</i> , 2022 , 14, 2259	4.5	1
64	Leitfähig und verformbar – Flüssigmetalle. <i>Nachrichten Aus Der Chemie</i> , 2021 , 69, 69-72	0.1	0
63	On the Interaction of Surfactants with Gallium-Based Liquid Metals. <i>ChemistrySelect</i> , 2021 , 6, 10625-10636	3.6	4
62	Liquid Metal Superelastic Fiber Mat Enabling Highly Permeable Wearable Electronics Toward Comfortable e-Skins. <i>Chemical Research in Chinese Universities</i> , 2021 , 37, 615-616	2.2	1
61	Ultrathin Diamond Nanofilms-Development, Challenges, and Applications. <i>Small</i> , 2021 , 17, e2007529	11	27
60	Hierarchical Micro/Nanostructured Diamond Gradient Surface for Controlled Water Transport and Fog Collection. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100196	4.6	21
59	Surface Tension of the Oxide Skin of Gallium-Based Liquid Metals. <i>Langmuir</i> , 2021 , 37, 9017-9025	4	18
58	Biomimetic anti-freezing polymeric hydrogels: keeping soft-wet materials active in cold environments. <i>Materials Horizons</i> , 2021 , 8, 351-369	14.4	85
57	Recyclable, weldable, mechanically durable, and programmable liquid metal-elastomer composites. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 10953-10965	13	16
56	Rapid synthesis and growth process deconvolution of Au nanoflowers with ultrahigh catalytic activity based on microfluidics. <i>Journal of Materials Science</i> , 2021 , 56, 6315-6326	4.3	0
55	Critical Review on the Physical Properties of Gallium-Based Liquid Metals and Selected Pathways for Their Alteration. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 20113-20142	3.8	20
54	Giant Biodegradable Poly(ethylene glycol)-block-Poly(ϵ -caprolactone) Polymersomes by Electroformation. <i>Macromolecular Bioscience</i> , 2020 , 20, e2000014	5.5	6
53	Is There a Relationship between Surface Wettability of Structured Surfaces and Lyophobicity toward Liquid Metals?. <i>Materials</i> , 2020 , 13,	3.5	9
52	Robust Biomimetic Hierarchical Diamond Architecture with a Self-Cleaning, Antibacterial, and Antibiofouling Surface. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 24432-24441	9.5	49

51	Unraveling the nanomechanical properties of surface-grafted conjugated polymer brushes with ladder-like architecture. <i>Polymer Chemistry</i> , 2020 , 11, 7050-7062	4.9	5
50	Bioinspired Tough Organohydrogel Dynamic Interfaces Enabled Subzero Temperature Antifrosting, Deicing, and Antiadhesion. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 55501-55509	9.5	6
49	Corrosion-Resistant Functional Diamond Coatings for Reliable Interfacing of Liquid Metals with Solid Metals. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 40891-40900	9.5	13
48	Interfacing of surfaces with gallium-based liquid metals: Approaches for mitigation and augmentation of liquid metal adhesion on surfaces. <i>Applied Materials Today</i> , 2020 , 21, 100868	6.6	14
47	Liquid Metal-Based Soft Microfluidics. <i>Small</i> , 2020 , 16, e1903841	11	84
46	Liquid Metal-Based Transient Circuits for Flexible and Recyclable Electronics. <i>Advanced Functional Materials</i> , 2019 , 29, 1808739	15.6	138
45	Polydimethylsiloxane/Nanodiamond Composite Sponge for Enhanced Mechanical or Wettability Performance. <i>Polymers</i> , 2019 , 11,	4.5	12
44	Multimodal microscopy-based identification of surface nanobubbles. <i>Journal of Colloid and Interface Science</i> , 2019 , 547, 162-170	9.3	16
43	Phase Transitions and Formation of a Monolayer-Type Structure in Thin Oligothiophene Films: Exploration with a Combined In Situ X-ray Diffraction and Electrical Measurements. <i>Nanoscale Research Letters</i> , 2019 , 14, 185	5	2
42	Biomimetic Extreme-Temperature- and Environment-Adaptable Hydrogels. <i>ChemPhysChem</i> , 2019 , 20, 2139-2154	3.2	48
41	Anisotropic liquid metal-elastomer composites. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 10166-10172	7.1	31
40	Liquid Metal Nanodroplets: Light-Induced Shape Morphing of Liquid Metal Nanodroplets Enabled by Polydopamine Coating (Small 9/2019). <i>Small</i> , 2019 , 15, 1970047	11	
39	Liquid Metal-Mediated Mechanochemical Polymerization. <i>Macromolecular Rapid Communications</i> , 2019 , 40, e1900537	4.8	18
38	Robust, multiscale liquid-metal patterning enabled by a sacrificial sealing layer for flexible and wearable wireless powering. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 15243-15251	7.1	23
37	Electric Actuation of Liquid Metal Droplets in Acidified Aqueous Electrolyte. <i>Langmuir</i> , 2019 , 35, 372-381	11	26
36	Light-Induced Shape Morphing of Liquid Metal Nanodroplets Enabled by Polydopamine Coating. <i>Small</i> , 2019 , 15, e1804838	11	57
35	Site-Specific Oxidation-Induced Stiffening and Shape Morphing of Soft Tough Hydrogels. <i>Macromolecular Materials and Engineering</i> , 2019 , 304, 1800589	3.9	5
34	Rational Fabrication of Anti-Freezing, Non-Drying Tough Organohydrogels by One-Pot Solvent Displacement. <i>Angewandte Chemie</i> , 2018 , 130, 6678-6681	3.6	60

33	Rational Fabrication of Anti-Freezing, Non-Drying Tough Organohydrogels by One-Pot Solvent Displacement. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 6568-6571	16.4	213
32	TiB2 barrier interlayer approach for HFCVD diamond deposition onto cemented carbide tools. <i>Diamond and Related Materials</i> , 2018 , 83, 126-133	3.5	14
31	Controlling Directional Liquid Motion on Micro- and Nanocrystalline Diamond/BSiC Composite Gradient Films. <i>Langmuir</i> , 2018 , 34, 1419-1428	4	14
30	Robust Fabrication of Nonstick, Noncorrosive, Conductive Graphene-Coated Liquid Metal Droplets for Droplet-Based, Floating Electrodes. <i>Advanced Functional Materials</i> , 2018 , 28, 1706277	15.6	57
29	Analysis and Transformations of Room-Temperature Liquid Metal Interfaces - A Closer Look through Interfacial Tension. <i>ChemPhysChem</i> , 2018 , 19, 1584-1592	3.2	42
28	Analysis and Transformations of Room-Temperature Liquid Metal Interfaces A Closer Look through Interfacial Tension. <i>ChemPhysChem</i> , 2018 , 19, 1551-1551	3.2	1
27	Softening and Shape Morphing of Stiff Tough Hydrogels by Localized Unlocking of the Trivalent Ionically Cross-Linked Centers. <i>Macromolecular Rapid Communications</i> , 2018 , 39, e1800143	4.8	30
26	Adherent and low friction nanocrystalline diamond films via adsorbing organic molecules in self-assembly seeding process. <i>Applied Surface Science</i> , 2018 , 456, 75-82	6.7	14
25	Tough protein organohydrogels. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 7366-7372	7.3	24
24	Thickness-Encoded Micropatterns in One-Component Thermoresponsive Polymer Brushes for Culture and Triggered Release of Pancreatic Tumor Cell Monolayers and Spheroids. <i>Langmuir</i> , 2018 , 34, 14670-14677	4	15
23	Fluorimetric Detection of G-Quadruplex DNA in Solution and Adsorbed on Surfaces with a Selective Trinuclear Cyanine Dye. <i>Langmuir</i> , 2018 , 34, 11866-11877	4	11
22	Liquid metal droplets with high elasticity, mobility and mechanical robustness. <i>Materials Horizons</i> , 2017 , 4, 591-597	14.4	70
21	Bioinspired, Mechano-Regulated Interfaces for Rationally Designed, Dynamically Controlled Collection of Oil Spills from Water. <i>Global Challenges</i> , 2017 , 1, 1600014	4.3	6
20	Hydrophilic Sponges for Leaf-Inspired Continuous Pumping of Liquids. <i>Advanced Science</i> , 2017 , 4, 1700028	28.6	36
19	Fluorescence lifetime-based sensing of polymersome leakage. <i>Photochemical and Photobiological Sciences</i> , 2017 , 16, 155-158	4.2	2
18	Elastic Sponges: Hydrophilic Sponges for Leaf-Inspired Continuous Pumping of Liquids (Adv. Sci. 6/2017). <i>Advanced Science</i> , 2017 , 4,	13.6	1
17	Recent progress in fabrication and application of polydimethylsiloxane sponges. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 16467-16497	13	136
16	Defect-free, high resolution patterning of liquid metals using reversibly sealed, reusable polydimethylsiloxane microchannels for flexible electronic applications. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 6790-6797	7.1	33

15	Enhancing the colloidal stability of detonation synthesized diamond particles in aqueous solutions by adsorbing organic mono-, bi- and tridentate molecules. <i>Journal of Colloid and Interface Science</i> , 2017 , 499, 102-109	9.3	20
14	Liquid metal sponges for mechanically durable, all-soft, electrical conductors. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 1586-1590	7.1	103
13	Detailed Study of BSA Adsorption on Micro- and Nanocrystalline Diamond/BSiC Composite Gradient Films by Time-Resolved Fluorescence Microscopy. <i>Langmuir</i> , 2017 , 33, 802-813	4	14
12	Determination of the Wall Thickness of Block Copolymer Vesicles by Fluorescence Lifetime Imaging Microscopy. <i>Macromolecular Chemistry and Physics</i> , 2017 , 218, 1600454	2.6	7
11	Recent advances in hybrid measurement methods based on atomic force microscopy and surface sensitive measurement techniques. <i>RSC Advances</i> , 2017 , 7, 47464-47499	3.7	11
10	Enhanced nucleation of diamond on three dimensional tools via stabilized colloidal nanodiamond in electrostatic self-assembly seeding process. <i>Journal of Colloid and Interface Science</i> , 2017 , 506, 543-552	9.3	19
9	"Freezing", morphing, and folding of stretchy tough hydrogels. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 5726-5732	7.3	38
8	The Effect of Size and Geometry of Poly(acrylamide) Brush-Based Micropatterns on the Behavior of Cells. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 23591-603	9.5	20
7	Surface Nanobubbles Studied by Time-Resolved Fluorescence Microscopy Methods Combined with AFM: The Impact of Surface Treatment on Nanobubble Nucleation. <i>Langmuir</i> , 2016 , 32, 11155-11163	4	44
6	Impact of substrate temperature on the structure and electrical performance of vacuum-deposited PBDHST oligothiophene thin films. <i>RSC Advances</i> , 2016 , 6, 115085-115091	3.7	7
5	Enzyme degradable polymersomes from hyaluronic acid-block-poly(ϵ -caprolactone) copolymers for the detection of enzymes of pathogenic bacteria. <i>Biomacromolecules</i> , 2015 , 16, 832-41	6.9	80
4	Controlled surface chemistry of diamond/BSiC composite films for preferential protein adsorption. <i>Langmuir</i> , 2014 , 30, 1089-99	4	26
3	Bacterial Enzyme Responsive Polymersomes: A Closer Look at the Degradation Mechanism of PEG-block-PLA Vesicles. <i>Australian Journal of Chemistry</i> , 2014 , 67, 578	1.2	16
2	Amphiphilic Block Copolymer Vesicles for Active Wound Dressings: Synthesis of Model Systems and Studies of Encapsulation and Release. <i>Macromolecular Symposia</i> , 2013 , 328, 73-79	0.8	13
1	Superoleophilic-Hydrophobic Kapok Oil Sorbents via Energy Efficient Carbonization. <i>Journal of Natural Fibers</i> , 1-17	1.8	1