Paolo Preziosa

List of Publications by Citations

Source: https://exaly.com/author-pdf/6140558/paolo-preziosa-publications-by-citations.pdf
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92 papers	2,114 citations	23 h-index	44 g-index
112 ext. papers	2,970 ext. citations	6.9 avg, IF	5.17 L-index

#	Paper	IF	Citations
92	Multiple sclerosis. *Nature Reviews Disease Primers*, **2018**, 4, 43	51.1	372
91	Assessment of lesions on magnetic resonance imaging in multiple sclerosis: practical guidelines. *Brain*, **2019**, 142, 1858-1875	11.2	150
90	Gray matter damage predicts the accumulation of disability 13 years later in MS. *Neurology*, **2013**, 81, 1759-67	6.5	133
89	The current role of MRI in differentiating multiple sclerosis from its imaging mimics. *Nature Reviews Neurology*, **2018**, 14, 199-213	15	95
88	Diffusion tensor MRI tractography and cognitive impairment in multiple sclerosis. *Neurology*, **2012**, 78, 969-75	6.5	90
87	Association between pathological and MRI findings in multiple sclerosis. *Lancet Neurology, The*, **2019**, 18, 198-210	24.1	86
86	Influence of the topography of brain damage on depression and fatigue in patients with multiple sclerosis. *Multiple Sclerosis Journal*, **2014**, 20, 192-201	5	76
85	Effects of early treatment with glatiramer acetate in patients with clinically isolated syndrome. *Multiple Sclerosis Journal*, **2013**, 19, 1074-83	5	72
84	Prediction of a multiple sclerosis diagnosis in patients with clinically isolated syndrome using the 2016 MAGNIMS and 2010 McDonald criteria: a retrospective study. *Lancet Neurology, The*, **2018**, 17, 133-142	24.1	66
83	Structural MRI correlates of cognitive impairment in patients with multiple sclerosis: A Multicenter Study. *Human Brain Mapping*, **2016**, 37, 1627-44	5.9	65
82	Intrinsic damage to the major white matter tracts in patients with different clinical phenotypes of multiple sclerosis: a voxelwise diffusion-tensor MR study. *Radiology*, **2011**, 260, 541-50	20.5	54
81	Magnetic resonance outcome measures in multiple sclerosis trials: time to rethink?. *Current Opinion in Neurology*, **2014**, 27, 290-9	7.1	52
80	Wallerian and trans-synaptic degeneration contribute to optic radiation damage in multiple sclerosis: a diffusion tensor MRI study. *Multiple Sclerosis Journal*, **2013**, 19, 1610-7	5	49
79	Relationship between damage to the cerebellar peduncles and clinical disability in multiple sclerosis. *Radiology*, **2014**, 271, 822-30	20.5	38
78	COVID-19 in teriflunomide-treated patients with multiple sclerosis. *Journal of Neurology*, **2020**, 267, 2790-2796	5.5	37
77	Brain mapping in multiple sclerosis: Lessons learned about the human brain. *NeuroImage*, **2019**, 190, 32-45	7.9	33
76	Microstructural magnetic resonance imaging of cortical lesions in multiple sclerosis. *Multiple Sclerosis Journal*, **2013**, 19, 418-26	5	31

75	Identifying Progression in Multiple Sclerosis: New Perspectives. *Annals of Neurology*, **2020**, 88, 438-452	9.4	30
74	Cervical Cord T1-weighted Hypointense Lesions at MR Imaging in Multiple Sclerosis: Relationship to Cord Atrophy and Disability. *Radiology*, **2018**, 288, 234-244	20.5	28
73	Clinically Isolated Syndrome Suggestive of Multiple Sclerosis: Dynamic Patterns of Gray and White Matter Changes-A 2-year MR Imaging Study. *Radiology*, **2016**, 278, 841-53	20.5	26
72	Lifespan normative data on rates of brain volume changes. *Neurobiology of Aging*, **2019**, 81, 30-37	5.6	24
71	Microstructural MR Imaging Techniques in Multiple Sclerosis. *Neuroimaging Clinics of North America*, **2017**, 27, 313-333	3	23
70	Progression of regional atrophy in the left hemisphere contributes to clinical and cognitive deterioration in multiple sclerosis: A 5-year study. *Human Brain Mapping*, **2017**, 38, 5648-5665	5.9	23
69	Clinically relevant cranio-caudal patterns of cervical cord atrophy evolution in MS. *Neurology*, **2019**, 93, e1852-e1866	6.5	22
68	Brain reserve against physical disability progression over 5 years in multiple sclerosis. *Neurology*, **2016**, 86, 2006-9	6.5	21
67	Functional and structural plasticity following action observation training in multiple sclerosis. *Multiple Sclerosis Journal*, **2019**, 25, 1472-1487	5	17
66	Axonal degeneration as substrate of fractional anisotropy abnormalities in multiple sclerosis cortex. *Brain*, **2019**, 142, 1921-1937	11.2	16
65	Imaging patterns of gray and white matter abnormalities associated with PASAT and SDMT performance in relapsing-remitting multiple sclerosis. *Multiple Sclerosis Journal*, **2019**, 25, 204-216	5	16
64	Effects of Natalizumab and Fingolimod on Clinical, Cognitive, and Magnetic Resonance Imaging Measures in Multiple Sclerosis. *Neurotherapeutics*, **2020**, 17, 208-217	6.4	16
63	Diagnosis of multiple sclerosis: a multicentre study to compare revised McDonald-2010 and Filippi-2010 criteria. *Journal of Neurology, Neurosurgery and Psychiatry*, **2018**, 89, 316-318	5.5	14
62	MRI in multiple sclerosis: what is changing?. *Current Opinion in Neurology*, **2018**, 31, 386-395	7.1	13
61	Clinical Relevance of Multiparametric MRI Assessment of Cervical Cord Damage in Multiple Sclerosis. *Radiology*, **2020**, 296, 605-615	20.5	12
60	Application of advanced MRI techniques to monitor pharmacologic and rehabilitative treatment in multiple sclerosis: current status and future perspectives. *Expert Review of Neurotherapeutics*, **2019**, 19, 835-866	4.3	12
59	Structural and functional brain connectomes in patients with systemic lupus erythematosus. *European Journal of Neurology*, **2020**, 27, 113-e2	6	12
58	Diagnosis of Progressive Multiple Sclerosis From the Imaging Perspective: A Review. *JAMA Neurology*, **2021**, 78, 351-364	17.2	11

57	Imaging correlates of hand motor performance in multiple sclerosis: A multiparametric structural and functional MRI study. *Multiple Sclerosis Journal*, **2020**, 26, 233-244	5	9
56	Measurement of white matter fiber-bundle cross-section in multiple sclerosis using diffusion-weighted imaging. *Multiple Sclerosis Journal*, **2021**, 27, 818-826	5	9
55	Anti-CD20 therapies for multiple sclerosis: current status and future perspectives. *Journal of Neurology*, **2021**, 1	5.5	9
54	Cross-modal plasticity among sensory networks in neuromyelitis optica spectrum disorders. *Multiple Sclerosis Journal*, **2019**, 25, 968-979	5	8
53	Resting state network functional connectivity abnormalities in systemic lupus erythematosus: correlations with neuropsychiatric impairment. *Molecular Psychiatry*, **2021**, 26, 3634-3645	15.1	8
52	Can MRI be used as a proxy for ? A case study. *Brain Communications*, **2019**, 1, fcz030	4.5	8
51	Action observation training promotes motor improvement and modulates functional network dynamic connectivity in multiple sclerosis. *Multiple Sclerosis Journal*, **2021**, 27, 139-146	5	8
50	DT MRI microstructural cortical lesion damage does not explain cognitive impairment in MS. *Multiple Sclerosis Journal*, **2017**, 23, 1918-1928	5	7
49	Multiple sclerosis. *Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn*, **2016**, 135, 399-423	3	7
48	MRI quality control for the Italian Neuroimaging Network Initiative: moving towards big data in multiple sclerosis. *Journal of Neurology*, **2019**, 266, 2848-2858	5.5	7
47	Estimating Brain Lesion Volume Change in Multiple Sclerosis by Subtraction of Magnetic Resonance Images. *Journal of Neuroimaging*, **2016**, 26, 395-402	2.8	7
46	The Italian Neuroimaging Network Initiative (INNI): enabling the use of advanced MRI techniques in patients with MS. *Neurological Sciences*, **2017**, 38, 1029-1038	3.5	6
45	What role should spinal cord MRI take in the future of multiple sclerosis surveillance?. *Expert Review of Neurotherapeutics*, **2020**, 20, 783-797	4.3	6
44	Two-year regional grey and white matter volume changes with natalizumab and fingolimod. *Journal of Neurology, Neurosurgery and Psychiatry*, **2020**, 91, 493-502	5.5	6
43	Cognitive impairment in benign multiple sclerosis: a multiparametric structural and functional MRI study. *Journal of Neurology*, **2020**, 267, 3508-3517	5.5	6
42	Current state-of-art of the application of serum neurofilaments in multiple sclerosis diagnosis and monitoring. *Expert Review of Neurotherapeutics*, **2020**, 20, 747-769	4.3	6
41	Action observation training modifies brain gray matter structure in healthy adult individuals. *Brain Imaging and Behavior*, **2017**, 11, 1343-1352	4.1	6
40	Slowly Expanding Lesions Predict 9-Year Multiple Sclerosis Disease Progression.. *Neurology: Neuroimmunology and NeuroInflammation*, **2022**, 9,	9.1	6

39	Occurrence and microstructural features of slowly expanding lesions on fingolimod or natalizumab treatment in multiple sclerosis. *Multiple Sclerosis Journal*, **2021**, 27, 1520-1532	5	6
38	COVID-19 in cladribine-treated relapsing-remitting multiple sclerosis patients: a monocentric experience. *Journal of Neurology*, **2021**, 268, 2697-2699	5.5	6
37	Cortical axonal loss is associated with both gray matter demyelination and white matter tract pathology in progressive multiple sclerosis: Evidence from a combined MRI-histopathology study. *Multiple Sclerosis Journal*, **2021**, 27, 380-390	5	6
36	Neurite density explains cortical T1-weighted/T2-weighted ratio in multiple sclerosis. *Journal of Neurology, Neurosurgery and Psychiatry*, **2021**, 92, 790-792	5.5	6
35	COVID-19 will change MS care forever - No. *Multiple Sclerosis Journal*, **2020**, 26, 1149-1151	5	5
34	Clinical deterioration due to co-occurrence of multiple sclerosis and glioblastoma: report of two cases. *Neurological Sciences*, **2017**, 38, 361-364	3.5	5
33	Fatigue in multiple sclerosis patients with different clinical phenotypes: a clinical and magnetic resonance imaging study. *European Journal of Neurology*, **2020**, 27, 2549-2560	6	5
32	Association of Gray Matter Atrophy Patterns With Clinical Phenotype and Progression in Multiple Sclerosis. *Neurology*, **2021**, 96, e1561-e1573	6.5	5
31	Neutrophil-to-lymphocyte ratio: a marker of neuro-inflammation in multiple sclerosis?. *Journal of Neurology*, **2021**, 268, 717-723	5.5	5
30	A Semiautomatic Method for Multiple Sclerosis Lesion Segmentation on Dual-Echo MR Imaging: Application in a Multicenter Context. *American Journal of Neuroradiology*, **2016**, 37, 2043-2049	4.4	4
29	Vitamin A: yet another player in multiple sclerosis pathogenesis?. *Expert Review of Clinical Immunology*, **2013**, 9, 113-5	5.1	4
28	Performance of the 2017 and 2010 Revised McDonald Criteria in Predicting MS Diagnosis After a Clinically Isolated Syndrome: A MAGNIMS Study. *Neurology*, **2021**,	6.5	4
27	Central vein sign and iron rim in multiple sclerosis: ready for clinical use?. *Current Opinion in Neurology*, **2021**, 34, 505-513	7.1	4
26	Glymphatic system impairment in multiple sclerosis: relation with brain damage and disability.. *Brain*, **2021**,	11.2	4
25	Neuromyelitis optica spectrum disorder and multiple sclerosis in a Sardinian family. *Multiple Sclerosis and Related Disorders*, **2018**, 25, 73-76	4	3
24	Effect of cognitive reserve on structural and functional MRI measures in healthy subjects: a multiparametric assessment. *Journal of Neurology*, **2021**, 268, 1780-1791	5.5	3
23	Moyamoya disease mimicking the first attack of multiple sclerosis. *Journal of Neurology*, **2017**, 264, 1005-1007	5.5	2
22	Assessing the role of innovative therapeutic paradigm on multiple sclerosis treatment response. *Acta Neurologica Scandinavica*, **2018**, 138, 447-453	3.8	2

21	Subacute visual loss and bilateral fixed mydriasis: an atypical case of giant cell arteritis. *Neurological Sciences*, **2014**, 35, 1309-10	3.5	2
20	A Deep Learning Approach to Predicting Disease Progression in Multiple Sclerosis Using Magnetic Resonance Imaging.. *Investigative Radiology*, **2022**,	10.1	2
19	Effects on cognition of DMTs in multiple sclerosis: moving beyond the prevention of inflammatory activity. *Journal of Neurology*, **2021**, 1	5.5	2
18	Dynamic pattern of clinical and MRI findings in a tumefactive demyelinating lesion: A case report. *Journal of the Neurological Sciences*, **2016**, 361, 184-6	3.2	2
17	Effects of Fingolimod and Natalizumab on Brain T1-/T2-Weighted and Magnetization Transfer Ratios: a 2-Year Study. *Neurotherapeutics*, **2021**, 18, 878-888	6.4	2
16	Early use of high-efficacy disease-modifying therapies makes the difference in people with multiple sclerosis: an expert opinion. *Journal of Neurology*,	5.5	2
15	The Role of DTI in Multiple Sclerosis and Other Demyelinating Conditions **2016**, 331-341		1
14	Divergent time-varying connectivity of thalamic sub-regions characterizes clinical phenotypes and cognitive status in multiple sclerosis.. *Molecular Psychiatry*, **2022**,	15.1	1
13	Necrotic-hemorrhagic myelitis: A rare malignant variant of parainfectious acute disseminated encephalomyelitis in childhood. *Journal of the Neurological Sciences*, **2018**, 384, 58-60	3.2	1
12	Quantitative MRI adds to neuropsychiatric lupus diagnostics. *Rheumatology*, **2021**, 60, 3278-3288	3.9	1
11	Atrioventricular block after fingolimod resumption: a consequence of sphingosine-1-phosphate axis alteration due to COVID-19?. *Journal of Neurology*, **2021**, 268, 3975-3979	5.5	1
10	Unraveling the substrates of cognitive impairment in multiple sclerosis: A multiparametric structural and functional magnetic resonance imaging study. *European Journal of Neurology*, **2021**, 28, 3749-3759	6	1
9	PET is necessary to make the next step forward in understanding MS pathophysiology - No. *Multiple Sclerosis Journal*, **2019**, 25, 1088-1090	5	1
8	Functional and structural MRI correlates of executive functions in multiple sclerosis. *Multiple Sclerosis Journal*, **2021**, 13524585211033184	5	1
7	Advanced diffusion-weighted imaging models better characterize white matter neurodegeneration and clinical outcomes in multiple sclerosis.. *Journal of Neurology*, **2022**, 1	5.5	1
6	Optic neuritis in multiple sclerosis: Looking from a patient's eyes. *Neurology*, **2016**, 87, 338-9	6.5	0
5	Amyloid-β, p-tau and reactive microglia are pathological correlates of MRI cortical atrophy in Alzheimer's disease.. *Brain Communications*, **2021**, 3, fcab281	4.5	0
4	MRI of Transcallosal White Matter Helps to Predict Motor Impairment in Multiple Sclerosis. *Radiology*, **2021**, 210922	20.5	0

List of Publications

3	Pediatric multiple sclerosis: developments in timely diagnosis and prognostication.. *Expert Review of Neurotherapeutics*, **2022**, 1-11	4.3	0
2	Distribution of pathological hallmarks and association with post-mortem MRI cortical thickness in typical and atypical Alzheimer disease. *Alzheimer's and Dementia*, **2020**, 16, e042784	1.2	
1	Human Functional MRI. *Neuromethods*, **2021**, 213-236	0.4	